











		58																																																																																																										
Mode		Band Edge																																																																																																										
		U-NII-8_802.11ax HE20_CH229_Partial RU-26RU8_7095MHz																																																																																																										
ANT		1+2																																																																																																										
Pol.		Vertical					Fundamental																																																																																																					
Peak	 Level (dBuV/m) Date: 2025-03-02 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7229.85</td><td>55.27</td><td>88.20</td><td>-32.93</td><td>38.84</td><td>36.56</td><td>13.02</td><td>33.15</td><td>253</td><td>138</td><td>PEAK</td></tr><tr><td>2</td><td>7265.01</td><td>54.84</td><td>74.00</td><td>-19.16</td><td>38.34</td><td>36.60</td><td>13.05</td><td>33.15</td><td>253</td><td>138</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7229.85	55.27	88.20	-32.93	38.84	36.56	13.02	33.15	253	138	PEAK	2	7265.01	54.84	74.00	-19.16	38.34	36.60	13.05	33.15	253	138	PEAK	 Level (dBuV/m) Date: 2025-03-02 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>85.62</td><td>-----</td><td>-----</td><td>69.59</td><td>36.50</td><td>12.65</td><td>33.12</td><td>253</td><td>138</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	85.62	-----	-----	69.59	36.50	12.65	33.12	253	138	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7229.85	55.27	88.20	-32.93	38.84	36.56	13.02	33.15	253	138	PEAK																																																																																																	
2	7265.01	54.84	74.00	-19.16	38.34	36.60	13.05	33.15	253	138	PEAK																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7095.00	85.62	-----	-----	69.59	36.50	12.65	33.12	253	138	PEAK																																																																																																	
Avg	 Level (dBuV/m) Date: 2025-03-02 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7236.08</td><td>44.64</td><td>68.20</td><td>-23.56</td><td>28.19</td><td>36.57</td><td>13.03</td><td>33.15</td><td>253</td><td>138</td><td>AVERAGE</td></tr><tr><td>2</td><td>7308.62</td><td>44.62</td><td>54.00</td><td>-9.38</td><td>28.12</td><td>36.58</td><td>13.08</td><td>33.16</td><td>253</td><td>138</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7236.08	44.64	68.20	-23.56	28.19	36.57	13.03	33.15	253	138	AVERAGE	2	7308.62	44.62	54.00	-9.38	28.12	36.58	13.08	33.16	253	138	AVERAGE	 Level (dBuV/m) Date: 2025-03-02 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>78.51</td><td>-----</td><td>-----</td><td>62.48</td><td>36.50</td><td>12.65</td><td>33.12</td><td>253</td><td>138</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	78.51	-----	-----	62.48	36.50	12.65	33.12	253	138	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7236.08	44.64	68.20	-23.56	28.19	36.57	13.03	33.15	253	138	AVERAGE																																																																																																	
2	7308.62	44.62	54.00	-9.38	28.12	36.58	13.08	33.16	253	138	AVERAGE																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7095.00	78.51	-----	-----	62.48	36.50	12.65	33.12	253	138	AVERAGE																																																																																																	



Mode	110																																																																																			
	Band Edge																																																																																			
	U-NII-5_802.11be EHT20_CH1_Single RU-26RU0_5955MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-02 PEAK_BE(UNII)_6E 1 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5857.06</td><td>53.57</td><td>88.20</td><td>-34.63</td><td>38.38</td><td>36.51</td><td>11.52</td><td>32.84</td><td>107</td><td>115 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5857.06	53.57	88.20	-34.63	38.38	36.51	11.52	32.84	107	115 PEAK	Level (dBuV/m) Date: 2025-03-02 PEAK_BE(UNII)_6E 1 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>91.10</td><td>-----</td><td>-----</td><td>75.91</td><td>36.70</td><td>11.37</td><td>32.88</td><td>107</td><td>115 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	91.10	-----	-----	75.91	36.70	11.37	32.88	107	115 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5857.06	53.57	88.20	-34.63	38.38	36.51	11.52	32.84	107	115 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	91.10	-----	-----	75.91	36.70	11.37	32.88	107	115 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-03-02 AVG_BE(UNII)_6E 1 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.84</td><td>43.28</td><td>68.20</td><td>-24.92</td><td>27.99</td><td>36.55</td><td>11.57</td><td>32.83</td><td>107</td><td>115 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5825.84	43.28	68.20	-24.92	27.99	36.55	11.57	32.83	107	115 AVERAGE	Level (dBuV/m) Date: 2025-03-02 AVG_BE(UNII)_6E 1 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>83.74</td><td>-----</td><td>-----</td><td>68.55</td><td>36.70</td><td>11.37</td><td>32.88</td><td>107</td><td>115 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	83.74	-----	-----	68.55	36.70	11.37	32.88	107	115 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5825.84	43.28	68.20	-24.92	27.99	36.55	11.57	32.83	107	115 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5955.00	83.74	-----	-----	68.55	36.70	11.37	32.88	107	115 AVERAGE																																																																										



Mode	110																																																																									
	Band Edge																																																																									
	U-NII-5_802.11be EHT20_CH1_Single RU-26RU0_5955MHz																																																																									
ANT	1+2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Date: 2025-03-02  Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5826.82</td><td>54.09</td><td>88.20</td><td>-34.11</td><td>38.80</td><td>36.55</td><td>11.57</td><td>32.83</td><td>233 149 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5826.82	54.09	88.20	-34.11	38.80	36.55	11.57	32.83	233 149 PEAK	Date: 2025-03-02  Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>87.56</td><td>-----</td><td>-----</td><td>72.37</td><td>36.70</td><td>11.37</td><td>32.88</td><td>233 149 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	87.56	-----	-----	72.37	36.70	11.37	32.88	233 149 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5826.82	54.09	88.20	-34.11	38.80	36.55	11.57	32.83	233 149 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	87.56	-----	-----	72.37	36.70	11.37	32.88	233 149 PEAK																																																																		
Avg	Date: 2025-03-02  Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5919.22</td><td>43.27</td><td>68.20</td><td>-24.93</td><td>28.09</td><td>36.64</td><td>11.41</td><td>32.87</td><td>233 149 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5919.22	43.27	68.20	-24.93	28.09	36.64	11.41	32.87	233 149 AVERAGE	Date: 2025-03-02  Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>80.13</td><td>-----</td><td>-----</td><td>64.94</td><td>36.70</td><td>11.37</td><td>32.88</td><td>233 149 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	80.13	-----	-----	64.94	36.70	11.37	32.88	233 149 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5919.22	43.27	68.20	-24.93	28.09	36.64	11.41	32.87	233 149 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	80.13	-----	-----	64.94	36.70	11.37	32.88	233 149 AVERAGE																																																																		



Mode	111																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-8_802.11be EHT20_CH229_Single RU-26RU8_7095MHz																																																																																																																							
ANT	1+2																																																																																																																							
Pol.	Horizontal																																																																																																																							
Peak	Fundamental																																																																																																																							
	Level (dBuV/m) Date: 2025-03-02 Frequency (MHz)											Level (dBuV/m) Date: 2025-03-02 Frequency (MHz)																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7216.95</td><td>55.54</td><td>88.20</td><td>-32.66</td><td>39.14</td><td>36.53</td><td>13.01</td><td>33.14</td><td>135</td><td>108 PEAK</td></tr><tr><td>2</td><td>7276.13</td><td>55.77</td><td>74.00</td><td>-18.23</td><td>39.28</td><td>36.60</td><td>13.05</td><td>33.16</td><td>135</td><td>108 PEAK</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7216.95	55.54	88.20	-32.66	39.14	36.53	13.01	33.14	135	108 PEAK	2	7276.13	55.77	74.00	-18.23	39.28	36.60	13.05	33.16	135	108 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>95.95</td><td>-----</td><td>-----</td><td>79.92</td><td>36.50</td><td>12.65</td><td>33.12</td><td>135</td><td>108 PEAK</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	95.95	-----	-----	79.92	36.50	12.65	33.12	135
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	7216.95	55.54	88.20	-32.66	39.14	36.53	13.01	33.14	135	108 PEAK																																																																																																														
2	7276.13	55.77	74.00	-18.23	39.28	36.60	13.05	33.16	135	108 PEAK																																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	7095.00	95.95	-----	-----	79.92	36.50	12.65	33.12	135	108 PEAK																																																																																																														
Avg	Horizontal																																																																																																																							
	Fundamental																																																																																																																							
	Level (dBuV/m) Date: 2025-03-02 Frequency (MHz)											Level (dBuV/m) Date: 2025-03-02 Frequency (MHz)																																																																																																												
<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7222.73</td><td>44.50</td><td>68.20</td><td>-23.70</td><td>28.07</td><td>36.55</td><td>13.02</td><td>33.14</td><td>135</td><td>108 AVERAGE</td></tr><tr><td>2</td><td>7285.48</td><td>44.60</td><td>54.00</td><td>-9.40</td><td>28.10</td><td>36.60</td><td>13.06</td><td>33.16</td><td>135</td><td>108 AVERAGE</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7222.73	44.50	68.20	-23.70	28.07	36.55	13.02	33.14	135	108 AVERAGE	2	7285.48	44.60	54.00	-9.40	28.10	36.60	13.06	33.16	135	108 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>88.87</td><td>-----</td><td>-----</td><td>72.84</td><td>36.50</td><td>12.65</td><td>33.12</td><td>135</td><td>108 AVERAGE</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark			Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	88.87	-----	-----	72.84	36.50	12.65	33.12	135	108 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	7222.73	44.50	68.20	-23.70	28.07	36.55	13.02	33.14	135	108 AVERAGE																																																																																																														
2	7285.48	44.60	54.00	-9.40	28.10	36.60	13.06	33.16	135	108 AVERAGE																																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	7095.00	88.87	-----	-----	72.84	36.50	12.65	33.12	135	108 AVERAGE																																																																																																														



Mode	111																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_802.11be EHT20_CH229_Single RU-26RU8_7095MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2025-03-02 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7222.29</td><td>54.64</td><td>88.20</td><td>-33.56</td><td>38.22</td><td>36.54</td><td>13.02</td><td>33.14</td><td>254 140 PEAK</td></tr><tr><td>2</td><td>7312.18</td><td>54.44</td><td>74.00</td><td>-19.56</td><td>37.94</td><td>36.58</td><td>13.08</td><td>33.16</td><td>254 140 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7222.29	54.64	88.20	-33.56	38.22	36.54	13.02	33.14	254 140 PEAK	2	7312.18	54.44	74.00	-19.56	37.94	36.58	13.08	33.16	254 140 PEAK	Level (dBuV/m) Date: 2025-03-02 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>88.25</td><td>-----</td><td>-----</td><td>72.22</td><td>36.50</td><td>12.65</td><td>33.12</td><td>254 140 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	88.25	-----	-----	72.22	36.50	12.65	33.12	254 140 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7222.29	54.64	88.20	-33.56	38.22	36.54	13.02	33.14	254 140 PEAK																																																																																											
2	7312.18	54.44	74.00	-19.56	37.94	36.58	13.08	33.16	254 140 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7095.00	88.25	-----	-----	72.22	36.50	12.65	33.12	254 140 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-03-02 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7227.18</td><td>44.42</td><td>68.20</td><td>-23.78</td><td>28.00</td><td>36.55</td><td>13.02</td><td>33.15</td><td>254 140 AVERAGE</td></tr><tr><td>2</td><td>7250.32</td><td>44.43</td><td>54.00</td><td>-9.57</td><td>27.94</td><td>36.60</td><td>13.04</td><td>33.15</td><td>254 140 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7227.18	44.42	68.20	-23.78	28.00	36.55	13.02	33.15	254 140 AVERAGE	2	7250.32	44.43	54.00	-9.57	27.94	36.60	13.04	33.15	254 140 AVERAGE	Level (dBuV/m) Date: 2025-03-02 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>79.25</td><td>-----</td><td>-----</td><td>63.22</td><td>36.50</td><td>12.65</td><td>33.12</td><td>254 140 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	79.25	-----	-----	63.22	36.50	12.65	33.12	254 140 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7227.18	44.42	68.20	-23.78	28.00	36.55	13.02	33.15	254 140 AVERAGE																																																																																											
2	7250.32	44.43	54.00	-9.57	27.94	36.60	13.04	33.15	254 140 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7095.00	79.25	-----	-----	63.22	36.50	12.65	33.12	254 140 AVERAGE																																																																																											







Mode	112																																																																															
	Band Edge																																																																															
	U-NII-5_802.11be EHT20_CH1_Small RU-106+26_OFDMA_1_5955MHz																																																																															
ANT	1+2																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2025-03-02 PEAK_BE(UNII)_6E Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5876.80</td><td>53.50</td><td>88.20</td><td>-34.70</td><td>38.32</td><td>36.55</td><td>11.48</td><td>32.85</td><td>363</td><td>117</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5876.80	53.50	88.20	-34.70	38.32	36.55	11.48	32.85	363	117	PEAK	Level (dBuV/m) Date: 2025-03-02 PEAK_BE(UNII)_6E Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>91.91</td><td>-----</td><td>-----</td><td>76.72</td><td>36.70</td><td>11.37</td><td>32.88</td><td>363</td><td>117</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	91.91	-----	-----	76.72	36.70	11.37	32.88	363	117	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5876.80	53.50	88.20	-34.70	38.32	36.55	11.48	32.85	363	117	PEAK																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	91.91	-----	-----	76.72	36.70	11.37	32.88	363	117	PEAK																																																																					
Avg	Level (dBuV/m) Date: 2025-03-02 AVG_BE(UNII)_6E Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5862.80</td><td>43.39</td><td>68.20</td><td>-24.81</td><td>28.20</td><td>36.53</td><td>11.51</td><td>32.85</td><td>363</td><td>117</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5862.80	43.39	68.20	-24.81	28.20	36.53	11.51	32.85	363	117	AVERAGE	Level (dBuV/m) Date: 2025-03-02 AVG_BE(UNII)_6E Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>84.24</td><td>-----</td><td>-----</td><td>69.05</td><td>36.70</td><td>11.37</td><td>32.88</td><td>363</td><td>117</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	84.24	-----	-----	69.05	36.70	11.37	32.88	363	117	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5862.80	43.39	68.20	-24.81	28.20	36.53	11.51	32.85	363	117	AVERAGE																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5955.00	84.24	-----	-----	69.05	36.70	11.37	32.88	363	117	AVERAGE																																																																					



Mode	112																																																																											
	Band Edge																																																																											
	U-NII-5_802.11be EHT20_CH1_Small RU-106+26_OFDMA_1_5955MHz																																																																											
ANT	1+2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	Date: 2025-03-02 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5900.74</td><td>53.74</td><td>88.20</td><td>-34.46</td><td>38.56</td><td>36.60</td><td>11.44</td><td>32.86</td><td>314 180 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5900.74	53.74	88.20	-34.46	38.56	36.60	11.44	32.86	314 180 PEAK	Date: 2025-03-02 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>88.48</td><td>-----</td><td>-----</td><td>73.29</td><td>36.70</td><td>11.37</td><td>32.88</td><td>314 180 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	88.48	-----	-----	73.29	36.70	11.37	32.88	314 180 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5900.74	53.74	88.20	-34.46	38.56	36.60	11.44	32.86	314 180 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5955.00	88.48	-----	-----	73.29	36.70	11.37	32.88	314 180 PEAK																																																																			
Avg	Date: 2025-03-02 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5851.46</td><td>43.33</td><td>68.20</td><td>-24.87</td><td>28.14</td><td>36.50</td><td>11.53</td><td>32.84</td><td>314 180 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5851.46	43.33	68.20	-24.87	28.14	36.50	11.53	32.84	314 180 AVERAGE	Date: 2025-03-02 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>80.55</td><td>-----</td><td>-----</td><td>65.36</td><td>36.70</td><td>11.37</td><td>32.88</td><td>314 180 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	80.55	-----	-----	65.36	36.70	11.37	32.88	314 180 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5851.46	43.33	68.20	-24.87	28.14	36.50	11.53	32.84	314 180 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5955.00	80.55	-----	-----	65.36	36.70	11.37	32.88	314 180 AVERAGE																																																																			







Mode	113																																																																																																		
	Band Edge																																																																																																		
	U-NII-8_802.11be EHT20_CH229_Small RU-106+26_OFDMA_2_7095MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-03-02  PEAK_BE(UNII_6E)					Level (dBuV/m) Date: 2025-03-02  PEAK_BE(UNII_6E)																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7188.47</td><td>54.26</td><td>88.20 -33.94</td><td>37.96</td><td>36.48</td><td>12.96</td><td>33.14</td><td>134</td><td>108 PEAK</td></tr><tr><td>2</td><td>7285.48</td><td>54.50</td><td>74.00 -19.50</td><td>38.00</td><td>36.60</td><td>13.06</td><td>33.16</td><td>134</td><td>108 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7188.47	54.26	88.20 -33.94	37.96	36.48	12.96	33.14	134	108 PEAK	2	7285.48	54.50	74.00 -19.50	38.00	36.60	13.06	33.16	134	108 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>95.88</td><td>-----</td><td>79.85</td><td>36.50</td><td>12.65</td><td>33.12</td><td>134</td><td>108 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	95.88	-----	79.85	36.50	12.65	33.12	134
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7188.47	54.26	88.20 -33.94	37.96	36.48	12.96	33.14	134	108 PEAK																																																																																										
2	7285.48	54.50	74.00 -19.50	38.00	36.60	13.06	33.16	134	108 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	95.88	-----	79.85	36.50	12.65	33.12	134	108 PEAK																																																																																										
Avg	Level (dBuV/m) Date: 2025-03-02  AVG_BE(UNII_6E)					Level (dBuV/m) Date: 2025-03-02  AVG_BE(UNII_6E)																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7224.51</td><td>44.61</td><td>68.20 -23.59</td><td>28.18</td><td>36.55</td><td>13.02</td><td>33.14</td><td>134</td><td>108 AVERAGE</td></tr><tr><td>2</td><td>7307.28</td><td>44.54</td><td>54.00 -9.46</td><td>28.03</td><td>36.59</td><td>13.08</td><td>33.16</td><td>134</td><td>108 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7224.51	44.61	68.20 -23.59	28.18	36.55	13.02	33.14	134	108 AVERAGE	2	7307.28	44.54	54.00 -9.46	28.03	36.59	13.08	33.16	134	108 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>87.49</td><td>-----</td><td>71.46</td><td>36.50</td><td>12.65</td><td>33.12</td><td>134</td><td>108 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	87.49	-----	71.46	36.50	12.65	33.12	134
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7224.51	44.61	68.20 -23.59	28.18	36.55	13.02	33.14	134	108 AVERAGE																																																																																										
2	7307.28	44.54	54.00 -9.46	28.03	36.59	13.08	33.16	134	108 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7095.00	87.49	-----	71.46	36.50	12.65	33.12	134	108 AVERAGE																																																																																										



Mode	113																																																																	
	Band Edge																																																																	
	U-NII-8_802.11be EHT20_CH229_Small RU-106+26_OFDMA_2_7095MHz																																																																	
ANT	1+2																																																																	
Pol.	Vertical																																																																	
Peak	Level (dBuV/m) Date: 2025-03-02 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7127.06</td><td>54.66</td><td>88.20</td><td>-33.54</td><td>38.60</td><td>36.45</td><td>12.74</td><td>33.13</td><td>258</td><td>137 PEAK</td></tr><tr><td>2</td><td>7252.55</td><td>55.57</td><td>74.00</td><td>-18.43</td><td>39.08</td><td>36.60</td><td>13.04</td><td>33.15</td><td>258</td><td>137 PEAK</td></tr></tbody></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7127.06	54.66	88.20	-33.54	38.60	36.45	12.74	33.13	258	137 PEAK	2	7252.55	55.57	74.00	-18.43	39.08	36.60	13.04	33.15	258	137 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																								
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																									
1	7127.06	54.66	88.20	-33.54	38.60	36.45	12.74	33.13	258	137 PEAK																																																								
2	7252.55	55.57	74.00	-18.43	39.08	36.60	13.04	33.15	258	137 PEAK																																																								
Fundamental	Level (dBuV/m) Date: 2025-03-02 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>86.26</td><td>-----</td><td>-----</td><td>70.23</td><td>36.50</td><td>12.65</td><td>33.12</td><td>258</td><td>137 PEAK</td></tr></tbody></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7095.00	86.26	-----	-----	70.23	36.50	12.65	33.12	258	137 PEAK											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																								
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																									
1	7095.00	86.26	-----	-----	70.23	36.50	12.65	33.12	258	137 PEAK																																																								
Avg	Level (dBuV/m) Date: 2025-03-02 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7203.15</td><td>44.46</td><td>68.20</td><td>-23.74</td><td>28.09</td><td>36.51</td><td>13.00</td><td>33.14</td><td>258</td><td>137 AVERAGE</td></tr><tr><td>2</td><td>7310.84</td><td>44.53</td><td>54.00</td><td>-9.47</td><td>28.03</td><td>36.58</td><td>13.08</td><td>33.16</td><td>258</td><td>137 AVERAGE</td></tr></tbody></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7203.15	44.46	68.20	-23.74	28.09	36.51	13.00	33.14	258	137 AVERAGE	2	7310.84	44.53	54.00	-9.47	28.03	36.58	13.08	33.16	258	137 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																								
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																									
1	7203.15	44.46	68.20	-23.74	28.09	36.51	13.00	33.14	258	137 AVERAGE																																																								
2	7310.84	44.53	54.00	-9.47	28.03	36.58	13.08	33.16	258	137 AVERAGE																																																								
Fundamental	Level (dBuV/m) Date: 2025-03-02 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>78.19</td><td>-----</td><td>-----</td><td>62.16</td><td>36.50</td><td>12.65</td><td>33.12</td><td>258</td><td>137 AVERAGE</td></tr></tbody></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7095.00	78.19	-----	-----	62.16	36.50	12.65	33.12	258	137 AVERAGE											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																								
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																									
1	7095.00	78.19	-----	-----	62.16	36.50	12.65	33.12	258	137 AVERAGE																																																								



Mode	114																																																																																			
	Band Edge																																																																																			
	U-NII-5_802.11be EHT80_CH7_Large RU 484+242_4_5985MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-02  PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.48</td><td>53.02</td><td>88.20</td><td>-35.18</td><td>37.84</td><td>36.64</td><td>11.41</td><td>32.87</td><td>118</td><td>113 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5921.48	53.02	88.20	-35.18	37.84	36.64	11.41	32.87	118	113 PEAK	Level (dBuV/m) Date: 2025-03-02  PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>88.12</td><td>-----</td><td>-----</td><td>72.95</td><td>36.70</td><td>11.35</td><td>32.88</td><td>118</td><td>113 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	88.12	-----	-----	72.95	36.70	11.35	32.88	118	113 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5921.48	53.02	88.20	-35.18	37.84	36.64	11.41	32.87	118	113 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5985.00	88.12	-----	-----	72.95	36.70	11.35	32.88	118	113 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-03-02  AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5897.80</td><td>43.35</td><td>68.20</td><td>-24.85</td><td>28.16</td><td>36.60</td><td>11.45</td><td>32.86</td><td>118</td><td>113 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5897.80	43.35	68.20	-24.85	28.16	36.60	11.45	32.86	118	113 AVERAGE	Level (dBuV/m) Date: 2025-03-02  AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>79.45</td><td>-----</td><td>-----</td><td>64.28</td><td>36.70</td><td>11.35</td><td>32.88</td><td>118</td><td>113 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	79.45	-----	-----	64.28	36.70	11.35	32.88	118	113 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5897.80	43.35	68.20	-24.85	28.16	36.60	11.45	32.86	118	113 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5985.00	79.45	-----	-----	64.28	36.70	11.35	32.88	118	113 AVERAGE																																																																										



Mode	114																																									
	Band Edge																																									
	U-NII-5_802.11be EHT80_CH7_Large RU 484+242_4_5985MHz																																									
ANT	1+2																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Date: 2025-03-02 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5914.12</td><td>52.87</td><td>88.20</td><td>-35.33</td><td>37.69</td><td>36.63</td><td>11.42</td><td>32.87</td><td>267</td><td>149 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5914.12	52.87	88.20	-35.33	37.69	36.63	11.42	32.87	267	149 PEAK	Level (dBuV/m) Date: 2025-03-02 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5985.00</td><td>85.29</td><td>-----</td><td>-----</td><td>70.15</td><td>36.70</td><td>11.33</td><td>32.89</td><td>267</td><td>149 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5985.00	85.29	-----	-----	70.15	36.70	11.33	32.89	267	149 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 5914.12	52.87	88.20	-35.33	37.69	36.63	11.42	32.87	267	149 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5985.00	85.29	-----	-----	70.15	36.70	11.33	32.89	267	149 PEAK																																	
Avg	Level (dBuV/m) Date: 2025-03-02 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5921.32</td><td>43.34</td><td>68.20</td><td>-24.86</td><td>28.16</td><td>36.64</td><td>11.41</td><td>32.87</td><td>267</td><td>149 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5921.32	43.34	68.20	-24.86	28.16	36.64	11.41	32.87	267	149 AVERAGE	Level (dBuV/m) Date: 2025-03-02 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5985.00</td><td>76.50</td><td>-----</td><td>-----</td><td>61.31</td><td>36.70</td><td>11.37</td><td>32.88</td><td>267</td><td>149 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5985.00	76.50	-----	-----	61.31	36.70	11.37	32.88	267	149 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5921.32	43.34	68.20	-24.86	28.16	36.64	11.41	32.87	267	149 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5985.00	76.50	-----	-----	61.31	36.70	11.37	32.88	267	149 AVERAGE																																	



Mode	115																																																																																		
	Band Edge																																																																																		
	U-NII-8_802.11be EHT80_CH215_Large RU 484+242_1_7025MHz																																																																																		
ANT	1+2																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7167.50</td><td>54.57</td><td>88.20</td><td>-33.63</td><td>38.38</td><td>36.44</td><td>12.88</td><td>33.13</td><td>128 107 PEAK</td></tr><tr><td>2 7262.40</td><td>53.86</td><td>74.00</td><td>-20.14</td><td>37.37</td><td>36.60</td><td>13.04</td><td>33.15</td><td>128 107 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7167.50	54.57	88.20	-33.63	38.38	36.44	12.88	33.13	128 107 PEAK	2 7262.40	53.86	74.00	-20.14	37.37	36.60	13.04	33.15	128 107 PEAK	Level (dBuV/m) Date: 2025-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>91.45</td><td>-----</td><td>-----</td><td>75.69</td><td>36.40</td><td>12.47</td><td>33.11</td><td>128 107 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7025.00	91.45	-----	-----	75.69	36.40	12.47	33.11	128 107 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7167.50	54.57	88.20	-33.63	38.38	36.44	12.88	33.13	128 107 PEAK																																																																											
2 7262.40	53.86	74.00	-20.14	37.37	36.60	13.04	33.15	128 107 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7025.00	91.45	-----	-----	75.69	36.40	12.47	33.11	128 107 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7205.83</td><td>44.49</td><td>68.20</td><td>-23.71</td><td>28.12</td><td>36.51</td><td>13.00</td><td>33.14</td><td>128 107 AVERAGE</td></tr><tr><td>2 7275.18</td><td>44.67</td><td>54.00</td><td>-9.33</td><td>28.18</td><td>36.60</td><td>13.05</td><td>33.16</td><td>128 107 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7205.83	44.49	68.20	-23.71	28.12	36.51	13.00	33.14	128 107 AVERAGE	2 7275.18	44.67	54.00	-9.33	28.18	36.60	13.05	33.16	128 107 AVERAGE	Level (dBuV/m) Date: 2025-03-02 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7025.00</td><td>82.61</td><td>-----</td><td>-----</td><td>66.85</td><td>36.40</td><td>12.47</td><td>33.11</td><td>128 107 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7025.00	82.61	-----	-----	66.85	36.40	12.47	33.11	128 107 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7205.83	44.49	68.20	-23.71	28.12	36.51	13.00	33.14	128 107 AVERAGE																																																																											
2 7275.18	44.67	54.00	-9.33	28.18	36.60	13.05	33.16	128 107 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7025.00	82.61	-----	-----	66.85	36.40	12.47	33.11	128 107 AVERAGE																																																																											



Mode	115																																																																									
	Band Edge																																																																									
	U-NII-8_802.11be EHT80_CH215_Large RU 484+242_1_7025MHz																																																																									
ANT	1+2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-03-02 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 7201.45</td><td>53.99</td><td>88.20</td><td>-34.21</td><td>37.63</td><td>36.50</td><td>13.00</td><td>33.14</td></tr><tr><td>2 7313.14</td><td>54.02</td><td>74.00</td><td>-19.98</td><td>37.53</td><td>36.57</td><td>13.08</td><td>33.16</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1 7201.45	53.99	88.20	-34.21	37.63	36.50	13.00	33.14	2 7313.14	54.02	74.00	-19.98	37.53	36.57	13.08	33.16	Level (dBuV/m) Date: 2025-03-02 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 7025.00</td><td>83.12</td><td>-----</td><td>-----</td><td>67.36</td><td>36.40</td><td>12.47</td><td>33.11</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1 7025.00	83.12	-----	-----	67.36	36.40	12.47	33.11
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																			
1 7201.45	53.99	88.20	-34.21	37.63	36.50	13.00	33.14																																																																			
2 7313.14	54.02	74.00	-19.98	37.53	36.57	13.08	33.16																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																			
1 7025.00	83.12	-----	-----	67.36	36.40	12.47	33.11																																																																			
Avg	Level (dBuV/m) Date: 2025-03-02 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 7232.11</td><td>44.47</td><td>68.20</td><td>-23.73</td><td>28.04</td><td>36.56</td><td>13.02</td><td>33.15</td></tr><tr><td>2 7291.97</td><td>44.61</td><td>54.00</td><td>-9.39</td><td>28.10</td><td>36.60</td><td>13.07</td><td>33.16</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1 7232.11	44.47	68.20	-23.73	28.04	36.56	13.02	33.15	2 7291.97	44.61	54.00	-9.39	28.10	36.60	13.07	33.16	Level (dBuV/m) Date: 2025-03-02 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 7025.00</td><td>74.32</td><td>-----</td><td>-----</td><td>58.56</td><td>36.40</td><td>12.47</td><td>33.11</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1 7025.00	74.32	-----	-----	58.56	36.40	12.47	33.11
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																			
1 7232.11	44.47	68.20	-23.73	28.04	36.56	13.02	33.15																																																																			
2 7291.97	44.61	54.00	-9.39	28.10	36.60	13.07	33.16																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																			
1 7025.00	74.32	-----	-----	58.56	36.40	12.47	33.11																																																																			







Mode	116																																																																									
	Band Edge																																																																									
	U-NII-5_802.11be EHT160_CH15_Large RU 996+484_4_6025MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-03-02 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5881. 5937. 5993. 6049. 6105 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5907.60</td><td>53.71</td><td>88.20</td><td>-34.49</td><td>38.52</td><td>36.62</td><td>11.43</td><td>32.86</td><td>142 111 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5907.60	53.71	88.20	-34.49	38.52	36.62	11.43	32.86	142 111 PEAK	Level (dBuV/m) Date: 2025-03-02 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) 1 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>87.52</td><td>-----</td><td>-----</td><td>72.39</td><td>36.69</td><td>11.34</td><td>32.90</td><td>142 111 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	87.52	-----	-----	72.39	36.69	11.34	32.90	142 111 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5907.60	53.71	88.20	-34.49	38.52	36.62	11.43	32.86	142 111 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	87.52	-----	-----	72.39	36.69	11.34	32.90	142 111 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-03-02 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5825 5881. 5937. 5993. 6049. 6105 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5860.84</td><td>43.47</td><td>68.20</td><td>-24.73</td><td>28.28</td><td>36.52</td><td>11.51</td><td>32.84</td><td>142 111 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5860.84	43.47	68.20	-24.73	28.28	36.52	11.51	32.84	142 111 AVERAGE	Level (dBuV/m) Date: 2025-03-02 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) 1 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6025.00</td><td>77.81</td><td>-----</td><td>-----</td><td>62.69</td><td>36.59</td><td>11.44</td><td>32.91</td><td>142 111 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	77.81	-----	-----	62.69	36.59	11.44	32.91	142 111 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5860.84	43.47	68.20	-24.73	28.28	36.52	11.51	32.84	142 111 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	77.81	-----	-----	62.69	36.59	11.44	32.91	142 111 AVERAGE																																																																		



Mode	116										
	Band Edge										
	U-NII-5_802.11be EHT160_CH15_Large RU 996+484_4_6025MHz										
ANT	1+2										
Pol.	Vertical										
Peak	Level (dBuV/m) Date: 2025-03-02 <										



Mode	117																																																												
	Band Edge																																																												
	U-NII-8_802.11be EHT160_CH207_Large RU 996+484_1_6985MHz																																																												
ANT	1+2																																																												
Pol.	Horizontal																																																												
Peak	Level (dBuV/m) Date: 2025-03-02  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7148.13</td><td>55.54</td><td>88.20</td><td>-32.66</td><td>39.46</td><td>36.40</td><td>12.81</td><td>33.13</td><td>139 110 PEAK</td></tr><tr><td>2</td><td>7323.75</td><td>54.51</td><td>74.00</td><td>-19.49</td><td>38.03</td><td>36.55</td><td>13.09</td><td>33.16</td><td>139 110 PEAK</td></tr></tbody></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7148.13	55.54	88.20	-32.66	39.46	36.40	12.81	33.13	139 110 PEAK	2	7323.75	54.51	74.00	-19.49	38.03	36.55	13.09	33.16	139 110 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																				
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																				
1	7148.13	55.54	88.20	-32.66	39.46	36.40	12.81	33.13	139 110 PEAK																																																				
2	7323.75	54.51	74.00	-19.49	38.03	36.55	13.09	33.16	139 110 PEAK																																																				
Fundamental	Level (dBuV/m) Date: 2025-03-02  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>89.99</td><td>-----</td><td>-----</td><td>74.49</td><td>36.30</td><td>12.30</td><td>33.10</td><td>139 110 PEAK</td></tr></tbody></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	89.99	-----	-----	74.49	36.30	12.30	33.10	139 110 PEAK										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																				
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																				
1	6985.00	89.99	-----	-----	74.49	36.30	12.30	33.10	139 110 PEAK																																																				
Avg	Level (dBuV/m) Date: 2025-03-02  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7234.38</td><td>44.50</td><td>68.20</td><td>-23.70</td><td>28.06</td><td>36.57</td><td>13.02</td><td>33.15</td><td>139 110 AVERAGE</td></tr><tr><td>2</td><td>7283.13</td><td>44.56</td><td>54.00</td><td>-9.44</td><td>28.06</td><td>36.60</td><td>13.06</td><td>33.16</td><td>139 110 AVERAGE</td></tr></tbody></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7234.38	44.50	68.20	-23.70	28.06	36.57	13.02	33.15	139 110 AVERAGE	2	7283.13	44.56	54.00	-9.44	28.06	36.60	13.06	33.16	139 110 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																				
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																				
1	7234.38	44.50	68.20	-23.70	28.06	36.57	13.02	33.15	139 110 AVERAGE																																																				
2	7283.13	44.56	54.00	-9.44	28.06	36.60	13.06	33.16	139 110 AVERAGE																																																				
Avg	Level (dBuV/m) Date: 2025-03-02  <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>81.45</td><td>-----</td><td>-----</td><td>65.98</td><td>36.30</td><td>12.26</td><td>33.09</td><td>139 110 AVERAGE</td></tr></tbody></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	81.45	-----	-----	65.98	36.30	12.26	33.09	139 110 AVERAGE										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																				
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																				
1	6985.00	81.45	-----	-----	65.98	36.30	12.26	33.09	139 110 AVERAGE																																																				

Mode

117

Band Edge

U-NII-8_802.11be EHT160_CH207_Large RU 996+484_1_6985MHz

ANT

1+2

Pol.


Vertical

Fundamental

Peak

Level (dBuV/m)


Date: 2025-03-02



	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg
1 7220.63	54.88	88.20	-33.32	38.47	36.54	13.01	33.14	266	140 PEAK
2 7293.13	54.96	74.00	-19.04	38.45	36.60	13.07	33.16	266	140 PEAK

Level (dBuV/m)


Date: 2025-03-02



	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg
1 6985.00	81.82	-----	-----	66.35	36.30	12.26	33.09	266	140 PEAK

Level (dBuV/m)


Date: 2025-03-02



	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg
1 7224.38	44.41	68.20	-23.79	27.98	36.55	13.02	33.14	266	140 AVERAGE
2 7256.88	44.60	54.00	-9.40	28.11	36.60	13.04	33.15	266	140 AVERAGE

Level (dBuV/m)

Date: 2025-03-02



	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg
1 6985.00	72.63	-----	-----	57.14	36.30	12.29	33.10	266	140 AVERAGE



Mode	118																																																																									
	Band Edge																																																																									
	U-NII-5_802.11be EHT320_CH31_Large RU 996*2+484_6_6105MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-03-02 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5500 5653. 5806. 5959. 6112. 6265 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5728.74</td><td>54.45</td><td>88.20</td><td>-33.75</td><td>38.93</td><td>36.66</td><td>11.65</td><td>32.79</td><td>218 113 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5728.74	54.45	88.20	-33.75	38.93	36.66	11.65	32.79	218 113 PEAK	Level (dBuV/m) Date: 2025-03-02 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>85.27</td><td>-----</td><td>-----</td><td>70.00</td><td>36.35</td><td>11.85</td><td>32.93</td><td>218 113 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	85.27	-----	-----	70.00	36.35	11.85	32.93	218 113 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5728.74	54.45	88.20	-33.75	38.93	36.66	11.65	32.79	218 113 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	85.27	-----	-----	70.00	36.35	11.85	32.93	218 113 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-03-02 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5500 5653. 5806. 5959. 6112. 6265 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5698.14</td><td>44.02</td><td>68.20</td><td>-24.18</td><td>28.53</td><td>36.60</td><td>11.67</td><td>32.78</td><td>218 113 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5698.14	44.02	68.20	-24.18	28.53	36.60	11.67	32.78	218 113 AVERAGE	Level (dBuV/m) Date: 2025-03-02 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2240. 3480. 4720. 5960. 7200 Frequency (MHz) AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>75.50</td><td>-----</td><td>-----</td><td>60.33</td><td>36.32</td><td>11.77</td><td>32.92</td><td>218 113 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	75.50	-----	-----	60.33	36.32	11.77	32.92	218 113 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5698.14	44.02	68.20	-24.18	28.53	36.60	11.67	32.78	218 113 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	75.50	-----	-----	60.33	36.32	11.77	32.92	218 113 AVERAGE																																																																		



Mode	118																																																																									
	Band Edge																																																																									
	U-NII-5_802.11be EHT320_CH31_Large RU 996*2+484_6_6105MHz																																																																									
ANT	1+2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-03-02 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5693.55</td><td>54.63</td><td>88.20</td><td>-33.57</td><td>39.15</td><td>36.59</td><td>11.67</td><td>32.78</td><td>295 150 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5693.55	54.63	88.20	-33.57	39.15	36.59	11.67	32.78	295 150 PEAK	Level (dBuV/m) Date: 2025-03-02 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>80.24</td><td>-----</td><td>-----</td><td>65.11</td><td>36.31</td><td>11.74</td><td>32.92</td><td>295 150 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	80.24	-----	-----	65.11	36.31	11.74	32.92	295 150 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5693.55	54.63	88.20	-33.57	39.15	36.59	11.67	32.78	295 150 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	80.24	-----	-----	65.11	36.31	11.74	32.92	295 150 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-03-02 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5705.79</td><td>43.89</td><td>68.20</td><td>-24.31</td><td>28.40</td><td>36.61</td><td>11.66</td><td>32.78</td><td>295 150 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5705.79	43.89	68.20	-24.31	28.40	36.61	11.66	32.78	295 150 AVERAGE	Level (dBuV/m) Date: 2025-03-02 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>71.44</td><td>-----</td><td>-----</td><td>56.31</td><td>36.31</td><td>11.74</td><td>32.92</td><td>295 150 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	71.44	-----	-----	56.31	36.31	11.74	32.92	295 150 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5705.79	43.89	68.20	-24.31	28.40	36.61	11.66	32.78	295 150 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	71.44	-----	-----	56.31	36.31	11.74	32.92	295 150 AVERAGE																																																																		



Mode	119																																																			
	Band Edge																																																			
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*2+484_7_6905MHz																																																			
ANT	1+2																																																			
Pol.	Horizontal	Fundamental																																																		
Peak	Level (dBuV/m) Date: 2025-03-03 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor db cm deg Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 7174.55</td><td>54.94</td><td>88.20</td><td>-33.26</td><td>38.71</td><td>36.45</td><td>12.91</td><td>33.13</td><td>204</td><td>111 PEAK</td></tr><tr><td>2 7252.60</td><td>54.76</td><td>74.00</td><td>-19.24</td><td>38.27</td><td>36.60</td><td>13.04</td><td>33.15</td><td>204</td><td>111 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 7174.55	54.94	88.20	-33.26	38.71	36.45	12.91	33.13	204	111 PEAK	2 7252.60	54.76	74.00	-19.24	38.27	36.60	13.04	33.15	204	111 PEAK	Level (dBuV/m) Date: 2025-03-03 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor db cm deg Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 6905.00</td><td>89.58</td><td>-----</td><td>-----</td><td>74.29</td><td>36.23</td><td>12.14</td><td>33.08</td><td>204</td><td>111 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 6905.00	89.58	-----	-----	74.29	36.23	12.14	33.08	204	111 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																										
1 7174.55	54.94	88.20	-33.26	38.71	36.45	12.91	33.13	204	111 PEAK																																											
2 7252.60	54.76	74.00	-19.24	38.27	36.60	13.04	33.15	204	111 PEAK																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 6905.00	89.58	-----	-----	74.29	36.23	12.14	33.08	204	111 PEAK																																											
Avg	Level (dBuV/m) Date: 2025-03-03 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor db cm deg Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 7222.35</td><td>45.55</td><td>68.20</td><td>-22.65</td><td>29.13</td><td>36.54</td><td>13.02</td><td>33.14</td><td>204</td><td>111 AVERAGE</td></tr><tr><td>2 7290.11</td><td>45.84</td><td>54.00</td><td>-8.16</td><td>29.34</td><td>36.60</td><td>13.06</td><td>33.16</td><td>204</td><td>111 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 7222.35	45.55	68.20	-22.65	29.13	36.54	13.02	33.14	204	111 AVERAGE	2 7290.11	45.84	54.00	-8.16	29.34	36.60	13.06	33.16	204	111 AVERAGE	Level (dBuV/m) Date: 2025-03-03 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor db cm deg Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 6905.00</td><td>80.54</td><td>-----</td><td>-----</td><td>65.25</td><td>36.24</td><td>12.13</td><td>33.08</td><td>204</td><td>111 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 6905.00	80.54	-----	-----	65.25	36.24	12.13	33.08	204	111 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 7222.35	45.55	68.20	-22.65	29.13	36.54	13.02	33.14	204	111 AVERAGE																																											
2 7290.11	45.84	54.00	-8.16	29.34	36.60	13.06	33.16	204	111 AVERAGE																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 6905.00	80.54	-----	-----	65.25	36.24	12.13	33.08	204	111 AVERAGE																																											



Mode	119																																																																																											
	Band Edge																																																																																											
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*2+484_7_6905MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-03-03 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7126.76</td><td>54.17</td><td>88.20</td><td>-34.03</td><td>38.11</td><td>36.45</td><td>12.74</td><td>33.13</td><td>306 150 PEAK</td></tr><tr><td>2</td><td>7273.77</td><td>54.00</td><td>74.00</td><td>-20.00</td><td>37.50</td><td>36.60</td><td>13.05</td><td>33.15</td><td>306 150 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7126.76	54.17	88.20	-34.03	38.11	36.45	12.74	33.13	306 150 PEAK	2	7273.77	54.00	74.00	-20.00	37.50	36.60	13.05	33.15	306 150 PEAK	Level (dBuV/m) Date: 2025-03-03 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>80.11</td><td>-----</td><td>-----</td><td>64.82</td><td>36.20</td><td>12.17</td><td>33.08</td><td>306 150 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	80.11	-----	-----	64.82	36.20	12.17	33.08	306 150 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7126.76	54.17	88.20	-34.03	38.11	36.45	12.74	33.13	306 150 PEAK																																																																																			
2	7273.77	54.00	74.00	-20.00	37.50	36.60	13.05	33.15	306 150 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	80.11	-----	-----	64.82	36.20	12.17	33.08	306 150 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-03-03 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7239.29</td><td>45.26</td><td>68.20</td><td>-22.94</td><td>28.80</td><td>36.58</td><td>13.03</td><td>33.15</td><td>306 150 AVERAGE</td></tr><tr><td>2</td><td>7334.88</td><td>45.27</td><td>54.00</td><td>-8.73</td><td>28.81</td><td>36.53</td><td>13.10</td><td>33.17</td><td>306 150 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7239.29	45.26	68.20	-22.94	28.80	36.58	13.03	33.15	306 150 AVERAGE	2	7334.88	45.27	54.00	-8.73	28.81	36.53	13.10	33.17	306 150 AVERAGE	Level (dBuV/m) Date: 2025-03-03 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>70.77</td><td>-----</td><td>-----</td><td>55.48</td><td>36.24</td><td>12.13</td><td>33.08</td><td>306 150 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	70.77	-----	-----	55.48	36.24	12.13	33.08	306 150 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7239.29	45.26	68.20	-22.94	28.80	36.58	13.03	33.15	306 150 AVERAGE																																																																																			
2	7334.88	45.27	54.00	-8.73	28.81	36.53	13.10	33.17	306 150 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	70.77	-----	-----	55.48	36.24	12.13	33.08	306 150 AVERAGE																																																																																			



Mode	120																																																																																			
	Band Edge																																																																																			
	U-NII-5_802.11be EHT320_CH31_Large RU 996*3_4_6105MHz																																																																																			
ANT	1+2																																																																																			
Pol.	Horizontal					Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5661.42</td><td>54.64</td><td>88.20</td><td>-33.56</td><td>39.20</td><td>36.52</td><td>11.68</td><td>32.76</td><td>220 117 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5661.42	54.64	88.20	-33.56	39.20	36.52	11.68	32.76	220 117 PEAK	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>83.01</td><td>-----</td><td>-----</td><td>67.84</td><td>36.32</td><td>11.77</td><td>32.92</td><td>220 117 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	83.01	-----	-----	67.84	36.32	11.77	32.92	220 117 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5661.42	54.64	88.20	-33.56	39.20	36.52	11.68	32.76	220 117 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	6105.00	83.01	-----	-----	67.84	36.32	11.77	32.92	220 117 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5626.23</td><td>44.86</td><td>68.20</td><td>-23.34</td><td>29.51</td><td>36.40</td><td>11.70</td><td>32.75</td><td>220 117 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5626.23	44.86	68.20	-23.34	29.51	36.40	11.70	32.75	220 117 AVERAGE	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>74.54</td><td>-----</td><td>-----</td><td>59.37</td><td>36.32</td><td>11.77</td><td>32.92</td><td>220 117 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	74.54	-----	-----	59.37	36.32	11.77	32.92	220 117 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5626.23	44.86	68.20	-23.34	29.51	36.40	11.70	32.75	220 117 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	6105.00	74.54	-----	-----	59.37	36.32	11.77	32.92	220 117 AVERAGE																																																																											







Mode	120																																																																																								
	Band Edge																																																																																								
	U-NII-5_802.11be EHT320_CH31_Large RU 996*3_4_6105MHz																																																																																								
ANT	1+2																																																																																								
Pol.	Vertical					Fundamental																																																																																			
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5696.61</td><td>54.15</td><td>88.20</td><td>-34.05</td><td>38.67</td><td>36.59</td><td>11.67</td><td>32.78</td><td>306</td><td>177 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5696.61	54.15	88.20	-34.05	38.67	36.59	11.67	32.78	306	177 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>79.92</td><td>-----</td><td>-----</td><td>64.81</td><td>36.56</td><td>11.46</td><td>32.91</td><td>306</td><td>177 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6105.00	79.92	-----	-----	64.81	36.56	11.46	32.91	306
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5696.61	54.15	88.20	-34.05	38.67	36.59	11.67	32.78	306	177 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 6105.00	79.92	-----	-----	64.81	36.56	11.46	32.91	306	177 PEAK																																																																																
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5650.71</td><td>45.30</td><td>68.20</td><td>-22.90</td><td>29.87</td><td>36.50</td><td>11.69</td><td>32.76</td><td>306</td><td>177 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5650.71	45.30	68.20	-22.90	29.87	36.50	11.69	32.76	306	177 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>72.21</td><td>-----</td><td>-----</td><td>57.09</td><td>36.41</td><td>11.62</td><td>32.91</td><td>306</td><td>177 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 6105.00	72.21	-----	-----	57.09	36.41	11.62	32.91	306
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5650.71	45.30	68.20	-22.90	29.87	36.50	11.69	32.76	306	177 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 6105.00	72.21	-----	-----	57.09	36.41	11.62	32.91	306	177 AVERAGE																																																																																



Mode	121																																																																																																							
	Band Edge																																																																																																							
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3_1_6905MHz																																																																																																							
ANT	1+2																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7227.19</td><td>55.34</td><td>88.20</td><td>-32.86</td><td>38.92</td><td>36.55</td><td>13.02</td><td>33.15</td><td>202</td><td>112</td><td>PEAK</td></tr><tr><td>2</td><td>7283.45</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>38.06</td><td>36.60</td><td>13.06</td><td>33.16</td><td>202</td><td>112</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7227.19	55.34	88.20	-32.86	38.92	36.55	13.02	33.15	202	112	PEAK	2	7283.45	54.56	74.00	-19.44	38.06	36.60	13.06	33.16	202	112	PEAK	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>86.01</td><td>-----</td><td>-----</td><td>70.69</td><td>36.28</td><td>12.11</td><td>33.07</td><td>202</td><td>112</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	86.01	-----	-----	70.69	36.28	12.11	33.07	202	112	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7227.19	55.34	88.20	-32.86	38.92	36.55	13.02	33.15	202	112	PEAK																																																																																													
2	7283.45	54.56	74.00	-19.44	38.06	36.60	13.06	33.16	202	112	PEAK																																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	6905.00	86.01	-----	-----	70.69	36.28	12.11	33.07	202	112	PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7152.77</td><td>45.40</td><td>68.20</td><td>-22.80</td><td>29.29</td><td>36.41</td><td>12.83</td><td>33.13</td><td>202</td><td>112</td><td>AVERAGE</td></tr><tr><td>2</td><td>7281.64</td><td>45.59</td><td>54.00</td><td>-8.41</td><td>29.09</td><td>36.60</td><td>13.06</td><td>33.16</td><td>202</td><td>112</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7152.77	45.40	68.20	-22.80	29.29	36.41	12.83	33.13	202	112	AVERAGE	2	7281.64	45.59	54.00	-8.41	29.09	36.60	13.06	33.16	202	112	AVERAGE	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>77.44</td><td>-----</td><td>-----</td><td>62.12</td><td>36.28</td><td>12.11</td><td>33.07</td><td>202</td><td>112</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	77.44	-----	-----	62.12	36.28	12.11	33.07	202	112	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7152.77	45.40	68.20	-22.80	29.29	36.41	12.83	33.13	202	112	AVERAGE																																																																																													
2	7281.64	45.59	54.00	-8.41	29.09	36.60	13.06	33.16	202	112	AVERAGE																																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	6905.00	77.44	-----	-----	62.12	36.28	12.11	33.07	202	112	AVERAGE																																																																																													



		121																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3_1_6905MHz																																																																																																		
ANT		1+2																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2025-03-03 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7202.38</td><td>55.52</td><td>88.20</td><td>-32.68</td><td>39.16</td><td>36.50</td><td>13.00</td><td>33.14</td><td>293</td><td>151</td><td>PEAK</td></tr><tr><td>2</td><td>7253.81</td><td>54.62</td><td>74.00</td><td>-19.38</td><td>38.13</td><td>36.60</td><td>13.04</td><td>33.15</td><td>293</td><td>151</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7202.38	55.52	88.20	-32.68	39.16	36.50	13.00	33.14	293	151	PEAK	2	7253.81	54.62	74.00	-19.38	38.13	36.60	13.04	33.15	293	151	PEAK	 Level (dBuV/m) Date: 2025-03-03 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>78.37</td><td>-----</td><td>-----</td><td>63.08</td><td>36.23</td><td>12.14</td><td>33.08</td><td>293</td><td>151</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	78.37	-----	-----	63.08	36.23	12.14	33.08	293	151	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7202.38	55.52	88.20	-32.68	39.16	36.50	13.00	33.14	293	151	PEAK																																																																																									
2	7253.81	54.62	74.00	-19.38	38.13	36.60	13.04	33.15	293	151	PEAK																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	6905.00	78.37	-----	-----	63.08	36.23	12.14	33.08	293	151	PEAK																																																																																									
Avg	 Level (dBuV/m) Date: 2025-03-03 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7140.07</td><td>45.55</td><td>68.20</td><td>-22.65</td><td>29.48</td><td>36.42</td><td>12.78</td><td>33.13</td><td>293</td><td>151</td><td>AVERAGE</td></tr><tr><td>2</td><td>7253.20</td><td>45.27</td><td>54.00</td><td>-8.73</td><td>28.78</td><td>36.60</td><td>13.04</td><td>33.15</td><td>293</td><td>151</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7140.07	45.55	68.20	-22.65	29.48	36.42	12.78	33.13	293	151	AVERAGE	2	7253.20	45.27	54.00	-8.73	28.78	36.60	13.04	33.15	293	151	AVERAGE	 Level (dBuV/m) Date: 2025-03-03 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>69.57</td><td>-----</td><td>-----</td><td>54.28</td><td>36.20</td><td>12.17</td><td>33.08</td><td>293</td><td>151</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	69.57	-----	-----	54.28	36.20	12.17	33.08	293	151	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	7140.07	45.55	68.20	-22.65	29.48	36.42	12.78	33.13	293	151	AVERAGE																																																																																									
2	7253.20	45.27	54.00	-8.73	28.78	36.60	13.04	33.15	293	151	AVERAGE																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	6905.00	69.57	-----	-----	54.28	36.20	12.17	33.08	293	151	AVERAGE																																																																																									



Mode	122																																																																											
	Band Edge																																																																											
	U-NII-5_802.11be EHT320_CH31_Large RU 996*3+484_8_6105MHz																																																																											
ANT	1+2																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.74</td><td>54.41</td><td>88.20</td><td>-33.79</td><td>38.88</td><td>36.68</td><td>11.65</td><td>32.80</td><td>220 119 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5741.74	54.41	88.20	-33.79	38.88	36.68	11.65	32.80	220 119 PEAK	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>82.79</td><td>-----</td><td>-----</td><td>67.62</td><td>36.32</td><td>11.77</td><td>32.92</td><td>220 119 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	82.79	-----	-----	67.62	36.32	11.77	32.92	220 119 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5741.74	54.41	88.20	-33.79	38.88	36.68	11.65	32.80	220 119 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	6105.00	82.79	-----	-----	67.62	36.32	11.77	32.92	220 119 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5713.44</td><td>44.82</td><td>68.20</td><td>-23.38</td><td>29.32</td><td>36.63</td><td>11.66</td><td>32.79</td><td>220 119 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5713.44	44.82	68.20	-23.38	29.32	36.63	11.66	32.79	220 119 AVERAGE	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6105.00</td><td>74.25</td><td>-----</td><td>-----</td><td>59.08</td><td>36.32</td><td>11.77</td><td>32.92</td><td>220 119 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6105.00	74.25	-----	-----	59.08	36.32	11.77	32.92	220 119 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5713.44	44.82	68.20	-23.38	29.32	36.63	11.66	32.79	220 119 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	6105.00	74.25	-----	-----	59.08	36.32	11.77	32.92	220 119 AVERAGE																																																																			



Mode	122																																																																																											
	Band Edge																																																																																											
	U-NII-5_802.11be EHT320_CH31_Large RU 996*3+484_8_6105MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5701.96</td><td>54.02</td><td>88.20</td><td>-34.18</td><td>38.54</td><td>36.60</td><td>11.66</td><td>32.78</td><td>307 177 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5701.96	54.02	88.20	-34.18	38.54	36.60	11.66	32.78	307 177 PEAK	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>80.14</td><td>-----</td><td>-----</td><td>65.03</td><td>36.39</td><td>11.64</td><td>32.92</td><td>307 177 PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6105.00	80.14	-----	-----	65.03	36.39	11.64	32.92	307 177 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5701.96	54.02	88.20	-34.18	38.54	36.60	11.66	32.78	307 177 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6105.00	80.14	-----	-----	65.03	36.39	11.64	32.92	307 177 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5730.27</td><td>44.60</td><td>68.20</td><td>-23.60</td><td>29.08</td><td>36.66</td><td>11.65</td><td>32.79</td><td>307 177 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5730.27	44.60	68.20	-23.60	29.08	36.66	11.65	32.79	307 177 AVERAGE	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6105.00</td><td>71.23</td><td>-----</td><td>-----</td><td>56.11</td><td>36.41</td><td>11.62</td><td>32.91</td><td>307 177 AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6105.00	71.23	-----	-----	56.11	36.41	11.62	32.91	307 177 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5730.27	44.60	68.20	-23.60	29.08	36.66	11.65	32.79	307 177 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6105.00	71.23	-----	-----	56.11	36.41	11.62	32.91	307 177 AVERAGE																																																																																			



Mode	123																																																																																											
	Band Edge																																																																																											
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3+484_8_6905MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 7214.48</td><td>54.55</td><td>88.20</td><td>-33.65</td><td>38.15</td><td>36.53</td><td>13.01</td><td>33.14</td><td>205</td><td>111 PEAK</td></tr><tr><td>2 7279.82</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>38.19</td><td>36.60</td><td>13.06</td><td>33.16</td><td>205</td><td>111 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 7214.48	54.55	88.20	-33.65	38.15	36.53	13.01	33.14	205	111 PEAK	2 7279.82	54.69	74.00	-19.31	38.19	36.60	13.06	33.16	205	111 PEAK	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 6905.00</td><td>85.77</td><td>-----</td><td>-----</td><td>70.45</td><td>36.28</td><td>12.11</td><td>33.07</td><td>205</td><td>111 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 6905.00	85.77	-----	-----	70.45	36.28	12.11	33.07	205	111 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 7214.48	54.55	88.20	-33.65	38.15	36.53	13.01	33.14	205	111 PEAK																																																																																			
2 7279.82	54.69	74.00	-19.31	38.19	36.60	13.06	33.16	205	111 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 6905.00	85.77	-----	-----	70.45	36.28	12.11	33.07	205	111 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 7237.47</td><td>45.40</td><td>68.20</td><td>-22.80</td><td>28.95</td><td>36.57</td><td>13.03</td><td>33.15</td><td>205</td><td>111 AVERAGE</td></tr><tr><td>2 7297.37</td><td>45.30</td><td>54.00</td><td>-8.70</td><td>28.79</td><td>36.60</td><td>13.07</td><td>33.16</td><td>205</td><td>111 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 7237.47	45.40	68.20	-22.80	28.95	36.57	13.03	33.15	205	111 AVERAGE	2 7297.37	45.30	54.00	-8.70	28.79	36.60	13.07	33.16	205	111 AVERAGE	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 6905.00</td><td>76.61</td><td>-----</td><td>-----</td><td>61.34</td><td>36.26</td><td>12.08</td><td>33.07</td><td>205</td><td>111 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 6905.00	76.61	-----	-----	61.34	36.26	12.08	33.07	205	111 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 7237.47	45.40	68.20	-22.80	28.95	36.57	13.03	33.15	205	111 AVERAGE																																																																																			
2 7297.37	45.30	54.00	-8.70	28.79	36.60	13.07	33.16	205	111 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 6905.00	76.61	-----	-----	61.34	36.26	12.08	33.07	205	111 AVERAGE																																																																																			







Mode	123																																																																																											
	Band Edge																																																																																											
	U-NII-8_6525-7125_802.11be EHT320_CH191_Large RU 996*3+484_8_6905MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7230.82</td><td>54.80</td><td>88.20</td><td>-33.40</td><td>38.37</td><td>36.56</td><td>13.02</td><td>33.15</td><td>296 153 PEAK</td></tr><tr><td>2</td><td>7250.78</td><td>54.81</td><td>74.00</td><td>-19.19</td><td>38.32</td><td>36.60</td><td>13.04</td><td>33.15</td><td>296 153 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7230.82	54.80	88.20	-33.40	38.37	36.56	13.02	33.15	296 153 PEAK	2	7250.78	54.81	74.00	-19.19	38.32	36.60	13.04	33.15	296 153 PEAK	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>77.26</td><td>-----</td><td>-----</td><td>61.94</td><td>36.27</td><td>12.12</td><td>33.07</td><td>296 153 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	77.26	-----	-----	61.94	36.27	12.12	33.07	296 153 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7230.82	54.80	88.20	-33.40	38.37	36.56	13.02	33.15	296 153 PEAK																																																																																			
2	7250.78	54.81	74.00	-19.19	38.32	36.60	13.04	33.15	296 153 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	77.26	-----	-----	61.94	36.27	12.12	33.07	296 153 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7134.02</td><td>45.21</td><td>68.20</td><td>-22.99</td><td>29.15</td><td>36.43</td><td>12.76</td><td>33.13</td><td>296 153 AVERAGE</td></tr><tr><td>2</td><td>7281.64</td><td>45.40</td><td>54.00</td><td>-8.60</td><td>28.90</td><td>36.60</td><td>13.06</td><td>33.16</td><td>296 153 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7134.02	45.21	68.20	-22.99	29.15	36.43	12.76	33.13	296 153 AVERAGE	2	7281.64	45.40	54.00	-8.60	28.90	36.60	13.06	33.16	296 153 AVERAGE	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>68.67</td><td>-----</td><td>-----</td><td>53.36</td><td>36.29</td><td>12.09</td><td>33.07</td><td>296 153 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	68.67	-----	-----	53.36	36.29	12.09	33.07	296 153 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7134.02	45.21	68.20	-22.99	29.15	36.43	12.76	33.13	296 153 AVERAGE																																																																																			
2	7281.64	45.40	54.00	-8.60	28.90	36.60	13.06	33.16	296 153 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	68.67	-----	-----	53.36	36.29	12.09	33.07	296 153 AVERAGE																																																																																			







Mode	124	
	Band Edge	
	U-NII-5_802.11be EHT80_CH7_Puncturing 20M_4_5985MHz	
ANT	1+2	
Pol.	Horizontal	Fundamental
Peak	Level (dBuV/m) Date: 2025-03-03 <	



Mode	124																																																																																										
	Band Edge																																																																																										
	U-NII-5_802.11be EHT80_CH7_Puncturing 20M_4_5985MHz																																																																																										
ANT	1+2																																																																																										
Pol.	Vertical					Fundamental																																																																																					
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5874.12</td><td>53.36</td><td>88.20</td><td>-34.84</td><td>38.17</td><td>36.55</td><td>11.49</td><td>32.85</td><td>278</td><td>151 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5874.12	53.36	88.20	-34.84	38.17	36.55	11.49	32.85	278	151 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>85.99</td><td>-----</td><td>-----</td><td>70.88</td><td>36.70</td><td>11.30</td><td>32.89</td><td>278</td><td>151 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	85.99	-----	-----	70.88	36.70	11.30	32.89	278
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5874.12	53.36	88.20	-34.84	38.17	36.55	11.49	32.85	278	151 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	85.99	-----	-----	70.88	36.70	11.30	32.89	278	151 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5910.60</td><td>43.16</td><td>68.20</td><td>-25.04</td><td>27.97</td><td>36.62</td><td>11.43</td><td>32.86</td><td>278</td><td>151 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5910.60	43.16	68.20	-25.04	27.97	36.62	11.43	32.86	278	151 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>76.28</td><td>-----</td><td>-----</td><td>61.14</td><td>36.70</td><td>11.33</td><td>32.89</td><td>278</td><td>151 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	76.28	-----	-----	61.14	36.70	11.33	32.89	278
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5910.60	43.16	68.20	-25.04	27.97	36.62	11.43	32.86	278	151 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	76.28	-----	-----	61.14	36.70	11.33	32.89	278	151 AVERAGE																																																																																	







Mode	125																																																																																													
	Band Edge																																																																																													
	U-NII-8_802.11be EHT80_CH215_Puncturing 20M_1_7025MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal					Fundamental																																																																																								
Peak	 Level (dBuV/m) Date: 2025-03-03 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7229.92</td><td>54.43</td><td>88.20</td><td>-33.77</td><td>38.00</td><td>36.56</td><td>13.02</td><td>33.15</td><td>204</td><td>112</td><td>PEAK</td></tr><tr><td>2</td><td>7315.33</td><td>55.00</td><td>74.00</td><td>-19.00</td><td>38.51</td><td>36.57</td><td>13.08</td><td>33.16</td><td>204</td><td>112</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7229.92	54.43	88.20	-33.77	38.00	36.56	13.02	33.15	204	112	PEAK	2	7315.33	55.00	74.00	-19.00	38.51	36.57	13.08	33.16	204	112	PEAK	 Level (dBuV/m) Date: 2025-03-03 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>92.56</td><td>-----</td><td>-----</td><td>76.99</td><td>36.33</td><td>12.34</td><td>33.10</td><td>204</td><td>112</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7025.00	92.56	-----	-----	76.99	36.33	12.34	33.10	204	112	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7229.92	54.43	88.20	-33.77	38.00	36.56	13.02	33.15	204	112	PEAK																																																																																			
2	7315.33	55.00	74.00	-19.00	38.51	36.57	13.08	33.16	204	112	PEAK																																																																																			
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7025.00	92.56	-----	-----	76.99	36.33	12.34	33.10	204	112	PEAK																																																																																			
Avg	 Level (dBuV/m) Date: 2025-03-03 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7134.29</td><td>44.45</td><td>68.20</td><td>-23.75</td><td>28.39</td><td>36.43</td><td>12.76</td><td>33.13</td><td>204</td><td>112</td><td>AVERAGE</td></tr><tr><td>2</td><td>7254.37</td><td>44.52</td><td>54.00</td><td>-9.48</td><td>28.03</td><td>36.60</td><td>13.04</td><td>33.15</td><td>204</td><td>112</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7134.29	44.45	68.20	-23.75	28.39	36.43	12.76	33.13	204	112	AVERAGE	2	7254.37	44.52	54.00	-9.48	28.03	36.60	13.04	33.15	204	112	AVERAGE	 Level (dBuV/m) Date: 2025-03-03 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>82.81</td><td>-----</td><td>-----</td><td>67.24</td><td>36.33</td><td>12.34</td><td>33.10</td><td>204</td><td>112</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7025.00	82.81	-----	-----	67.24	36.33	12.34	33.10	204	112	AVERAGE
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7134.29	44.45	68.20	-23.75	28.39	36.43	12.76	33.13	204	112	AVERAGE																																																																																			
2	7254.37	44.52	54.00	-9.48	28.03	36.60	13.04	33.15	204	112	AVERAGE																																																																																			
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7025.00	82.81	-----	-----	67.24	36.33	12.34	33.10	204	112	AVERAGE																																																																																			



Mode	125																																																																																											
	Band Edge																																																																																											
	U-NII-8_802.11be EHT80_CH215_Puncturing 20M_1_7025MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7175.53</td><td>54.49</td><td>88.20</td><td>-33.71</td><td>38.27</td><td>36.45</td><td>12.91</td><td>33.14</td><td>283 150 PEAK</td></tr><tr><td>2</td><td>7342.70</td><td>54.54</td><td>74.00</td><td>-19.46</td><td>38.10</td><td>36.51</td><td>13.10</td><td>33.17</td><td>283 150 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7175.53	54.49	88.20	-33.71	38.27	36.45	12.91	33.14	283 150 PEAK	2	7342.70	54.54	74.00	-19.46	38.10	36.51	13.10	33.17	283 150 PEAK	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>83.49</td><td>-----</td><td>-----</td><td>67.89</td><td>36.34</td><td>12.36</td><td>33.10</td><td>283 150 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	83.49	-----	-----	67.89	36.34	12.36	33.10	283 150 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7175.53	54.49	88.20	-33.71	38.27	36.45	12.91	33.14	283 150 PEAK																																																																																			
2	7342.70	54.54	74.00	-19.46	38.10	36.51	13.10	33.17	283 150 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7025.00	83.49	-----	-----	67.89	36.34	12.36	33.10	283 150 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7239.04</td><td>44.53</td><td>68.20</td><td>-23.67</td><td>28.07</td><td>36.58</td><td>13.03</td><td>33.15</td><td>283 150 AVERAGE</td></tr><tr><td>2</td><td>7340.15</td><td>44.43</td><td>54.00</td><td>-9.57</td><td>27.98</td><td>36.52</td><td>13.10</td><td>33.17</td><td>283 150 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7239.04	44.53	68.20	-23.67	28.07	36.58	13.03	33.15	283 150 AVERAGE	2	7340.15	44.43	54.00	-9.57	27.98	36.52	13.10	33.17	283 150 AVERAGE	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>73.99</td><td>-----</td><td>-----</td><td>58.39</td><td>36.34</td><td>12.36</td><td>33.10</td><td>283 150 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	73.99	-----	-----	58.39	36.34	12.36	33.10	283 150 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7239.04	44.53	68.20	-23.67	28.07	36.58	13.03	33.15	283 150 AVERAGE																																																																																			
2	7340.15	44.43	54.00	-9.57	27.98	36.52	13.10	33.17	283 150 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7025.00	73.99	-----	-----	58.39	36.34	12.36	33.10	283 150 AVERAGE																																																																																			







Mode	126																																																																									
	Band Edge																																																																									
	U-NII-5_802.11be EHT160_CH15_Puncturing 40M_4_6025MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Date: 2025-03-03  Level (dBuV/m) vs Frequency (MHz) plot for Horizontal Peak. The plot shows a blue signal line and a red limit line. A peak is labeled 'PEAK_BE(UNII)_6E'. The date is 2025-03-03. <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5907.04</td><td>53.69</td><td>88.20</td><td>-34.51</td><td>38.51</td><td>36.61</td><td>11.43</td><td>32.86</td><td>224 116 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5907.04	53.69	88.20	-34.51	38.51	36.61	11.43	32.86	224 116 PEAK	Date: 2025-03-03  Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Peak. The plot shows a blue signal line and a red limit line. A peak is labeled 'PEAK_BE(UNII)_6E'. The date is 2025-03-03. <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>87.12</td><td>-----</td><td>-----</td><td>72.00</td><td>36.61</td><td>11.41</td><td>32.90</td><td>224 116 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	87.12	-----	-----	72.00	36.61	11.41	32.90	224 116 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5907.04	53.69	88.20	-34.51	38.51	36.61	11.43	32.86	224 116 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	87.12	-----	-----	72.00	36.61	11.41	32.90	224 116 PEAK																																																																		
Avg	Date: 2025-03-03  Level (dBuV/m) vs Frequency (MHz) plot for Horizontal Avg. The plot shows a blue signal line and a red limit line. A peak is labeled 'AVG_BE(UNII)_6E'. The date is 2025-03-03. <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5909.84</td><td>43.86</td><td>68.20</td><td>-24.34</td><td>28.67</td><td>36.62</td><td>11.43</td><td>32.86</td><td>224 116 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5909.84	43.86	68.20	-24.34	28.67	36.62	11.43	32.86	224 116 AVERAGE	Date: 2025-03-03  Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Avg. The plot shows a blue signal line and a red limit line. A peak is labeled 'AVG_BE(UNII)_6E'. The date is 2025-03-03. <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6025.00</td><td>78.41</td><td>-----</td><td>-----</td><td>63.29</td><td>36.59</td><td>11.44</td><td>32.91</td><td>224 116 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	78.41	-----	-----	63.29	36.59	11.44	32.91	224 116 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5909.84	43.86	68.20	-24.34	28.67	36.62	11.43	32.86	224 116 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6025.00	78.41	-----	-----	63.29	36.59	11.44	32.91	224 116 AVERAGE																																																																		



Mode	126	
	Band Edge	
	U-NII-5_802.11be EHT160_CH15_Puncturing 40M_4_6025MHz	
ANT	1+2	
Pol.	Vertical	Fundamental
Peak	<	



		127																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_802.11be EHT160_CH207_Puncturing 40M_1_6985MHz																																																																																																		
ANT		1+2																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7219.38</td><td>54.98</td><td>88.20</td><td>-33.22</td><td>38.57</td><td>36.54</td><td>13.01</td><td>33.14</td><td>209</td><td>110</td><td>PEAK</td></tr><tr><td>2</td><td>7349.38</td><td>54.71</td><td>74.00</td><td>-19.29</td><td>38.27</td><td>36.50</td><td>13.11</td><td>33.17</td><td>209</td><td>110</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7219.38	54.98	88.20	-33.22	38.57	36.54	13.01	33.14	209	110	PEAK	2	7349.38	54.71	74.00	-19.29	38.27	36.50	13.11	33.17	209	110	PEAK	 Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>91.43</td><td>-----</td><td>-----</td><td>75.98</td><td>36.30</td><td>12.24</td><td>33.09</td><td>209</td><td>110</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	6985.00	91.43	-----	-----	75.98	36.30	12.24	33.09	209	110	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																												
1	7219.38	54.98	88.20	-33.22	38.57	36.54	13.01	33.14	209	110	PEAK																																																																																									
2	7349.38	54.71	74.00	-19.29	38.27	36.50	13.11	33.17	209	110	PEAK																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																												
1	6985.00	91.43	-----	-----	75.98	36.30	12.24	33.09	209	110	PEAK																																																																																									
Avg	 Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7230.63</td><td>45.24</td><td>68.20</td><td>-22.96</td><td>28.81</td><td>36.56</td><td>13.02</td><td>33.15</td><td>209</td><td>110</td><td>AVERAGE</td></tr><tr><td>2</td><td>7281.25</td><td>45.45</td><td>54.00</td><td>-8.55</td><td>28.95</td><td>36.60</td><td>13.06</td><td>33.16</td><td>209</td><td>110</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7230.63	45.24	68.20	-22.96	28.81	36.56	13.02	33.15	209	110	AVERAGE	2	7281.25	45.45	54.00	-8.55	28.95	36.60	13.06	33.16	209	110	AVERAGE	 Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>82.86</td><td>-----</td><td>-----</td><td>67.39</td><td>36.30</td><td>12.27</td><td>33.10</td><td>209</td><td>110</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	6985.00	82.86	-----	-----	67.39	36.30	12.27	33.10	209	110	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																												
1	7230.63	45.24	68.20	-22.96	28.81	36.56	13.02	33.15	209	110	AVERAGE																																																																																									
2	7281.25	45.45	54.00	-8.55	28.95	36.60	13.06	33.16	209	110	AVERAGE																																																																																									
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																												
1	6985.00	82.86	-----	-----	67.39	36.30	12.27	33.10	209	110	AVERAGE																																																																																									



Mode	127																																																																																										
	Band Edge																																																																																										
	U-NII-8_802.11be EHT160_CH207_Puncturing 40M_1_6985MHz																																																																																										
ANT	1+2																																																																																										
Pol.	Vertical					Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-03-03 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7212.50</td><td>54.46</td><td>88.20</td><td>-33.74</td><td>38.06</td><td>36.53</td><td>13.01</td><td>33.14</td><td>288 148 PEAK</td></tr><tr><td>2 7261.88</td><td>54.80</td><td>74.00</td><td>-19.20</td><td>38.31</td><td>36.60</td><td>13.04</td><td>33.15</td><td>288 148 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7212.50	54.46	88.20	-33.74	38.06	36.53	13.01	33.14	288 148 PEAK	2 7261.88	54.80	74.00	-19.20	38.31	36.60	13.04	33.15	288 148 PEAK	Level (dBuV/m) Date: 2025-03-03 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6985.00</td><td>82.28</td><td>-----</td><td>-----</td><td>66.81</td><td>36.30</td><td>12.27</td><td>33.10</td><td>288 148 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6985.00	82.28	-----	-----	66.81	36.30	12.27	33.10	288 148 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7212.50	54.46	88.20	-33.74	38.06	36.53	13.01	33.14	288 148 PEAK																																																																																			
2 7261.88	54.80	74.00	-19.20	38.31	36.60	13.04	33.15	288 148 PEAK																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 6985.00	82.28	-----	-----	66.81	36.30	12.27	33.10	288 148 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-03-03 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7231.25</td><td>45.27</td><td>68.20</td><td>-22.93</td><td>28.84</td><td>36.56</td><td>13.02</td><td>33.15</td><td>288 148 AVERAGE</td></tr><tr><td>2 7270.00</td><td>45.29</td><td>54.00</td><td>-8.71</td><td>28.79</td><td>36.60</td><td>13.05</td><td>33.15</td><td>288 148 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7231.25	45.27	68.20	-22.93	28.84	36.56	13.02	33.15	288 148 AVERAGE	2 7270.00	45.29	54.00	-8.71	28.79	36.60	13.05	33.15	288 148 AVERAGE	Level (dBuV/m) Date: 2025-03-03 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6985.00</td><td>73.84</td><td>-----</td><td>-----</td><td>58.37</td><td>36.30</td><td>12.27</td><td>33.10</td><td>288 148 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6985.00	73.84	-----	-----	58.37	36.30	12.27	33.10	288 148 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7231.25	45.27	68.20	-22.93	28.84	36.56	13.02	33.15	288 148 AVERAGE																																																																																			
2 7270.00	45.29	54.00	-8.71	28.79	36.60	13.05	33.15	288 148 AVERAGE																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 6985.00	73.84	-----	-----	58.37	36.30	12.27	33.10	288 148 AVERAGE																																																																																			



Mode	128									
	Band Edge									
	U-NII-5_802.11be EHT160_CH15_Puncturing 20M_8_6025MHz									
ANT	1+2									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2025-03-03									



Mode	128																																																																																									
	Band Edge																																																																																									
	U-NII-5_802.11be EHT160_CH15_Puncturing 20M_8_6025MHz																																																																																									
ANT	1+2																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5826.12</td><td>53.45</td><td>88.20</td><td>-34.75</td><td>38.16</td><td>36.55</td><td>11.57</td><td>32.83</td><td>272 152 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5826.12	53.45	88.20	-34.75	38.16	36.55	11.57	32.83	272 152 PEAK	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>83.37</td><td>-----</td><td>-----</td><td>68.25</td><td>36.61</td><td>11.41</td><td>32.90</td><td>272 152 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	83.37	-----	-----	68.25	36.61	11.41	32.90	272 152 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5826.12	53.45	88.20	-34.75	38.16	36.55	11.57	32.83	272 152 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6025.00	83.37	-----	-----	68.25	36.61	11.41	32.90	272 152 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5833.68</td><td>44.04</td><td>68.20</td><td>-24.16</td><td>28.78</td><td>36.53</td><td>11.56</td><td>32.83</td><td>272 152 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5833.68	44.04	68.20	-24.16	28.78	36.53	11.56	32.83	272 152 AVERAGE	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>74.73</td><td>-----</td><td>-----</td><td>59.61</td><td>36.61</td><td>11.41</td><td>32.90</td><td>272 152 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	74.73	-----	-----	59.61	36.61	11.41	32.90	272 152 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5833.68	44.04	68.20	-24.16	28.78	36.53	11.56	32.83	272 152 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	6025.00	74.73	-----	-----	59.61	36.61	11.41	32.90	272 152 AVERAGE																																																																																	



Mode	129																																																																																													
	Band Edge																																																																																													
	U-NII-8_802.11be EHT160_CH207_Puncturing 20M_1_6985MHz																																																																																													
ANT	1+2																																																																																													
Pol.	Horizontal					Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.50</td><td>55.30</td><td>88.20</td><td>-32.90</td><td>39.25</td><td>36.44</td><td>12.74</td><td>33.13</td><td>206 111 PEAK</td></tr><tr><td>2</td><td>7281.25</td><td>54.50</td><td>74.00</td><td>-19.50</td><td>38.00</td><td>36.60</td><td>13.06</td><td>33.16</td><td>206 111 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7127.50	55.30	88.20	-32.90	39.25	36.44	12.74	33.13	206 111 PEAK	2	7281.25	54.50	74.00	-19.50	38.00	36.60	13.06	33.16	206 111 PEAK	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>90.93</td><td>-----</td><td>-----</td><td>75.46</td><td>36.30</td><td>12.27</td><td>33.10</td><td>206 111 PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	90.93	-----	-----	75.46	36.30	12.27	33.10	206 111 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7127.50	55.30	88.20	-32.90	39.25	36.44	12.74	33.13	206 111 PEAK																																																																																					
2	7281.25	54.50	74.00	-19.50	38.00	36.60	13.06	33.16	206 111 PEAK																																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6985.00	90.93	-----	-----	75.46	36.30	12.27	33.10	206 111 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7203.75</td><td>45.35</td><td>68.20</td><td>-22.85</td><td>28.98</td><td>36.51</td><td>13.00</td><td>33.14</td><td>206 111 AVERAGE</td></tr><tr><td>2</td><td>7305.00</td><td>45.23</td><td>54.00</td><td>-8.77</td><td>28.73</td><td>36.59</td><td>13.07</td><td>33.16</td><td>206 111 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7203.75	45.35	68.20	-22.85	28.98	36.51	13.00	33.14	206 111 AVERAGE	2	7305.00	45.23	54.00	-8.77	28.73	36.59	13.07	33.16	206 111 AVERAGE	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>82.27</td><td>-----</td><td>-----</td><td>66.80</td><td>36.30</td><td>12.27</td><td>33.10</td><td>206 111 AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6985.00	82.27	-----	-----	66.80	36.30	12.27	33.10	206 111 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7203.75	45.35	68.20	-22.85	28.98	36.51	13.00	33.14	206 111 AVERAGE																																																																																					
2	7305.00	45.23	54.00	-8.77	28.73	36.59	13.07	33.16	206 111 AVERAGE																																																																																					
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	6985.00	82.27	-----	-----	66.80	36.30	12.27	33.10	206 111 AVERAGE																																																																																					



Mode	129																																																																																																											
	Band Edge																																																																																																											
	U-NII-8_802.11be EHT160_CH207_Puncturing 20M_1_6985MHz																																																																																																											
ANT	1+2																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7164.38</td><td>54.35</td><td>88.20</td><td>-33.85</td><td>38.18</td><td>36.43</td><td>12.87</td><td>33.13</td><td>287</td><td>149</td><td>PEAK</td></tr><tr><td>2</td><td>7290.00</td><td>55.14</td><td>74.00</td><td>-18.86</td><td>38.64</td><td>36.60</td><td>13.06</td><td>33.16</td><td>287</td><td>149</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7164.38	54.35	88.20	-33.85	38.18	36.43	12.87	33.13	287	149	PEAK	2	7290.00	55.14	74.00	-18.86	38.64	36.60	13.06	33.16	287	149	PEAK	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>80.47</td><td>-----</td><td>-----</td><td>64.99</td><td>36.30</td><td>12.28</td><td>33.10</td><td>287</td><td>149</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	80.47	-----	-----	64.99	36.30	12.28	33.10	287	149	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7164.38	54.35	88.20	-33.85	38.18	36.43	12.87	33.13	287	149	PEAK																																																																																																	
2	7290.00	55.14	74.00	-18.86	38.64	36.60	13.06	33.16	287	149	PEAK																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	6985.00	80.47	-----	-----	64.99	36.30	12.28	33.10	287	149	PEAK																																																																																																	
Avg	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7230.63</td><td>45.12</td><td>68.20</td><td>-23.08</td><td>28.69</td><td>36.56</td><td>13.02</td><td>33.15</td><td>287</td><td>149</td><td>AVERAGE</td></tr><tr><td>2</td><td>7284.38</td><td>45.22</td><td>54.00</td><td>-8.78</td><td>28.72</td><td>36.60</td><td>13.06</td><td>33.16</td><td>287</td><td>149</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7230.63	45.12	68.20	-23.08	28.69	36.56	13.02	33.15	287	149	AVERAGE	2	7284.38	45.22	54.00	-8.78	28.72	36.60	13.06	33.16	287	149	AVERAGE	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>73.35</td><td>-----</td><td>-----</td><td>57.87</td><td>36.30</td><td>12.28</td><td>33.10</td><td>287</td><td>149</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	73.35	-----	-----	57.87	36.30	12.28	33.10	287	149	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7230.63	45.12	68.20	-23.08	28.69	36.56	13.02	33.15	287	149	AVERAGE																																																																																																	
2	7284.38	45.22	54.00	-8.78	28.72	36.60	13.06	33.16	287	149	AVERAGE																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	6985.00	73.35	-----	-----	57.87	36.30	12.28	33.10	287	149	AVERAGE																																																																																																	



Mode	130																																																																									
	Band Edge																																																																									
	U-NII-5_802.11be EHT320_CH31_Puncturing 80M+40M_6_6105MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5523.72</td><td>54.32</td><td>88.20</td><td>-33.88</td><td>39.50</td><td>36.15</td><td>11.38</td><td>32.71</td><td>220 114 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5523.72	54.32	88.20	-33.88	39.50	36.15	11.38	32.71	220 114 PEAK	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>84.99</td><td>-----</td><td>-----</td><td>69.88</td><td>36.51</td><td>11.51</td><td>32.91</td><td>220 114 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	84.99	-----	-----	69.88	36.51	11.51	32.91	220 114 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5523.72	54.32	88.20	-33.88	39.50	36.15	11.38	32.71	220 114 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	84.99	-----	-----	69.88	36.51	11.51	32.91	220 114 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5634.64</td><td>44.68</td><td>68.20</td><td>-23.52</td><td>29.30</td><td>36.44</td><td>11.69</td><td>32.75</td><td>220 114 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5634.64	44.68	68.20	-23.52	29.30	36.44	11.69	32.75	220 114 AVERAGE	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>75.35</td><td>-----</td><td>-----</td><td>60.18</td><td>36.32</td><td>11.77</td><td>32.92</td><td>220 114 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	75.35	-----	-----	60.18	36.32	11.77	32.92	220 114 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5634.64	44.68	68.20	-23.52	29.30	36.44	11.69	32.75	220 114 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	75.35	-----	-----	60.18	36.32	11.77	32.92	220 114 AVERAGE																																																																		



Mode	130																																									
	Band Edge																																									
	U-NII-5_802.11be EHT320_CH31_Puncturing 80M+40M_6_6105MHz																																									
ANT	1+2																																									
Pol.	Vertical	Fundamental																																								
Peak	Level (dBuV/m) Date: 2025-03-03 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5772.34</td><td>54.34</td><td>88.20</td><td>-33.86</td><td>38.86</td><td>36.66</td><td>11.63</td><td>32.81</td><td>284</td><td>157 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5772.34	54.34	88.20	-33.86	38.86	36.66	11.63	32.81	284	157 PEAK	Level (dBuV/m) Date: 2025-03-03 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 6105.00</td><td>80.73</td><td>-----</td><td>-----</td><td>65.60</td><td>36.31</td><td>11.74</td><td>32.92</td><td>284</td><td>157 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 6105.00	80.73	-----	-----	65.60	36.31	11.74	32.92	284	157 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																
1 5772.34	54.34	88.20	-33.86	38.86	36.66	11.63	32.81	284	157 PEAK																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 6105.00	80.73	-----	-----	65.60	36.31	11.74	32.92	284	157 PEAK																																	
Avg	Level (dBuV/m) Date: 2025-03-03 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5695.08</td><td>44.53</td><td>68.20</td><td>-23.67</td><td>29.05</td><td>36.59</td><td>11.67</td><td>32.78</td><td>284</td><td>157 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5695.08	44.53	68.20	-23.67	29.05	36.59	11.67	32.78	284	157 AVERAGE	Level (dBuV/m) Date: 2025-03-03 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 6105.00</td><td>71.50</td><td>-----</td><td>-----</td><td>56.38</td><td>36.54</td><td>11.49</td><td>32.91</td><td>284</td><td>157 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 6105.00	71.50	-----	-----	56.38	36.54	11.49	32.91	284	157 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 5695.08	44.53	68.20	-23.67	29.05	36.59	11.67	32.78	284	157 AVERAGE																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																	
1 6105.00	71.50	-----	-----	56.38	36.54	11.49	32.91	284	157 AVERAGE																																	



Mode	131																																																																																		
	Band Edge																																																																																		
	U-NII-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M+40M_7_6905MHz																																																																																		
ANT	1+2																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7146.72</td><td>54.81</td><td>88.20 -33.39</td><td>38.72</td><td>36.41</td><td>12.81</td><td>33.13</td><td>204</td><td>112 PEAK</td></tr><tr><td>2 7279.82</td><td>54.40</td><td>74.00 -19.60</td><td>37.90</td><td>36.60</td><td>13.06</td><td>33.16</td><td>204</td><td>112 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7146.72	54.81	88.20 -33.39	38.72	36.41	12.81	33.13	204	112 PEAK	2 7279.82	54.40	74.00 -19.60	37.90	36.60	13.06	33.16	204	112 PEAK	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>88.15</td><td>-----</td><td>72.86</td><td>36.24</td><td>12.13</td><td>33.08</td><td>204</td><td>112 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6905.00	88.15	-----	72.86	36.24	12.13	33.08	204	112 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7146.72	54.81	88.20 -33.39	38.72	36.41	12.81	33.13	204	112 PEAK																																																																											
2 7279.82	54.40	74.00 -19.60	37.90	36.60	13.06	33.16	204	112 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 6905.00	88.15	-----	72.86	36.24	12.13	33.08	204	112 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7221.14</td><td>45.45</td><td>68.20 -22.75</td><td>29.04</td><td>36.54</td><td>13.01</td><td>33.14</td><td>204</td><td>112 AVERAGE</td></tr><tr><td>2 7338.51</td><td>45.25</td><td>54.00 -8.75</td><td>28.80</td><td>36.52</td><td>13.10</td><td>33.17</td><td>204</td><td>112 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 7221.14	45.45	68.20 -22.75	29.04	36.54	13.01	33.14	204	112 AVERAGE	2 7338.51	45.25	54.00 -8.75	28.80	36.52	13.10	33.17	204	112 AVERAGE	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6905.00</td><td>78.09</td><td>-----</td><td>62.80</td><td>36.21</td><td>12.16</td><td>33.08</td><td>204</td><td>112 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6905.00	78.09	-----	62.80	36.21	12.16	33.08	204	112 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 7221.14	45.45	68.20 -22.75	29.04	36.54	13.01	33.14	204	112 AVERAGE																																																																											
2 7338.51	45.25	54.00 -8.75	28.80	36.52	13.10	33.17	204	112 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1 6905.00	78.09	-----	62.80	36.21	12.16	33.08	204	112 AVERAGE																																																																											







Mode	131																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M+40M_7_6905MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Vertical	Fundamental																																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7244.13</td><td>54.06</td><td>88.20</td><td>-34.14</td><td>37.59</td><td>36.59</td><td>13.03</td><td>33.15</td><td>291</td><td>149</td><td>PEAK</td></tr><tr><td>2</td><td>7339.11</td><td>54.18</td><td>74.00</td><td>-19.82</td><td>37.73</td><td>36.52</td><td>13.10</td><td>33.17</td><td>291</td><td>149</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7244.13	54.06	88.20	-34.14	37.59	36.59	13.03	33.15	291	149	PEAK	2	7339.11	54.18	74.00	-19.82	37.73	36.52	13.10	33.17	291	149	PEAK	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>79.38</td><td>-----</td><td>-----</td><td>64.09</td><td>36.20</td><td>12.17</td><td>33.08</td><td>291</td><td>149</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	79.38	-----	-----	64.09	36.20	12.17	33.08	291	149	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7244.13	54.06	88.20	-34.14	37.59	36.59	13.03	33.15	291	149	PEAK																																																																																									
2	7339.11	54.18	74.00	-19.82	37.73	36.52	13.10	33.17	291	149	PEAK																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6905.00	79.38	-----	-----	64.09	36.20	12.17	33.08	291	149	PEAK																																																																																									
Avg	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7130.39</td><td>45.08</td><td>68.20</td><td>-23.12</td><td>29.02</td><td>36.44</td><td>12.75</td><td>33.13</td><td>291</td><td>149</td><td>AVERAGE</td></tr><tr><td>2</td><td>7313.10</td><td>45.29</td><td>54.00</td><td>-8.71</td><td>28.80</td><td>36.57</td><td>13.08</td><td>33.16</td><td>291</td><td>149</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7130.39	45.08	68.20	-23.12	29.02	36.44	12.75	33.13	291	149	AVERAGE	2	7313.10	45.29	54.00	-8.71	28.80	36.57	13.08	33.16	291	149	AVERAGE	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>70.25</td><td>-----</td><td>-----</td><td>54.96</td><td>36.21</td><td>12.16</td><td>33.08</td><td>291</td><td>149</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	70.25	-----	-----	54.96	36.21	12.16	33.08	291	149	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	7130.39	45.08	68.20	-23.12	29.02	36.44	12.75	33.13	291	149	AVERAGE																																																																																									
2	7313.10	45.29	54.00	-8.71	28.80	36.57	13.08	33.16	291	149	AVERAGE																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6905.00	70.25	-----	-----	54.96	36.21	12.16	33.08	291	149	AVERAGE																																																																																									







Mode	132																																																																									
	Band Edge																																																																									
	U-NII-5_802.11be EHT320_CH31_Puncturing 80M_4_6105MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5601.75</td><td>54.22</td><td>88.20</td><td>-33.98</td><td>38.94</td><td>36.31</td><td>11.71</td><td>32.74</td><td>219 114 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5601.75	54.22	88.20	-33.98	38.94	36.31	11.71	32.74	219 114 PEAK	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>84.42</td><td>-----</td><td>-----</td><td>69.30</td><td>36.41</td><td>11.62</td><td>32.91</td><td>219 114 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	84.42	-----	-----	69.30	36.41	11.62	32.91	219 114 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5601.75	54.22	88.20	-33.98	38.94	36.31	11.71	32.74	219 114 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	84.42	-----	-----	69.30	36.41	11.62	32.91	219 114 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5703.49</td><td>44.50</td><td>68.20</td><td>-23.70</td><td>29.01</td><td>36.61</td><td>11.66</td><td>32.78</td><td>219 114 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5703.49	44.50	68.20	-23.70	29.01	36.61	11.66	32.78	219 114 AVERAGE	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>75.82</td><td>-----</td><td>-----</td><td>60.65</td><td>36.32</td><td>11.77</td><td>32.92</td><td>219 114 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	75.82	-----	-----	60.65	36.32	11.77	32.92	219 114 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5703.49	44.50	68.20	-23.70	29.01	36.61	11.66	32.78	219 114 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	75.82	-----	-----	60.65	36.32	11.77	32.92	219 114 AVERAGE																																																																		



Mode	132																																																																																	
	Band Edge																																																																																	
	U-NII-5_802.11be EHT320_CH31_Puncturing 80M_4_6105MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-03-03  PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5649.18</td><td>54.42</td><td>88.20 -33.78</td><td>38.99</td><td>36.50</td><td>11.69</td><td>32.76</td><td>296</td><td>149</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5649.18	54.42	88.20 -33.78	38.99	36.50	11.69	32.76	296	149	PEAK	Level (dBuV/m) Date: 2025-03-03  PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 6105.00</td><td>79.20 -----</td><td>-----</td><td>64.09</td><td>36.39</td><td>11.64</td><td>32.92</td><td>296</td><td>149</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 6105.00	79.20 -----	-----	64.09	36.39	11.64	32.92	296	149	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5649.18	54.42	88.20 -33.78	38.99	36.50	11.69	32.76	296	149	PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 6105.00	79.20 -----	-----	64.09	36.39	11.64	32.92	296	149	PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-03-03  AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5710.38</td><td>44.90</td><td>68.20 -23.30</td><td>29.40</td><td>36.62</td><td>11.66</td><td>32.78</td><td>296</td><td>149</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5710.38	44.90	68.20 -23.30	29.40	36.62	11.66	32.78	296	149	AVERAGE	Level (dBuV/m) Date: 2025-03-03  AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 6105.00</td><td>71.42 -----</td><td>-----</td><td>56.31</td><td>36.39</td><td>11.64</td><td>32.92</td><td>296</td><td>149</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 6105.00	71.42 -----	-----	56.31	36.39	11.64	32.92	296	149	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5710.38	44.90	68.20 -23.30	29.40	36.62	11.66	32.78	296	149	AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Level	Factor	Loss Factor																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 6105.00	71.42 -----	-----	56.31	36.39	11.64	32.92	296	149	AVERAGE																																																																									



		133																																																																																																					
Mode		Band Edge																																																																																																					
		U-NII-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M_1_6905MHz																																																																																																					
ANT		1+2																																																																																																					
Pol.		Horizontal					Fundamental																																																																																																
Peak	 Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7205.41</td><td>55.05</td><td>88.20</td><td>-33.15</td><td>38.68</td><td>36.51</td><td>13.00</td><td>33.14</td><td>208</td><td>112 PEAK</td></tr><tr><td>2</td><td>7322.17</td><td>54.48</td><td>74.00</td><td>-19.52</td><td>37.99</td><td>36.56</td><td>13.09</td><td>33.16</td><td>208</td><td>112 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7205.41	55.05	88.20	-33.15	38.68	36.51	13.00	33.14	208	112 PEAK	2	7322.17	54.48	74.00	-19.52	37.99	36.56	13.09	33.16	208	112 PEAK	 Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>86.81</td><td>-----</td><td>-----</td><td>71.52</td><td>36.21</td><td>12.16</td><td>33.08</td><td>208</td><td>112 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	86.81	-----	-----	71.52	36.21	12.16	33.08	208	112 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7205.41	55.05	88.20	-33.15	38.68	36.51	13.00	33.14	208	112 PEAK																																																																																													
2	7322.17	54.48	74.00	-19.52	37.99	36.56	13.09	33.16	208	112 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6905.00	86.81	-----	-----	71.52	36.21	12.16	33.08	208	112 PEAK																																																																																													
Avg	 Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7233.24</td><td>45.30</td><td>68.20</td><td>-22.90</td><td>28.86</td><td>36.57</td><td>13.02</td><td>33.15</td><td>208</td><td>112 AVERAGE</td></tr><tr><td>2</td><td>7254.41</td><td>45.28</td><td>54.00</td><td>-8.72</td><td>28.79</td><td>36.60</td><td>13.04</td><td>33.15</td><td>208</td><td>112 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7233.24	45.30	68.20	-22.90	28.86	36.57	13.02	33.15	208	112 AVERAGE	2	7254.41	45.28	54.00	-8.72	28.79	36.60	13.04	33.15	208	112 AVERAGE	 Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>77.94</td><td>-----</td><td>-----</td><td>62.67</td><td>36.26</td><td>12.08</td><td>33.07</td><td>208</td><td>112 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6905.00	77.94	-----	-----	62.67	36.26	12.08	33.07	208	112 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7233.24	45.30	68.20	-22.90	28.86	36.57	13.02	33.15	208	112 AVERAGE																																																																																													
2	7254.41	45.28	54.00	-8.72	28.79	36.60	13.04	33.15	208	112 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	6905.00	77.94	-----	-----	62.67	36.26	12.08	33.07	208	112 AVERAGE																																																																																													



Mode	133																																																																																											
	Band Edge																																																																																											
	U-NII-8_6525-7125_802.11be EHT320_CH191_Puncturing 80M_1_6905MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7198.15</td><td>53.85</td><td>88.20</td><td>-34.35</td><td>37.50</td><td>36.50</td><td>12.99</td><td>33.14</td><td>282 151 PEAK</td></tr><tr><td>2</td><td>7331.85</td><td>55.35</td><td>74.00</td><td>-18.65</td><td>38.89</td><td>36.54</td><td>13.09</td><td>33.17</td><td>282 151 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7198.15	53.85	88.20	-34.35	37.50	36.50	12.99	33.14	282 151 PEAK	2	7331.85	55.35	74.00	-18.65	38.89	36.54	13.09	33.17	282 151 PEAK	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>77.66</td><td>-----</td><td>-----</td><td>62.34</td><td>36.28</td><td>12.11</td><td>33.07</td><td>282 151 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	77.66	-----	-----	62.34	36.28	12.11	33.07	282 151 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7198.15	53.85	88.20	-34.35	37.50	36.50	12.99	33.14	282 151 PEAK																																																																																			
2	7331.85	55.35	74.00	-18.65	38.89	36.54	13.09	33.17	282 151 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	77.66	-----	-----	62.34	36.28	12.11	33.07	282 151 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7242.31</td><td>45.23</td><td>68.20</td><td>-22.97</td><td>28.77</td><td>36.58</td><td>13.03</td><td>33.15</td><td>282 151 AVERAGE</td></tr><tr><td>2</td><td>7286.48</td><td>45.48</td><td>54.00</td><td>-8.52</td><td>28.98</td><td>36.60</td><td>13.06</td><td>33.16</td><td>282 151 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7242.31	45.23	68.20	-22.97	28.77	36.58	13.03	33.15	282 151 AVERAGE	2	7286.48	45.48	54.00	-8.52	28.98	36.60	13.06	33.16	282 151 AVERAGE	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6905.00</td><td>69.58</td><td>-----</td><td>-----</td><td>54.29</td><td>36.23</td><td>12.14</td><td>33.08</td><td>282 151 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6905.00	69.58	-----	-----	54.29	36.23	12.14	33.08	282 151 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7242.31	45.23	68.20	-22.97	28.77	36.58	13.03	33.15	282 151 AVERAGE																																																																																			
2	7286.48	45.48	54.00	-8.52	28.98	36.60	13.06	33.16	282 151 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6905.00	69.58	-----	-----	54.29	36.23	12.14	33.08	282 151 AVERAGE																																																																																			







Mode	134																																																																									
	Band Edge																																																																									
	U-NII-5_802.11be EHT320_CH31_Puncturing 40M_8_6105MHz																																																																									
ANT	1+2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5686.66</td><td>54.97</td><td>88.20</td><td>-33.23</td><td>39.50</td><td>36.57</td><td>11.67</td><td>32.77</td><td>217 115 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5686.66	54.97	88.20	-33.23	39.50	36.57	11.67	32.77	217 115 PEAK	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>84.18</td><td>-----</td><td>-----</td><td>69.01</td><td>36.32</td><td>11.77</td><td>32.92</td><td>217 115 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	84.18	-----	-----	69.01	36.32	11.77	32.92	217 115 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5686.66	54.97	88.20	-33.23	39.50	36.57	11.67	32.77	217 115 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	84.18	-----	-----	69.01	36.32	11.77	32.92	217 115 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5643.82</td><td>45.21</td><td>68.20</td><td>-22.99</td><td>29.80</td><td>36.48</td><td>11.69</td><td>32.76</td><td>217 115 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5643.82	45.21	68.20	-22.99	29.80	36.48	11.69	32.76	217 115 AVERAGE	Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 6105.00</td><td>74.83</td><td>-----</td><td>-----</td><td>59.44</td><td>36.24</td><td>12.09</td><td>32.94</td><td>217 115 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	74.83	-----	-----	59.44	36.24	12.09	32.94	217 115 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5643.82	45.21	68.20	-22.99	29.80	36.48	11.69	32.76	217 115 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	74.83	-----	-----	59.44	36.24	12.09	32.94	217 115 AVERAGE																																																																		



Mode	134																																																																									
	Band Edge																																																																									
	U-NII-5_802.11be EHT320_CH31_Puncturing 40M_8_6105MHz																																																																									
ANT	1+2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5749.39</td><td>54.32</td><td>88.20</td><td>-33.88</td><td>38.78</td><td>36.70</td><td>11.64</td><td>32.80</td><td>280 149 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5749.39	54.32	88.20	-33.88	38.78	36.70	11.64	32.80	280 149 PEAK	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>80.40</td><td>-----</td><td>-----</td><td>65.16</td><td>36.34</td><td>11.82</td><td>32.92</td><td>280 149 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	80.40	-----	-----	65.16	36.34	11.82	32.92	280 149 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5749.39	54.32	88.20	-33.88	38.78	36.70	11.64	32.80	280 149 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	80.40	-----	-----	65.16	36.34	11.82	32.92	280 149 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5701.20</td><td>44.86</td><td>68.20</td><td>-23.34</td><td>29.38</td><td>36.60</td><td>11.66</td><td>32.78</td><td>280 149 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5701.20	44.86	68.20	-23.34	29.38	36.60	11.66	32.78	280 149 AVERAGE	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 6105.00</td><td>70.55</td><td>-----</td><td>-----</td><td>55.42</td><td>36.31</td><td>11.74</td><td>32.92</td><td>280 149 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 6105.00	70.55	-----	-----	55.42	36.31	11.74	32.92	280 149 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5701.20	44.86	68.20	-23.34	29.38	36.60	11.66	32.78	280 149 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 6105.00	70.55	-----	-----	55.42	36.31	11.74	32.92	280 149 AVERAGE																																																																		







Mode	135																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6525-7125_802.11be EHT320_CH191_Puncturing 40M_1_6905MHz																																																																																																					
ANT	1+2																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak	 Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7161.24</td><td>54.23</td><td>88.20</td><td>-33.97</td><td>38.08</td><td>36.42</td><td>12.86</td><td>33.13</td><td>207</td><td>112</td><td>PEAK</td></tr><tr><td>2</td><td>7311.89</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>38.06</td><td>36.58</td><td>13.08</td><td>33.16</td><td>207</td><td>112</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7161.24	54.23	88.20	-33.97	38.08	36.42	12.86	33.13	207	112	PEAK	2	7311.89	54.56	74.00	-19.44	38.06	36.58	13.08	33.16	207	112	PEAK	 Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>86.82</td><td>-----</td><td>-----</td><td>71.53</td><td>36.24</td><td>12.13</td><td>33.08</td><td>207</td><td>112</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	6905.00	86.82	-----	-----	71.53	36.24	12.13	33.08	207	112	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																														
1	7161.24	54.23	88.20	-33.97	38.08	36.42	12.86	33.13	207	112	PEAK																																																																																											
2	7311.89	54.56	74.00	-19.44	38.06	36.58	13.08	33.16	207	112	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																														
1	6905.00	86.82	-----	-----	71.53	36.24	12.13	33.08	207	112	PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7207.83</td><td>45.21</td><td>68.20</td><td>-22.99</td><td>28.83</td><td>36.52</td><td>13.00</td><td>33.14</td><td>207</td><td>112</td><td>AVERAGE</td></tr><tr><td>2</td><td>7251.39</td><td>45.11</td><td>54.00</td><td>-8.89</td><td>28.62</td><td>36.60</td><td>13.04</td><td>33.15</td><td>207</td><td>112</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7207.83	45.21	68.20	-22.99	28.83	36.52	13.00	33.14	207	112	AVERAGE	2	7251.39	45.11	54.00	-8.89	28.62	36.60	13.04	33.15	207	112	AVERAGE	 Level (dBuV/m) Date: 2025-03-03 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>77.39</td><td>-----</td><td>-----</td><td>62.12</td><td>36.26</td><td>12.08</td><td>33.07</td><td>207</td><td>112</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	6905.00	77.39	-----	-----	62.12	36.26	12.08	33.07	207	112	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																														
1	7207.83	45.21	68.20	-22.99	28.83	36.52	13.00	33.14	207	112	AVERAGE																																																																																											
2	7251.39	45.11	54.00	-8.89	28.62	36.60	13.04	33.15	207	112	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																														
1	6905.00	77.39	-----	-----	62.12	36.26	12.08	33.07	207	112	AVERAGE																																																																																											



Mode	135																																																																																											
	Band Edge																																																																																											
	U-NII-8_6525-7125_802.11be EHT320_CH191_Puncturing 40M_1_6905MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7230.82</td><td>54.11</td><td>88.20</td><td>-34.09</td><td>37.68</td><td>36.56</td><td>13.02</td><td>33.15</td><td>282 151 PEAK</td></tr><tr><td>2</td><td>7322.78</td><td>54.73</td><td>74.00</td><td>-19.27</td><td>38.25</td><td>36.55</td><td>13.09</td><td>33.16</td><td>282 151 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7230.82	54.11	88.20	-34.09	37.68	36.56	13.02	33.15	282 151 PEAK	2	7322.78	54.73	74.00	-19.27	38.25	36.55	13.09	33.16	282 151 PEAK	Level (dBuV/m) Date: 2025-03-03 PEAK_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>78.25</td><td>-----</td><td>-----</td><td>62.96</td><td>36.23</td><td>12.14</td><td>33.08</td><td>282 151 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	6905.00	78.25	-----	-----	62.96	36.23	12.14	33.08	282 151 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																			
1	7230.82	54.11	88.20	-34.09	37.68	36.56	13.02	33.15	282 151 PEAK																																																																																			
2	7322.78	54.73	74.00	-19.27	38.25	36.55	13.09	33.16	282 151 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																			
1	6905.00	78.25	-----	-----	62.96	36.23	12.14	33.08	282 151 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7232.03</td><td>45.19</td><td>68.20</td><td>-23.01</td><td>28.76</td><td>36.56</td><td>13.02</td><td>33.15</td><td>282 151 AVERAGE</td></tr><tr><td>2</td><td>7314.91</td><td>45.33</td><td>54.00</td><td>-8.67</td><td>28.84</td><td>36.57</td><td>13.08</td><td>33.16</td><td>282 151 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	7232.03	45.19	68.20	-23.01	28.76	36.56	13.02	33.15	282 151 AVERAGE	2	7314.91	45.33	54.00	-8.67	28.84	36.57	13.08	33.16	282 151 AVERAGE	Level (dBuV/m) Date: 2025-03-03 AVG_BE(UNII_6E) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6905.00</td><td>68.28</td><td>-----</td><td>-----</td><td>52.99</td><td>36.24</td><td>12.13</td><td>33.08</td><td>282 151 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	6905.00	68.28	-----	-----	52.99	36.24	12.13	33.08	282 151 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																			
1	7232.03	45.19	68.20	-23.01	28.76	36.56	13.02	33.15	282 151 AVERAGE																																																																																			
2	7314.91	45.33	54.00	-8.67	28.84	36.57	13.08	33.16	282 151 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																			
1	6905.00	68.28	-----	-----	52.99	36.24	12.13	33.08	282 151 AVERAGE																																																																																			







		139																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_802.11ax HE20_CH233_Partial RU-26RU8_7115MHz																																																																																																		
ANT		1+2																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2025-03-02 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.28</td><td>75.73</td><td>88.20</td><td>-12.47</td><td>59.68</td><td>36.45</td><td>12.73</td><td>33.13</td><td>131</td><td>108 PEAK</td></tr><tr><td>2 7261.00</td><td>54.39</td><td>74.00</td><td>-19.61</td><td>37.90</td><td>36.60</td><td>13.04</td><td>33.15</td><td>131</td><td>108 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.28	75.73	88.20	-12.47	59.68	36.45	12.73	33.13	131	108 PEAK	2 7261.00	54.39	74.00	-19.61	37.90	36.60	13.04	33.15	131	108 PEAK	 Level (dBuV/m) Date: 2025-03-02 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>84.50</td><td>-----</td><td>-----</td><td>68.45</td><td>36.45</td><td>12.73</td><td>33.13</td><td>131</td><td>108 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7115.00	84.50	-----	-----	68.45	36.45	12.73	33.13	131	108 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7125.28	75.73	88.20	-12.47	59.68	36.45	12.73	33.13	131	108 PEAK																																																																																											
2 7261.00	54.39	74.00	-19.61	37.90	36.60	13.04	33.15	131	108 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7115.00	84.50	-----	-----	68.45	36.45	12.73	33.13	131	108 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2025-03-02 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.28</td><td>62.74</td><td>68.20</td><td>-5.46</td><td>46.69</td><td>36.45</td><td>12.73</td><td>33.13</td><td>131</td><td>108 AVERAGE</td></tr><tr><td>2 7292.60</td><td>44.68</td><td>54.00</td><td>-9.32</td><td>28.17</td><td>36.60</td><td>13.07</td><td>33.16</td><td>131</td><td>108 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.28	62.74	68.20	-5.46	46.69	36.45	12.73	33.13	131	108 AVERAGE	2 7292.60	44.68	54.00	-9.32	28.17	36.60	13.07	33.16	131	108 AVERAGE	 Level (dBuV/m) Date: 2025-03-02 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>76.69</td><td>-----</td><td>-----</td><td>60.64</td><td>36.45</td><td>12.73</td><td>33.13</td><td>131</td><td>108 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7115.00	76.69	-----	-----	60.64	36.45	12.73	33.13	131	108 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7125.28	62.74	68.20	-5.46	46.69	36.45	12.73	33.13	131	108 AVERAGE																																																																																											
2 7292.60	44.68	54.00	-9.32	28.17	36.60	13.07	33.16	131	108 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7115.00	76.69	-----	-----	60.64	36.45	12.73	33.13	131	108 AVERAGE																																																																																											



Mode	139																																																																																											
	Band Edge																																																																																											
	U-NII-8_802.11ax HE20_CH233_Partial RU-26RU8_7115MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-03-02 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.28</td><td>63.87</td><td>88.20</td><td>-24.33</td><td>47.82</td><td>36.45</td><td>12.73</td><td>33.13</td><td>255</td><td>141 PEAK</td></tr><tr><td>2 7291.71</td><td>54.75</td><td>74.00</td><td>-19.25</td><td>38.24</td><td>36.60</td><td>13.07</td><td>33.16</td><td>255</td><td>141 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7125.28	63.87	88.20	-24.33	47.82	36.45	12.73	33.13	255	141 PEAK	2 7291.71	54.75	74.00	-19.25	38.24	36.60	13.07	33.16	255	141 PEAK	Level (dBuV/m) Date: 2025-03-02 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>75.62</td><td>-----</td><td>-----</td><td>59.57</td><td>36.45</td><td>12.73</td><td>33.13</td><td>255</td><td>141 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7115.00	75.62	-----	-----	59.57	36.45	12.73	33.13	255	141 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7125.28	63.87	88.20	-24.33	47.82	36.45	12.73	33.13	255	141 PEAK																																																																																			
2 7291.71	54.75	74.00	-19.25	38.24	36.60	13.07	33.16	255	141 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7115.00	75.62	-----	-----	59.57	36.45	12.73	33.13	255	141 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-03-02 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.28</td><td>52.86</td><td>68.20</td><td>-15.34</td><td>36.81</td><td>36.45</td><td>12.73</td><td>33.13</td><td>255</td><td>141 AVERAGE</td></tr><tr><td>2 7291.71</td><td>44.46</td><td>54.00</td><td>-9.54</td><td>27.95</td><td>36.60</td><td>13.07</td><td>33.16</td><td>255</td><td>141 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7125.28	52.86	68.20	-15.34	36.81	36.45	12.73	33.13	255	141 AVERAGE	2 7291.71	44.46	54.00	-9.54	27.95	36.60	13.07	33.16	255	141 AVERAGE	Level (dBuV/m) Date: 2025-03-02 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>66.33</td><td>-----</td><td>-----</td><td>50.28</td><td>36.45</td><td>12.73</td><td>33.13</td><td>255</td><td>141 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7115.00	66.33	-----	-----	50.28	36.45	12.73	33.13	255	141 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7125.28	52.86	68.20	-15.34	36.81	36.45	12.73	33.13	255	141 AVERAGE																																																																																			
2 7291.71	44.46	54.00	-9.54	27.95	36.60	13.07	33.16	255	141 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1 7115.00	66.33	-----	-----	50.28	36.45	12.73	33.13	255	141 AVERAGE																																																																																			



Mode	141																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_802.11be EHT20_CH233_Single RU-26RU8_7115MHz																																																																																																			
ANT	1+2																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak	 Level (dBuV/m) Date: 2025-03-02 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.28</td><td>73.17</td><td>88.20</td><td>-15.03</td><td>57.12</td><td>36.45</td><td>12.73</td><td>33.13</td><td>130</td><td>107 PEAK</td></tr><tr><td>2 7290.37</td><td>54.52</td><td>74.00</td><td>-19.48</td><td>38.02</td><td>36.60</td><td>13.06</td><td>33.16</td><td>130</td><td>107 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7125.28	73.17	88.20	-15.03	57.12	36.45	12.73	33.13	130	107 PEAK	2 7290.37	54.52	74.00	-19.48	38.02	36.60	13.06	33.16	130	107 PEAK	 Level (dBuV/m) Date: 2025-03-02 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>85.51</td><td>-----</td><td>-----</td><td>69.46</td><td>36.45</td><td>12.73</td><td>33.13</td><td>130</td><td>107 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7115.00	85.51	-----	-----	69.46	36.45	12.73	33.13	130	107 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7125.28	73.17	88.20	-15.03	57.12	36.45	12.73	33.13	130	107 PEAK																																																																																											
2 7290.37	54.52	74.00	-19.48	38.02	36.60	13.06	33.16	130	107 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7115.00	85.51	-----	-----	69.46	36.45	12.73	33.13	130	107 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2025-03-02 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.28</td><td>62.62</td><td>68.20</td><td>-5.58</td><td>46.57</td><td>36.45</td><td>12.73</td><td>33.13</td><td>130</td><td>107 AVERAGE</td></tr><tr><td>2 7257.00</td><td>44.53</td><td>54.00</td><td>-9.47</td><td>28.04</td><td>36.60</td><td>13.04</td><td>33.15</td><td>130</td><td>107 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7125.28	62.62	68.20	-5.58	46.57	36.45	12.73	33.13	130	107 AVERAGE	2 7257.00	44.53	54.00	-9.47	28.04	36.60	13.04	33.15	130	107 AVERAGE	 Level (dBuV/m) Date: 2025-03-02 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>76.58</td><td>-----</td><td>-----</td><td>60.53</td><td>36.45</td><td>12.73</td><td>33.13</td><td>130</td><td>107 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7115.00	76.58	-----	-----	60.53	36.45	12.73	33.13	130	107 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7125.28	62.62	68.20	-5.58	46.57	36.45	12.73	33.13	130	107 AVERAGE																																																																																											
2 7257.00	44.53	54.00	-9.47	28.04	36.60	13.04	33.15	130	107 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7115.00	76.58	-----	-----	60.53	36.45	12.73	33.13	130	107 AVERAGE																																																																																											



Mode	141																																																			
	Band Edge																																																			
	U-NII-8_802.11be EHT20_CH233_Single RU-26RU8_7115MHz																																																			
ANT	1+2																																																			
Pol.	Vertical	Fundamental																																																		
Peak	Level (dBuV/m) Date: 2025-03-02 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 7125.28</td><td>63.61</td><td>88.20</td><td>-24.59</td><td>47.56</td><td>36.45</td><td>12.73</td><td>33.13</td><td>255</td><td>138 PEAK</td></tr><tr><td>2 7296.16</td><td>54.65</td><td>74.00</td><td>-19.35</td><td>38.14</td><td>36.60</td><td>13.07</td><td>33.16</td><td>255</td><td>138 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 7125.28	63.61	88.20	-24.59	47.56	36.45	12.73	33.13	255	138 PEAK	2 7296.16	54.65	74.00	-19.35	38.14	36.60	13.07	33.16	255	138 PEAK	Level (dBuV/m) Date: 2025-03-02 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 7115.00</td><td>73.84</td><td>-----</td><td>-----</td><td>57.79</td><td>36.45</td><td>12.73</td><td>33.13</td><td>255</td><td>138 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 7115.00	73.84	-----	-----	57.79	36.45	12.73	33.13	255	138 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																										
1 7125.28	63.61	88.20	-24.59	47.56	36.45	12.73	33.13	255	138 PEAK																																											
2 7296.16	54.65	74.00	-19.35	38.14	36.60	13.07	33.16	255	138 PEAK																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 7115.00	73.84	-----	-----	57.79	36.45	12.73	33.13	255	138 PEAK																																											
Avg	Level (dBuV/m) Date: 2025-03-02 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 7125.28</td><td>52.68</td><td>68.20</td><td>-15.52</td><td>36.63</td><td>36.45</td><td>12.73</td><td>33.13</td><td>255</td><td>138 AVERAGE</td></tr><tr><td>2 7263.23</td><td>44.47</td><td>54.00</td><td>-9.53</td><td>27.98</td><td>36.60</td><td>13.04</td><td>33.15</td><td>255</td><td>138 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 7125.28	52.68	68.20	-15.52	36.63	36.45	12.73	33.13	255	138 AVERAGE	2 7263.23	44.47	54.00	-9.53	27.98	36.60	13.04	33.15	255	138 AVERAGE	Level (dBuV/m) Date: 2025-03-02 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 7115.00</td><td>66.37</td><td>-----</td><td>-----</td><td>50.32</td><td>36.45</td><td>12.73</td><td>33.13</td><td>255</td><td>138 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 7115.00	66.37	-----	-----	50.32	36.45	12.73	33.13	255	138 AVERAGE
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 7125.28	52.68	68.20	-15.52	36.63	36.45	12.73	33.13	255	138 AVERAGE																																											
2 7263.23	44.47	54.00	-9.53	27.98	36.60	13.04	33.15	255	138 AVERAGE																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 7115.00	66.37	-----	-----	50.32	36.45	12.73	33.13	255	138 AVERAGE																																											



Mode	142																																																																	
	Band Edge																																																																	
	U-NII-8_802.11be EHT20_CH233_Small RU-106+26_OFDMA_2_7115MHz																																																																	
ANT	1+2																																																																	
Pol.	Horizontal																																																																	
Peak	Level (dBuV/m) Date: 2025-03-02 Frequency (MHz)																																																																	
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.28</td><td>75.15</td><td>88.20</td><td>-13.05</td><td>59.10</td><td>36.45</td><td>12.73</td><td>33.13</td><td>131</td><td>109 PEAK</td></tr><tr><td>2</td><td>7340.21</td><td>54.46</td><td>74.00</td><td>-19.54</td><td>38.01</td><td>36.52</td><td>13.10</td><td>33.17</td><td>131</td><td>109 PEAK</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7125.28	75.15	88.20	-13.05	59.10	36.45	12.73	33.13	131	109 PEAK	2	7340.21	54.46	74.00	-19.54	38.01	36.52	13.10	33.17	131	109 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																									
1	7125.28	75.15	88.20	-13.05	59.10	36.45	12.73	33.13	131	109 PEAK																																																								
2	7340.21	54.46	74.00	-19.54	38.01	36.52	13.10	33.17	131	109 PEAK																																																								
Fundamental	Level (dBuV/m) Date: 2025-03-02 Frequency (MHz)																																																																	
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>83.97</td><td>-----</td><td>-----</td><td>67.92</td><td>36.45</td><td>12.73</td><td>33.13</td><td>131</td><td>109 PEAK</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7115.00	83.97	-----	-----	67.92	36.45	12.73	33.13	131	109 PEAK											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																									
1	7115.00	83.97	-----	-----	67.92	36.45	12.73	33.13	131	109 PEAK																																																								
Avg	Level (dBuV/m) Date: 2025-03-02 Frequency (MHz)																																																																	
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.28</td><td>62.92</td><td>68.20</td><td>-5.28</td><td>46.87</td><td>36.45</td><td>12.73</td><td>33.13</td><td>131</td><td>109 AVERAGE</td></tr><tr><td>2</td><td>7261.89</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>28.06</td><td>36.60</td><td>13.04</td><td>33.15</td><td>131</td><td>109 AVERAGE</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7125.28	62.92	68.20	-5.28	46.87	36.45	12.73	33.13	131	109 AVERAGE	2	7261.89	44.55	54.00	-9.45	28.06	36.60	13.04	33.15	131	109 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																									
1	7125.28	62.92	68.20	-5.28	46.87	36.45	12.73	33.13	131	109 AVERAGE																																																								
2	7261.89	44.55	54.00	-9.45	28.06	36.60	13.04	33.15	131	109 AVERAGE																																																								
Fundamental	Level (dBuV/m) Date: 2025-03-02 Frequency (MHz)																																																																	
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>74.81</td><td>-----</td><td>-----</td><td>58.76</td><td>36.45</td><td>12.73</td><td>33.13</td><td>131</td><td>109 AVERAGE</td></tr></table>												Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	7115.00	74.81	-----	-----	58.76	36.45	12.73	33.13	131	109 AVERAGE											
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																									
1	7115.00	74.81	-----	-----	58.76	36.45	12.73	33.13	131	109 AVERAGE																																																								



Mode	142																																																																																											
	Band Edge																																																																																											
	U-NII-8_802.11be EHT20_CH233_Small RU-106+26_OFDMA_2_7115MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-03-02 PEAK_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>63.13</td><td>88.20</td><td>-25.07</td><td>47.08</td><td>36.45</td><td>12.73</td><td>33.13</td><td>258 138 PEAK</td></tr><tr><td>2</td><td>7332.65</td><td>54.97</td><td>74.00</td><td>-19.03</td><td>38.52</td><td>36.53</td><td>13.09</td><td>33.17</td><td>258 138 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	63.13	88.20	-25.07	47.08	36.45	12.73	33.13	258 138 PEAK	2	7332.65	54.97	74.00	-19.03	38.52	36.53	13.09	33.17	258 138 PEAK	Level (dBuV/m) Date: 2025-03-02 PEAK_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>75.69</td><td>-----</td><td>-----</td><td>59.64</td><td>36.45</td><td>12.73</td><td>33.13</td><td>258 138 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	75.69	-----	-----	59.64	36.45	12.73	33.13	258 138 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7125.28	63.13	88.20	-25.07	47.08	36.45	12.73	33.13	258 138 PEAK																																																																																			
2	7332.65	54.97	74.00	-19.03	38.52	36.53	13.09	33.17	258 138 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7115.00	75.69	-----	-----	59.64	36.45	12.73	33.13	258 138 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-03-02 AVG_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>53.55</td><td>68.20</td><td>-14.65</td><td>37.50</td><td>36.45</td><td>12.73</td><td>33.13</td><td>258 138 AVERAGE</td></tr><tr><td>2</td><td>7255.22</td><td>44.56</td><td>54.00</td><td>-9.44</td><td>28.07</td><td>36.60</td><td>13.04</td><td>33.15</td><td>258 138 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	53.55	68.20	-14.65	37.50	36.45	12.73	33.13	258 138 AVERAGE	2	7255.22	44.56	54.00	-9.44	28.07	36.60	13.04	33.15	258 138 AVERAGE	Level (dBuV/m) Date: 2025-03-02 AVG_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>65.48</td><td>-----</td><td>-----</td><td>49.43</td><td>36.45</td><td>12.73</td><td>33.13</td><td>258 138 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	65.48	-----	-----	49.43	36.45	12.73	33.13	258 138 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7125.28	53.55	68.20	-14.65	37.50	36.45	12.73	33.13	258 138 AVERAGE																																																																																			
2	7255.22	44.56	54.00	-9.44	28.07	36.60	13.04	33.15	258 138 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7115.00	65.48	-----	-----	49.43	36.45	12.73	33.13	258 138 AVERAGE																																																																																			



<Co-location>





Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 143	CO-TX	2400-2483.5	0+1	802.11n HT20	11	2462	MCS0		
		6875-7125	1+2	802.11be EHT20	233	7115	MCS0	-	-
Mode 144	CO-TX	2400-2483.5	1	Bluetooth-LE_GSFK	00	2402	2Mbps		
		6875-7125	1+2	802.11be EHT20	233	7115	MCS0	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
143	802.11n HT20	11	2483.51	36.91	54.00	-17.09	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	233	7125.28	59.53	68.20	-8.67	H	AVERAGE	Pass	Band Edge
	802.11be EHT20+11n HT20	233	14230.00	48.35	88.20	-39.85	V	Peak	Pass	Harmonic
144	Bluetooth-LE_GSFK	00	2389.70	39.02	54.00	-14.98	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	233	7125.28	60.35	68.20	-7.85	H	AVERAGE	Pass	Band Edge
	802.11be EHT20+ Bluetooth-LE_GSFK	233	14230.00	48.13	88.20	-40.07	H	Peak	Pass	Harmonic



		143																																																																																		
Mode		Band Edge																																																																																		
		802.11n HT20_CH11_2462MHz+802.11be EHT20_CH233_7115MHz																																																																																		
ANT		0+1																																																																																		
Pol.		Horizontal					Fundamental																																																																													
Peak	 Level (dBuV/m) Date: 2025-03-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2462 2469.6 2477.2 2484.8 2492.4 2500 Frequency (MHz) PEAK_BE_74 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2485.03</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>43.71</td><td>30.80</td><td>5.46</td><td>34.11</td><td>313 234 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1	2485.03	45.86	74.00	-28.14	43.71	30.80	5.46	34.11	313 234 PEAK	 Level (dBuV/m) Date: 2025-03-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) PEAK_74 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2462.00</td><td>93.88</td><td>-----</td><td>-----</td><td>91.78</td><td>30.79</td><td>5.43</td><td>34.12</td><td>313 234 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1	2462.00	93.88	-----	-----	91.78	30.79	5.43	34.12	313 234 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																												
1	2485.03	45.86	74.00	-28.14	43.71	30.80	5.46	34.11	313 234 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																												
1	2462.00	93.88	-----	-----	91.78	30.79	5.43	34.12	313 234 PEAK																																																																											
Avg	 Level (dBuV/m) Date: 2025-03-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2462 2469.6 2477.2 2484.8 2492.4 2500 Frequency (MHz) AVG_BE_54 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2483.51</td><td>35.00</td><td>54.00</td><td>-19.00</td><td>32.85</td><td>30.80</td><td>5.46</td><td>34.11</td><td>313 234 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1	2483.51	35.00	54.00	-19.00	32.85	30.80	5.46	34.11	313 234 AVERAGE	 Level (dBuV/m) Date: 2025-03-10 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) AVG_54 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2462.00</td><td>85.97</td><td>-----</td><td>-----</td><td>83.87</td><td>30.79</td><td>5.43</td><td>34.12</td><td>313 234 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg	1	2462.00	85.97	-----	-----	83.87	30.79	5.43	34.12	313 234 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																												
1	2483.51	35.00	54.00	-19.00	32.85	30.80	5.46	34.11	313 234 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm deg																																																																												
1	2462.00	85.97	-----	-----	83.87	30.79	5.43	34.12	313 234 AVERAGE																																																																											



		143																																																																																																				
Mode		Band Edge																																																																																																				
		802.11n HT20_CH11_2462MHz+802.11be EHT20_CH233_7115MHz																																																																																																				
ANT		0+1																																																																																																				
Pol.		Vertical					Fundamental																																																																																															
Peak		Level (dBuV/m) Date: 2025-03-10 PEAK_BE_74 Frequency (MHz) 24622469.62477.22484.82492.42500 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.66</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>45.12</td><td>30.80</td><td>5.46</td><td>34.11</td><td>289</td><td>315</td><td>PEAK</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.66	47.27	74.00	-26.73	45.12	30.80	5.46	34.11	289	315	PEAK		Level (dBuV/m) Date: 2025-03-10 PEAK_74 Frequency (MHz) 100014001800220026003000 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>98.98</td><td>-----</td><td>-----</td><td>96.88</td><td>30.79</td><td>5.43</td><td>34.12</td><td>289</td><td>315</td><td>PEAK</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	98.98	-----	-----	96.88	30.79	5.43	34.12	289	315	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2483.66	47.27	74.00	-26.73	45.12	30.80	5.46	34.11	289	315	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2462.00	98.98	-----	-----	96.88	30.79	5.43	34.12	289	315	PEAK																																																																																											
Avg		Level (dBuV/m) Date: 2025-03-10 AVG_BE_54 Frequency (MHz) 24622469.62477.22484.82492.42500 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>36.91</td><td>54.00</td><td>-17.09</td><td>34.76</td><td>30.80</td><td>5.46</td><td>34.11</td><td>289</td><td>315</td><td>AVERAGE</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	36.91	54.00	-17.09	34.76	30.80	5.46	34.11	289	315	AVERAGE		Level (dBuV/m) Date: 2025-03-10 AVG_54 Frequency (MHz) 100014001800220026003000 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>90.81</td><td>-----</td><td>-----</td><td>88.71</td><td>30.79</td><td>5.43</td><td>34.12</td><td>289</td><td>315</td><td>AVERAGE</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	90.81	-----	-----	88.71	30.79	5.43	34.12	289	315	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2483.51	36.91	54.00	-17.09	34.76	30.80	5.46	34.11	289	315	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	2462.00	90.81	-----	-----	88.71	30.79	5.43	34.12	289	315	AVERAGE																																																																																											



Mode	143																																																																																																						
	Band Edge																																																																																																						
	802.11be EHT20_CH233_7115MHz+802.11n HT20_CH11_2462MHz																																																																																																						
ANT	1+2																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-03-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>67.89</td><td>88.20</td><td>-20.31</td><td>54.99</td><td>37.07</td><td>10.20</td><td>34.37</td><td>100</td><td>211</td><td>PEAK</td></tr><tr><td>2</td><td>7288.59</td><td>51.71</td><td>74.00</td><td>-22.29</td><td>38.96</td><td>36.91</td><td>10.18</td><td>34.34</td><td>100</td><td>211</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	67.89	88.20	-20.31	54.99	37.07	10.20	34.37	100	211	PEAK	2	7288.59	51.71	74.00	-22.29	38.96	36.91	10.18	34.34	100	211	PEAK	Level (dBuV/m) Date: 2025-03-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>93.32</td><td>-----</td><td>-----</td><td>91.20</td><td>30.79</td><td>5.44</td><td>34.11</td><td>100</td><td>211</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	93.32	-----	-----	91.20	30.79	5.44	34.11	100	211	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	67.89	88.20	-20.31	54.99	37.07	10.20	34.37	100	211	PEAK																																																																																												
2	7288.59	51.71	74.00	-22.29	38.96	36.91	10.18	34.34	100	211	PEAK																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	93.32	-----	-----	91.20	30.79	5.44	34.11	100	211	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2025-03-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>59.53</td><td>68.20</td><td>-8.67</td><td>46.63</td><td>37.07</td><td>10.20</td><td>34.37</td><td>100</td><td>211</td><td>AVERAGE</td></tr><tr><td>2</td><td>7266.79</td><td>42.18</td><td>54.00</td><td>-11.82</td><td>29.42</td><td>36.93</td><td>10.18</td><td>34.35</td><td>100</td><td>211</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	59.53	68.20	-8.67	46.63	37.07	10.20	34.37	100	211	AVERAGE	2	7266.79	42.18	54.00	-11.82	29.42	36.93	10.18	34.35	100	211	AVERAGE	Level (dBuV/m) Date: 2025-03-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>85.96</td><td>-----</td><td>-----</td><td>83.86</td><td>30.79</td><td>5.43</td><td>34.12</td><td>100</td><td>211</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	85.96	-----	-----	83.86	30.79	5.43	34.12	100	211	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	59.53	68.20	-8.67	46.63	37.07	10.20	34.37	100	211	AVERAGE																																																																																												
2	7266.79	42.18	54.00	-11.82	29.42	36.93	10.18	34.35	100	211	AVERAGE																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	85.96	-----	-----	83.86	30.79	5.43	34.12	100	211	AVERAGE																																																																																												



Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.







Mode	143																																																																																																		
	Band Edge																																																																																																		
	802.11be EHT20_CH233_7115MHz+802.11n HT20_CH11_2462MHz																																																																																																		
ANT	1+2																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.28</td><td>59.26</td><td>88.20</td><td>-28.94</td><td>46.36</td><td>37.07</td><td>10.20</td><td>34.37</td><td>100</td><td>136 PEAK</td></tr><tr><td>2 7342.88</td><td>51.74</td><td>74.00</td><td>-22.26</td><td>39.03</td><td>36.86</td><td>10.18</td><td>34.33</td><td>100</td><td>136 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7125.28	59.26	88.20	-28.94	46.36	37.07	10.20	34.37	100	136 PEAK	2 7342.88	51.74	74.00	-22.26	39.03	36.86	10.18	34.33	100	136 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>92.25</td><td>-----</td><td>-----</td><td>90.15</td><td>30.79</td><td>5.43</td><td>34.12</td><td>100</td><td>136 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7115.00	92.25	-----	-----	90.15	30.79	5.43	34.12	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7125.28	59.26	88.20	-28.94	46.36	37.07	10.20	34.37	100	136 PEAK																																																																																										
2 7342.88	51.74	74.00	-22.26	39.03	36.86	10.18	34.33	100	136 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7115.00	92.25	-----	-----	90.15	30.79	5.43	34.12	100	136 PEAK																																																																																										
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.28</td><td>49.55</td><td>68.20</td><td>-18.65</td><td>36.65</td><td>37.07</td><td>10.20</td><td>34.37</td><td>100</td><td>136 AVERAGE</td></tr><tr><td>2 7256.11</td><td>42.05</td><td>54.00</td><td>-11.95</td><td>29.28</td><td>36.94</td><td>10.18</td><td>34.35</td><td>100</td><td>136 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7125.28	49.55	68.20	-18.65	36.65	37.07	10.20	34.37	100	136 AVERAGE	2 7256.11	42.05	54.00	-11.95	29.28	36.94	10.18	34.35	100	136 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>84.53</td><td>-----</td><td>-----</td><td>82.43</td><td>30.79</td><td>5.43</td><td>34.12</td><td>100</td><td>136 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7115.00	84.53	-----	-----	82.43	30.79	5.43	34.12	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7125.28	49.55	68.20	-18.65	36.65	37.07	10.20	34.37	100	136 AVERAGE																																																																																										
2 7256.11	42.05	54.00	-11.95	29.28	36.94	10.18	34.35	100	136 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7115.00	84.53	-----	-----	82.43	30.79	5.43	34.12	100	136 AVERAGE																																																																																										

Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.



Mode	143																																																																																	
	Harmonic																																																																																	
	802.11be EHT20_CH233_7115MHz+802.11n HT20_CH11_2462MHz																																																																																	
ANT	1+2																																																																																	
Pol.	Horizontal																																																																																	
Peak Avg	Level (dBuV/m) Date: 2025-03-13 																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>51.43</td><td>35.54</td><td>11.12</td><td>52.65</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>43.39</td><td>74.00</td><td>-30.61</td><td>45.94</td><td>36.57</td><td>13.13</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>14230.00</td><td>48.18</td><td>88.20</td><td>-40.02</td><td>43.91</td><td>39.90</td><td>16.33</td><td>51.96</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4924.00	45.44	74.00	-28.56	51.43	35.54	11.12	52.65	---	---	Peak	2	7386.00	43.39	74.00	-30.61	45.94	36.57	13.13	52.25	---	---	Peak	3	14230.00	48.18	88.20	-40.02	43.91	39.90	16.33	51.96	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	4924.00	45.44	74.00	-28.56	51.43	35.54	11.12	52.65	---	---	Peak																																																																							
2	7386.00	43.39	74.00	-30.61	45.94	36.57	13.13	52.25	---	---	Peak																																																																							
3	14230.00	48.18	88.20	-40.02	43.91	39.90	16.33	51.96	---	---	Peak																																																																							
Level (dBuV/m) Date: 2025-03-13 																																																																																		
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4924.00</td><td>44.46</td><td>74.00</td><td>-29.54</td><td>50.45</td><td>35.54</td><td>11.12</td><td>52.65</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>43.44</td><td>74.00</td><td>-30.56</td><td>45.99</td><td>36.57</td><td>13.13</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>14230.00</td><td>48.35</td><td>88.20</td><td>-39.85</td><td>44.08</td><td>39.90</td><td>16.33</td><td>51.96</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4924.00	44.46	74.00	-29.54	50.45	35.54	11.12	52.65	---	---	Peak	2	7386.00	43.44	74.00	-30.56	45.99	36.57	13.13	52.25	---	---	Peak	3	14230.00	48.35	88.20	-39.85	44.08	39.90	16.33	51.96	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	4924.00	44.46	74.00	-29.54	50.45	35.54	11.12	52.65	---	---	Peak																																																																							
2	7386.00	43.44	74.00	-30.56	45.99	36.57	13.13	52.25	---	---	Peak																																																																							
3	14230.00	48.35	88.20	-39.85	44.08	39.90	16.33	51.96	---	---	Peak																																																																							







		144																																																																																							
Mode		Band Edge																																																																																							
		Bluetooth-LE_GSKF_CH00_2402MHz+802.11be EHT20_CH233_7115MHz																																																																																							
ANT		1																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-10  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-10  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.80</td><td>48.00</td><td>74.00</td><td>-26.00</td><td>46.00</td><td>30.78</td><td>5.36</td><td>34.14</td><td>294</td><td>107 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2389.80	48.00	74.00	-26.00	46.00	30.78	5.36	34.14	294	107 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2402.00</td><td>84.59</td><td>-----</td><td>-----</td><td>82.58</td><td>30.78</td><td>5.37</td><td>34.14</td><td>294</td><td>107 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2402.00	84.59	-----	-----	82.58	30.78	5.37	34.14	294
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 2389.80	48.00	74.00	-26.00	46.00	30.78	5.36	34.14	294	107 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 2402.00	84.59	-----	-----	82.58	30.78	5.37	34.14	294	107 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-03-10  Frequency (MHz)					Level (dBuV/m) Date: 2025-03-10  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.91</td><td>38.77</td><td>54.00</td><td>-15.23</td><td>36.77</td><td>30.78</td><td>5.36</td><td>34.14</td><td>294</td><td>107 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2389.91	38.77	54.00	-15.23	36.77	30.78	5.36	34.14	294	107 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2402.00</td><td>83.18</td><td>-----</td><td>-----</td><td>81.17</td><td>30.78</td><td>5.37</td><td>34.14</td><td>294</td><td>107 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2402.00	83.18	-----	-----	81.17	30.78	5.37	34.14	294
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 2389.91	38.77	54.00	-15.23	36.77	30.78	5.36	34.14	294	107 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 2402.00	83.18	-----	-----	81.17	30.78	5.37	34.14	294	107 AVERAGE																																																																																







Mode	144																																																																																	
	Band Edge																																																																																	
	Bluetooth-LE_GSKF_CH00_2402MHz+802.11be EHT20_CH233_7115MHz																																																																																	
ANT	1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-03-10 2310 2331. 2352. 2373. 2394. 2415 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.91</td><td>48.42</td><td>74.00</td><td>-25.58</td><td>46.42</td><td>30.78</td><td>5.36</td><td>34.14</td><td>399</td><td>190 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2389.91	48.42	74.00	-25.58	46.42	30.78	5.36	34.14	399	190 PEAK	Level (dBuV/m) Date: 2025-03-10 1000 1400. 1800. 2200. 2600. 3000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2402.00</td><td>93.75</td><td>-----</td><td>-----</td><td>91.74</td><td>30.78</td><td>5.37</td><td>34.14</td><td>399</td><td>190 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2402.00	93.75	-----	-----	91.74	30.78	5.37	34.14	399	190 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2389.91	48.42	74.00	-25.58	46.42	30.78	5.36	34.14	399	190 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2402.00	93.75	-----	-----	91.74	30.78	5.37	34.14	399	190 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-03-10 2310 2331. 2352. 2373. 2394. 2415 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.70</td><td>39.02</td><td>54.00</td><td>-14.98</td><td>37.02</td><td>30.78</td><td>5.36</td><td>34.14</td><td>399</td><td>190 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2389.70	39.02	54.00	-14.98	37.02	30.78	5.36	34.14	399	190 AVERAGE	Level (dBuV/m) Date: 2025-03-10 1000 1400. 1800. 2200. 2600. 3000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2402.00</td><td>92.18</td><td>-----</td><td>-----</td><td>90.17</td><td>30.78</td><td>5.37</td><td>34.14</td><td>399</td><td>190 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2402.00	92.18	-----	-----	90.17	30.78	5.37	34.14	399	190 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2389.70	39.02	54.00	-14.98	37.02	30.78	5.36	34.14	399	190 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2402.00	92.18	-----	-----	90.17	30.78	5.37	34.14	399	190 AVERAGE																																																																									



Mode	144																																																																																											
	Band Edge																																																																																											
	802.11be EHT20_CH233_7115MHz+ Bluetooth-LE_GSKF_CH00_2402MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-03-10 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>70.14</td><td>88.20</td><td>-18.06</td><td>57.24</td><td>37.07</td><td>10.20</td><td>34.37</td><td>105 106 PEAK</td></tr><tr><td>2</td><td>7309.95</td><td>50.71</td><td>74.00</td><td>-23.29</td><td>37.98</td><td>36.89</td><td>10.18</td><td>34.34</td><td>105 106 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	70.14	88.20	-18.06	57.24	37.07	10.20	34.37	105 106 PEAK	2	7309.95	50.71	74.00	-23.29	37.98	36.89	10.18	34.34	105 106 PEAK	Level (dBuV/m) Date: 2025-03-10 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>92.64</td><td>-----</td><td>-----</td><td>90.63</td><td>30.78</td><td>5.37</td><td>34.14</td><td>105 106 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	92.64	-----	-----	90.63	30.78	5.37	34.14	105 106 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7125.28	70.14	88.20	-18.06	57.24	37.07	10.20	34.37	105 106 PEAK																																																																																			
2	7309.95	50.71	74.00	-23.29	37.98	36.89	10.18	34.34	105 106 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7115.00	92.64	-----	-----	90.63	30.78	5.37	34.14	105 106 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-03-10 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>60.35</td><td>68.20</td><td>-7.85</td><td>47.45</td><td>37.07</td><td>10.20</td><td>34.37</td><td>105 106 AVERAGE</td></tr><tr><td>2</td><td>7256.11</td><td>42.19</td><td>54.00</td><td>-11.81</td><td>29.42</td><td>36.94</td><td>10.18</td><td>34.35</td><td>105 106 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	60.35	68.20	-7.85	47.45	37.07	10.20	34.37	105 106 AVERAGE	2	7256.11	42.19	54.00	-11.81	29.42	36.94	10.18	34.35	105 106 AVERAGE	Level (dBuV/m) Date: 2025-03-10 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>89.19</td><td>-----</td><td>-----</td><td>87.18</td><td>30.78</td><td>5.37</td><td>34.14</td><td>105 106 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	89.19	-----	-----	87.18	30.78	5.37	34.14	105 106 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7125.28	60.35	68.20	-7.85	47.45	37.07	10.20	34.37	105 106 AVERAGE																																																																																			
2	7256.11	42.19	54.00	-11.81	29.42	36.94	10.18	34.35	105 106 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7115.00	89.19	-----	-----	87.18	30.78	5.37	34.14	105 106 AVERAGE																																																																																			

Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.



Mode	144																																																																																											
	Band Edge																																																																																											
	802.11be EHT20_CH233_7115MHz+ Bluetooth-LE_GSKF_CH00_2402MHz																																																																																											
ANT	1+2																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-03-10  PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.72</td><td>57.20</td><td>88.20</td><td>-31.00</td><td>44.30</td><td>37.07</td><td>10.20</td><td>34.37</td><td>116 139 PEAK</td></tr><tr><td>2</td><td>7307.73</td><td>51.69</td><td>74.00</td><td>-22.31</td><td>38.96</td><td>36.89</td><td>10.18</td><td>34.34</td><td>116 139 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.72	57.20	88.20	-31.00	44.30	37.07	10.20	34.37	116 139 PEAK	2	7307.73	51.69	74.00	-22.31	38.96	36.89	10.18	34.34	116 139 PEAK	Level (dBuV/m) Date: 2025-03-10  PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>89.31</td><td>-----</td><td>-----</td><td>87.30</td><td>30.78</td><td>5.37</td><td>34.14</td><td>116 139 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	89.31	-----	-----	87.30	30.78	5.37	34.14	116 139 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7125.72	57.20	88.20	-31.00	44.30	37.07	10.20	34.37	116 139 PEAK																																																																																			
2	7307.73	51.69	74.00	-22.31	38.96	36.89	10.18	34.34	116 139 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7115.00	89.31	-----	-----	87.30	30.78	5.37	34.14	116 139 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-03-10  AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>50.37</td><td>68.20</td><td>-17.83</td><td>37.47</td><td>37.07</td><td>10.20</td><td>34.37</td><td>116 139 AVERAGE</td></tr><tr><td>2</td><td>7250.77</td><td>42.12</td><td>54.00</td><td>-11.88</td><td>29.34</td><td>36.95</td><td>10.18</td><td>34.35</td><td>116 139 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	50.37	68.20	-17.83	37.47	37.07	10.20	34.37	116 139 AVERAGE	2	7250.77	42.12	54.00	-11.88	29.34	36.95	10.18	34.35	116 139 AVERAGE	Level (dBuV/m) Date: 2025-03-10  AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>85.80</td><td>-----</td><td>-----</td><td>83.79</td><td>30.78</td><td>5.37</td><td>34.14</td><td>116 139 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	85.80	-----	-----	83.79	30.78	5.37	34.14	116 139 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7125.28	50.37	68.20	-17.83	37.47	37.07	10.20	34.37	116 139 AVERAGE																																																																																			
2	7250.77	42.12	54.00	-11.88	29.34	36.95	10.18	34.35	116 139 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7115.00	85.80	-----	-----	83.79	30.78	5.37	34.14	116 139 AVERAGE																																																																																			

Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.




Mode	144																																																																																																													
	Harmonic																																																																																																													
	802.11be EHT20_CH233_7115MHz+ Bluetooth-LE_GSKF_CH00_2402MHz																																																																																																													
ANT	1+2																																																																																																													
Pol.	Horizontal					Vertical																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-03-13 PEAK(U-NI)_6E AVG(U-NI)_6E					Level (dBuV/m) Date: 2025-03-13 PEAK(U-NI)_6E AVG(U-NI)_6E																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>53.22</td><td>35.30</td><td>11.07</td><td>52.58</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>14230.00</td><td>48.13</td><td>88.20</td><td>-40.07</td><td>43.86</td><td>39.90</td><td>16.33</td><td>51.96</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	47.01	74.00	-26.99	53.22	35.30	11.07	52.58	---	Peak	2	14230.00	48.13	88.20	-40.07	43.86	39.90	16.33	51.96	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>45.58</td><td>74.00</td><td>-28.42</td><td>51.79</td><td>35.30</td><td>11.07</td><td>52.58</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>14230.00</td><td>46.72</td><td>88.20</td><td>-41.48</td><td>42.45</td><td>39.90</td><td>16.33</td><td>51.96</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	45.58	74.00	-28.42	51.79	35.30	11.07	52.58	---	Peak	2	14230.00	46.72	88.20	-41.48	42.45	39.90	16.33	51.96	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4804.00	47.01	74.00	-26.99	53.22	35.30	11.07	52.58	---	Peak																																																																																																				
2	14230.00	48.13	88.20	-40.07	43.86	39.90	16.33	51.96	---	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	4804.00	45.58	74.00	-28.42	51.79	35.30	11.07	52.58	---	Peak																																																																																																				
2	14230.00	46.72	88.20	-41.48	42.45	39.90	16.33	51.96	---	Peak																																																																																																				

Appendix D. Duty Cycle Plots

Band	ANT	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	1	99.05	-	-	10Hz
802.11ax HE20	1	99.63	-	-	10Hz
802.11ax HE40	1	99.63	-	-	10Hz
802.11ax HE80	1	99.63	-	-	10Hz
802.11ax HE160	1	99.63	-	-	10Hz
802.11be EHT20	1	99.82	-	-	10Hz
802.11be EHT40	1	99.63	-	-	10Hz
802.11be EHT80	1	99.63	-	-	10Hz
802.11be EHT160	1	99.63	-	-	10Hz
802.11be EHT320	1	99.63	-	-	10Hz
11be EHT20 MRU	1	98.91	-	-	10Hz
11be EHT80 MRU	1	98.23	-	-	10Hz
11be EHT160 MRU	1	97.87	0.920	1.087	3KHz
11be EHT320 MRU	1	92.06	0.580	1.724	3KHz
802.11a	2	99.05	-	-	10Hz
802.11ax HE20	2	99.63	-	-	10Hz
802.11ax HE40	2	99.82	-	-	10Hz
802.11ax HE80	2	99.82	-	-	10Hz
802.11ax HE160	2	99.63	-	-	10Hz
802.11be EHT20	2	99.63	-	-	10Hz
802.11be EHT40	2	99.63	-	-	10Hz
802.11be EHT80	2	99.63	-	-	10Hz
802.11be EHT160	2	99.63	-	-	10Hz
802.11be EHT320	2	99.63	-	-	10Hz
11be EHT20 MRU	2	99.56	-	-	10Hz
11be EHT80 MRU	2	98.23	-	-	10Hz
11be EHT160 MRU	2	98.94	-	-	10Hz
11be EHT320 MRU	2	98.31	-	-	10Hz




802.11a_Ant1



Date: 15.FEB.2025 04:33:18


802.11ax HE20_Ant1



Date: 15.FEB.2025 11:11:13




802.11ax HE40_Ant1



Date: 15.FEB.2025 12:37:43


802.11ax HE80_Ant1



Date: 15.FEB.2025 13:17:51




802.11ax HE160_Ant1



Date: 15.FEB.2025 13:36:41


802.11be EHT20_Ant1



Date: 15.FEB.2025 14:11:02




802.11be EHT40_Ant1



Date: 15.FEB.2025 14:15:57


802.11be EHT80_Ant1



Date: 15.FEB.2025 14:18:51




802.11be EHT160_Ant1



Date: 15.FEB.2025 14:21:19

802.11be EHT320_Ant1



Date: 15.FEB.2025 14:25:43