


Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11649.6200	35.81	15.58	51.39	68.30	-16.91	Peak	
2	11651.5800	25.95	15.58	41.53	54.00	-12.47	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5818.3000	66.31	40.65	106.96	78.30	28.66	Peak	No Limit
2	5832.7000	54.84	40.71	95.55	68.30	27.25	AVG	No Limit
3	5850.0000	27.18	40.79	67.97	78.30	-10.33	Peak	
4	5850.0000	15.04	40.79	55.83	68.30	-12.47	AVG	
5	5860.0000	22.14	40.83	62.97	78.30	-15.33	Peak	
6	5860.0000	7.43	40.83	48.26	68.30	-20.04	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825MHz

Horizontal

80 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	11651.2000	26.32	15.58	41.90	54.00	-12.10	AVG	
2	11649.6000	35.89	15.58	51.47	68.30	-16.83	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Vertical

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	23.53	41.25	64.78	68.30	-3.52	Peak	
2	5715.0000	9.02	41.25	50.27	68.30	-18.03	AVG	
3	5725.0000	28.27	41.27	69.54	78.30	-8.76	Peak	
4	5725.0000	12.64	41.27	53.91	68.30	-14.39	AVG	
5	5752.0000	52.41	41.30	93.71	68.30	25.41	AVG	No Limit
6	5758.0000	64.49	41.31	105.80	78.30	27.50	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11509.6500	33.79	15.52	49.31	68.30	-18.99	Peak	
2	11510.2200	23.79	15.52	39.31	54.00	-14.69	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	15.32	41.25	56.57	68.30	-11.73	Peak	
2	5715.0000	3.72	41.25	44.97	68.30	-23.33	AVG	
3	5725.0000	20.46	41.27	61.73	78.30	-16.57	Peak	
4	5725.0000	6.55	41.27	47.82	68.30	-20.48	AVG	
5	5750.8000	43.72	41.30	85.02	68.30	16.72	AVG	No Limit
6	5751.6000	56.67	41.30	97.97	78.30	19.67	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11510.3099	23.25	15.52	38.77	54.00	-15.23	AVG	
2	11510.6300	35.79	15.52	51.31	68.30	-16.99	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Vertical

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5799.2000	53.02	41.37	94.39	68.30	26.09	AVG	No Limit
2	5812.8000	64.69	41.39	106.08	78.30	27.78	Peak	No Limit
3	5850.0000	26.55	41.44	67.99	78.30	-10.31	Peak	
4	5850.0000	8.48	41.44	49.92	68.30	-18.38	AVG	
5	5860.0000	23.16	41.45	64.61	78.30	-13.69	Peak	
6	5860.0000	12.53	41.45	53.98	68.30	-14.32	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11589.7800	23.96	15.55	39.51	54.00	-14.49	AVG	
2	11591.3500	36.18	15.55	51.73	68.30	-16.57	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5791.4000	57.62	41.36	98.98	78.30	20.68	Peak	No Limit
2	5800.6000	44.91	41.37	86.28	68.30	17.98	AVG	No Limit
3	5850.0000	13.50	41.44	54.94	78.30	-23.36	Peak	
4	5850.0000	1.72	41.44	43.16	68.30	-25.14	AVG	
5	5850.0000	1.72	41.44	43.16	68.30	-25.14	AVG	
6	5860.0000	13.15	41.45	54.60	78.30	-23.70	Peak	
7	5860.0000	3.25	41.45	44.70	68.30	-23.60	AVG	
8	5860.0000	3.25	41.45	44.70	68.30	-23.60	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11589.3500	33.74	15.55	49.29	68.30	-19.01	Peak	
2	11591.2699	24.25	15.55	39.80	54.00	-14.20	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz

Vertical

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5095.8000	12.47	40.10	52.57	54.00	-1.43	AVG	
2	5100.8000	24.98	40.11	65.09	68.30	-3.21	Peak	
3	5150.0000	10.77	40.22	50.99	68.30	-17.31	Peak	
4	5150.0000	0.76	40.22	40.98	54.00	-13.02	AVG	
5	5173.0000	53.39	40.27	93.66	54.00	39.66	AVG	No Limit
6	5175.4000	65.64	40.27	105.91	68.30	37.61	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10360.7300	32.24	14.33	46.57	54.00	-7.43	AVG	
2	10361.8200	45.77	14.33	60.10	68.30	-8.20	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5098.8000	8.06	40.11	48.17	54.00	-5.83	AVG	
2	5099.0000	20.75	40.11	60.86	68.30	-7.44	Peak	
3	5150.0000	8.36	40.22	48.58	68.30	-19.72	Peak	
4	5150.0000	0.00	40.22	40.22	54.00	-13.78	AVG	
5	5184.6000	50.84	40.29	91.13	54.00	37.13	AVG	No Limit
6	5187.4000	62.68	40.30	102.98	68.30	34.68	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5180MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10358.0000	47.87	14.32	62.19	68.30	-6.11	Peak	
2	10361.5000	32.76	14.33	47.09	54.00	-6.91	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz

Vertical

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5115.8000	12.18	40.15	52.33	54.00	-1.67	AVG	
2	5120.8000	24.69	40.16	64.85	68.30	-3.45	Peak	
3	5193.0000	53.42	40.31	93.73	54.00	39.73	AVG	No Limit
4	5206.4000	64.96	40.34	105.30	68.30	37.00	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10398.3600	43.60	14.40	58.00	68.30	-10.30	Peak	
2	10400.4200	28.57	14.40	42.97	54.00	-11.03	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5118.8000	21.64	40.15	61.79	68.30	-6.51	Peak	
2	5119.0000	8.62	40.15	48.77	54.00	-5.23	AVG	
3	5194.0000	63.49	40.31	103.80	68.30	35.50	Peak	No Limit
4	5194.4000	50.79	40.31	91.10	54.00	37.10	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5200MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10400.3700	30.80	14.40	45.20	54.00	-8.80	AVG	
2	10401.6500	47.59	14.41	62.00	68.30	-6.30	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz

Vertical

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5233.0000	55.17	40.39	95.56	54.00	41.56	AVG	No Limit
2	5248.4000	67.71	40.43	108.14	68.30	39.84	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10480.0500	44.83	14.56	59.39	68.30	-8.91	Peak	
2	10480.8099	29.97	14.56	44.53	54.00	-9.47	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5234.2000	65.80	40.40	106.20	68.30	37.90	Peak	No Limit
2	5234.2000	53.87	40.40	94.27	54.00	40.27	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC20 Mode 5240MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10480.2100	45.38	14.56	59.94	68.30	-8.36	Peak	
2	10480.3700	31.83	14.56	46.39	54.00	-7.61	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

Vertical

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5095.5000	23.77	40.10	63.87	68.30	-4.43	Peak	
2	5115.3000	12.36	40.14	52.50	54.00	-1.50	AVG	
3	5150.0000	23.47	40.22	63.69	68.30	-4.61	Peak	
4	5150.0000	10.24	40.22	50.46	54.00	-3.54	AVG	
5	5175.6000	65.71	40.27	105.98	68.30	37.68	Peak	No Limit
6	5195.1000	52.76	40.31	93.07	54.00	39.07	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10380.5199	44.96	14.37	59.33	68.30	-8.97	Peak	
2	10380.7600	30.27	14.37	44.64	54.00	-9.36	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	20.36	40.22	60.58	68.30	-7.72	Peak	
2	5150.0000	6.38	40.22	46.60	54.00	-7.40	AVG	
3	5184.6000	63.93	40.29	104.22	68.30	35.92	Peak	No Limit
4	5184.6000	50.55	40.29	90.84	54.00	36.84	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5190MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10380.6500	48.97	14.37	63.34	68.30	-4.96	Peak	
2	10380.7300	31.89	14.37	46.26	54.00	-7.74	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

Vertical

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5145.4000	12.35	40.21	52.56	54.00	-1.44	AVG	
2	5146.3000	24.95	40.21	65.16	68.30	-3.14	Peak	
3	5213.5000	53.30	40.35	93.65	54.00	39.65	AVG	No Limit
4	5235.4000	66.14	40.40	106.54	68.30	38.24	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10461.5000	41.97	14.52	56.49	68.30	-11.81	Peak	
2	10462.0000	29.42	14.53	43.95	54.00	-10.05	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5224.6000	65.11	40.38	105.49	68.30	37.19	Peak	No Limit
2	5224.9000	51.62	40.38	92.00	54.00	38.00	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC40 Mode 5230MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10460.2800	31.09	14.52	45.61	54.00	-8.39	AVG	
2	10461.2900	45.56	14.52	60.08	68.30	-8.22	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Vertical

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5144.8000	11.87	40.21	52.08	54.00	-1.92	AVG	
2	5145.2000	26.72	40.21	66.93	68.30	-1.37	Peak	
3	5150.0000	23.85	40.22	64.07	68.30	-4.23	Peak	
4	5150.0000	9.90	40.22	50.12	54.00	-3.88	AVG	
5	5196.4000	50.04	40.32	90.36	54.00	36.36	AVG	No Limit
6	5219.6000	61.88	40.37	102.25	68.30	33.95	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10419.9500	37.61	14.44	52.05	68.30	-16.25	Peak	
2	10423.4400	27.47	14.45	41.92	54.00	-12.08	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.0000	16.69	40.22	56.91	68.30	-11.39	Peak	
2	5150.0000	4.69	40.22	44.91	54.00	-9.09	AVG	
3	5224.8000	45.35	40.38	85.73	54.00	31.73	AVG	No Limit
4	5234.4000	58.66	40.40	99.06	68.30	30.76	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	10420.4000	40.01	14.44	54.45	68.30	-13.85	Peak	
2	10420.4300	26.85	14.44	41.29	54.00	-12.71	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Vertical

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	21.15	41.25	62.40	68.30	-5.90	Peak	
2	5715.0000	5.61	41.25	46.86	68.30	-21.44	AVG	
3	5725.0000	30.29	41.27	71.56	78.30	-6.74	Peak	
4	5725.0000	13.85	41.27	55.12	68.30	-13.18	AVG	
5	5738.5000	55.40	41.28	96.68	68.30	28.38	AVG	No Limit
6	5738.8000	66.73	41.28	108.01	78.30	29.71	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11488.4600	37.74	15.52	53.26	68.30	-15.04	Peak	
2	11488.6700	25.22	15.52	40.74	54.00	-13.26	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	19.29	40.20	59.49	68.30	-8.81	Peak	
2	5715.0000	4.59	40.20	44.79	68.30	-23.51	AVG	
3	5725.0000	28.48	40.24	68.72	78.30	-9.58	Peak	
4	5725.0000	13.85	40.24	54.09	68.30	-14.21	AVG	
5	5741.3000	54.04	40.31	94.35	68.30	26.05	AVG	No Limit
6	5751.4000	65.90	40.36	106.26	78.30	27.96	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5745MHz

Horizontal


80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11489.3600	24.96	15.52	40.48	54.00	-13.52	AVG	
2	11491.4600	36.64	15.52	52.16	68.30	-16.14	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5778.5000	55.71	41.34	97.05	68.30	28.75	AVG	No Limit
2	5778.9000	67.07	41.34	108.41	78.30	30.11	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11570.2300	24.36	15.55	39.91	54.00	-14.09	AVG	
2	11570.6500	35.96	15.55	51.51	68.30	-16.79	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5791.4000	66.79	40.53	107.32	78.30	29.02	Peak	No Limit
2	5791.4000	54.57	40.53	95.10	68.30	26.80	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5785MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11570.3700	36.86	15.55	52.41	68.30	-15.89	Peak	
2	11570.5400	24.86	15.55	40.41	54.00	-13.59	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Vertical

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5818.5000	55.79	41.39	97.18	68.30	28.88	AVG	No Limit
2	5818.8000	67.38	41.39	108.77	78.30	30.47	Peak	No Limit
3	5850.0000	29.80	41.44	71.24	78.30	-7.06	Peak	
4	5850.0000	14.49	41.44	55.93	68.30	-12.37	AVG	
5	5860.0000	21.76	41.45	63.21	78.30	-15.09	Peak	
6	5860.0000	7.64	41.45	49.09	68.30	-19.21	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11649.9600	25.64	15.58	41.22	54.00	-12.78	AVG	
2	11650.5599	40.34	15.58	55.92	68.30	-12.38	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5819.0000	66.57	40.65	107.22	78.30	28.92	Peak	No Limit
2	5831.6000	54.29	40.71	95.00	68.30	26.70	AVG	No Limit
3	5850.0000	25.84	40.79	66.63	78.30	-11.67	Peak	
4	5850.0000	12.78	40.79	53.57	68.30	-14.73	AVG	
5	5860.0000	22.02	40.83	62.85	78.30	-15.45	Peak	
6	5860.0000	6.24	40.83	47.07	68.30	-21.23	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC20 Mode 5825MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11650.6300	40.78	15.58	56.36	68.30	-11.94	Peak	
2	11651.6500	26.62	15.58	42.20	54.00	-11.80	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Vertical

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	22.72	41.25	63.97	68.30	-4.33	Peak	
2	5715.0000	7.48	41.25	48.73	68.30	-19.57	AVG	
3	5725.0000	26.23	41.27	67.50	78.30	-10.80	Peak	
4	5725.0000	12.47	41.27	53.74	68.30	-14.56	AVG	
5	5738.2000	53.07	41.28	94.35	68.30	26.05	AVG	No Limit
6	5738.8000	64.86	41.28	106.14	78.30	27.84	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11510.1700	21.50	15.52	37.02	54.00	-16.98	AVG	
2	11510.2200	30.52	15.52	46.04	68.30	-22.26	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	19.31	40.20	59.51	68.30	-8.79	Peak	
2	5715.0000	6.31	40.20	46.51	68.30	-21.79	AVG	
3	5725.0000	23.05	40.24	63.29	78.30	-15.01	Peak	
4	5725.0000	11.67	40.24	51.91	68.30	-16.39	AVG	
5	5750.6000	51.60	40.35	91.95	68.30	23.65	AVG	No Limit
6	5750.8000	64.54	40.35	104.89	78.30	26.59	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5755MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11510.0000	21.46	15.52	36.98	54.00	-17.02	AVG	
2	11508.8000	31.24	15.52	46.76	68.30	-21.54	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Vertical

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5799.0000	64.72	41.37	106.09	78.30	27.79	Peak	No Limit
2	5799.0000	53.78	41.37	95.15	68.30	26.85	AVG	No Limit
3	5850.0000	26.37	41.44	67.81	78.30	-10.49	Peak	
4	5850.0000	8.23	41.44	49.67	68.30	-18.63	AVG	
5	5860.0000	22.13	41.45	63.58	78.30	-14.72	Peak	
6	5860.0000	12.36	41.45	53.81	68.30	-14.49	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Vertical

80 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	11590.3000	24.25	15.55	39.80	54.00	-14.20	AVG	
2	11590.3200	35.56	15.55	51.11	68.30	-17.19	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5801.6000	57.76	41.37	99.13	78.30	20.83	Peak	No Limit
2	5801.8000	45.93	41.37	87.30	68.30	19.00	AVG	No Limit
3	5850.0000	11.91	41.44	53.35	78.30	-24.95	Peak	
4	5850.0000	2.03	41.44	43.47	68.30	-24.83	AVG	
5	5860.0000	12.93	41.45	54.38	78.30	-23.92	Peak	
6	5860.0000	2.94	41.45	44.39	68.30	-23.91	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC40 Mode 5795MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11589.7699	24.28	15.55	39.83	54.00	-14.17	AVG	
2	11590.2500	35.46	15.55	51.01	68.30	-17.29	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	25.01	41.25	66.26	68.30	-2.04	Peak	
2	5715.0000	8.30	41.25	49.55	68.30	-18.75	AVG	
3	5725.0000	25.35	41.27	66.62	78.30	-11.68	Peak	
4	5725.0000	10.62	41.27	51.89	68.30	-16.41	AVG	
5	5752.6000	62.44	41.30	103.74	78.30	25.44	Peak	No Limit
6	5762.6000	49.26	41.32	90.58	68.30	22.28	AVG	No Limit
7	5850.0000	19.90	41.44	61.34	78.30	-16.96	Peak	
8	5850.0000	7.27	41.44	48.71	68.30	-19.59	AVG	
9	5860.0000	22.35	41.45	63.80	78.30	-14.50	Peak	
10	5860.0000	7.85	41.45	49.30	68.30	-19.00	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11549.7900	21.70	15.54	37.24	54.00	-16.76	AVG	
2	11552.3700	31.35	15.54	46.89	68.30	-21.41	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal

115 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	15.44	41.25	56.69	68.30	-11.61	Peak	
2	5715.0000	3.15	41.25	44.40	68.30	-23.90	AVG	
3	5725.0000	17.20	41.27	58.47	78.30	-19.83	Peak	
4	5725.0000	5.12	41.27	46.39	68.30	-21.91	AVG	
5	5761.4000	40.52	41.32	81.84	68.30	13.54	AVG	No Limit
6	5778.3300	53.63	41.34	94.97	78.30	16.67	Peak	No Limit
7	5850.0000	10.72	41.44	52.16	78.30	-26.14	Peak	
8	5850.0000	1.42	41.44	42.86	68.30	-25.44	AVG	
9	5860.0000	12.28	41.45	53.73	78.30	-24.57	Peak	
10	5860.0000	1.50	41.45	42.95	68.30	-25.35	AVG	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz


Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11549.9500	22.33	15.54	37.87	54.00	-16.13	AVG	
2	11551.4300	31.94	15.54	47.48	68.30	-20.82	Peak	

TX A Mode_DUTY CYCLE



Date: 23.NOV.2015 15:16:17

Duty cycle: TX DUTYMHz

Duty cycle = T_{ON} / T_{Total}

T_{ON} : 2.06 msec

T_{Total} : 2.45 msec

Duty cycle: 84.08%

Duty Factor = $10 \log(1/\text{Duty cycle})$


Duty Factor = 0.75

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be calculated as

Output Power = Measured power + Duty factor

Power Spectral Density = Measured density + Duty factor

TX N20 Mode_DUTY CYCLE



Date: 23.NOV.2015 16:43:28

Duty cycle: TX DUTYMHz

Duty cycle = T_{ON} / T_{Total}

T_{ON} : 0.66 msec

T_{Total} : 1.48 msec

Duty cycle: 44.59%

Duty Factor = $10 \log(1/\text{Duty cycle})$


Duty Factor = 3.51

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be caculated as

Output Power = Measured power + Ducus factor

Power Spectral Density = Measured density + Duty factor

TX N40 Mode_DUTY CYCLE



Date: 23.NOV.2015 16:17:08

Duty cycle: TX DUTYMHZ

Duty cycle = T_{ON} / T_{Total}

T_{ON} : 0.32 msec

T_{Total} : 0.72 msec

Duty cycle: 44.44%

Duty Factor = $10 \log(1/\text{Duty cycle})$


Duty Factor = 3.52

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be caculated as

Output Power = Measured power + Ducus factor

Power Spectral Density = Measured density + Duty factor

TX AC20 Mode_DUTY CYCLE



Date: 23.NOV.2015 16:08:02

Duty cycle: TX DUTYMHz

Duty cycle = T_{ON} / T_{Total}

T_{ON} : 0.36 msec

T_{Total} : 0.69 msec


Duty cycle: 52.17%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 2.83

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is not less than 98 %, so, the output power and power density should be caculated as
 Output Power = Measured power + Ducus factor
 Power Spectral Density = Measured density + Duty factor

TX AC40 Mode_DUTY CYCLE



Date: 23.NOV.2015 16:27:02

Duty cycle: TX DUTYMHz

Duty cycle = T_{ON} / T_{Total}

T_{ON} : 0.11 msec

T_{Total} : 0.45 msec

Duty cycle: 24.44%

Duty Factor = $10 \log(1/\text{Duty cycle})$


Duty Factor = 6.12

Note: The EUT was programmed to be in continuously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be calculated as

Output Power = Measured power + Duty factor

Power Spectral Density = Measured density + Duty factor

TX AC80 Mode_DUTY CYCLE



Date: 23.NOV.2015 16:37:01

Duty cycle: TX DUTYMHz

Duty cycle = T_{ON} / T_{Total}

T_{ON} : 0.05 msec

T_{Total} : 0.29 msec

Duty cycle: 17.24%

Duty Factor = $10 \log(1/\text{Duty cycle})$

Duty Factor = 7.63

Note: The EUT was programmed to be in countinously transmitting mode and the transmit duty cycle is less than 98 %, so, the output power and power density should be caculated as

Output Power = Measured power + Ducus factor


Power Spectral Density = Measured density + Duty factor

ATTACHMENT E - BANDWIDTH

Test Mode: UNII-1/TX A Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	20.59	17.10
CH40	5200	20.59	17.10
CH48	5240	21.49	17.20

TX CH36




Date: 23.NOV.2015 15:08:52

TX CH40



Date: 23.NOV.2015 15:09:58

TX CH48




Date: 23.NOV.2015 15:10:53

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	21.05	18.10
CH40	5200	24.59	18.20
CH48	5240	21.45	18.10

TX CH36




Date: 23.NOV.2015 15:27:26

TX CH40



Date: 23.NOV.2015 15:32:08

TX CH48




Date: 23.NOV.2015 15:33:31

Test Mode: UNII-1/TX N40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	39.41	36.40
CH46	5230	40.20	36.40

TX CH38



Date: 23.NOV.2015 16:13:24

TX CH46




Date: 23.NOV.2015 16:15:22

Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.35	16.50	>=500
CH157	5785	16.35	16.70	>=500
CH165	5825	16.35	16.50	>=500

TX CH 149




Date: 23.NOV.2015 15:16:03

TX CH 157



Date: 23.NOV.2015 15:17:26

TX CH 165




Date: 23.NOV.2015 15:22:55

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.70	>=500
CH157	5785	17.65	17.70	>=500
CH165	5825	17.69	17.70	>=500

TX CH 149




Date: 23.NOV.2015 15:36:06

TX CH 157



Date: 23.NOV.2015 15:51:26

TX CH 165




Date: 23.NOV.2015 15:52:43

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	>=500
CH159	5795	36.50	36.20	>=500

TX CH 151



Date: 23.NOV.2015 16:16:44

TX CH 159




Date: 23.NOV.2015 16:18:14

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	20.75	18.00
CH40	5200	21.19	18.00
CH48	5240	20.80	18.10

TX CH36




Date: 23.NOV.2015 15:59:44

TX CH40



Date: 23.NOV.2015 16:02:20

TX CH48




Date: 23.NOV.2015 16:05:49

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	39.61	36.40
CH46	5230	39.90	36.40

TX CH38



Date: 23.NOV.2015 16:19:40

TX CH46




Date: 23.NOV.2015 16:21:04

Test Mode: UNII-1/TX AC80 Mode_CH42

Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	81.40	76.00

TX CH42




Date: 23.NOV.2015 16:32:23

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.70	17.70	>=500
CH157	5785	17.75	17.70	>=500
CH165	5825	17.75	17.70	>=500

TX CH 149




Date: 23.NOV.2015 16:07:46

TX CH 157



Date: 23.NOV.2015 16:10:24

TX CH 165




Date: 23.NOV.2015 16:11:34

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	>=500
CH159	5795	36.50	36.20	>=500

TX CH 151



Date: 23.NOV.2015 16:26:46

TX CH 159




Date: 23.NOV.2015 16:28:11

Test Mode: UNII-3/ TX AC80 Mode_CH155

Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH155	5775	75.80	76.00	>=500

TX CH 155



Date: 23.NOV.2015 16:35:37

ATTACHMENT F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	14.45	0.75	15.20	30.00	1.00
CH40	5200	15.93	0.75	16.68	30.00	1.00
CH48	5240	16.44	0.75	17.19	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.43	3.51	20.94	30.00	1.00
CH40	5200	15.18	3.51	18.69	30.00	1.00
CH48	5240	18.22	3.51	21.73	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.32	3.51	18.83	30.00	1.00
CH40	5200	18.87	3.51	22.38	30.00	1.00
CH48	5240	16.37	3.51	19.88	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.11	3.51	20.62	30.00	1.00
CH40	5200	20.91	3.51	24.42	30.00	1.00
CH48	5240	17.04	3.51	20.55	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	25.00	30.00	1.00
CH40	5200	27.19	30.00	1.00
CH48	5240	25.56	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.21	3.52	16.73	30.00	1.00
CH46	5230	18.12	3.52	21.64	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	11.23	3.52	14.75	30.00	1.00
CH46	5230	16.83	3.52	20.35	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	12.67	3.52	16.19	30.00	1.00
CH46	5230	18.52	3.52	22.04	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	20.74	30.00	1.00
CH46	5230	26.17	30.00	1.00

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	18.02	0.75	18.77	30.00	1.00
CH157	5785	20.12	0.75	20.87	30.00	1.00
CH165	5825	14.67	0.75	15.42	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.43	3.51	19.94	30.00	1.00
CH157	5785	19.71	3.51	23.22	30.00	1.00
CH165	5825	16.19	3.51	19.70	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.67	3.51	19.18	30.00	1.00
CH157	5785	18.81	3.51	22.32	30.00	1.00
CH165	5825	15.07	3.51	18.58	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.91	3.51	20.42	30.00	1.00
CH157	5785	19.73	3.51	23.24	30.00	1.00
CH165	5825	16.21	3.51	19.72	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	24.65	30.00	1.00
CH157	5785	27.72	30.00	1.00
CH165	5825	24.14	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	12.81	3.52	16.33	30.00	1.00
CH159	5795	14.32	3.52	17.84	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	12.19	3.52	15.71	30.00	1.00
CH159	5795	13.44	3.52	16.96	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	13.37	3.52	16.89	30.00	1.00
CH159	5795	14.75	3.52	18.27	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	21.11	30.00	1.00
CH159	5795	22.49	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.09	2.83	19.92	30.00	1.00
CH40	5200	14.44	2.83	17.27	30.00	1.00
CH48	5240	17.84	2.83	20.67	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	15.21	2.83	18.04	30.00	1.00
CH40	5200	18.62	2.83	21.45	30.00	1.00
CH48	5240	16.27	2.83	19.10	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.56	2.83	20.39	30.00	1.00
CH40	5200	20.71	2.83	23.54	30.00	1.00
CH48	5240	16.89	2.83	19.72	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	24.33	30.00	1.00
CH40	5200	26.22	30.00	1.00
CH48	5240	24.65	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.62	6.12	19.74	30.00	1.00
CH46	5230	17.47	6.12	23.59	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	11.78	6.12	17.90	30.00	1.00
CH46	5230	16.46	6.12	22.58	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.35	6.12	19.47	30.00	1.00
CH46	5230	18.28	6.12	24.40	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	23.88	30.00	1.00
CH46	5230	28.36	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	14.11	7.63	21.74	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	12.46	7.63	20.09	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	14.04	7.63	21.67	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	26.00	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.66	2.83	19.49	30.00	1.00
CH157	5785	14.35	2.83	17.18	30.00	1.00
CH165	5825	14.48	2.83	17.31	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.03	2.83	18.86	30.00	1.00
CH157	5785	13.82	2.83	16.65	30.00	1.00
CH165	5825	13.83	2.83	16.66	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	17.34	2.83	20.17	30.00	1.00
CH157	5785	14.74	2.83	17.57	30.00	1.00
CH165	5825	14.86	2.83	17.69	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	24.31	30.00	1.00
CH157	5785	21.92	30.00	1.00
CH165	5825	22.01	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	12.94	6.12	19.06	30.00	1.00
CH159	5795	17.67	6.12	23.79	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	12.37	6.12	18.49	30.00	1.00
CH159	5795	15.53	6.12	21.65	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	13.29	6.12	19.41	30.00	1.00
CH159	5795	16.25	6.12	22.37	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	23.77	30.00	1.00
CH159	5795	27.47	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	12.89	7.63	20.52	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	12.25	7.63	19.88	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dBm)	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	13.35	7.63	20.98	30.00	1.00


Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	25.25	30.00	1.00

ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION


Test Mode: UNII-1/TX A Mode

TX mode CH36



Date: 23.NOV.2015 15:09:09


TX mode CH48



Date: 23.NOV.2015 15:14:50


Test Mode: UNII-3/TX A Mode

TX A Mode CH149



Date: 23.NOV.2015 15:16:11


TX A Mode CH165



Date: 23.NOV.2015 15:23:13


Test Mode: UNII-1/TX N20 Mode_ANT 1

TX mode CH36



Date: 23.NOV.2015 15:27:43


TX mode CH48



Date: 23.NOV.2015 15:33:49


Test Mode: UNII-1/TX N20 Mode_ANT 2

TX mode CH36



Date: 23.NOV.2015 10:53:04


TX mode CH48



Date: 23.NOV.2015 11:18:35


Test Mode: UNII-1/TX N20 Mode_ANT 3

TX mode CH36



Date: 23.NOV.2015 16:46:04


TX mode CH48



Date: 23.NOV.2015 16:49:44


Test Mode: UNII-1/TX N40 Mode_ANT 1

TX mode CH38



Date: 23.NOV.2015 16:13:43


TX mode CH46



Date: 23.NOV.2015 16:15:40


Test Mode: UNII-1/TX N40 Mode_ANT 2

TX mode CH38



Date: 23.NOV.2015 14:46:59


TX mode CH46



Date: 23.NOV.2015 14:50:29


Test Mode: UNII-1/TX N40 Mode_ANT 3

TX mode CH38



Date: 23.NOV.2015 17:18:41

TX mode CH46



Date: 23.NOV.2015 17:20:03