



11.3. APPENDIX C: MIN EMISSION BANDWIDTH


11.3.1. Test Result


Test Mode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5720	15.36	5712.20	5727.56	---	---
	Ant2	5720	14.84	5712.72	5727.56	---	---
	Ant1	5720 UNII-2C	12.8	5712.20	5725	---	---
	Ant2	5720 UNII-2C	12.28	5712.72	5725	---	---
	Ant1	5720 UNII-3	2.56	5725	5727.56	≥ 0.5	PASS
	Ant2	5720 UNII-3	2.56	5725	5727.56	≥ 0.5	PASS
	Ant1	5745	13.44	5737.80	5751.24	≥ 0.5	PASS
	Ant2	5745	14.08	5737.40	5751.48	≥ 0.5	PASS
	Ant1	5785	14.44	5777.44	5791.88	≥ 0.5	PASS
	Ant2	5785	16.08	5777.04	5793.12	≥ 0.5	PASS
	Ant1	5825	15.08	5817.44	5832.52	≥ 0.5	PASS
	Ant2	5825	15.08	5817.40	5832.48	≥ 0.5	PASS
11N20MIMO	Ant1	5720	14.20	5713.32	5727.52	---	---
	Ant2	5720	14.48	5712.40	5726.88	---	---
	Ant1	5720 UNII-2C	11.68	5713.32	5725	---	---
	Ant2	5720 UNII-2C	12.6	5712.40	5725	---	---
	Ant1	5720 UNII-3	2.52	5725	5727.52	≥ 0.5	PASS
	Ant2	5720 UNII-3	1.88	5725	5726.88	≥ 0.5	PASS
	Ant1	5745	15.08	5737.40	5752.48	≥ 0.5	PASS
	Ant2	5745	16.56	5736.56	5753.12	≥ 0.5	PASS
	Ant1	5785	15.96	5777.40	5793.36	≥ 0.5	PASS
	Ant2	5785	16.28	5776.84	5793.12	≥ 0.5	PASS
	Ant1	5825	15.12	5817.40	5832.52	≥ 0.5	PASS
	Ant2	5825	16.32	5816.80	5833.12	≥ 0.5	PASS
11N40MIMO	Ant1	5710	35.20	5692.40	5727.60	---	---
	Ant2	5710	35.12	5692.40	5727.52	---	---
	Ant1	5710 UNII-2C	32.6	5692.40	5725	---	---
	Ant2	5710 UNII-2C	32.6	5692.40	5725	---	---
	Ant1	5710 UNII-3	2.6	5725	5727.60	≥ 0.5	PASS
	Ant2	5710 UNII-3	2.52	5725	5727.52	≥ 0.5	PASS
	Ant1	5755	35.12	5737.40	5772.52	≥ 0.5	PASS
	Ant2	5755	35.04	5737.48	5772.52	≥ 0.5	PASS
	Ant1	5795	35.12	5777.48	5812.60	≥ 0.5	PASS
	Ant2	5795	35.04	5777.48	5812.52	≥ 0.5	PASS
	Ant1	5690	62.08	5665.36	5727.44	---	---
	Ant2	5690	55.68	5664.88	5720.56	---	---
11AC80MIMO	Ant1	5690 UNII-2C	59.64	5665.36	5725	---	---
	Ant2	5690 UNII-2C	60.12	5664.88	5725	---	---
	Ant1	5690 UNII-3	2.44	5725	5727.44	≥ 0.5	PASS
	Ant2	5690 UNII-3	-4.44	5725	5720.56	≥ 0.5	PASS
	Ant1	5775	75.20	5737.40	5812.60	≥ 0.5	PASS
	Ant2	5775	73.60	5739.00	5812.60	≥ 0.5	PASS


11.3.2. Test Graphs























11.4. APPENDIX D: MAXIMUM CONDUCTED OUTPUT POWER

11.4.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm]	FCC Limit [dBm]	ISED Limit [dBm]	EIRP [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	15.42	≤23.98	---	17.13	≤22.34	PASS
	Ant2	5180	15.59	≤23.98	---	18.15	≤22.33	PASS
	Ant1	5200	15.21	≤23.98	---	16.92	≤22.35	PASS
	Ant2	5200	15.41	≤23.98	---	17.97	≤22.37	PASS
	Ant1	5240	15.13	≤23.98	---	16.84	≤22.35	PASS
	Ant2	5240	15.58	≤23.98	---	18.14	≤22.36	PASS
	Ant1	5260	15.18	≤23.98	≤23.35	16.89	≤29.35	PASS
	Ant2	5260	15.49	≤23.98	≤23.36	18.05	≤29.36	PASS
	Ant1	5280	15.34	≤23.98	≤23.36	17.05	≤29.36	PASS
	Ant2	5280	15.15	≤23.98	≤23.37	17.71	≤29.37	PASS
	Ant1	5320	15.51	≤23.98	≤23.35	17.22	≤29.35	PASS
	Ant2	5320	15.86	≤23.98	≤23.35	18.42	≤29.35	PASS
	Ant1	5500	13.98	≤23.98	≤23.35	15.69	≤29.35	PASS
	Ant2	5500	14.6	≤23.98	≤23.35	17.16	≤29.35	PASS
	Ant1	5580	14.94	≤23.98	≤23.35	16.65	≤29.35	PASS
	Ant2	5580	15.45	≤23.98	≤23.36	18.01	≤29.36	PASS
	Ant1	5700	14.56	≤23.98	≤23.35	16.27	≤29.35	PASS
	Ant2	5700	15.07	≤23.98	≤23.37	17.63	≤29.37	PASS
	Ant1	5720_UNII-2C	13.92	≤22.81	≤22.35	15.63	≤28.35	PASS
	Ant2	5720_UNII-2C	14.36	≤22.85	≤22.35	16.92	≤28.35	PASS
	Ant1	5720_UNII-3	6.06	≤30.00	≤30.00	7.77	---	PASS
	Ant2	5720_UNII-3	6.5	≤30.00	≤30.00	9.06	---	PASS
	Ant1	5745	15.08	≤30.00	≤30.00	16.79	---	PASS
	Ant2	5745	15.15	≤30.00	≤30.00	17.71	---	PASS
	Ant1	5785	14.79	≤30.00	≤30.00	16.5	---	PASS
	Ant2	5785	14.84	≤30.00	≤30.00	17.4	---	PASS
	Ant1	5825	15.03	≤30.00	≤30.00	16.74	---	PASS
	Ant2	5825	14.82	≤30.00	≤30.00	17.38	---	PASS
11N20MIMO	Ant1	5180	11.62	≤23.98	---	13.33	≤22.55	PASS
	Ant2	5180	11.15	≤23.98	---	13.71	≤22.52	PASS
	total	5180	14.4	≤23.98	---	16.96	≤22.52	PASS
	Ant1	5200	11.47	≤23.98	---	13.18	≤22.56	PASS
	Ant2	5200	11.22	≤23.98	---	13.78	≤22.51	PASS
	total	5200	14.36	≤23.98	---	16.92	≤22.51	PASS
	Ant1	5240	11.36	≤23.98	---	13.07	≤22.57	PASS
	Ant2	5240	11.19	≤23.98	---	13.75	≤22.50	PASS
	total	5240	14.29	≤23.98	---	16.85	≤22.50	PASS
	Ant1	5260	14.21	≤23.98	≤23.55	15.92	≤29.55	PASS
	Ant2	5260	14.05	≤23.98	≤23.51	16.61	≤29.51	PASS
	total	5260	17.14	≤23.98	≤23.51	19.7	≤29.51	PASS
	Ant1	5280	14.31	≤23.98	≤23.56	16.02	≤29.56	PASS
	Ant2	5280	14.25	≤23.98	≤23.50	16.81	≤29.50	PASS
	total	5280	17.29	≤23.98	≤23.50	19.85	≤29.50	PASS
	Ant1	5320	14.58	≤23.98	≤23.56	16.29	≤29.56	PASS
	Ant2	5320	14.39	≤23.98	≤23.49	16.95	≤29.49	PASS
	total	5320	17.5	≤23.98	≤23.49	20.06	≤29.49	PASS
	Ant1	5500	14.15	≤23.98	≤23.57	15.86	≤29.57	PASS
	Ant2	5500	14.38	≤23.98	≤23.51	16.94	≤29.51	PASS
	total	5500	17.28	≤23.98	≤23.51	19.84	≤29.51	PASS
	Ant1	5580	14.04	≤23.98	≤23.57	15.75	≤29.57	PASS
	Ant2	5580	14.64	≤23.98	≤23.50	17.2	≤29.50	PASS
	total	5580	17.36	≤23.98	≤23.50	19.92	≤29.50	PASS
	Ant1	5700	13.66	≤23.98	≤23.56	15.37	≤29.56	PASS
	Ant2	5700	14.07	≤23.98	≤23.50	16.63	≤29.50	PASS


	total	5700	16.88	≤23.98	≤23.50	19.44	≤29.50	PASS
	Ant1	5720_UNII-2C	13.41	≤22.86	≤22.47	15.12	≤28.47	PASS
	Ant2	5720_UNII-2C	13.78	≤22.82	≤22.45	16.34	≤28.45	PASS
	total	5720_UNII-2C	16.61	≤23.98	≤22.45	19.17	≤28.45	PASS
	Ant1	5720_UNII-3	6.08	≤30.00	≤30.00	7.79	---	PASS
	Ant2	5720_UNII-3	6.37	≤30.00	≤30.00	8.93	---	PASS
	total	5720_UNII-3	9.24	≤30.00	≤30.00	11.8	---	PASS
	Ant1	5745	14.26	≤30.00	≤30.00	15.97	---	PASS
	Ant2	5745	14.57	≤30.00	≤30.00	17.13	---	PASS
	total	5745	17.43	≤30.00	≤30.00	19.99	---	PASS
	Ant1	5785	13.91	≤30.00	≤30.00	15.62	---	PASS
	Ant2	5785	14.42	≤30.00	≤30.00	16.98	---	PASS
	total	5785	17.18	≤30.00	≤30.00	19.74	---	PASS
	Ant1	5825	14.25	≤30.00	≤30.00	15.96	---	PASS
	Ant2	5825	14.51	≤30.00	≤30.00	17.07	---	PASS
	total	5825	17.39	≤30.00	≤30.00	19.95	---	PASS
11N40MIMO	Ant1	5190	14.46	≤23.98	---	16.17	≤23.00	PASS
	Ant2	5190	14.33	≤23.98	---	16.89	≤23.00	PASS
	total	5190	17.41	≤23.98	---	19.97	≤23.00	PASS
	Ant1	5230	14.49	≤23.98	---	16.2	≤23.00	PASS
	Ant2	5230	14.45	≤23.98	---	17.01	≤23.00	PASS
	total	5230	17.48	≤23.98	---	20.04	≤23.00	PASS
	Ant1	5270	14.31	≤23.98	≤23.98	16.02	≤29.98	PASS
	Ant2	5270	14.25	≤23.98	≤23.98	16.81	≤29.98	PASS
	total	5270	17.29	≤23.98	≤23.98	19.85	≤29.98	PASS
	Ant1	5310	14.6	≤23.98	≤23.98	16.31	≤29.98	PASS
	Ant2	5310	14.54	≤23.98	≤23.98	17.1	≤29.98	PASS
	total	5310	17.58	≤23.98	≤23.98	20.14	≤29.98	PASS
	Ant1	5510	14.21	≤23.98	≤23.98	15.92	≤29.98	PASS
	Ant2	5510	14.62	≤23.98	≤23.98	17.18	≤29.98	PASS
	total	5510	17.43	≤23.98	≤23.98	19.99	≤29.98	PASS
	Ant1	5550	14.38	≤23.98	≤23.98	16.09	≤29.98	PASS
	Ant2	5550	14.99	≤23.98	≤23.98	17.55	≤29.98	PASS
	total	5550	17.71	≤23.98	≤23.98	20.27	≤29.98	PASS
	Ant1	5670	13.69	≤23.98	≤23.98	15.4	≤29.98	PASS
	Ant2	5670	14.42	≤23.98	≤23.98	16.98	≤29.98	PASS
	total	5670	17.08	≤23.98	≤23.98	19.64	≤29.98	PASS
	Ant1	5710_UNII-2C	13.45	≤23.98	≤23.98	15.16	≤29.98	PASS
	Ant2	5710_UNII-2C	14.05	≤23.98	≤23.98	16.61	≤29.98	PASS
	total	5710_UNII-2C	16.77	≤23.98	≤23.98	19.33	≤29.98	PASS
11AC80MIMO	Ant1	5710_UNII-3	0.93	≤30.00	≤30.00	2.64	---	PASS
	Ant2	5710_UNII-3	1.36	≤30.00	≤30.00	3.92	---	PASS
	total	5710_UNII-3	4.16	≤30.00	≤30.00	6.72	---	PASS
	Ant1	5755	13.83	≤30.00	≤30.00	15.54	---	PASS
	Ant2	5755	14.46	≤30.00	≤30.00	17.02	---	PASS
	total	5755	17.17	≤30.00	≤30.00	19.73	---	PASS
	Ant1	5795	13.66	≤30.00	≤30.00	15.37	---	PASS
	Ant2	5795	14.18	≤30.00	≤30.00	16.74	---	PASS
	total	5795	16.94	≤30.00	≤30.00	19.5	---	PASS
	Ant1	5210	13.32	≤23.98	---	15.03	≤23.00	PASS
	Ant2	5210	13.45	≤23.98	---	16.01	≤23.00	PASS
	total	5210	16.4	≤23.98	---	18.96	≤23.00	PASS
	Ant1	5290	13.37	≤23.98	≤23.98	15.08	≤29.98	PASS
	Ant2	5290	13.66	≤23.98	≤23.98	16.22	≤29.98	PASS
	total	5290	16.53	≤23.98	≤23.98	19.09	≤29.98	PASS
	Ant1	5530	13.14	≤23.98	≤23.98	14.85	≤29.98	PASS
	Ant2	5530	13.96	≤23.98	≤23.98	16.52	≤29.98	PASS
	total	5530	16.58	≤23.98	≤23.98	19.14	≤29.98	PASS
	Ant1	5610	12.75	≤23.98	≤23.98	14.46	≤29.98	PASS
	Ant2	5610	13.52	≤23.98	≤23.98	16.08	≤29.98	PASS


	total	5610	16.16	≤23.98	≤23.98	18.72	≤29.98	PASS
	Ant1	5690 UNII-2C	12.43	≤23.98	≤23.98	14.14	≤29.98	PASS
	Ant2	5690 UNII-2C	13.2	≤23.98	≤23.98	15.76	≤29.98	PASS
	total	5690 UNII-2C	15.84	≤23.98	≤23.98	18.4	≤29.98	PASS
	Ant1	5690 UNII-3	-3.67	≤30.00	≤30.00	-1.96	---	PASS
	Ant2	5690 UNII-3	-3.25	≤30.00	≤30.00	-0.69	---	PASS
	total	5690 UNII-3	-0.44	≤30.00	≤30.00	2.12	---	PASS
	Ant1	5775	13.05	≤30.00	≤30.00	14.76	---	PASS
	Ant2	5775	13.79	≤30.00	≤30.00	16.35	---	PASS
	total	5775	16.45	≤30.00	≤30.00	19.01	---	PASS


Note: 1. Conducted Power=Meas. Level+ Correction Factor


2. The Duty Cycle Factor (refer to section 7.1) had already compensated to the test data.


11.4.2. Test Graphs














11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY

11.5.1. Test Result

Test Mode	Antenna	Frequency[MHz]	Power [dBm/MHz]	Limit [dBm/MHz]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant1	5180	5.28	≤11.00	6.99	≤10.00	PASS
	Ant2	5180	5.21	≤11.00	7.77	≤10.00	PASS
	Ant1	5200	4.94	≤11.00	6.65	≤10.00	PASS
	Ant2	5200	5.06	≤11.00	7.62	≤10.00	PASS
	Ant1	5240	4.69	≤11.00	6.4	≤10.00	PASS
	Ant2	5240	5.23	≤11.00	7.79	≤10.00	PASS
	Ant1	5260	4.85	≤11.00	6.56	---	PASS
	Ant2	5260	5.14	≤11.00	7.7	---	PASS
	Ant1	5280	4.98	≤11.00	6.69	---	PASS
	Ant2	5280	4.86	≤11.00	7.42	---	PASS
	Ant1	5320	5.14	≤11.00	6.85	---	PASS
	Ant2	5320	5.45	≤11.00	8.01	---	PASS
	Ant1	5500	3.6	≤11.00	5.31	---	PASS
	Ant2	5500	4.45	≤11.00	7.01	---	PASS
	Ant1	5580	4.74	≤11.00	6.45	---	PASS
	Ant2	5580	5.2	≤11.00	7.76	---	PASS
	Ant1	5700	4.24	≤11.00	5.95	---	PASS
	Ant2	5700	4.84	≤11.00	7.4	---	PASS
	Ant1	5720_UNII-2C	4.33	≤11.00	6.04	---	PASS
	Ant2	5720_UNII-2C	4.62	≤11.00	7.18	---	PASS
	Ant1	5720_UNII-3	-0.59	≤30.00	1.12	---	PASS
	Ant2	5720_UNII-3	0.04	≤30.00	2.6	---	PASS
	Ant1	5745	1.78	≤30.00	3.49	---	PASS
	Ant2	5745	2.1	≤30.00	4.66	---	PASS
	Ant1	5785	1.66	≤30.00	3.37	---	PASS
	Ant2	5785	1.72	≤30.00	4.28	---	PASS
	Ant1	5825	1.83	≤30.00	3.54	---	PASS
	Ant2	5825	1.79	≤30.00	4.35	---	PASS
11N20MIMO	Ant1	5180	0.94	≤11.00	2.65	≤10.00	PASS
	Ant2	5180	0.49	≤11.00	3.05	≤10.00	PASS
	total	5180	3.73	≤11.00	9.3	≤10.00	PASS
	Ant1	5200	1.01	≤11.00	2.72	≤10.00	PASS
	Ant2	5200	0.6	≤11.00	3.16	≤10.00	PASS
	total	5200	3.82	≤11.00	9.39	≤10.00	PASS
	Ant1	5240	0.86	≤11.00	2.57	≤10.00	PASS
	Ant2	5240	0.58	≤11.00	3.14	≤10.00	PASS
	total	5240	3.73	≤11.00	9.3	≤10.00	PASS
	Ant1	5260	3.61	≤11.00	5.32	---	PASS
	Ant2	5260	3.51	≤11.00	6.07	---	PASS
	total	5260	6.57	≤11.00	12.14	---	PASS
	Ant1	5280	3.94	≤11.00	5.65	---	PASS
	Ant2	5280	3.88	≤11.00	6.44	---	PASS
	total	5280	6.92	≤11.00	12.49	---	PASS
	Ant1	5320	4.09	≤11.00	5.8	---	PASS
	Ant2	5320	3.89	≤11.00	6.45	---	PASS
	total	5320	7	≤11.00	12.57	---	PASS
	Ant1	5500	3.7	≤11.00	5.41	---	PASS
	Ant2	5500	3.86	≤11.00	6.42	---	PASS
	total	5500	6.79	≤11.00	12.36	---	PASS
	Ant1	5580	3.69	≤11.00	5.4	---	PASS
	Ant2	5580	4.27	≤11.00	6.83	---	PASS
	total	5580	7	≤11.00	12.57	---	PASS
	Ant1	5700	3.2	≤11.00	4.91	---	PASS
	Ant2	5700	3.63	≤11.00	6.19	---	PASS
	total	5700	6.43	≤11.00	12	---	PASS

11N40MIMO	Ant1	5720 UNII-2C	3.67	≤11.00	5.38	---	PASS
	Ant2	5720 UNII-2C	4.03	≤11.00	6.59	---	PASS
	total	5720 UNII-2C	6.86	≤11.00	12.43	---	PASS
	Ant1	5720 UNII-3	-1.23	≤30.00	0.48	---	PASS
	Ant2	5720 UNII-3	-0.68	≤30.00	1.88	---	PASS
	total	5720 UNII-3	2.06	≤30.00	7.63	---	PASS
	Ant1	5745	1.05	≤30.00	2.76	---	PASS
	Ant2	5745	1.43	≤30.00	3.99	---	PASS
	total	5745	4.25	≤30.00	9.82	---	PASS
	Ant1	5785	0.6	≤30.00	2.31	---	PASS
	Ant2	5785	1.12	≤30.00	3.68	---	PASS
	total	5785	3.88	≤30.00	9.45	---	PASS
	Ant1	5825	1.02	≤30.00	2.73	---	PASS
	Ant2	5825	1.24	≤30.00	3.8	---	PASS
	total	5825	4.14	≤30.00	9.71	---	PASS
	Ant1	5190	0.96	≤11.00	2.67	≤10.00	PASS
	Ant2	5190	0.71	≤11.00	3.27	≤10.00	PASS
	total	5190	3.85	≤11.00	9.42	≤10.00	PASS
	Ant1	5230	1.01	≤11.00	2.72	≤10.00	PASS
	Ant2	5230	1.03	≤11.00	3.59	≤10.00	PASS
	total	5230	4.03	≤11.00	9.6	≤10.00	PASS
	Ant1	5270	0.91	≤11.00	2.62	---	PASS
	Ant2	5270	0.67	≤11.00	3.23	---	PASS
	total	5270	3.8	≤11.00	9.37	---	PASS
	Ant1	5310	1.13	≤11.00	2.84	---	PASS
	Ant2	5310	1.16	≤11.00	3.72	---	PASS
	total	5310	4.16	≤11.00	9.73	---	PASS
	Ant1	5510	0.74	≤11.00	2.45	---	PASS
	Ant2	5510	0.98	≤11.00	3.54	---	PASS
	total	5510	3.87	≤11.00	9.44	---	PASS
	Ant1	5550	0.78	≤11.00	2.49	---	PASS
	Ant2	5550	1.54	≤11.00	4.1	---	PASS
	total	5550	4.19	≤11.00	9.76	---	PASS
	Ant1	5670	0.22	≤11.00	1.93	---	PASS
	Ant2	5670	0.86	≤11.00	3.42	---	PASS
	total	5670	3.56	≤11.00	9.13	---	PASS
	Ant1	5710 UNII-2C	0.43	≤11.00	2.14	---	PASS
	Ant2	5710 UNII-2C	0.88	≤11.00	3.44	---	PASS
	total	5710 UNII-2C	3.67	≤11.00	9.24	---	PASS
	Ant1	5710 UNII-3	-5.61	≤30.00	-3.9	---	PASS
	Ant2	5710 UNII-3	-5.58	≤30.00	-3.02	---	PASS
	total	5710 UNII-3	-2.58	≤30.00	2.99	---	PASS
	Ant1	5755	-2.49	≤30.00	-0.78	---	PASS
	Ant2	5755	-1.93	≤30.00	0.63	---	PASS
	total	5755	0.81	≤30.00	6.38	---	PASS
	Ant1	5795	-2.54	≤30.00	-0.83	---	PASS
	Ant2	5795	-2.08	≤30.00	0.48	---	PASS
	total	5795	0.71	≤30.00	6.28	---	PASS
11AC80MIMO	Ant1	5210	-1.36	≤11.00	0.35	≤10.00	PASS
	Ant2	5210	-1.23	≤11.00	1.33	≤10.00	PASS
	total	5210	1.72	≤11.00	7.29	≤10.00	PASS
	Ant1	5290	-0.82	≤11.00	0.89	---	PASS
	Ant2	5290	-1.44	≤11.00	1.12	---	PASS
	total	5290	1.89	≤11.00	7.46	---	PASS
	Ant1	5530	-1.37	≤11.00	0.34	---	PASS
	Ant2	5530	-1.05	≤11.00	1.51	---	PASS
	total	5530	1.8	≤11.00	7.37	---	PASS
	Ant1	5610	-1.94	≤11.00	-0.23	---	PASS
	Ant2	5610	-1.32	≤11.00	1.24	---	PASS
	total	5610	1.39	≤11.00	6.96	---	PASS

	Ant1	5690 UNII-2C	-1.8	≤11.00	-0.09	---	PASS
	Ant2	5690 UNII-2C	-1.79	≤11.00	0.77	---	PASS
	total	5690 UNII-2C	1.22	≤11.00	6.79	---	PASS
	Ant1	5690 UNII-3	-10.74	≤30.00	-9.03	---	PASS
	Ant2	5690 UNII-3	-10	≤30.00	-7.44	---	PASS
	total	5690 UNII-3	-7.34	≤30.00	-1.77	---	PASS
	Ant1	5775	-3.4	≤30.00	-1.69	---	PASS
	Ant2	5775	-2.58	≤30.00	-0.02	---	PASS
	total	5775	0.04	≤30.00	5.61	---	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

11.5.2. Test Graphs

