



U-NII-2C IEEE 802.11ax HE40 5510MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth




U-NII-2C IEEE 802.11ax HE40 5590MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth





U-NII-2C IEEE 802.11ax HE40 5670MHz_Ant 1

26dB Bandwidth




99% Occupied Bandwidth






U-NII-3 IEEE 802.11a 5745MHz

6dB Bandwidth




99% Occupied Bandwidth




U-NII-3 IEEE 802.11a 5785MHz

6dB Bandwidth




99% Occupied Bandwidth








U-NII-3 IEEE 802.11a 5825MHz

6dB Bandwidth




99% Occupied Bandwidth



U-NII-3 IEEE 802.11n HT20 5745MHz**6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11n HT20 5785MHz****6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11n HT20 5825MHz****6dB Bandwidth****99% Occupied Bandwidth**

U-NII-3 IEEE 802.11ac VHT20 5745MHz

6dB Bandwidth




99% Occupied Bandwidth



U-NII-3 IEEE 802.11ac VHT20 5785MHz

6dB Bandwidth




99% Occupied Bandwidth







U-NII-3 IEEE 802.11ac VHT20 5825MHz



6dB Bandwidth












99% Occupied Bandwidth



U-NII-3 IEEE 802.11n HT40 5755MHz**6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11n HT40 5795MHz****6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11ac VHT40 5755MHz****6dB Bandwidth****99% Occupied Bandwidth**

U-NII-3 IEEE 802.11ac VHT40 5795MHz**6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11ac VHT80 5775MHz****6dB Bandwidth****99% Occupied Bandwidth**

U-NII-3 IEEE 802.11ax HE20 5745MHz_Ant 1**6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11ax HE20 5785MHz_Ant 1****6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11ax HE20 5825MHz_Ant 1****6dB Bandwidth****99% Occupied Bandwidth**

U-NII-3 IEEE 802.11ax HE40 5755MHz_Ant 1**6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11ax HE40 5795MHz_Ant 1****6dB Bandwidth****99% Occupied Bandwidth****U-NII-3 IEEE 802.11ax HE80 5775MHz_Ant 1****6dB Bandwidth****99% Occupied Bandwidth**

4. MAXIMUM CONDUCTED OUTPUT POWER


4.1. Limit

Band	EUT Type	Limit
U-NII-1	Outdoor Access Point	1W(30dBm) (Max. e.i.r.p $\leq 125\text{mW}$ at any elevation angle above 30 degrees as measured from the horizon)
	Indoor Access Point	1W(30dBm)
	Fixed point-to-point Access Point	1W(30dBm)
	Mobile and Portable Client Device	250mW(23.98dBm)
U-NII-2A	All Device	250mW(23.98dBm) or $11\text{dBm} + 10 \log B$, Which is lesser. (B is 26dB Bandwidth in MHz)
U-NII-2C	All Device	250mW(23.98dBm) or $11\text{dBm} + 10 \log B$, Which is lesser. (B is 26dB Bandwidth in MHz)
U-NII-3	All Device	1W(30dBm)

Note:

For the Band U-NII-2A and U-NII-2C, the maximum conducted output power limit calculate result refer to section 3.5.

4.2. Test Setup



4.3. Test Procedure

- Connect EUT antenna terminal to the OSP-B157WB with RF cable.
- Set the EUT transmit continuously with maximum output power.
- Through the test software in TS8897 to control a wideband gated RF power meter provided that the gate parameters are adjusted such that the power is measured only when the EUT is transmitting at its maximum power control level. Because the measurement is made only during the ON time of the transmitter, no duty cycle correction factor is required.
- Repeat above procedures until all modes and channels were measured.
- Record the results in the test report.

4.4. Test Result

Temperature	23.6℃	Relative Humidity			56%	Test Voltage	DC 3.3V	
BAND	Test Mode	Fre (MHz)	Conducted AVG Output Power (dBm)		Total Conducted Output Power (W)	Total Conducted Output Power (dBm)	Limit (dBm)	Result
			Ant 1	Ant 2				
U-NII-1	IEEE 802.11a	5180	13.839	12.428			23.98	PASS
		5200	14.002	12.638			23.98	PASS
		5240	14.284	13.023			23.98	PASS
	IEEE 802.11n HT20	5180	10.300	9.974	0.02066	13.15	22.17	PASS
		5200	10.503	10.172	0.02163	13.35	22.17	PASS
		5240	10.752	10.443	0.02296	13.61	22.17	PASS
	IEEE 802.11ac VHT20	5180	10.318	10.255	0.02136	13.30	22.17	PASS
		5200	10.488	10.376	0.02209	13.44	22.17	PASS
		5240	10.742	10.690	0.02359	13.73	22.17	PASS
	IEEE 802.11n HT40	5190	12.146	11.744	0.03133	14.96	22.17	PASS
		5230	12.447	12.097	0.03377	15.29	22.17	PASS
	IEEE 802.11ac VHT40	5190	12.611	12.612	0.03649	15.62	22.17	PASS
		5230	12.906	12.904	0.03904	15.92	22.17	PASS
	IEEE 802.11ac VHT80	5210	13.563	12.951	0.04244	16.28	22.17	PASS
	IEEE 802.11ax HE20	5180	9.217	8.826	0.01598	12.04	22.17	PASS
		5200	9.355	8.954	0.01648	12.17	22.17	PASS
		5240	9.634	9.238	0.01758	12.45	22.17	PASS
	IEEE 802.11ax HE40	5190	11.690	11.245	0.02808	14.48	22.17	PASS
		5230	11.970	11.553	0.03004	14.78	22.17	PASS
	IEEE 802.11ax HE80	5210	12.598	12.137	0.03455	15.38	22.17	PASS

Temperature	23.6℃	Relative Humidity			56%	Test Voltage	DC 3.3V	
BAND	Test Mode	Fre (MHz)	Conducted AVG Output Power (dBm)		Total Conducted Output Power (W)	Total Conducted Output Power (dBm)	Limit (dBm)	Result
			Ant 1	Ant 2				
U-NII-2A	IEEE 802.11a	5260	15.359	15.178			23.98	PASS
		5300	15.565	15.346			23.98	PASS
		5320	15.663	15.394			23.98	PASS
	IEEE 802.11n HT20	5260	14.693	14.199	0.05576	17.46	22.17	PASS
		5300	14.936	14.407	0.05875	17.69	22.17	PASS
		5320	15.003	14.480	0.05970	17.76	22.17	PASS
	IEEE 802.11ac VHT20	5260	12.287	12.201	0.03353	15.25	22.17	PASS
		5300	12.480	12.336	0.03482	15.42	22.17	PASS
		5320	12.537	12.348	0.03511	15.45	22.17	PASS
	IEEE 802.11n HT40	5270	12.691	12.290	0.03553	15.51	22.17	PASS
		5310	13.920	13.398	0.04653	16.68	22.17	PASS
	IEEE 802.11ac VHT40	5270	13.177	13.092	0.04116	16.15	22.17	PASS
		5310	13.863	13.871	0.04872	16.88	22.17	PASS
	IEEE 802.11ac VHT80	5290	12.236	11.756	0.03172	15.01	22.17	PASS
	IEEE 802.11ax HE20	5260	12.779	12.213	0.03561	15.52	22.17	PASS
		5300	12.914	12.331	0.03667	15.64	22.17	PASS
		5320	12.955	12.379	0.03704	15.69	22.17	PASS
	IEEE 802.11ax HE40	5270	12.196	11.766	0.03160	15.00	22.17	PASS
		5310	11.547	12.278	0.03118	14.94	22.17	PASS
	IEEE 802.11ax HE80	5290	11.356	11.049	0.02640	14.22	22.17	PASS

BAND	Test Mode	Fre (MHz)	Conducted AVG Output Power (dBm)		Total Conducted Output Power (W)	Total Conducted Output Power (dBm)	Limit (dBm)	Result
			Ant 1	Ant 2				
U-NII-2C	IEEE 802.11a	5500	15.044	15.493			23.98	PASS
		5580	15.373	15.909			23.98	PASS
		5700	15.948	16.510			23.98	PASS
	IEEE 802.11n HT20	5500	15.428	14.893	0.06575	18.18	22.17	PASS
		5580	15.748	15.238	0.07097	18.51	22.17	PASS
		5700	16.363	15.835	0.08161	19.12	22.17	PASS
	IEEE 802.11ac VHT20	5500	13.019	12.857	0.03935	15.95	22.17	PASS
		5580	13.344	13.145	0.04223	16.26	22.17	PASS
		5700	13.912	13.727	0.04820	16.83	22.17	PASS
	IEEE 802.11n HT40	5510	14.427	13.969	0.05265	17.21	22.17	PASS
		5590	14.779	14.239	0.05659	17.53	22.17	PASS
		5670	15.201	14.725	0.06280	17.98	22.17	PASS
	IEEE 802.11ac VHT40	5510	14.381	14.367	0.05476	17.38	22.17	PASS
		5590	14.713	14.706	0.05915	17.72	22.17	PASS
		5670	15.128	15.119	0.06507	18.13	22.17	PASS
	IEEE 802.11ac VHT80	5530	12.786	12.384	0.03631	15.60	22.17	PASS
		5610	13.154	12.841	0.03991	16.01	22.17	PASS
	IEEE 802.11ax HE20	5500	13.364	12.770	0.04062	16.09	22.17	PASS
		5580	13.658	13.080	0.04354	16.39	22.17	PASS
		5700	14.282	13.753	0.05053	17.04	22.17	PASS
	IEEE 802.11ax HE40	5510	12.057	12.776	0.03501	15.44	22.17	PASS
		5590	12.366	13.080	0.03757	15.75	22.17	PASS
		5670	12.775	13.522	0.04145	16.17	22.17	PASS
	IEEE 802.11ax HE80	5530	12.000	11.615	0.03035	14.82	22.17	PASS
		5610	12.350	12.068	0.03328	15.22	22.17	PASS


BAND	Test Mode	Fre (MHz)	Conducted AVG Output Power (dBm)		Total Conducted Output Power (W)	Total Conducted Output Power (dBm)	Limit (dBm)	Result
			Ant 1	Ant 2				
U-NII-3	IEEE 802.11a	5745	15.819	14.163			30.00	PASS
		5785	15.921	14.314			30.00	PASS
		5825	15.946	14.408			30.00	PASS
	IEEE 802.11n HT20	5745	13.536	15.974	0.06215	17.93	28.19	PASS
		5785	13.673	16.061	0.06367	18.04	28.19	PASS
		5825	13.747	16.127	0.06469	18.11	28.19	PASS
	IEEE 802.11ac VHT20	5745	11.787	13.924	0.03977	16.00	28.19	PASS
		5785	11.910	14.005	0.04067	16.09	28.19	PASS
		5825	12.053	14.127	0.04191	16.22	28.19	PASS
	IEEE 802.11n HT40	5755	15.575	15.064	0.06819	18.34	28.19	PASS
		5795	15.638	15.120	0.06914	18.40	28.19	PASS
	IEEE 802.11ac VHT40	5755	15.497	15.504	0.07097	18.51	28.19	PASS
		5795	15.577	15.557	0.07207	18.58	28.19	PASS
	IEEE 802.11ac VHT80	5775	13.861	13.524	0.04684	16.71	28.19	PASS
	IEEE 802.11ax HE20	5745	14.500	13.968	0.05312	17.25	28.19	PASS
		5785	14.598	14.059	0.05429	17.35	28.19	PASS
		5825	14.695	14.139	0.05541	17.44	28.19	PASS
	IEEE 802.11ax HE40	5755	13.140	13.932	0.04533	16.56	28.19	PASS
		5795	13.208	14.010	0.04611	16.64	28.19	PASS
	IEEE 802.11ax HE80	5775	13.046	12.765	0.03907	15.92	28.19	PASS

5. PEAK POWER SPECTRAL DENSITY

5.1. Limit

Band	EUT Type	Limit
U-NII-1	Outdoor Access Point	17dBm/MHz
	Indoor Access Point	17dBm/MHz
	Fixed point-to-point Access Point	17dBm/MHz
	Mobile and Portable Client Device	11dBm/MHz
U-NII-2A	All Device	11dBm/MHz
U-NII-2C	All Device	11dBm/MHz
U-NII-3	All Device	30dBm/500KHz

5.2. Test Setup



5.3. Spectrum Analyzer Setting

Spectrum Parameters	Setting
RBW	1MHz(For U-NII-1&U-NII-2A&U-NII-2C) 500KHz(For U-NII-3)
VBW	3MHz(For U-NII-1&U-NII-2A&U-NII-2C) 2MHz(For U-NII-3)
Span	encompass the entire 26 dB EBW or 99% OBW of the signal
Sweep Time	Auto
Number of Sweep Point	$\geq 2 \times \text{SPAN/RBW}$
Detector	RMS(power averaging)
Trace Average	≥ 100 traces

5.4. Test Procedure

- Connect EUT antenna terminal to the spectrum analyzer with RF cable.
- Spectrum analyzer setting parameters in accordance with section 5.3.
- Set the EUT transmit continuously with maximum output power.
- Allow trace to stabilize, use the marker-to-peak function to set the marker to the average of the emission.
- If the duty cycle of test signal $< 98\%$, the result = max measured value + $10 \times \log(1/\text{duty cycle})$;
If the duty cycle of test signal $\geq 98\%$, the result = max measured value.
- Repeat above procedures until all modes and channels were measured.
- Record the results in the test report.

5.5. Test Result

Temperature		23.6℃	Relative Humidity		56%	Test Voltage	DC 3.3V	
BAND	Test Mode	Fre (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Total Power Density (dBm/MHz)	Limit (dBm/MHz)	Result
			Ant 1	Ant 2				
U-NII-1	IEEE 802.11a	5180	3.25	3.33	0.57	/	11.0	PASS
		5200	3.35	3.88	0.57	/	11.0	PASS
		5240	3.48	3.43	0.57	/	11.0	PASS
	IEEE 802.11n HT20	5180	0.52	0.40	0.56	4.03	9.19	PASS
		5200	0.46	0.56	0.56	4.08	9.19	PASS
		5240	0.53	0.75	0.56	4.21	9.19	PASS
	IEEE 802.11ac VHT20	5180	-0.02	-0.28	1.09	3.95	9.19	PASS
		5200	0.02	-0.07	1.09	4.07	9.19	PASS
		5240	-0.05	0.60	1.09	4.38	9.19	PASS
	IEEE 802.11n HT40	5190	-0.12	-0.09	1.14	4.04	9.19	PASS
		5230	-0.34	0.31	1.14	4.14	9.19	PASS
	IEEE 802.11ac VHT40	5190	-0.31	-0.24	1.79	4.53	9.19	PASS
		5230	-0.35	0.41	1.79	4.85	9.19	PASS
	IEEE 802.11ac VHT80	5210	-2.63	-2.89	2.92	3.17	9.19	PASS
	IEEE 802.11ax HE20	5180	-1.77	-1.99	2.66	3.79	9.19	PASS
		5200	-1.75	-1.74	2.66	3.92	9.19	PASS
		5240	-1.68	-1.52	2.66	4.07	9.19	PASS
	IEEE 802.11ax HE40	5190	-1.30	-2.03	2.83	4.19	9.19	PASS
		5230	-1.55	-1.19	2.83	4.47	9.19	PASS
	IEEE 802.11ax HE80	5210	-1.49	-1.81	3.06	4.42	9.19	PASS

Temperature		23.6℃	Relative Humidity		56%	Test Voltage	DC 3.3V	
BAND	Test Mode	Fre (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Total Power Density (dBm/MHz)	Limit (dBm/MHz)	Result
			Ant 1	Ant 2				
U-NII-2A	IEEE 802.11a	5260	6.41	6.26	0.57	/	11.0	PASS
		5300	6.32	6.81	0.57	/	11.0	PASS
		5320	6.31	6.76	0.57	/	11.0	PASS
	IEEE 802.11n HT20	5260	4.90	5.36	0.56	8.71	9.19	PASS
		5300	4.38	5.56	0.56	8.58	9.19	PASS
		5320	4.93	5.92	0.56	9.03	9.19	PASS
	IEEE 802.11ac VHT20	5260	4.75	5.06	1.09	9.00	9.19	PASS
		5300	4.65	5.02	1.09	8.93	9.19	PASS
		5320	4.55	5.34	1.09	9.06	9.19	PASS
	IEEE 802.11n HT40	5270	4.48	4.23	1.14	8.50	9.19	PASS
		5310	4.12	4.37	1.14	8.39	9.19	PASS
	IEEE 802.11ac VHT40	5270	3.13	3.07	1.79	7.90	9.19	PASS
		5310	3.18	3.22	1.79	8.00	9.19	PASS
	IEEE 802.11ac VHT80	5290	0.69	0.37	2.92	6.47	9.19	PASS
	IEEE 802.11ax HE20	5260	2.63	3.20	2.66	8.59	9.19	PASS
		5300	2.98	3.45	2.66	8.89	9.19	PASS
		5320	2.87	3.19	2.66	8.70	9.19	PASS
	IEEE 802.11ax HE40	5270	2.81	1.93	2.83	8.23	9.19	PASS
		5310	2.44	2.21	2.83	8.17	9.19	PASS
	IEEE 802.11ax HE80	5290	-0.30	-0.51	3.06	5.66	9.19	PASS

BAND	Test Mode	Fre (MHz)	Power Density (dBm/MHz)		Duty Factor (dB)	Total Power Density (dBm/MHz)	Limit (dBm/MHz)	Result
			Ant 1	Ant 2				
U-NII-2C	IEEE 802.11a	5500	6.41	6.60	0.57	/	11.0	PASS
		5580	6.38	6.68	0.57	/	11.0	PASS
		5700	6.34	6.18	0.57	/	11.0	PASS
	IEEE 802.11n HT20	5500	5.47	5.48	0.56	9.05	9.19	PASS
		5580	5.11	5.59	0.56	8.93	9.19	PASS
		5700	5.55	5.06	0.56	8.88	9.19	PASS
	IEEE 802.11ac VHT20	5500	4.83	4.66	1.09	8.84	9.19	PASS
		5580	4.23	4.26	1.09	8.34	9.19	PASS
		5700	4.85	4.46	1.09	8.76	9.19	PASS
	IEEE 802.11n HT40	5510	5.06	4.38	1.14	8.88	9.19	PASS
		5590	4.97	4.60	1.14	8.93	9.19	PASS
		5670	5.35	3.33	1.14	8.60	9.19	PASS
	IEEE 802.11ac VHT40	5510	4.41	3.22	1.79	8.66	9.19	PASS
		5590	4.35	3.07	1.79	8.56	9.19	PASS
		5670	4.82	1.50	1.79	8.27	9.19	PASS
	IEEE 802.11ac VHT80	5530	-0.19	0.04	2.92	5.86	9.19	PASS
		5610	0.73	-0.03	2.92	6.30	9.19	PASS
	IEEE 802.11ax HE20	5500	3.01	2.90	2.66	8.62	9.19	PASS
		5580	3.19	3.23	2.66	8.88	9.19	PASS
		5700	3.16	2.89	2.66	8.69	9.19	PASS
	IEEE 802.11ax HE40	5510	0.59	1.26	2.83	6.78	9.19	PASS
		5590	2.22	1.76	2.83	7.84	9.19	PASS
		5670	2.59	0.52	2.83	7.52	9.19	PASS
	IEEE 802.11ax HE80	5530	-1.26	-1.23	3.06	4.82	9.19	PASS
		5610	-1.04	-1.31	3.06	4.89	9.19	PASS

BAND	Test Mode	Fre (MHz)	Power Density (dBm/500KHz)		Duty Factor (dB)	Total Power Density (dBm/500KHz)	Limit (dBm/500KHz)	Result
			Ant 1	Ant 2				
U-NII-3	IEEE 802.11a	5745	5.81	5.42	0.57	/	30.0	PASS
		5785	5.50	4.76	0.57	/	30.0	PASS
		5825	5.40	5.15	0.57	/	30.0	PASS
	IEEE 802.11n HT20	5745	5.61	3.79	0.56	8.37	28.19	PASS
		5785	5.40	3.85	0.56	8.27	28.19	PASS
		5825	5.41	3.04	0.56	7.96	28.19	PASS
	IEEE 802.11ac VHT20	5745	5.17	3.98	1.09	8.71	28.19	PASS
		5785	5.17	3.74	1.09	8.61	28.19	PASS
		5825	5.48	3.25	1.09	8.60	28.19	PASS
	IEEE 802.11n HT40	5755	3.09	1.89	1.14	6.68	28.19	PASS
		5795	2.57	1.71	1.14	6.31	28.19	PASS
	IEEE 802.11ac VHT40	5755	2.65	1.65	1.79	6.98	28.19	PASS
		5795	2.60	1.43	1.79	6.86	28.19	PASS
	IEEE 802.11ac VHT80	5775	-1.47	-2.83	2.92	3.84	28.19	PASS
	IEEE 802.11ax HE20	5745	3.22	1.77	2.66	8.22	28.19	PASS
		5785	3.23	1.43	2.66	8.09	28.19	PASS
		5825	3.17	0.89	2.66	7.84	28.19	PASS
	IEEE 802.11ax HE40	5755	0.25	-1.28	2.83	5.39	28.19	PASS
		5795	0.22	-1.66	2.83	5.22	28.19	PASS
	IEEE 802.11ax HE80	5775	-3.10	-3.75	3.06	2.65	28.19	PASS

U-NII-1 IEEE 802.11a 5180MHz

ANT 1



ANT 2



U-NII-1 IEEE 802.11a 5200MHz

ANT 1




ANT 2




U-NII-1 IEEE 802.11a 5240MHz


ANT 1



ANT 2





U-NII-1 IEEE 802.11n HT20 5200MHz**ANT 1****ANT 2****U-NII-1 IEEE 802.11n HT20 5240MHz****ANT 1****ANT 2****U-NII-1 IEEE 802.11ac VHT20 5180MHz****ANT 1****ANT 2**

U-NII-1 IEEE 802.11ac VHT20 5200MHz

ANT 1


ANT 2



U-NII-1 IEEE 802.11ac VHT20 5240MHz

ANT 1

ANT 2



U-NII-1 IEEE 802.11n HT40 5190MHz

ANT 1

ANT 2



U-NII-1 IEEE 802.11n HT40 5230MHz

ANT 1



ANT 2



U-NII-1 IEEE 802.11ac VHT40 5190MHz

ANT 1



ANT 2





U-NII-1 IEEE 802.11ac VHT40 5230MHz

ANT 1



ANT 2






U-NII-1 IEEE 802.11ax HE20 5180MHz

ANT 1



ANT 2



U-NII-1 IEEE 802.11ax HE20 5200MHz

ANT 1



ANT 2



U-NII-1 IEEE 802.11ax HE20 5240MHz

ANT 1

ANT 2



U-NII-1 IEEE 802.11ax HE40 5190MHz

ANT 1



ANT 2



U-NII-1 IEEE 802.11ax HE40 5230MHz

ANT 1



ANT 2




U-NII-1 IEEE 802.11ax HE80 5210MHz

ANT 1



ANT 2



U-NII-2A IEEE 802.11a 5260MHz

ANT 1




ANT 2



U-NII-2A IEEE 802.11a 5300MHz

ANT 1




ANT 2





U-NII-2A IEEE 802.11a 5320MHz

ANT 1



ANT 2





U-NII-2A IEEE 802.11n HT20 5300MHz

ANT 1



ANT 2



U-NII-2A IEEE 802.11n HT20 5320MHz

ANT 1




ANT 2




U-NII-2A IEEE 802.11ac VHT20 5260MHz

ANT 1



ANT 2



U-NII-2A IEEE 802.11ac VHT20 5300MHz

ANT 1




ANT 2



U-NII-2A IEEE 802.11ac VHT20 5320MHz

ANT 1



ANT 2



U-NII-2A IEEE 802.11n HT40 5270MHz

ANT 1



ANT 2



U-NII-2A IEEE 802.11n HT40 5310MHz

ANT 1



ANT 2



U-NII-2A IEEE 802.11ac VHT40 5270MHz

ANT 1



ANT 2




U-NII-2A IEEE 802.11ac VHT40 5310MHz

ANT 1




ANT 2





U-NII-2A IEEE 802.11ax HE20 5260MHz

ANT 1




ANT 2




U-NII-2A IEEE 802.11ax HE20 5300MHz

ANT 1




ANT 2




U-NII-2A IEEE 802.11ax HE20 5320MHz

ANT 1



ANT 2



U-NII-2A IEEE 802.11ax HE40 5270MHz

ANT 1




ANT 2



U-NII-2A IEEE 802.11ax HE40 5310MHz

ANT 1



ANT 2



U-NII-2A IEEE 802.11ax HE80 5290MHz

ANT 1




ANT 2




U-NII-2C 802.11a IEEE 5500MHz

ANT 1




ANT 2




U-NII-2C IEEE 802.11a 5580MHz

ANT 1




ANT 2




U-NII-2C IEEE 802.11a 5700MHz

ANT 1



ANT 2




U-NII-2C IEEE 802.11n HT20 5500MHz

ANT 1




ANT 2




U-NII-2C IEEE 802.11n HT20 5580MHz

ANT 1




ANT 2




U-NII-2C IEEE 802.11n HT20 5700MHz

ANT 1




ANT 2



U-NII-2C IEEE 802.11ac VHT20 5500MHz

ANT 1



ANT 2



U-NII-2C IEEE 802.11ac VHT20 5580MHz

ANT 1




ANT 2



U-NII-2C IEEE 802.11ac VHT20 5700MHz

ANT 1




ANT 2



U-NII-2C IEEE 802.11n HT40 5510MHz

ANT 1


ANT 2



U-NII-2C IEEE 802.11n HT40 5590MHz

ANT 1

ANT 2



U-NII-2C IEEE 802.11n HT40 5670MHz

ANT 1

ANT 2



U-NII-2C IEEE 802.11ac VHT40 5510MHz

ANT 1



ANT 2



U-NII-2C IEEE 802.11ac VHT40 5590MHz

ANT 1



ANT 2



U-NII-2C IEEE 802.11ac VHT40 5670MHz

ANT 1



ANT 2

