



Test Mode:	802.11n HT20	Channel:	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.73	10.54	47.27	74.00	-26.73	peak
2	10355.000	46.09	12.52	58.61	68.20	-9.59	peak
3	11510.000	33.03	16.79	49.82	74.00	-24.18	peak
4	11862.000	32.52	17.45	49.97	74.00	-24.03	peak
5	12698.000	31.84	18.08	49.92	74.00	-24.08	peak
6	13919.000	28.10	21.68	49.78	74.00	-24.22	peak
7	17989.000	24.10	26.04	50.14	74.00	-23.86	peak

Test Mode:	802.11n HT20	Channel:	5200
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.71	10.54	47.25	74.00	-26.75	peak
2	10399.000	55.18	12.61	67.79	68.20	-0.41	peak
3	11356.000	34.15	16.19	50.34	74.00	-23.66	peak
4	12643.000	32.15	18.01	50.16	74.00	-23.84	peak
5	13864.000	29.43	21.53	50.96	74.00	-23.04	peak
6	17956.000	24.13	25.82	49.95	74.00	-24.05	peak

Test Mode:	802.11n HT20	Channel:	5200
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.22	10.54	47.76	74.00	-26.24	peak
2	10399.000	47.93	12.61	60.54	68.20	-7.66	peak
3	11708.000	33.12	17.16	50.28	74.00	-23.72	peak
4	12698.000	32.52	18.08	50.60	74.00	-23.40	peak
5	13853.000	28.09	21.52	49.61	74.00	-24.39	peak
6	17989.000	23.55	26.04	49.59	74.00	-24.41	peak

Test Mode:	802.11n HT20	Channel:	5240
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.76	10.46	47.22	74.00	-26.78	peak
2	10476.000	55.30	12.77	68.07	68.20	-0.13	peak
3	11653.000	33.00	17.05	50.05	74.00	-23.95	peak
4	12621.000	31.96	17.98	49.94	74.00	-24.06	peak
5	13380.000	29.69	20.12	49.81	74.00	-24.19	peak
6	17989.000	23.68	26.04	49.72	74.00	-24.28	peak

Test Mode:	802.11n HT20	Channel:	5240
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9365.000	36.86	10.57	47.43	74.00	-26.57	peak
2	10476.000	51.51	12.77	64.28	68.20	-3.92	peak
3	11829.000	32.52	17.38	49.90	74.00	-24.10	peak
4	13138.000	30.83	19.05	49.88	74.00	-24.12	peak
5	13864.000	28.94	21.53	50.47	74.00	-23.53	peak
6	17703.000	25.86	24.09	49.95	74.00	-24.05	peak

Test Mode:	802.11n HT20	Channel:	5260
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9409.000	37.09	10.59	47.68	74.00	-26.32	peak
2	10509.000	54.80	12.85	67.65	68.20	-0.55	peak
3	11466.000	33.73	16.63	50.36	74.00	-23.64	peak
4	12643.000	32.68	18.01	50.69	74.00	-23.31	peak
5	13897.000	29.05	21.62	50.67	74.00	-23.33	peak
6	17967.000	24.65	25.89	50.54	74.00	-23.46	peak

Test Mode:	802.11n HT20	Channel:	5260
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9585.000	37.21	10.85	48.06	74.00	-25.94	peak
2	10520.000	50.31	12.90	63.21	68.20	-4.99	peak
3	12225.000	32.27	17.75	50.02	74.00	-23.98	peak
4	12654.000	32.03	18.01	50.04	74.00	-23.96	peak
5	13864.000	28.50	21.53	50.03	74.00	-23.97	peak
6	17989.000	23.91	26.04	49.95	74.00	-24.05	peak

Test Mode:	802.11n HT20	Channel:	5280
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.20	10.48	46.68	74.00	-27.32	peak
2	10553.000	53.74	13.02	66.76	68.20	-1.44	peak
3	11796.000	32.25	17.32	49.57	74.00	-24.43	peak
4	12313.000	31.75	17.78	49.53	74.00	-24.47	peak
5	13864.000	28.39	21.53	49.92	74.00	-24.08	peak
6	17912.000	25.47	25.52	50.99	74.00	-23.01	peak

Test Mode:	802.11n HT20	Channel:	5280
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.88	10.41	48.29	74.00	-25.71	peak
2	10553.000	49.01	13.02	62.03	74.00	-6.17	peak
3	11873.000	32.37	17.46	49.83	74.00	-24.17	peak
4	12665.000	32.06	18.04	50.10	74.00	-23.90	peak
5	13512.000	29.86	20.68	50.54	74.00	-23.46	peak
6	17989.000	24.08	26.04	50.12	74.00	-23.88	peak

Test Mode:	802.11n HT20	Channel:	5320
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.39	10.49	47.88	74.00	-26.12	peak
2	10641.000	53.84	13.36	67.20	74.00	-6.80	peak
3	10641.000	39.15	13.36	52.51	54.00	-1.49	AVG
4	11532.000	33.66	16.83	50.49	74.00	-23.51	peak
5	12676.000	32.37	18.05	50.42	74.00	-23.58	peak
6	13996.000	28.60	21.87	50.47	74.00	-23.53	peak
7	18000.000	24.22	26.12	50.34	74.00	-23.66	peak

Test Mode:	802.11n HT20	Channel:	5320
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	37.05	10.53	47.58	74.00	-26.42	peak
2	10641.000	45.36	13.36	58.72	74.00	-15.28	peak
3	10641.000	30.51	13.36	43.87	54.00	-10.13	AVG
4	11708.000	33.19	17.16	50.35	74.00	-23.65	peak
5	11884.000	32.75	17.48	50.23	74.00	-23.77	peak
6	13908.000	28.13	21.66	49.79	74.00	-24.21	peak
7	17989.000	24.22	26.04	50.26	74.00	-23.74	peak

Test Mode:	802.11n HT20	Channel:	5500
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	37.94	10.53	48.47	74.00	-25.53	peak
2	11004.000	45.59	14.74	60.33	74.00	-13.67	peak
3	11004.000	29.27	14.74	44.01	54.00	-9.99	AVG
4	11279.000	34.31	15.86	50.17	74.00	-23.83	peak
5	12665.000	31.36	18.04	49.40	74.00	-24.60	peak
6	13864.000	28.47	21.53	50.00	74.00	-24.00	peak
7	17989.000	23.76	26.04	49.80	74.00	-24.20	peak

Test Mode:	802.11n HT20	Channel:	5500
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9662.000	36.42	11.01	47.43	74.00	-26.57	peak
2	10300.000	37.30	12.40	49.70	74.00	-24.30	peak
3	10993.000	38.49	14.70	53.19	74.00	-20.81	peak
4	10993.000	27.25	14.70	41.95	54.00	-12.05	AVG
5	12687.000	32.34	18.05	50.39	74.00	-23.61	peak
6	13677.000	29.37	21.08	50.45	74.00	-23.55	peak
7	18000.000	24.49	26.12	50.61	74.00	-23.39	peak

Test Mode:	802.11n HT20	Channel:	5580
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10234.000	35.94	12.26	48.20	74.00	-25.80	peak
2	11158.000	43.50	15.37	58.87	74.00	-15.13	peak
3	11158.000	31.95	15.37	47.32	54.00	-6.68	AVG
4	12610.000	32.51	17.97	50.48	74.00	-23.52	peak
5	13050.000	31.60	18.66	50.26	74.00	-23.74	peak
6	13930.000	28.06	21.71	49.77	74.00	-24.23	peak
7	17945.000	24.44	25.75	50.19	74.00	-23.81	peak

Test Mode:	802.11n HT20	Channel:	5580
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	37.26	10.47	47.73	74.00	-26.27	peak
2	10223.000	36.66	12.24	48.90	74.00	-25.10	peak
3	11158.000	38.95	15.37	54.32	74.00	-19.68	peak
4	11158.000	28.28	15.37	43.65	54.00	-10.35	AVG
5	12654.000	32.04	18.01	50.05	74.00	-23.95	peak
6	13963.000	27.65	21.78	49.43	74.00	-24.57	peak
7	17967.000	23.47	25.89	49.36	74.00	-24.64	peak

Test Mode:	802.11n HT20	Channel:	5700
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.93	10.48	47.41	74.00	-26.59	peak
2	10487.000	36.16	12.79	48.95	74.00	-25.05	peak
3	11400.000	42.37	16.36	58.73	74.00	-15.27	peak
4	11400.000	32.48	16.36	48.84	54.00	-5.16	AVG
5	13105.000	31.36	18.91	50.27	74.00	-23.73	peak
6	13952.000	29.18	21.76	50.94	74.00	-23.06	peak
7	17703.000	26.80	24.09	50.89	74.00	-23.11	peak

Test Mode:	802.11n HT20	Channel:	5700
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	35.69	10.54	46.23	74.00	-27.77	peak
2	10179.000	35.40	12.14	47.54	74.00	-26.46	peak
3	11400.000	44.08	16.36	60.44	74.00	-13.56	peak
4	11400.000	32.89	16.36	49.25	54.00	-4.75	AVG
5	12170.000	32.59	17.75	50.34	74.00	-23.66	peak
6	13919.000	29.33	21.68	51.01	74.00	-22.99	peak
7	17780.000	25.88	24.61	50.49	74.00	-23.51	peak

Test Mode:	802.11n HT20	Channel:	5720
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	38.19	10.48	48.67	74.00	-25.33	peak
2	10278.000	37.81	12.35	50.16	74.00	-23.84	peak
3	11444.000	41.01	16.53	57.54	74.00	-16.46	peak
4	11444.000	29.36	16.53	45.89	54.00	-8.11	AVG
5	12632.000	32.53	17.99	50.52	74.00	-23.48	peak
6	13358.000	29.92	20.02	49.94	74.00	-24.06	peak
7	17989.000	24.19	26.04	50.23	74.00	-23.77	peak

Test Mode:	802.11n HT20	Channel:	5720
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10619.000	36.03	13.28	49.31	74.00	-24.69	peak
2	10916.000	35.01	14.39	49.40	74.00	-24.60	peak
3	11444.000	42.41	16.53	58.94	74.00	-15.06	peak
4	11444.000	31.41	16.53	47.94	54.00	-6.06	AVG
5	12610.000	32.16	17.97	50.13	74.00	-23.87	peak
6	13523.000	29.44	20.70	50.14	74.00	-23.86	peak
7	17956.000	24.64	25.82	50.46	74.00	-23.54	peak

Test Mode:	802.11n HT20	Channel:	5745
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	37.27	10.53	47.80	74.00	-26.20	peak
2	10454.000	35.83	12.73	48.56	74.00	-25.44	peak
3	11477.000	39.16	16.67	55.83	74.00	-18.17	peak
4	11477.000	27.68	16.67	44.35	54.00	-9.65	AVG
5	12555.000	32.26	17.90	50.16	74.00	-23.84	peak
6	13897.000	29.06	21.62	50.68	74.00	-23.32	peak
7	17967.000	24.77	25.89	50.66	74.00	-23.34	peak

Test Mode:	802.11n HT20	Channel:	5745
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10432.000	36.01	12.67	48.68	74.00	-25.32	peak
2	11070.000	35.95	15.01	50.96	74.00	-23.04	peak
3	11488.000	40.35	16.72	57.07	74.00	-16.93	peak
4	11488.000	29.82	16.72	46.54	54.00	-7.46	AVG
5	12687.000	32.41	18.05	50.46	74.00	-23.54	peak
6	13765.000	28.77	21.30	50.07	74.00	-23.93	peak
7	17945.000	24.83	25.75	50.58	74.00	-23.42	peak

Test Mode:	802.11n HT20	Channel:	5785
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	36.86	10.55	47.41	74.00	-26.59	peak
2	10432.000	37.07	12.67	49.74	74.00	-24.26	peak
3	11576.000	38.86	16.91	55.77	74.00	-18.23	peak
4	11576.000	28.12	16.91	45.03	54.00	-8.97	AVG
5	12610.000	32.53	17.97	50.50	74.00	-23.50	peak
6	13996.000	28.86	21.87	50.73	74.00	-23.27	peak
7	17989.000	24.41	26.04	50.45	74.00	-23.55	peak

Test Mode:	802.11n HT20	Channel:	5785
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10168.000	36.38	12.13	48.51	74.00	-25.49	peak
2	11059.000	35.35	14.96	50.31	74.00	-23.69	peak
3	11565.000	42.62	16.89	59.51	74.00	-14.49	peak
4	11565.000	32.02	16.89	48.91	54.00	-5.09	AVG
5	12511.000	32.84	17.84	50.68	74.00	-23.32	peak
6	13556.000	30.13	20.78	50.91	74.00	-23.09	peak
7	18000.000	24.80	26.12	50.92	74.00	-23.08	peak

Test Mode:	802.11n HT20	Channel:	5825
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.88	10.49	47.37	74.00	-26.63	peak
2	10300.000	36.84	12.40	49.24	74.00	-24.76	peak
3	11642.000	38.29	17.03	55.32	74.00	-18.68	peak
4	11642.000	29.34	17.03	46.37	54.00	-7.63	AVG
5	12698.000	32.13	18.08	50.21	74.00	-23.79	peak
6	13875.000	28.98	21.57	50.55	74.00	-23.45	peak
7	17945.000	24.37	25.75	50.12	74.00	-23.88	peak

Test Mode:	802.11n HT20	Channel:	5825
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.95	10.49	48.44	74.00	-25.56	peak
2	11059.000	35.04	14.96	50.00	74.00	-24.00	peak
3	11642.000	42.44	17.03	59.47	74.00	-14.53	peak
4	11642.000	30.70	17.03	47.73	54.00	-6.27	AVG
5	12599.000	32.82	17.95	50.77	74.00	-23.23	peak
6	13292.000	31.18	19.72	50.90	74.00	-23.10	peak
7	17989.000	24.72	26.04	50.76	74.00	-23.24	peak

Test Mode:	802.11n HT40	Channel:	5190
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	36.87	10.41	47.28	74.00	-26.72	peak
2	10377.000	54.61	12.56	67.17	68.20	-1.03	peak
3	11873.000	32.54	17.46	50.00	74.00	-24.00	peak
4	13567.000	30.06	20.80	50.86	74.00	-23.14	peak
5	13996.000	28.11	21.87	49.98	74.00	-24.02	peak
6	17989.000	23.54	26.04	49.58	74.00	-24.42	peak

Test Mode:	802.11n HT40	Channel:	5190
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	37.10	10.55	47.65	74.00	-26.35	peak
2	10377.000	48.97	12.56	61.53	68.20	-6.67	peak
3	11664.000	33.53	17.08	50.61	74.00	-23.39	peak
4	12566.000	32.99	17.91	50.90	74.00	-23.10	peak
5	13666.000	29.67	21.05	50.72	74.00	-23.28	peak
6	17989.000	24.87	26.04	50.91	74.00	-23.09	peak

Test Mode:	802.11n HT40	Channel:	5230
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.03	10.49	47.52	74.00	-26.48	peak
2	10454.000	54.67	12.73	67.40	68.20	-0.8	peak
3	11774.000	33.45	17.28	50.73	74.00	-23.27	peak
4	12247.000	32.93	17.77	50.70	74.00	-23.30	peak
5	13919.000	28.71	21.68	50.39	74.00	-23.61	peak
6	17945.000	24.77	25.75	50.52	74.00	-23.48	peak

Test Mode:	802.11n HT40	Channel:	5230
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	37.47	10.51	47.98	74.00	-26.02	peak
2	10454.000	49.41	12.73	62.14	68.20	-6.06	peak
3	11257.000	34.26	15.78	50.04	74.00	-23.96	peak
4	11785.000	33.12	17.30	50.42	74.00	-23.58	peak
5	13138.000	31.44	19.05	50.49	74.00	-23.51	peak
6	17989.000	24.60	26.04	50.64	74.00	-23.36	peak

Test Mode:	802.11n HT40	Channel:	5270
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.95	10.38	47.33	74.00	-26.67	peak
2	10531.000	53.96	12.94	66.90	68.2	-2.11	peak
3	11796.000	32.72	17.32	50.04	74.00	-23.96	peak
4	12632.000	32.87	17.99	50.86	74.00	-23.14	peak
5	13974.000	28.53	21.82	50.35	74.00	-23.65	peak
6	17956.000	24.91	25.82	50.73	74.00	-23.27	peak

Test Mode:	802.11n HT40	Channel:	5270
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.73	10.48	47.21	74.00	-26.79	peak
2	10531.000	46.54	12.93	59.47	68.20	-8.73	peak
3	11719.000	32.66	17.18	49.84	74.00	-24.16	peak
4	12665.000	32.81	18.04	50.85	74.00	-23.15	peak
5	13941.000	28.55	21.73	50.28	74.00	-23.72	peak
6	17945.000	25.19	25.75	50.94	74.00	-23.06	peak

Test Mode:	802.11n HT40	Channel:	5310
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9574.000	36.83	10.81	47.64	74.00	-26.36	peak
2	10619.000	54.43	13.28	67.71	74.00	-6.29	peak
3	10619.000	39.61	13.28	52.89	54.00	-1.11	AVG
4	11444.000	34.04	16.53	50.57	74.00	-23.43	peak
5	12577.000	32.86	17.93	50.79	74.00	-23.21	peak
6	13688.000	29.38	21.10	50.48	74.00	-23.52	peak
7	17989.000	24.31	26.04	50.35	74.00	-23.65	peak

Test Mode:	802.11n HT40	Channel:	5310
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	37.33	9.82	47.15	74.00	-26.85	peak
2	10608.000	46.54	13.23	59.77	74.00	-14.23	peak
3	10608.000	31.14	13.23	44.37	54.00	-9.63	AVG
4	11862.000	33.03	17.45	50.48	74.00	-23.52	peak
5	12654.000	32.92	18.01	50.93	74.00	-23.07	peak
6	13853.000	29.15	21.52	50.67	74.00	-23.33	peak
7	17989.000	24.34	26.04	50.38	74.00	-23.62	peak

Test Mode:	802.11n HT40	Channel:	5510
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	37.57	9.82	47.39	74.00	-26.61	peak
2	10157.000	37.38	12.10	49.48	74.00	-24.52	peak
3	11015.000	44.99	14.79	59.78	74.00	-14.22	peak
4	11015.000	32.59	14.79	47.38	54.00	-6.62	AVG
5	12676.000	32.37	18.05	50.42	74.00	-23.58	peak
6	13875.000	28.50	21.57	50.07	74.00	-23.93	peak
7	17989.000	24.14	26.04	50.18	74.00	-23.82	peak

Test Mode:	802.11n HT40	Channel:	5510
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10355.000	36.31	12.52	48.83	74.00	-25.17	peak
2	11015.000	40.45	14.79	55.24	74.00	-18.76	peak
3	11015.000	29.00	14.79	43.79	54.00	-10.21	AVG
4	11785.000	32.28	17.30	49.58	74.00	-24.42	peak
5	12621.000	32.20	17.98	50.18	74.00	-23.82	peak
6	13919.000	28.15	21.68	49.83	74.00	-24.17	peak
7	18000.000	24.21	26.12	50.33	74.00	-23.67	peak

Test Mode:	802.11n HT40	Channel:	5550
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.99	10.54	47.53	74.00	-26.47	peak
2	10487.000	35.89	12.79	48.68	74.00	-25.32	peak
3	11092.000	46.51	15.10	61.61	74.00	-12.39	peak
4	11092.000	33.06	15.10	48.16	54.00	-5.84	AVG
5	12676.000	31.89	18.05	49.94	74.00	-24.06	peak
6	13996.000	28.54	21.87	50.41	74.00	-23.59	peak
7	17912.000	24.47	25.52	49.99	74.00	-24.01	peak

Test Mode:	802.11n HT40	Channel:	5550
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.57	10.50	48.07	74.00	-25.93	peak
2	10300.000	36.54	12.40	48.94	74.00	-25.06	peak
3	11103.000	40.85	15.15	56.00	74.00	-18.00	peak
4	11103.000	29.92	15.15	45.07	54.00	-8.93	AVG
5	12687.000	32.37	18.05	50.42	74.00	-23.58	peak
6	13974.000	27.92	21.82	49.74	74.00	-24.26	peak
7	17945.000	24.48	25.75	50.23	74.00	-23.77	peak

Test Mode:	802.11n HT40	Channel:	5670
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	37.25	10.54	47.79	74.00	-26.21	peak
2	10157.000	36.73	12.10	48.83	74.00	-25.17	peak
3	11345.000	42.88	16.14	59.02	74.00	-14.98	peak
4	11345.000	30.81	16.14	46.95	54.00	-7.05	AVG
5	12247.000	33.13	17.77	50.90	74.00	-23.10	peak
6	13534.000	30.22	20.73	50.95	74.00	-23.05	peak
7	17989.000	24.91	26.04	50.95	74.00	-23.05	peak

Test Mode:	802.11n HT40	Channel:	5670
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	38.02	9.90	47.92	74.00	-26.08	peak
2	10223.000	36.75	12.24	48.99	74.00	-25.01	peak
3	11334.000	42.18	16.09	58.27	74.00	-15.73	peak
4	11334.000	30.67	16.09	46.76	54.00	-7.24	AVG
5	12555.000	32.75	17.90	50.65	74.00	-23.35	peak
6	13897.000	28.86	21.62	50.48	74.00	-23.52	peak
7	17989.000	24.35	26.04	50.39	74.00	-23.61	peak

Test Mode:	802.11n HT40	Channel:	5710
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8716.000	39.09	8.38	47.47	74.00	-26.53	peak
2	10201.000	36.31	12.19	48.50	74.00	-25.50	peak
3	11422.000	40.65	16.46	57.11	74.00	-16.89	peak
4	11422.000	28.22	16.46	44.68	54.00	-9.32	AVG
5	12676.000	31.62	18.05	49.67	74.00	-24.33	peak
6	13523.000	29.62	20.70	50.32	74.00	-23.68	peak
7	17956.000	24.40	25.82	50.22	74.00	-23.78	peak

Test Mode:	802.11n HT40	Channel:	5710
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.27	10.41	47.68	74.00	-26.32	peak
2	10388.000	36.56	12.59	49.15	74.00	-24.85	peak
3	11411.000	42.16	16.41	58.57	74.00	-15.43	peak
4	11411.000	28.93	16.41	45.34	54.00	-8.66	AVG
5	12742.000	32.05	18.13	50.18	74.00	-23.82	peak
6	13611.000	29.75	20.92	50.67	74.00	-23.33	peak
7	18000.000	24.36	26.12	50.48	74.00	-23.52	peak

Test Mode:	802.11n HT40	Channel:	5755
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.92	10.49	48.41	74.00	-25.59	peak
2	10564.000	35.72	13.06	48.78	74.00	-25.22	peak
3	11521.000	39.14	16.82	55.96	74.00	-18.04	peak
4	11521.000	26.97	16.82	43.79	54.00	-10.21	AVG
5	12247.000	32.91	17.77	50.68	74.00	-23.32	peak
6	13974.000	29.18	21.82	51.00	74.00	-23.00	peak
7	18000.000	24.07	26.12	50.19	74.00	-23.81	peak

Test Mode:	802.11n HT40	Channel:	5755
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.05	10.38	47.43	74.00	-26.57	peak
2	11510.000	39.77	16.79	56.56	74.00	-17.44	peak
3	11510.000	26.04	16.79	42.83	54.00	-11.17	AVG
4	12247.000	33.00	17.77	50.77	74.00	-23.23	peak
5	12676.000	32.64	18.05	50.69	74.00	-23.31	peak
6	13974.000	28.25	21.82	50.07	74.00	-23.93	peak
7	17769.000	25.52	24.53	50.05	74.00	-23.95	peak

Test Mode:	802.11n HT40	Channel:	5795
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9706.000	36.48	11.12	47.60	74.00	-26.40	peak
2	11059.000	34.82	14.96	49.78	74.00	-24.22	peak
3	11598.000	37.00	16.96	53.96	74.00	-20.04	peak
4	11598.000	24.33	16.96	41.29	54.00	-12.71	AVG
5	13138.000	31.32	19.05	50.37	74.00	-23.63	peak
6	14007.000	29.15	21.85	51.00	74.00	-23.00	peak
7	18000.000	24.33	26.12	50.45	74.00	-23.55	peak

Test Mode:	802.11n HT40	Channel:	5795
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.27	10.54	47.81	74.00	-26.19	peak
2	10223.000	36.93	12.24	49.17	74.00	-24.83	peak
3	11587.000	43.98	16.93	60.91	74.00	-13.09	peak
4	11587.000	31.43	16.93	48.36	54.00	-5.64	AVG
5	13116.000	31.87	18.96	50.83	74.00	-23.17	peak
6	13974.000	28.94	21.82	50.76	74.00	-23.24	peak
7	17989.000	24.88	26.04	50.92	74.00	-23.08	peak

Test Mode:	802.11ac VHT80	Channel:	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.27	10.43	47.70	74.00	-26.30	peak
2	10443.000	54.45	12.70	67.15	68.20	-1.05	peak
3	11796.000	32.49	17.32	49.81	74.00	-24.19	peak
4	13105.000	31.09	18.91	50.00	74.00	-24.00	peak
5	13611.000	29.59	20.92	50.51	74.00	-23.49	peak
6	17692.000	26.69	24.01	50.70	74.00	-23.30	peak

Test Mode:	802.11ac VHT80	Channel:	5210
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8727.000	38.96	8.45	47.41	74.00	-26.59	peak
2	10443.000	48.56	12.70	61.26	68.20	-6.94	peak
3	11752.000	32.88	17.24	50.12	74.00	-23.88	peak
4	12698.000	32.60	18.08	50.68	74.00	-23.32	peak
5	13424.000	30.09	20.30	50.39	74.00	-23.61	peak
6	17989.000	24.39	26.04	50.43	74.00	-23.57	peak

Test Mode:	802.11ac VHT80	Channel:	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10168.000	37.37	12.13	49.50	74.00	-24.50	peak
2	10564.000	54.57	13.06	67.63	68.20	-0.57	peak
3	11400.000	34.38	16.36	50.74	74.00	-23.26	peak
4	12698.000	32.25	18.08	50.33	74.00	-23.67	peak
5	13589.000	29.40	20.86	50.26	74.00	-23.74	peak
6	17945.000	23.98	25.75	49.73	74.00	-24.27	peak

Test Mode:	802.11ac VHT80	Channel:	5290
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9387.000	37.06	10.58	47.64	74.00	-26.36	peak
2	10575.000	49.53	13.10	62.63	68.20	-5.57	peak
3	11741.000	32.66	17.22	49.88	74.00	-24.12	peak
4	12687.000	32.37	18.05	50.42	74.00	-23.58	peak
5	13963.000	28.51	21.78	50.29	74.00	-23.71	peak
6	17956.000	24.66	25.82	50.48	74.00	-23.52	peak

Test Mode:	802.11ac VHT80	Channel:	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.64	10.51	47.15	74.00	-26.85	peak
2	10190.000	36.49	12.18	48.67	74.00	-25.33	peak
3	11081.000	39.32	15.05	54.37	74.00	-19.63	peak
4	11081.000	27.10	15.05	42.15	54.00	-11.85	AVG
5	12610.000	32.21	17.97	50.18	74.00	-23.82	peak
6	13919.000	29.04	21.68	50.72	74.00	-23.28	peak
7	17703.000	26.49	24.09	50.58	74.00	-23.42	peak

Test Mode:	802.11ac VHT80	Channel:	5530
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10300.000	36.94	12.40	49.34	74.00	-24.66	peak
2	11081.000	37.31	15.05	52.36	74.00	-21.64	peak
3	11081.000	25.46	15.05	40.51	54.00	-13.49	AVG
4	12654.000	32.28	18.01	50.29	74.00	-23.71	peak
5	13138.000	31.28	19.05	50.33	74.00	-23.67	peak
6	13611.000	28.67	20.92	49.59	74.00	-24.41	peak
7	17956.000	23.97	25.82	49.79	74.00	-24.21	peak

Test Mode:	802.11ac VHT80	Channel:	5610
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.17	10.54	47.71	74.00	-26.29	peak
2	10300.000	36.84	12.40	49.24	74.00	-24.76	peak
3	11235.000	38.04	15.68	53.72	74.00	-20.28	peak
4	11235.000	24.38	15.68	40.06	54.00	-13.94	AVG
5	12621.000	32.77	17.98	50.75	74.00	-23.25	peak
6	13864.000	28.67	21.53	50.20	74.00	-23.80	peak
7	17978.000	24.65	25.97	50.62	74.00	-23.38	peak

Test Mode:	802.11ac VHT80	Channel:	5610
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.44	10.41	46.85	74.00	-27.15	peak
2	10421.000	36.02	12.66	48.68	74.00	-25.32	peak
3	11246.000	38.41	15.73	54.14	74.00	-19.86	peak
4	11246.000	25.58	15.73	41.31	54.00	-12.69	AVG
5	12698.000	32.58	18.08	50.66	74.00	-23.34	peak
6	13512.000	29.46	20.68	50.14	74.00	-23.86	peak
7	17923.000	25.03	25.60	50.63	74.00	-23.37	peak

Test Mode:	802.11ac VHT80	Channel:	5690
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.79	10.41	48.20	74.00	-25.80	peak
2	10399.000	36.15	12.61	48.76	74.00	-25.24	peak
3	11400.000	40.79	16.36	57.15	74.00	-16.85	peak
4	11400.000	29.02	16.36	45.38	54.00	-8.62	AVG
5	12643.000	33.07	18.01	51.08	74.00	-22.92	peak
6	13985.000	28.62	21.85	50.47	74.00	-23.53	peak
7	17967.000	24.24	25.89	50.13	74.00	-23.87	peak

Test Mode:	802.11ac VHT80	Channel:	5690
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	38.29	10.49	48.78	74.00	-25.22	peak
2	11059.000	35.04	14.96	50.00	74.00	-24.00	peak
3	11367.000	39.08	16.22	55.30	74.00	-18.70	peak
4	11367.000	27.19	16.22	43.41	54.00	-10.59	AVG
5	12632.000	32.39	17.99	50.38	74.00	-23.62	peak
6	13435.000	29.63	20.35	49.98	74.00	-24.02	peak
7	17989.000	23.27	26.04	49.31	74.00	-24.69	peak

Test Mode:	802.11ac VHT80	Channel:	5775
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9585.000	37.48	10.85	48.33	74.00	-25.67	peak
2	10509.000	36.05	12.85	48.90	74.00	-25.10	peak
3	11543.000	34.05	16.84	50.89	74.00	-23.11	peak
4	12654.000	31.43	18.01	49.44	74.00	-24.56	peak
5	13930.000	27.37	21.71	49.08	74.00	-24.92	peak
6	17956.000	24.09	25.82	49.91	74.00	-24.09	peak

Test Mode:	802.11ac VHT80	Channel:	5775
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.81	10.54	47.35	74.00	-26.65	peak
2	11059.000	34.62	14.96	49.58	74.00	-24.42	peak
3	11554.000	39.40	16.87	56.27	74.00	-17.73	peak
4	11554.000	26.63	16.87	43.50	54.00	-10.50	AVG
5	12687.000	32.28	18.05	50.33	74.00	-23.67	peak
6	13424.000	29.43	20.30	49.73	74.00	-24.27	peak
7	17945.000	24.12	25.75	49.87	74.00	-24.13	peak

Test Mode:	802.11ax HE20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9508.000	36.94	10.67	47.61	74.00	-26.39	peak
2	10355.000	54.77	12.52	67.29	68.20	-0.91	peak
3	11642.000	33.39	17.03	50.42	74.00	-23.58	peak
4	12632.000	32.47	17.99	50.46	74.00	-23.54	peak
5	13941.000	28.93	21.73	50.66	74.00	-23.34	peak
6	17879.000	25.44	25.29	50.73	74.00	-23.27	peak

Test Mode:	802.11ax HE20	Channel:	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	37.20	10.53	47.73	74.00	-26.27	peak
2	10355.000	48.36	12.52	60.88	68.20	-7.32	peak
3	11796.000	32.97	17.32	50.29	74.00	-23.71	peak
4	12687.000	32.29	18.05	50.34	74.00	-23.66	peak
5	13127.000	31.14	19.01	50.15	74.00	-23.85	peak
6	17978.000	24.54	25.97	50.51	74.00	-23.49	peak

Test Mode:	802.11ax HE20	Channel:	5200
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.28	10.54	47.82	74.00	-26.18	peak
2	10410.000	54.54	12.62	67.16	68.20	-1.04	peak
3	11422.000	33.34	16.46	49.80	74.00	-24.20	peak
4	11873.000	33.15	17.46	50.61	74.00	-23.39	peak
5	13875.000	28.96	21.57	50.53	74.00	-23.47	peak
6	17989.000	24.49	26.04	50.53	74.00	-23.47	peak

Test Mode:	802.11ax HE20	Channel:	5200
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	37.28	10.55	47.83	74.00	-26.17	peak
2	10388.000	48.72	12.59	61.31	68.20	-6.89	peak
3	11059.000	35.56	14.96	50.52	74.00	-23.48	peak
4	12698.000	32.73	18.08	50.81	74.00	-23.19	peak
5	13468.000	29.85	20.50	50.35	74.00	-23.65	peak
6	17934.000	24.85	25.67	50.52	74.00	-23.48	peak

Test Mode:	802.11ax HE20	Channel:	5240
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	38.19	10.54	48.73	74.00	-25.27	peak
2	10487.000	53.72	12.79	66.51	68.20	-1.69	peak
3	11059.000	35.40	14.96	50.36	74.00	-23.64	peak
4	13512.000	29.49	20.68	50.17	74.00	-23.83	peak
5	13853.000	28.75	21.52	50.27	74.00	-23.73	peak
6	17967.000	24.43	25.89	50.32	74.00	-23.68	peak

Test Mode:	802.11ax HE20	Channel:	5240
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9827.000	37.29	11.39	48.68	74.00	-25.32	peak
2	10476.000	49.78	12.77	62.55	68.20	-5.65	peak
3	11785.000	33.06	17.30	50.36	74.00	-23.64	peak
4	12676.000	32.95	18.05	51.00	74.00	-23.00	peak
5	13600.000	30.00	20.89	50.89	74.00	-23.11	peak
6	17978.000	23.76	25.97	49.73	74.00	-24.27	peak

Test Mode:	802.11ax HE20	Channel:	5260
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	37.07	10.54	47.61	74.00	-26.39	peak
2	10520.000	53.46	12.90	66.36	68.20	-1.84	peak
3	11785.000	33.27	17.30	50.57	74.00	-23.43	peak
4	12643.000	32.59	18.01	50.60	74.00	-23.40	peak
5	13116.000	31.27	18.96	50.23	74.00	-23.77	peak
6	17934.000	24.73	25.67	50.40	74.00	-23.60	peak

Test Mode:	802.11ax HE20	Channel:	5260
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.50	10.48	47.98	74.00	-26.02	peak
2	10520.000	49.26	12.90	62.16	68.20	-6.04	peak
3	11312.000	34.57	16.00	50.57	74.00	-23.43	peak
4	12511.000	32.49	17.84	50.33	74.00	-23.67	peak
5	13985.000	28.64	21.85	50.49	74.00	-23.51	peak
6	17769.000	25.69	24.53	50.22	74.00	-23.78	peak

Test Mode:	802.11ax HE20	Channel:	5280
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9376.000	37.50	10.58	48.08	74.00	-25.92	peak
2	10564.000	54.69	13.06	67.75	68.20	-0.45	peak
3	11653.000	33.69	17.05	50.74	74.00	-23.26	peak
4	12632.000	32.58	17.99	50.57	74.00	-23.43	peak
5	13809.000	28.77	21.41	50.18	74.00	-23.82	peak
6	17989.000	24.96	26.04	51.00	74.00	-23.00	peak

Test Mode:	802.11ax HE20	Channel:	5280
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	36.77	10.53	47.30	74.00	-26.70	peak
2	10553.000	47.64	13.02	60.66	68.20	-7.54	peak
3	11257.000	34.28	15.78	50.06	74.00	-23.94	peak
4	13116.000	31.28	18.96	50.24	74.00	-23.76	peak
5	13864.000	29.15	21.53	50.68	74.00	-23.32	peak
6	18000.000	24.54	26.12	50.66	74.00	-23.34	peak

Test Mode:	802.11ax HE20	Channel:	5320
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	37.11	10.47	47.58	74.00	-26.42	peak
2	10641.000	54.93	13.36	68.29	74.00	-5.71	peak
3	10641.000	39.31	13.36	52.67	54.00	-1.33	AVG
4	11059.000	35.40	14.96	50.36	74.00	-23.64	peak
5	12258.000	32.65	17.77	50.42	74.00	-23.58	peak
6	13270.000	29.58	19.63	49.21	74.00	-24.79	peak
7	17956.000	23.98	25.82	49.80	74.00	-24.20	peak

Test Mode:	802.11ax HE20	Channel:	5320
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.89	10.38	47.27	74.00	-26.73	peak
2	10641.000	44.49	13.36	57.85	74.00	-16.15	peak
3	10641.000	31.64	13.36	45.00	54.00	-9.00	AVG
4	11708.000	33.92	17.16	51.08	74.00	-22.92	peak
5	12698.000	32.42	18.08	50.50	74.00	-23.50	peak
6	13985.000	28.08	21.85	49.93	74.00	-24.07	peak
7	17956.000	24.66	25.82	50.48	74.00	-23.52	peak

Test Mode:	802.11ax HE20	Channel:	5500
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.65	10.46	48.11	74.00	-25.89	peak
2	10300.000	36.23	12.40	48.63	74.00	-25.37	peak
3	10993.000	47.37	14.70	62.07	74.00	-11.93	peak
4	10993.000	34.91	14.70	49.61	54.00	-4.39	AVG
5	12500.000	32.62	17.83	50.45	74.00	-23.55	peak
6	13996.000	28.41	21.87	50.28	74.00	-23.72	peak
7	18000.000	24.81	26.12	50.93	74.00	-23.07	peak

Test Mode:	802.11ax HE20	Channel:	5500
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.90	10.38	48.28	74.00	-25.72	peak
2	10993.000	38.90	14.70	53.60	74.00	-20.40	peak
3	10993.000	26.56	14.70	41.26	54.00	-12.74	AVG
4	11686.000	33.77	17.12	50.89	74.00	-23.11	peak
5	12643.000	32.47	18.01	50.48	74.00	-23.52	peak
6	13490.000	30.14	20.60	50.74	74.00	-23.26	peak
7	17978.000	24.54	25.97	50.51	74.00	-23.49	peak

Test Mode:	802.11ax HE20	Channel:	5580
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.71	10.43	48.14	74.00	-25.86	peak
2	10575.000	36.32	13.10	49.42	74.00	-24.58	peak
3	11147.000	42.21	15.32	57.53	74.00	-16.47	peak
4	11147.000	29.61	15.32	44.93	54.00	-9.07	AVG
5	12731.000	32.29	18.12	50.41	74.00	-23.59	peak
6	13864.000	29.36	21.53	50.89	74.00	-23.11	peak
7	17967.000	23.99	25.89	49.88	74.00	-24.12	peak

Test Mode:	802.11ax HE20	Channel:	5580
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.83	10.49	48.32	74.00	-25.68	peak
2	10443.000	36.86	12.70	49.56	74.00	-24.44	peak
3	11158.000	41.36	15.37	56.73	74.00	-17.27	peak
4	11158.000	27.94	15.37	43.31	54.00	-10.69	AVG
5	11840.000	33.41	17.40	50.81	74.00	-23.19	peak
6	13270.000	30.49	19.63	50.12	74.00	-23.88	peak
7	17692.000	26.33	24.01	50.34	74.00	-23.66	peak

Test Mode:	802.11ax HE20	Channel:	5700
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9354.000	36.76	10.56	47.32	74.00	-26.68	peak
2	11059.000	33.99	14.96	48.95	74.00	-25.05	peak
3	11400.000	41.20	16.36	57.56	74.00	-16.44	peak
4	11400.000	29.37	16.36	45.73	54.00	-8.27	AVG
5	12555.000	32.37	17.90	50.27	74.00	-23.73	peak
6	13127.000	31.41	19.01	50.42	74.00	-23.58	peak
7	17692.000	26.93	24.01	50.94	74.00	-23.06	peak

Test Mode:	802.11ax HE20	Channel:	5700
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	37.34	10.49	47.83	74.00	-26.17	peak
2	10421.000	36.24	12.66	48.90	74.00	-25.10	peak
3	11400.000	42.11	16.36	58.47	74.00	-15.53	peak
4	11400.000	30.20	16.36	46.56	54.00	-7.44	AVG
5	12236.000	32.83	17.76	50.59	74.00	-23.41	peak
6	13864.000	29.12	21.53	50.65	74.00	-23.35	peak
7	17989.000	24.50	26.04	50.54	74.00	-23.46	peak

Test Mode:	802.11ax HE20	Channel:	5720
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	37.40	10.53	47.93	74.00	-26.07	peak
2	10894.000	35.56	14.32	49.88	74.00	-24.12	peak
3	11444.000	42.60	16.53	59.13	74.00	-14.87	peak
4	11444.000	30.29	16.53	46.82	54.00	-7.18	AVG
5	12698.000	32.33	18.08	50.41	74.00	-23.59	peak
6	13545.000	29.58	20.75	50.33	74.00	-23.67	peak
7	17989.000	24.93	26.04	50.97	74.00	-23.03	peak

Test Mode:	802.11ax HE20	Channel:	5720
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10047.000	36.87	11.87	48.74	74.00	-25.26	peak
2	11444.000	43.12	16.53	59.65	74.00	-14.35	peak
3	11444.000	30.62	16.53	47.15	54.00	-6.85	AVG
4	11851.000	33.32	17.43	50.75	74.00	-23.25	peak
5	12643.000	32.41	18.01	50.42	74.00	-23.58	peak
6	13622.000	29.80	20.95	50.75	74.00	-23.25	peak
7	17967.000	24.28	25.89	50.17	74.00	-23.83	peak

Test Mode:	802.11ax HE20	Channel:	5745
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8903.000	38.38	9.66	48.04	74.00	-25.96	peak
2	10289.000	37.57	12.38	49.95	74.00	-24.05	peak
3	11477.000	38.97	16.67	55.64	74.00	-18.36	peak
4	11477.000	28.94	16.67	45.61	54.00	-8.39	AVG
5	12610.000	31.89	17.97	49.86	74.00	-24.14	peak
6	13985.000	28.11	21.85	49.96	74.00	-24.04	peak
7	17923.000	24.23	25.60	49.83	74.00	-24.17	peak

Test Mode:	802.11ax HE20	Channel:	5745
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.89	10.54	47.43	74.00	-26.57	peak
2	11070.000	34.96	15.01	49.97	74.00	-24.03	peak
3	11477.000	41.54	16.67	58.21	74.00	-15.79	peak
4	11477.000	29.20	16.67	45.87	54.00	-8.13	AVG
5	13072.000	31.96	18.77	50.73	74.00	-23.27	peak
6	13446.000	30.07	20.41	50.48	74.00	-23.52	peak
7	17945.000	24.88	25.75	50.63	74.00	-23.37	peak

Test Mode:	802.11ax HE20	Channel:	5785
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9651.000	36.90	10.99	47.89	74.00	-26.11	peak
2	11235.000	34.70	15.68	50.38	74.00	-23.62	peak
3	11576.000	36.51	16.91	53.42	74.00	-20.58	peak
4	11576.000	26.67	16.91	43.58	54.00	-10.42	AVG
5	12665.000	32.37	18.04	50.41	74.00	-23.59	peak
6	13743.000	29.06	21.24	50.30	74.00	-23.70	peak
7	18000.000	24.37	26.12	50.49	74.00	-23.51	peak

Test Mode:	802.11ax HE20	Channel:	5785
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10289.000	37.18	12.38	49.56	74.00	-24.44	peak
2	11081.000	35.02	15.05	50.07	74.00	-23.93	peak
3	11576.000	41.08	16.91	57.99	74.00	-16.01	peak
4	11576.000	29.43	16.91	46.34	54.00	-7.66	AVG
5	12676.000	32.58	18.05	50.63	74.00	-23.37	peak
6	13633.000	29.70	20.97	50.67	74.00	-23.33	peak
7	17362.000	27.99	22.12	50.11	74.00	-23.89	peak

Test Mode:	802.11ax HE20	Channel:	5825
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.80	10.49	47.29	74.00	-26.71	peak
2	11070.000	35.09	15.01	50.10	74.00	-23.90	peak
3	11653.000	38.21	17.05	55.26	74.00	-18.74	peak
4	11653.000	27.73	17.05	44.78	54.00	-9.22	AVG
5	12247.000	33.17	17.77	50.94	74.00	-23.06	peak
6	13611.000	29.96	20.92	50.88	74.00	-23.12	peak
7	17945.000	24.68	25.75	50.43	74.00	-23.57	peak

Test Mode:	802.11ax HE20	Channel:	5825
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10223.000	36.27	12.24	48.51	74.00	-25.49	peak
2	11246.000	34.41	15.73	50.14	74.00	-23.86	peak
3	11642.000	41.98	17.03	59.01	74.00	-14.99	peak
4	11642.000	31.70	17.03	48.73	54.00	-5.27	AVG
5	12676.000	32.81	18.05	50.86	74.00	-23.14	peak
6	13468.000	29.35	20.50	49.85	74.00	-24.15	peak
7	17989.000	24.37	26.04	50.41	74.00	-23.59	peak

Test Mode:	802.11ax HE40	Channel:	5190
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.58	10.51	48.09	74.00	-25.91	peak
2	10388.000	54.98	12.59	67.57	68.20	-0.63	peak
3	11059.000	35.45	14.96	50.41	74.00	-23.59	peak
4	12247.000	33.14	17.77	50.91	74.00	-23.09	peak
5	12643.000	32.98	18.01	50.99	74.00	-23.01	peak
6	17703.000	25.50	24.09	49.59	74.00	-24.41	peak

Test Mode:	802.11ax HE40	Channel:	5190
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.58	10.48	48.06	74.00	-25.94	peak
2	10377.000	48.92	12.56	61.48	68.20	-6.72	peak
3	11323.000	34.25	16.05	50.30	74.00	-23.70	peak
4	12665.000	31.84	18.04	49.88	74.00	-24.12	peak
5	13600.000	29.81	20.89	50.70	74.00	-23.30	peak
6	17989.000	24.50	26.04	50.54	74.00	-23.46	peak

Test Mode:	802.11ax HE40	Channel:	5230
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9772.000	36.63	11.26	47.89	74.00	-26.11	peak
2	10454.000	54.88	12.73	67.61	74.00	-0.59	peak
3	11785.000	32.64	17.30	49.94	74.00	-24.06	peak
4	12654.000	32.41	18.01	50.42	74.00	-23.58	peak
5	13270.000	30.23	19.63	49.86	74.00	-24.14	peak
6	17967.000	24.70	25.89	50.59	74.00	-23.41	peak

Test Mode:	802.11ax HE40	Channel:	5230
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	36.79	10.41	47.20	74.00	-26.80	peak
2	10454.000	45.82	12.73	58.55	68.20	-9.65	peak
3	11873.000	32.30	17.46	49.76	74.00	-24.24	peak
4	12566.000	32.41	17.91	50.32	74.00	-23.68	peak
5	13974.000	28.62	21.82	50.44	74.00	-23.56	peak
6	17989.000	23.50	26.04	49.54	74.00	-24.46	peak

Test Mode:	802.11ax HE40	Channel:	5270
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.40	10.43	47.83	74.00	-26.17	peak
2	10542.000	53.97	12.98	66.95	68.20	-1.25	peak
3	11521.000	33.33	16.82	50.15	74.00	-23.85	peak
4	12236.000	32.46	17.76	50.22	74.00	-23.78	peak
5	13116.000	31.35	18.96	50.31	74.00	-23.69	peak
6	18000.000	24.47	26.12	50.59	74.00	-23.41	peak

Test Mode:	802.11ax HE40	Channel:	5270
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	37.36	10.54	47.90	74.00	-26.10	peak
2	10531.000	47.14	12.94	60.08	68.20	-8.12	peak
3	12247.000	32.47	17.77	50.24	74.00	-23.76	peak
4	12665.000	32.24	18.04	50.28	74.00	-23.72	peak
5	13864.000	28.23	21.53	49.76	74.00	-24.24	peak
6	17967.000	24.76	25.89	50.65	74.00	-23.35	peak

Test Mode:	802.11ax HE40	Channel:	5310
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.36	10.54	47.90	74.00	-26.10	peak
2	10619.000	53.48	13.28	66.76	74.00	-7.24	peak
3	10619.000	37.21	13.28	50.49	54.00	-3.51	AVG
4	11785.000	32.47	17.30	49.77	74.00	-24.23	peak
5	12654.000	31.57	18.01	49.58	74.00	-24.42	peak
6	13864.000	28.58	21.53	50.11	74.00	-23.89	peak
7	17989.000	24.44	26.04	50.48	74.00	-23.52	peak

Test Mode:	802.11ax HE40	Channel:	5310
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.04	10.43	47.47	74.00	-26.53	peak
2	10619.000	46.33	13.28	59.61	74.00	-14.39	peak
3	10619.000	34.54	13.28	47.82	54.00	-6.18	AVG
4	11708.000	32.91	17.16	50.07	74.00	-23.93	peak
5	12643.000	32.28	18.01	50.29	74.00	-23.71	peak
6	13413.000	30.34	20.26	50.60	74.00	-23.40	peak
7	17934.000	24.86	25.67	50.53	74.00	-23.47	peak

Test Mode:	802.11ax HE40	Channel:	5510
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	37.38	9.82	47.20	74.00	-26.80	peak
2	10443.000	36.01	12.70	48.71	74.00	-25.29	peak
3	11026.000	39.66	14.82	54.48	74.00	-19.52	peak
4	11026.000	27.05	14.82	41.87	54.00	-12.13	AVG
5	13017.000	30.14	18.53	48.67	74.00	-25.33	peak
6	13600.000	27.81	20.89	48.70	74.00	-25.30	peak
7	17989.000	24.12	26.04	50.16	74.00	-23.84	peak

Test Mode:	802.11ax HE40	Channel:	5510
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9222.000	36.95	10.48	47.43	74.00	-26.57	peak
2	10608.000	36.10	13.23	49.33	74.00	-24.67	peak
3	11004.000	36.95	14.74	51.69	74.00	-22.31	peak
4	11004.000	24.98	14.74	39.72	54.00	-14.28	AVG
5	11884.000	31.89	17.48	49.37	74.00	-24.63	peak
6	13534.000	28.82	20.73	49.55	74.00	-24.45	peak
7	17912.000	23.67	25.52	49.19	74.00	-24.81	peak

Test Mode:	802.11ax HE40	Channel:	5550
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	37.61	10.43	48.04	74.00	-25.96	peak
2	10564.000	36.74	13.06	49.80	74.00	-24.20	peak
3	11103.000	39.89	15.15	55.04	74.00	-18.96	peak
4	11103.000	28.12	15.15	43.27	54.00	-10.73	AVG
5	13017.000	30.85	18.53	49.38	74.00	-24.62	peak
6	13919.000	28.03	21.68	49.71	74.00	-24.29	peak
7	18000.000	23.26	26.12	49.38	74.00	-24.62	peak

Test Mode:	802.11ax HE40	Channel:	5550
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.96	10.54	48.50	74.00	-25.50	peak
2	10311.000	37.11	12.42	49.53	74.00	-24.47	peak
3	11092.000	39.38	15.10	54.48	74.00	-19.52	peak
4	11092.000	27.03	15.10	42.13	54.00	-11.87	AVG
5	11433.000	33.13	16.50	49.63	74.00	-24.37	peak
6	13622.000	28.25	20.95	49.20	74.00	-24.80	peak
7	18000.000	23.37	26.12	49.49	74.00	-24.51	peak

Test Mode:	802.11ax HE40	Channel:	5670
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10377.000	37.44	12.56	50.00	74.00	-24.00	peak
2	11334.000	41.48	16.09	57.57	74.00	-16.43	peak
3	11334.000	29.59	16.09	45.68	54.00	-8.32	AVG
4	11873.000	32.55	17.46	50.01	74.00	-23.99	peak
5	12687.000	31.54	18.05	49.59	74.00	-24.41	peak
6	13919.000	28.23	21.68	49.91	74.00	-24.09	peak
7	17934.000	24.00	25.67	49.67	74.00	-24.33	peak

Test Mode:	802.11ax HE40	Channel:	5670
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.65	10.51	47.16	74.00	-26.84	peak
2	10388.000	36.57	12.59	49.16	74.00	-24.84	peak
3	11334.000	41.50	16.09	57.59	74.00	-16.41	peak
4	11334.000	28.22	16.09	44.31	54.00	-9.69	AVG
5	12632.000	32.34	17.99	50.33	74.00	-23.67	peak
6	13809.000	28.46	21.41	49.87	74.00	-24.13	peak
7	17945.000	24.33	25.75	50.08	74.00	-23.92	peak

Test Mode:	802.11ax HE40	Channel:	5710
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	36.78	10.47	47.25	74.00	-26.75	peak
2	10432.000	37.00	12.67	49.67	74.00	-24.33	peak
3	11422.000	42.39	16.46	58.85	74.00	-15.15	peak
4	11422.000	30.03	16.46	46.49	54.00	-7.51	AVG
5	12621.000	31.66	17.98	49.64	74.00	-24.36	peak
6	13864.000	27.76	21.53	49.29	74.00	-24.71	peak
7	17857.000	24.71	25.14	49.85	74.00	-24.15	peak

Test Mode:	802.11ax HE40	Channel:	5710
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	37.31	10.55	47.86	74.00	-26.14	peak
2	10476.000	36.46	12.77	49.23	74.00	-24.77	peak
3	11422.000	40.39	16.46	56.85	74.00	-17.15	peak
4	11422.000	27.29	16.46	43.75	54.00	-10.25	AVG
5	12247.000	32.01	17.77	49.78	74.00	-24.22	peak
6	13919.000	28.87	21.68	50.55	74.00	-23.45	peak
7	17901.000	25.25	25.45	50.70	74.00	-23.30	peak

Test Mode:	802.11ax HE40	Channel:	5755
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.97	10.54	48.51	74.00	-25.49	peak
2	10443.000	37.16	12.70	49.86	74.00	-24.14	peak
3	11521.000	39.48	16.82	56.30	74.00	-17.70	peak
4	11521.000	28.00	16.82	44.82	54.00	-9.18	AVG
5	12236.000	32.35	17.76	50.11	74.00	-23.89	peak
6	13919.000	27.88	21.68	49.56	74.00	-24.44	peak
7	17978.000	24.48	25.97	50.45	74.00	-23.55	peak

Test Mode:	802.11ax HE40	Channel:	5755
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9651.000	37.48	10.99	48.47	74.00	-25.53	peak
2	10938.000	35.06	14.48	49.54	74.00	-24.46	peak
3	11510.000	40.69	16.79	57.48	74.00	-16.52	peak
4	11510.000	28.95	16.79	45.74	54.00	-8.26	AVG
5	12687.000	32.19	18.05	50.24	74.00	-23.76	peak
6	13864.000	28.13	21.53	49.66	74.00	-24.34	peak
7	18000.000	23.92	26.12	50.04	74.00	-23.96	peak

Test Mode:	802.11ax HE40	Channel:	5795
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.86	10.51	47.37	74.00	-26.63	peak
2	10410.000	35.94	12.62	48.56	74.00	-25.44	peak
3	11598.000	37.25	16.96	54.21	74.00	-19.79	peak
4	11598.000	25.67	16.96	42.63	54.00	-11.37	AVG
5	12643.000	32.09	18.01	50.10	74.00	-23.90	peak
6	13864.000	28.30	21.53	49.83	74.00	-24.17	peak
7	17967.000	24.87	25.89	50.76	74.00	-23.24	peak

Test Mode:	802.11ax HE40	Channel:	5795
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9387.000	37.58	10.58	48.16	74.00	-25.84	peak
2	10927.000	35.48	14.45	49.93	74.00	-24.07	peak
3	11587.000	41.54	16.93	58.47	74.00	-15.53	peak
4	11587.000	29.34	16.93	46.27	54.00	-7.73	AVG
5	12555.000	32.67	17.90	50.57	74.00	-23.43	peak
6	13600.000	29.66	20.89	50.55	74.00	-23.45	peak
7	17967.000	25.09	25.89	50.98	74.00	-23.02	peak

Test Mode:	802.11ax HE80	Channel:	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9079.000	37.68	10.39	48.07	74.00	-25.93	peak
2	10421.000	52.55	12.66	65.21	68.20	-2.99	peak
3	11686.000	33.31	17.12	50.43	74.00	-23.57	peak
4	12687.000	31.89	18.05	49.94	74.00	-24.06	peak
5	13611.000	28.78	20.92	49.70	74.00	-24.30	peak
6	17956.000	23.84	25.82	49.66	74.00	-24.34	peak

Test Mode:	802.11ax HE80	Channel:	5210
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9387.000	37.88	10.58	48.46	74.00	-25.54	peak
2	10443.000	49.83	12.70	62.53	68.20	-5.67	peak
3	11312.000	33.31	16.00	49.31	74.00	-24.69	peak
4	12643.000	30.81	18.01	48.82	74.00	-25.18	peak
5	13864.000	28.04	21.53	49.57	74.00	-24.43	peak
6	17714.000	25.46	24.16	49.62	74.00	-24.38	peak

Test Mode:	802.11ax HE80	Channel:	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.27	10.48	47.75	74.00	-26.25	peak
2	10597.000	51.32	13.19	64.51	68.20	-3.69	peak
3	11697.000	32.93	17.13	50.06	74.00	-23.94	peak
4	12533.000	31.49	17.87	49.36	74.00	-24.64	peak
5	13886.000	28.07	21.60	49.67	74.00	-24.33	peak
6	17945.000	24.51	25.75	50.26	74.00	-23.74	peak

Test Mode:	802.11ax HE80	Channel:	5290
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	37.44	10.55	47.99	74.00	-26.01	peak
2	10575.000	48.16	13.10	61.26	68.20	-6.94	peak
3	11389.000	34.16	16.31	50.47	74.00	-23.53	peak
4	13017.000	30.95	18.53	49.48	74.00	-24.52	peak
5	13864.000	28.16	21.53	49.69	74.00	-24.31	peak
6	17989.000	24.68	26.04	50.72	74.00	-23.28	peak

Test Mode:	802.11ax HE80	Channel:	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.49	10.51	48.00	74.00	-26.00	peak
2	11081.000	34.53	15.05	49.58	74.00	-24.42	peak
3	11719.000	31.46	17.18	48.64	74.00	-25.36	peak
4	12665.000	30.50	18.04	48.54	74.00	-25.46	peak
5	13622.000	27.56	20.95	48.51	74.00	-25.49	peak
6	18000.000	23.51	26.12	49.63	74.00	-24.37	peak

Test Mode:	802.11ax HE80	Channel:	5530
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9354.000	37.26	10.56	47.82	74.00	-26.18	peak
2	10487.000	36.59	12.79	49.38	74.00	-24.62	peak
3	11081.000	35.40	15.05	50.45	74.00	-23.55	peak
4	11851.000	32.12	17.43	49.55	74.00	-24.45	peak
5	13523.000	28.46	20.70	49.16	74.00	-24.84	peak
6	17967.000	24.11	25.89	50.00	74.00	-24.00	peak

Test Mode:	802.11ax HE80	Channel:	5610
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.99	10.54	47.53	74.00	-26.47	peak
2	10916.000	34.41	14.39	48.80	74.00	-25.20	peak
3	11543.000	33.58	16.84	50.42	74.00	-23.58	peak
4	11884.000	32.17	17.48	49.65	74.00	-24.35	peak
5	13369.000	29.75	20.06	49.81	74.00	-24.19	peak
6	17989.000	23.48	26.04	49.52	74.00	-24.48	peak

Test Mode:	802.11ax HE80	Channel:	5610
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.25	10.50	47.75	74.00	-26.25	peak
2	10190.000	36.34	12.18	48.52	74.00	-25.48	peak
3	11191.000	35.78	15.50	51.28	74.00	-22.72	peak
4	11191.000	26.12	15.50	41.62	54.00	-12.38	AVG
5	11708.000	32.12	17.16	49.28	74.00	-24.72	peak
6	13875.000	27.75	21.57	49.32	74.00	-24.68	peak
7	17945.000	24.26	25.75	50.01	74.00	-23.99	peak

Test Mode:	802.11ax HE80	Channel:	5690
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9398.000	36.66	10.59	47.25	74.00	-26.75	peak
2	11004.000	35.38	14.74	50.12	74.00	-23.88	peak
3	11389.000	38.60	16.31	54.91	74.00	-19.09	peak
4	11389.000	27.27	16.31	43.58	54.00	-10.42	AVG
5	13094.000	31.09	18.87	49.96	74.00	-24.04	peak
6	13864.000	28.85	21.53	50.38	74.00	-23.62	peak
7	17989.000	24.88	26.04	50.92	74.00	-23.08	peak

Test Mode:	802.11ax HE80	Channel:	5690
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.98	10.50	47.48	74.00	-26.52	peak
2	10432.000	36.73	12.67	49.40	74.00	-24.60	peak
3	11411.000	38.24	16.41	54.65	74.00	-19.35	peak
4	11411.000	27.82	16.41	44.23	54.00	-9.77	AVG
5	13050.000	31.06	18.66	49.72	74.00	-24.28	peak
6	13919.000	28.51	21.68	50.19	74.00	-23.81	peak
7	17923.000	25.27	25.60	50.87	74.00	-23.13	peak

Test Mode:	802.11ax HE80	Channel:	5775
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	37.23	10.53	47.76	74.00	-26.24	peak
2	10509.000	36.40	12.85	49.25	74.00	-24.75	peak
3	11521.000	33.03	16.82	49.85	74.00	-24.15	peak
4	11697.000	32.94	17.13	50.07	74.00	-23.93	peak
5	13864.000	27.59	21.53	49.12	74.00	-24.88	peak
6	18000.000	23.65	26.12	49.77	74.00	-24.23	peak


Test Mode:	802.11ax HE80	Channel:	5775
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9222.000	37.05	10.48	47.53	74.00	-26.47	peak
2	10190.000	37.14	12.18	49.32	74.00	-24.68	peak
3	11532.000	37.06	16.83	53.89	74.00	-20.11	peak
4	11532.000	26.33	16.83	43.16	54.00	-10.84	AVG
5	12698.000	31.27	18.08	49.35	74.00	-24.65	peak
6	13919.000	27.39	21.68	49.07	74.00	-24.93	peak
7	17912.000	24.19	25.52	49.71	74.00	-24.29	peak


8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

Test Mode:	802.11a20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.0094	77.66	-101.35	-23.69	48.05	-75.19	-3.45	-71.74	peak
2	0.0114	76.88	-101.40	-24.52	46.46	-76.02	-5.04	-70.98	peak
3	0.0189	71.49	-101.35	-29.86	42.07	-81.36	-9.43	-71.93	peak
4	0.0316	66.74	-101.40	-34.66	37.61	-86.16	-13.89	-72.27	peak
5	0.0492	62.55	-101.47	-38.92	33.76	-90.42	-17.74	-72.68	peak
6	0.0675	62.14	-101.56	-39.42	31.02	-90.92	-20.48	-70.44	peak

Test Mode:	802.11a20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.1567	79.45	-101.65	-22.20	23.70	-73.70	-27.80	-45.90	peak
2	0.1794	76.27	-101.68	-25.41	22.53	-76.91	-28.97	-47.94	peak
3	0.2053	71.80	-101.73	-29.93	21.35	-81.43	-30.15	-51.28	peak
4	0.2442	67.53	-101.79	-34.26	19.85	-85.76	-31.65	-54.11	peak
5	0.3234	63.48	-101.88	-38.40	17.41	-89.90	-34.09	-55.81	peak
6	0.3714	60.78	-101.93	-41.15	16.20	-92.65	-35.30	-57.35	peak


Test Mode:	802.11a20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.5080	64.85	-62.07	2.78	33.49	-48.72	-18.01	-30.71	peak
2	0.7861	63.83	-62.14	1.69	29.69	-49.81	-21.81	-28.00	peak
3	1.5564	59.68	-62.02	-2.34	23.76	-53.84	-27.74	-26.10	peak
4	2.5935	56.61	-61.68	-5.07	29.54	-56.57	-21.96	-34.61	peak
5	6.2445	54.63	-61.32	-6.69	29.54	-58.19	-21.96	-36.23	peak
6	9.0774	52.27	-60.93	-8.66	29.54	-60.16	-21.96	-38.20	peak


8.5. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

Test Mode:	802.11a 20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18288.000	49.35	-5.50	43.85	74.00	-30.15	peak
2	20264.000	49.97	-5.60	44.37	74.00	-29.63	peak
3	21600.000	49.02	-4.54	44.48	74.00	-29.52	peak
4	23744.000	47.65	-3.20	44.45	74.00	-29.55	peak
5	24248.000	46.82	-2.83	43.99	74.00	-30.01	peak
6	25072.000	46.17	-1.97	44.20	74.00	-29.80	peak


Test Mode:	802.11a 20	Channel:	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18456.000	48.85	-5.30	43.55	74.00	-30.45	peak
2	19080.000	49.10	-5.34	43.76	74.00	-30.24	peak
3	19976.000	49.67	-5.44	44.23	74.00	-29.77	peak
4	21544.000	47.76	-4.63	43.13	74.00	-30.87	peak
5	24568.000	46.10	-2.33	43.77	74.00	-30.23	peak
6	25728.000	44.61	-0.72	43.89	74.00	-30.11	peak


8.6. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

Test Mode:	802.11a 20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	28786.000	46.99	-0.64	46.35	74.00	-27.65	peak
2	31012.000	47.83	-0.71	47.12	74.00	-26.88	peak
3	33644.000	46.81	0.42	47.23	74.00	-26.77	peak
4	35870.000	44.33	3.75	48.08	74.00	-25.92	peak
5	38054.000	44.44	3.39	47.83	74.00	-26.17	peak
6	39958.000	43.08	5.12	48.20	74.00	-25.80	peak


Test Mode:	802.11a 20	Channel:	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26476.000	51.03	-4.78	46.25	74.00	-27.75	peak
2	28828.000	48.13	-0.79	47.34	74.00	-26.66	peak
3	31320.000	48.61	-0.93	47.68	74.00	-26.32	peak
4	35828.000	44.75	3.67	48.42	74.00	-25.58	peak
5	38278.000	44.82	3.82	48.64	74.00	-25.36	peak
6	39972.000	44.45	5.13	49.58	74.00	-24.42	peak


8.7. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

Test Mode:	802.11a 20	Channel:	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	120.2100	52.28	-19.36	32.92	40.00	-7.08	QP
2	220.1200	49.05	-16.87	32.18	40.00	-7.82	QP
3	255.0400	46.27	-18.02	28.25	47.00	-18.75	QP
4	379.2000	43.28	-12.50	30.78	47.00	-16.22	QP
5	767.2000	33.25	-6.40	26.85	47.00	-20.15	QP
6	949.5600	36.00	-4.61	31.39	47.00	-15.61	QP

Test Mode:	802.11a 20	Channel:	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	36.7900	45.99	-18.83	27.16	40.00	-12.84	QP
2	182.2899	42.65	-15.92	26.73	40.00	-13.27	QP
3	222.0600	45.68	-16.95	28.73	40.00	-11.27	QP
4	378.2300	40.04	-12.51	27.53	47.00	-19.47	QP
5	572.2300	36.01	-9.69	26.32	47.00	-20.68	QP
6	755.5600	34.52	-6.61	27.91	47.00	-19.09	QP

9. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISED RSS-Gen Clause 8.8

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00


TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP



TEST ENVIRONMENT


Temperature	21.9 °C	Relative Humidity	57.6 %
Atmosphere Pressure	101kPa	Test Voltage	AC 120 V, 60 Hz

TEST DATE / ENGINEER

Test Date	January 10, 2023	Test By	Karl Wu
-----------	------------------	---------	---------

TEST RESULTS

Test Mode:	802.11a20	Channel:	5180
Line:	Line		




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1862	35.05	9.59	44.64	64.20	-19.56	QP
2	0.1862	21.42	9.59	31.01	54.20	-23.19	AVG
3	0.4102	23.09	9.60	32.69	57.64	-24.95	QP
4	0.4102	17.05	9.60	26.65	47.64	-20.99	AVG
5	0.7915	25.38	9.60	34.98	56.00	-21.02	QP
6	0.7915	21.87	9.60	31.47	46.00	-14.53	AVG
7	1.5804	22.33	9.62	31.95	56.00	-24.05	QP
8	1.5804	15.24	9.62	24.86	46.00	-21.14	AVG
9	4.1352	13.62	9.70	23.32	56.00	-32.68	QP
10	4.1352	6.26	9.70	15.96	46.00	-30.04	AVG
11	16.5247	28.69	9.76	38.45	60.00	-21.55	QP
12	16.5247	19.94	9.76	29.70	50.00	-20.30	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

Test Mode:	802.11a20	Channel:	5180
Line:	Neutral		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1626	37.95	9.52	47.47	65.33	-17.86	QP
2	0.1626	21.95	9.52	31.47	55.33	-23.86	AVG
3	0.7907	25.05	9.50	34.55	56.00	-21.45	QP
4	0.7907	21.48	9.50	30.98	46.00	-15.02	AVG
5	1.8157	17.07	9.60	26.67	56.00	-29.33	QP
6	1.8157	9.79	9.60	19.39	46.00	-26.61	AVG
7	2.7745	19.05	9.62	28.67	56.00	-27.33	QP
8	2.7745	9.31	9.62	18.93	46.00	-27.07	AVG
9	5.9392	20.87	9.64	30.51	60.00	-29.49	QP
10	5.9392	15.64	9.64	25.28	50.00	-24.72	AVG
11	16.5653	28.23	9.66	37.89	60.00	-22.11	QP
12	16.5653	19.36	9.66	29.02	50.00	-20.98	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

10. ANTENNA REQUIREMENT

REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

DESCRIPTION

Pass

11. TEST DATA

11.1. APPENDIX A: EMISSION BANDWIDTH




11.1.1. Test Result


Test Mode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Verdict	
11A	Ant1	5180	24.04	5167.64	5191.68	PASS	
	Ant2	5180	22.56	5169.08	5191.64	PASS	
	Ant1	5200	24.32	5188.04	5212.36	PASS	
	Ant2	5200	23.92	5188.12	5212.04	PASS	
	Ant1	5240	20.08	5230.04	5250.12	PASS	
	Ant2	5240	19.80	5230.08	5249.88	PASS	
	Ant1	5260	22.20	5248.64	5270.84	PASS	
	Ant2	5260	23.92	5248.00	5271.92	PASS	
	Ant1	5280	23.00	5268.56	5291.56	PASS	
	Ant2	5280	23.84	5267.80	5291.64	PASS	
	Ant1	5320	24.20	5308.28	5332.48	PASS	
	Ant2	5320	24.80	5307.08	5331.88	PASS	
	Ant1	5500	23.92	5487.52	5511.44	PASS	
	Ant2	5500	24.48	5487.56	5512.04	PASS	
	Ant1	5580	23.48	5568.52	5592.00	PASS	
	Ant2	5580	23.96	5567.48	5591.44	PASS	
	Ant1	5700	24.92	5686.92	5711.84	PASS	
	Ant2	5700	22.88	5688.64	5711.52	PASS	
	Ant1	5720	22.44	5709.16	5731.60	PASS	
	Ant2	5720	24.12	5707.36	5731.48	PASS	
	Ant1	5720_UNII-2C	15.84	5709.16	5725	PASS	
	Ant2	5720_UNII-2C	17.64	5707.36	5725	PASS	
	Ant1	5720_UNII-3	6.6	5725	5731.60	PASS	
	Ant2	5720_UNII-3	6.48	5725	5731.48	PASS	
	Ant1	5745	23.00	5733.12	5756.12	PASS	
	Ant2	5745	23.96	5732.60	5756.56	PASS	
	Ant1	5785	23.96	5772.84	5796.80	PASS	
	Ant2	5785	23.64	5773.00	5796.64	PASS	
	Ant1	5825	24.36	5813.04	5837.40	PASS	
	Ant2	5825	23.48	5813.08	5836.56	PASS	
	11N20MIMO	Ant1	5180	24.56	5167.16	5191.72	PASS
		Ant2	5180	24.92	5167.36	5192.28	PASS
Ant1		5200	25.28	5187.80	5213.08	PASS	
Ant2		5200	24.84	5187.72	5212.56	PASS	
Ant1		5240	20.32	5229.88	5250.20	PASS	
Ant2		5240	20.16	5229.96	5250.12	PASS	
Ant1		5260	24.56	5248.28	5272.84	PASS	
Ant2		5260	23.68	5248.20	5271.88	PASS	
Ant1		5280	25.32	5266.76	5292.08	PASS	
Ant2		5280	22.84	5268.72	5291.56	PASS	
Ant1		5320	25.44	5307.00	5332.44	PASS	
Ant2		5320	25.88	5306.20	5332.08	PASS	
Ant1		5500	24.80	5487.16	5511.96	PASS	
Ant2		5500	25.64	5487.00	5512.64	PASS	
Ant1		5580	25.16	5567.00	5592.16	PASS	
Ant2		5580	24.72	5568.04	5592.76	PASS	
Ant1		5700	23.80	5687.72	5711.52	PASS	
Ant2		5700	23.88	5687.68	5711.56	PASS	
Ant1		5720	24.56	5707.56	5732.12	PASS	
Ant2		5720	24.52	5708.04	5732.56	PASS	
Ant1		5720_UNII-2C	17.44	5707.56	5725	PASS	
Ant2		5720_UNII-2C	16.96	5708.04	5725	PASS	
Ant1		5720_UNII-3	7.12	5725	5732.12	PASS	
Ant2		5720_UNII-3	7.56	5725	5732.56	PASS	
Ant1		5745	24.96	5732.16	5757.12	PASS	
Ant2		5745	24.20	5733.52	5757.72	PASS	

	Ant1	5785	25.24	5772.28	5797.52	PASS
	Ant2	5785	24.04	5772.76	5796.80	PASS
	Ant1	5825	24.40	5812.60	5837.00	PASS
	Ant2	5825	24.24	5812.56	5836.80	PASS
11N40MIMO	Ant1	5190	41.20	5169.36	5210.56	PASS
	Ant2	5190	40.48	5169.76	5210.24	PASS
	Ant1	5230	40.96	5209.68	5250.64	PASS
	Ant2	5230	40.16	5210.00	5250.16	PASS
	Ant1	5270	40.80	5249.60	5290.40	PASS
	Ant2	5270	40.72	5249.68	5290.40	PASS
	Ant1	5310	40.80	5289.60	5330.40	PASS
	Ant2	5310	40.32	5290.00	5330.32	PASS
	Ant1	5510	40.96	5489.52	5530.48	PASS
	Ant2	5510	40.48	5489.92	5530.40	PASS
	Ant1	5550	40.80	5529.68	5570.48	PASS
	Ant2	5550	40.32	5529.68	5570.00	PASS
	Ant1	5670	41.28	5649.20	5690.48	PASS
	Ant2	5670	40.24	5649.92	5690.16	PASS
	Ant1	5710	40.96	5689.52	5730.48	PASS
	Ant2	5710	40.16	5690.00	5730.16	PASS
	Ant1	5710_UNII-2C	35.48	5689.52	5725	PASS
	Ant2	5710_UNII-2C	35	5690.00	5725	PASS
	Ant1	5710_UNII-3	5.48	5725	5730.48	PASS
	Ant2	5710_UNII-3	5.16	5725	5730.16	PASS
	Ant1	5755	41.20	5734.44	5775.64	PASS
	Ant2	5755	40.56	5734.76	5775.32	PASS
	Ant1	5795	40.96	5774.52	5815.48	PASS
	Ant2	5795	40.32	5774.92	5815.24	PASS
11AC80MIMO	Ant1	5210	80.48	5169.84	5250.32	PASS
	Ant2	5210	79.84	5170.16	5250.00	PASS
	Ant1	5290	80.32	5250.00	5330.32	PASS
	Ant2	5290	79.84	5250.16	5330.00	PASS
	Ant1	5530	80.16	5490.00	5570.16	PASS
	Ant2	5530	80.32	5489.84	5570.16	PASS
	Ant1	5610	80.16	5570.00	5650.16	PASS
	Ant2	5610	80.16	5570.00	5650.16	PASS
	Ant1	5690	80.48	5649.84	5730.32	PASS
	Ant2	5690	80.32	5650.00	5730.32	PASS
	Ant1	5690_UNII-2C	75.16	5649.84	5725	PASS
	Ant2	5690_UNII-2C	75	5650.00	5725	PASS
	Ant1	5690_UNII-3	5.32	5725	5730.32	PASS
	Ant2	5690_UNII-3	5.32	5725	5730.32	PASS
	Ant1	5775	80.64	5734.84	5815.48	PASS
	Ant2	5775	80.00	5735.00	5815.00	PASS
11AX20MIMO	Ant1	5180	21.20	5169.48	5190.68	PASS
	Ant2	5180	21.52	5169.08	5190.60	PASS
	Ant1	5200	21.56	5189.16	5210.72	PASS
	Ant2	5200	22.32	5188.40	5210.72	PASS
	Ant1	5240	20.04	5230.00	5250.04	PASS
	Ant2	5240	20.08	5229.92	5250.00	PASS
	Ant1	5260	21.16	5249.20	5270.36	PASS
	Ant2	5260	21.96	5249.20	5271.16	PASS
	Ant1	5280	21.60	5269.16	5290.76	PASS
	Ant2	5280	21.64	5269.56	5291.20	PASS
	Ant1	5320	22.12	5308.92	5331.04	PASS
	Ant2	5320	21.44	5309.28	5330.72	PASS
	Ant1	5500	21.48	5489.20	5510.68	PASS
	Ant2	5500	21.96	5489.00	5510.96	PASS
	Ant1	5580	23.12	5568.12	5591.24	PASS
	Ant2	5580	20.88	5569.40	5590.28	PASS
	Ant1	5700	21.44	5689.36	5710.80	PASS
	Ant2	5700	23.76	5687.04	5710.80	PASS
Ant1	5720	21.60	5709.04	5730.64	PASS	
Ant2	5720	22.16	5709.12	5731.28	PASS	

	Ant1	5720_UNII-2C	15.96	5709.04	5725	PASS	
	Ant2	5720_UNII-2C	15.88	5709.12	5725	PASS	
	Ant1	5720_UNII-3	5.64	5725	5730.64	PASS	
	Ant2	5720_UNII-3	6.28	5725	5731.28	PASS	
	Ant1	5745	21.72	5733.96	5755.68	PASS	
	Ant2	5745	21.64	5734.04	5755.68	PASS	
	Ant1	5785	23.80	5771.96	5795.76	PASS	
	Ant2	5785	21.52	5773.88	5795.40	PASS	
	Ant1	5825	21.96	5813.80	5835.76	PASS	
	Ant2	5825	21.76	5814.20	5835.96	PASS	
11AX40MIMO	Ant1	5190	40.00	5170.00	5210.00	PASS	
	Ant2	5190	39.76	5170.16	5209.92	PASS	
	Ant1	5230	39.84	5210.08	5249.92	PASS	
	Ant2	5230	39.92	5210.08	5250.00	PASS	
	Ant1	5270	39.76	5250.16	5289.92	PASS	
	Ant2	5270	39.76	5250.16	5289.92	PASS	
	Ant1	5310	39.76	5290.16	5329.92	PASS	
	Ant2	5310	39.76	5290.16	5329.92	PASS	
	Ant1	5510	39.84	5490.08	5529.92	PASS	
	Ant2	5510	39.92	5490.08	5530.00	PASS	
	Ant1	5550	39.84	5530.16	5570.00	PASS	
	Ant2	5550	39.84	5530.16	5570.00	PASS	
	Ant1	5670	40.00	5650.00	5690.00	PASS	
	Ant2	5670	39.92	5650.08	5690.00	PASS	
	Ant1	5710	39.68	5690.24	5729.92	PASS	
	Ant2	5710	39.76	5690.16	5729.92	PASS	
		Ant1	5710_UNII-2C	34.76	5690.24	5725	PASS
		Ant2	5710_UNII-2C	34.84	5690.16	5725	PASS
		Ant1	5710_UNII-3	4.92	5725	5729.92	PASS
		Ant2	5710_UNII-3	4.92	5725	5729.92	PASS
		Ant1	5755	40.00	5735.08	5775.08	PASS
		Ant2	5755	40.00	5735.00	5775.00	PASS
	Ant1	5795	39.92	5775.08	5815.00	PASS	
	Ant2	5795	39.84	5775.08	5814.92	PASS	
11AX80MIMO	Ant1	5210	80.80	5169.52	5250.32	PASS	
	Ant2	5210	80.80	5169.68	5250.48	PASS	
	Ant1	5290	80.32	5250.00	5330.32	PASS	
	Ant2	5290	80.80	5249.68	5330.48	PASS	
	Ant1	5530	80.48	5489.84	5570.32	PASS	
	Ant2	5530	80.48	5489.84	5570.32	PASS	
	Ant1	5610	80.64	5569.84	5650.48	PASS	
	Ant2	5610	80.80	5569.68	5650.48	PASS	
	Ant1	5690	80.80	5649.68	5730.48	PASS	
	Ant2	5690	80.96	5649.52	5730.48	PASS	
		Ant1	5690_UNII-2C	75.32	5649.68	5725	PASS
		Ant2	5690_UNII-2C	75.48	5649.52	5725	PASS
		Ant1	5690_UNII-3	5.48	5725	5730.48	PASS
		Ant2	5690_UNII-3	5.48	5725	5730.48	PASS
		Ant1	5775	80.64	5734.68	5815.32	PASS
		Ant2	5775	80.80	5734.68	5815.48	PASS


11.1.2. Test Graphs






Date: 9 JAN 2024 11:52:58

11A_Ant2_5200




Date: 9 JAN 2024 11:32:12

11A_Ant1_5240






Date: 9 JAN 2024 11:54:23

11A_Ant2_5240



Date: 9 JAN 2024 11:32:44



11A_Ant2_5280

