



Test Mode:	802.11n HT40 AV	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	6.32	38.84	45.16	54.00	-8.84	AVG
2	5150.000	6.78	38.84	45.62	54.00	-8.38	AVG
3	5350.000	3.79	39.29	43.08	54.00	-10.92	AVG
4	5455.200	4.00	39.55	43.55	54.00	-10.45	AVG

Test Mode:	802.11n HT40 PK	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5140.320	19.60	38.83	58.43	74.00	-15.57	peak
2	5150.000	17.92	38.84	56.76	74.00	-17.24	peak
3	5350.000	24.89	39.29	64.18	74.00	-9.82	peak
4	5351.520	25.18	39.30	64.48	74.00	-9.52	peak

Test Mode:	802.11n HT40 AV	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5140.320	4.15	38.83	42.98	54.00	-11.02	AVG
2	5150.000	4.62	38.84	43.46	54.00	-10.54	AVG
3	5350.000	6.85	39.29	46.14	54.00	-7.86	AVG
4	5351.520	6.70	39.30	46.00	54.00	-8.00	AVG

Test Mode:	802.11n HT40 PK	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	30.24	39.29	69.53	74.00	-4.47	peak

Test Mode:	802.11n HT40 AV	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	11.21	39.29	50.50	54.00	-3.50	AVG

Test Mode:	802.11n HT40 PK	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	20.78	39.56	60.34	74.00	-13.66	peak
2	5467.990	24.22	39.58	63.80	68.20	-4.40	peak
3	5470.000	23.58	39.58	63.16	68.20	-5.04	peak

Test Mode:	802.11n HT40 AV	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5460.000	5.88	39.56	45.44	54.00	-8.56	AVG
2	5467.990	7.48	39.58	47.06	/	/	AVG
3	5470.000	8.95	39.58	48.53	/	/	AVG

Test Mode:	802.11n HT40 PK	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	20.71	40.09	60.80	68.20	-7.40	peak
2	5725.470	21.22	40.09	61.31	68.20	-6.89	peak

Test Mode:	802.11n HT40 PK	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5649.020	19.43	39.99	59.42	68.20	-8.78	peak
2	5725.000	36.94	40.09	77.03	122.20	-45.17	peak

Test Mode:	802.11n HT40 PK	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5850.000	33.93	40.30	74.23	122.20	-47.97	peak
2	5945.490	20.21	40.52	60.73	68.20	-7.47	peak

Test Mode:	802.11ac VHT80 PK	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	23.48	38.84	62.32	74.00	-11.68	peak

Test Mode:	802.11ac VHT80 AV	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5150.000	11.11	38.84	49.95	54.00	-4.05	AVG

Test Mode:	802.11ac VHT80 PK	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	24.15	39.29	63.44	74.00	-10.56	peak
2	5351.980	25.02	39.30	64.32	74.00	-9.68	peak

Test Mode:	802.11ac VHT80 AV	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	11.63	39.29	50.92	54.00	-3.08	AVG
2	5351.980	9.40	39.30	48.70	54.00	-5.30	AVG

Test Mode:	802.11ac VHT80 PK	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5453.270	24.46	39.54	64.00	74.00	-10.00	peak
2	5457.640	22.90	39.56	62.46	74.00	-11.54	peak
3	5460.000	21.58	39.56	61.14	74.00	-12.86	peak
4	5470.000	23.70	39.58	63.28	68.20	-4.92	peak

Test Mode:	802.11ac VHT80 AV	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5453.270	8.75	39.54	48.29	54.00	-5.71	AVG
2	5457.640	9.33	39.56	48.89	54.00	-5.11	AVG
3	5460.000	7.52	39.56	47.08	54.00	-6.92	AVG
4	5470.000	10.11	39.58	49.69	/	/	AVG

Test Mode:	802.11ac VHT80 PK	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	22.04	40.09	62.13	68.20	-6.07	peak
2	5736.300	24.22	40.10	64.32	68.20	-3.88	peak

Test Mode:	802.11ac VHT80 PK	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5646.000	23.87	39.98	63.85	68.20	-4.35	peak
2	5725.000	43.73	40.09	83.82	122.20	-38.38	peak
3	5850.000	35.14	40.30	75.44	122.20	-46.76	peak
4	5943.200	24.10	40.52	64.62	68.20	-3.58	peak

Test Mode:	802.11ac VHT160 PK	Frequency(MHz):	5250
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	29.51	38.83	68.34	74.00	-5.66	peak
2	5148.960	30.22	38.84	69.06	74.00	-4.94	peak
3	5150.000	29.92	38.84	68.76	74.00	-5.24	peak
4	5350.000	23.67	39.29	62.96	74.00	-11.04	peak
5	5354.400	26.00	39.31	65.31	74.00	-8.69	peak

Test Mode:	802.11ac VHT160 AV	Frequency(MHz):	5250
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5145.120	12.68	38.83	51.51	54.00	-2.49	AVG
2	5148.960	11.05	38.84	49.89	54.00	-4.11	AVG
3	5150.000	10.86	38.84	49.70	54.00	-4.30	AVG
4	5350.000	6.99	39.29	46.28	54.00	-7.72	AVG
5	5354.400	7.64	39.31	46.95	54.00	-7.05	AVG

Test Mode:	802.11ac VHT160 PK	Frequency(MHz):	5570
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5448.000	24.20	39.54	63.74	74.00	-10.26	peak
2	5460.000	22.80	39.56	62.36	74.00	-11.64	peak
3	5462.500	24.95	39.56	64.51	68.20	-3.69	peak
4	5470.000	21.71	39.58	61.29	68.20	-6.91	peak
5	5725.000	20.81	40.09	60.90	68.20	-7.30	peak
6	5824.500	24.23	40.24	64.47	68.20	-3.73	peak

Test Mode:	802.11ac VHT160 AV	Frequency(MHz):	5570
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5448.000	7.62	39.54	47.16	54.00	-6.84	AVG
2	5460.000	6.55	39.56	46.11	54.00	-7.89	AVG
3	5462.500	7.33	39.56	46.89	/	/	AVG
4	5470.000	6.62	39.58	46.20	/	/	AVG
5	5725.000	7.58	40.09	47.67	/	/	AVG
6	5824.500	4.75	40.24	44.99	/	/	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.230	18.53	38.84	57.37	74.00	-16.63	peak
2	5150.000	16.99	38.84	55.83	74.00	-18.17	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.230	4.96	38.84	43.80	54.00	-10.20	AVG
2	5150.000	5.21	38.84	44.05	54.00	-9.95	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5120.160	17.77	38.79	56.56	74.00	-17.44	peak
2	5150.000	16.18	38.84	55.02	74.00	-18.98	peak
3	5350.000	16.27	39.29	55.56	74.00	-18.44	peak
4	5448.480	17.74	39.54	57.28	74.00	-16.72	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5120.160	3.97	38.79	42.76	54.00	-11.24	AVG
2	5150.000	4.20	38.84	43.04	54.00	-10.96	AVG
3	5350.000	3.78	39.29	43.07	54.00	-10.93	AVG
4	5448.480	4.19	39.54	43.73	54.00	-10.27	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4930.080	18.45	38.46	56.91	74.00	-17.09	peak
2	5150.000	16.47	38.84	55.31	74.00	-18.69	peak
3	5350.000	16.85	39.29	56.14	74.00	-17.86	peak
4	5436.000	18.44	39.50	57.94	74.00	-16.06	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4930.080	4.27	38.46	42.73	54.00	-11.27	AVG
2	5150.000	3.70	38.84	42.54	54.00	-11.46	AVG
3	5350.000	3.76	39.29	43.05	54.00	-10.95	AVG
4	5436.000	4.01	39.50	43.51	54.00	-10.49	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	29.74	39.29	69.03	74.00	-4.97	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	6.61	39.29	45.90	54.00	-8.10	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.540	24.54	39.56	64.10	74.00	-9.90	peak
2	5460.000	19.31	39.56	58.87	74.00	-15.13	peak
3	5468.620	24.64	39.58	64.22	68.20	-3.98	peak
4	5470.000	24.47	39.58	64.05	68.20	-4.15	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.540	4.90	39.56	44.46	54.00	-9.54	AVG
2	5460.000	4.82	39.56	44.38	54.00	-9.62	AVG
3	5468.620	5.14	39.58	44.72	/	/	AVG
4	5470.000	5.25	39.58	44.83	/	/	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	18.00	40.09	58.09	68.20	-10.11	peak
2	5773.320	19.18	40.15	59.33	68.20	-8.87	peak

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5646.550	18.79	39.98	58.77	68.20	-9.43	peak
2	5725.000	40.99	40.09	81.08	122.20	-41.12	peak

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5850.000	33.82	40.30	74.12	122.20	-48.08	peak
2	5932.610	19.60	40.49	60.09	68.20	-8.11	peak

Test Mode:	802.11ax HE40 PK	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.970	28.22	38.84	67.06	74.00	-6.94	peak
2	5150.000	25.33	38.84	64.17	74.00	-9.83	peak

Test Mode:	802.11ax HE40 AV	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.970	7.24	38.84	46.08	54.00	-7.92	AVG
2	5150.000	7.60	38.84	46.44	54.00	-7.56	AVG

Test Mode:	802.11ax HE40 PK	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	24.24	38.84	63.08	74.00	-10.92	peak
2	5150.000	21.97	38.84	60.81	74.00	-13.19	peak
3	5350.000	16.58	39.29	55.87	74.00	-18.13	peak
4	5436.000	18.03	39.50	57.53	74.00	-16.47	peak

Test Mode:	802.11ax HE40 AV	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5148.000	7.02	38.84	45.86	54.00	-8.14	AVG
2	5150.000	7.46	38.84	46.30	54.00	-7.70	AVG
3	5350.000	4.00	39.29	43.29	54.00	-10.71	AVG
4	5436.000	3.77	39.50	43.27	54.00	-10.73	AVG

Test Mode:	802.11ax HE40 PK	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5141.280	19.87	38.83	58.70	74.00	-15.30	peak
2	5150.000	19.50	38.84	58.34	74.00	-15.66	peak
3	5350.000	22.74	39.29	62.03	74.00	-11.97	peak

Test Mode:	802.11ax HE40 AV	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5141.280	4.19	38.83	43.02	54.00	-10.98	AVG
2	5150.000	4.29	38.84	43.13	54.00	-10.87	AVG
3	5350.000	6.14	39.29	45.43	54.00	-8.57	AVG

Test Mode:	802.11ax HE40 PK	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	28.86	39.29	68.15	74.00	-5.85	peak
2	5350.370	29.92	39.30	69.22	74.00	-4.78	peak

Test Mode:	802.11ax HE40 AV	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	6.90	39.29	46.19	54.00	-7.81	AVG
2	5350.370	7.01	39.30	46.31	54.00	-7.69	AVG

Test Mode:	802.11ax HE40 PK	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.680	20.61	39.56	60.17	74.00	-13.83	peak
2	5460.000	18.59	39.56	58.15	74.00	-15.85	peak
3	5463.050	23.76	39.57	63.33	68.20	-4.87	peak
4	5470.000	21.93	39.58	61.51	68.20	-6.69	peak

Test Mode:	802.11ax HE40 AV	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5458.680	5.49	39.56	45.05	54.00	-8.95	AVG
2	5460.000	6.05	39.56	45.61	54.00	-8.39	AVG
3	5463.050	5.90	39.57	45.47	/	/	AVG
4	5470.000	6.73	39.58	46.31	/	/	AVG

Test Mode:	802.11ax HE40 PK	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	18.61	40.09	58.70	68.20	-9.50	peak
2	5729.040	21.18	40.09	61.27	68.20	-6.93	peak

Test Mode:	802.11ax HE40 PK	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5645.410	19.16	39.98	59.14	68.20	-9.06	peak
2	5725.000	41.19	40.09	81.28	122.20	-40.92	peak

Test Mode:	802.11ax HE40 PK	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5850.000	25.60	40.30	65.90	122.20	-56.30	peak
2	5967.110	19.85	40.58	60.43	68.20	-7.77	peak

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5149.380	31.52	38.84	70.36	74.00	-3.64	peak
2	5150.000	28.30	38.84	67.14	74.00	-6.86	peak

Test Mode:	802.11ax HE80 AV	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5149.380	9.03	38.84	47.87	54.00	-6.13	AVG
2	5150.000	8.93	38.84	47.77	54.00	-6.23	AVG

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	28.78	39.29	68.07	74.00	-5.93	peak
2	5362.760	30.93	39.33	70.26	74.00	-3.74	peak

Test Mode:	802.11ax HE80 AV	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	11.67	39.29	50.96	54.00	-3.04	AVG
2	5362.760	10.13	39.33	49.46	54.00	-4.54	AVG

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.870	27.39	39.56	66.95	74.00	-7.05	peak
2	5460.000	22.62	39.56	62.18	74.00	-11.82	peak
3	5464.770	24.99	39.57	64.56	68.20	-3.64	peak
4	5470.000	23.65	39.58	63.23	68.20	-4.97	peak

Test Mode:	802.11ax HE80 AV	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.870	9.20	39.56	48.76	54.00	-5.24	AVG
2	5460.000	8.43	39.56	47.99	54.00	-6.01	AVG
3	5464.770	8.65	39.57	48.22	/	/	AVG
4	5470.000	9.70	39.58	49.28	/	/	AVG

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	21.65	40.09	61.74	68.20	-6.46	peak
2	5726.400	23.49	40.09	63.58	68.20	-4.62	peak

Test Mode:	802.11ax HE80 PK	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5649.200	23.20	39.99	63.19	68.20	-5.01	peak
2	5653.600	27.02	40.00	67.02	70.87	-3.85	peak
3	5725.000	39.91	40.09	80.00	122.20	-42.20	peak
4	5850.000	32.72	40.30	73.02	122.20	-49.18	peak
5	5930.000	21.74	40.49	62.23	68.20	-5.97	peak

Test Mode:	802.11ax HE160 PK	Frequency(MHz):	5250
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5122.080	18.94	38.80	57.74	74.00	-16.26	peak
2	5150.000	16.74	38.84	55.58	74.00	-18.42	peak
3	5350.000	16.22	39.29	55.51	74.00	-18.49	peak
4	5366.880	18.19	39.34	57.53	74.00	-16.47	peak

Test Mode:	802.11ax HE160 AV	Frequency(MHz):	5250
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5122.080	4.33	38.80	43.13	54.00	-10.87	AVG
2	5150.000	4.17	38.84	43.01	54.00	-10.99	AVG
3	5350.000	3.82	39.29	43.11	54.00	-10.89	AVG
4	5366.880	3.99	39.34	43.33	54.00	-10.67	AVG

Test Mode:	802.11ax HE160 PK	Frequency(MHz):	5570
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5387.000	18.21	39.38	57.59	74.00	-16.41	peak
2	5460.000	17.11	39.56	56.67	74.00	-17.33	peak
3	5467.000	18.94	39.58	58.52	68.20	-9.68	peak
4	5470.000	16.64	39.58	56.22	68.20	-11.98	peak
5	5725.000	18.21	40.09	58.30	68.20	-9.90	peak
6	5848.500	18.44	40.30	58.74	68.20	-9.46	peak

Test Mode:	802.11ax HE160 AV	Frequency(MHz):	5570
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5367.000	3.65	39.34	42.99	54.00	-11.01	AVG
2	5387.000	3.69	39.38	43.07	54.00	-10.93	AVG
3	5460.000	4.24	39.56	43.80	54.00	-10.20	AVG
4	5470.000	4.11	39.58	43.69	/	/	AVG
5	5725.000	4.70	40.09	44.79	/	/	AVG
6	5848.500	4.62	40.30	44.92	/	/	AVG

8.4. RESTRICTED BANDEDGE - CONDITION 2 FPC ANTENNA PARTIAL RU


Note: For the 3 data of Frequency means: Frequency, RU Size, RU index

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5180 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5101.370	17.96	38.76	56.72	74.00	-17.28	peak
2	5150.000	16.21	38.84	55.05	74.00	-18.95	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5180 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5101.370	3.91	38.76	42.67	54.00	-11.33	AVG
2	5150.000	3.73	38.84	42.57	54.00	-11.43	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5180 52 37
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4882.690	18.80	38.36	57.16	74.00	-16.84	peak
2	5150.000	16.03	38.84	54.87	74.00	-19.13	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5180 52 37
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4882.690	4.72	38.36	43.08	54.00	-10.92	AVG
2	5150.000	3.73	38.84	42.57	54.00	-11.43	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5180 106 53
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4877.720	18.82	38.35	57.17	74.00	-16.83	peak
2	5150.000	17.23	38.84	56.07	74.00	-17.93	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5180 106 53
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4877.720	4.67	38.35	43.02	74.00	-30.98	peak
2	5150.000	4.01	38.84	42.85	74.00	-31.15	peak

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5240 26 8
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4868.640	18.40	38.34	56.74	74.00	-17.26	peak
2	5150.000	16.93	38.84	55.77	74.00	-18.23	peak
3	5350.000	17.40	39.29	56.69	74.00	-17.31	peak
4	5431.200	17.65	39.50	57.15	74.00	-16.85	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5240 26 8
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4868.640	4.61	38.34	42.95	54.00	-11.05	AVG
2	5150.000	3.85	38.84	42.69	54.00	-11.31	AVG
3	5350.000	3.63	39.29	42.92	54.00	-11.08	AVG
4	5431.200	3.91	39.50	43.41	54.00	-10.59	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5240 52 40
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4865.760	18.77	38.34	57.11	74.00	-16.89	peak
2	5150.000	15.82	38.84	54.66	74.00	-19.34	peak
3	5350.000	17.10	39.29	56.39	74.00	-17.61	peak
4	5436.000	18.12	39.50	57.62	74.00	-16.38	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5240 52 40
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4865.760	3.69	38.34	42.03	54.00	-11.97	AVG
2	5150.000	3.73	38.84	42.57	54.00	-11.43	AVG
3	5350.000	3.72	39.29	43.01	54.00	-10.99	AVG
4	5436.000	3.83	39.50	43.33	54.00	-10.67	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5240 106 54
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4948.320	18.73	38.50	57.23	74.00	-16.77	peak
2	5150.000	15.96	38.84	54.80	74.00	-19.20	peak
3	5350.000	16.58	39.29	55.87	74.00	-18.13	peak
4	5444.640	18.65	39.52	58.17	74.00	-15.83	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5240 106 54
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4948.320	3.97	38.50	42.47	54.00	-11.53	AVG
2	5150.000	3.64	38.84	42.48	54.00	-11.52	AVG
3	5350.000	3.70	39.29	42.99	54.00	-11.01	AVG
4	5444.640	4.28	39.52	43.80	54.00	-10.20	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5260 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4958.880	19.22	38.51	57.73	74.00	-16.27	peak
2	5150.000	16.11	38.84	54.95	74.00	-19.05	peak
3	5350.000	17.11	39.29	56.40	74.00	-17.60	peak
4	5422.560	17.59	39.48	57.07	74.00	-16.93	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5260 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4958.880	3.81	38.51	42.32	54.00	-11.68	AVG
2	5150.000	3.56	38.84	42.40	54.00	-11.60	AVG
3	5350.000	3.66	39.29	42.95	54.00	-11.05	AVG
4	5422.560	3.55	39.48	43.03	54.00	-10.97	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5260 52 37
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5082.720	18.38	38.73	57.11	74.00	-16.89	peak
2	5150.000	16.93	38.84	55.77	74.00	-18.23	peak
3	5350.000	16.42	39.29	55.71	74.00	-18.29	peak
4	5420.640	18.37	39.46	57.83	74.00	-16.17	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5260 52 37
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5082.720	3.81	38.73	42.54	54.00	-11.46	AVG
2	5150.000	3.77	38.84	42.61	54.00	-11.39	AVG
3	5350.000	3.85	39.29	43.14	54.00	-10.86	AVG
4	5420.640	3.89	39.46	43.35	54.00	-10.65	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5260 106 54
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4804.320	18.96	38.21	57.17	74.00	-16.83	peak
2	5150.000	16.11	38.84	54.95	74.00	-19.05	peak
3	5350.000	16.71	39.29	56.00	74.00	-18.00	peak
4	5380.320	17.80	39.37	57.17	74.00	-16.83	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5260 106 54
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	4804.320	3.98	38.21	42.19	54.00	-11.81	AVG
2	5150.000	3.66	38.84	42.50	54.00	-11.50	AVG
3	5350.000	3.67	39.29	42.96	54.00	-11.04	AVG
4	5380.320	3.86	39.37	43.23	54.00	-10.77	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5320 26 8
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	16.30	39.29	55.59	74.00	-18.41	peak
2	5459.490	18.18	39.56	57.74	74.00	-16.26	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5320 26 8
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	3.83	39.29	43.12	54.00	-10.88	AVG
2	5459.450	4.17	39.56	43.73	54.00	-10.27	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5320 52 40
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	20.47	39.29	59.76	74.00	-14.24	peak
2	5355.620	30.18	39.31	69.49	74.00	-4.51	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5320 52 40
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	4.19	39.29	43.48	54.00	-10.52	AVG
2	5355.620	4.27	39.31	43.58	54.00	-10.42	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5320 106 54
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	31.29	39.29	70.58	74.00	-3.42	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5320 106 54
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5350.000	6.25	39.29	45.54	54.00	-8.46	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5500 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5455.300	18.55	39.55	58.10	74.00	-15.90	peak
2	5460.000	17.09	39.56	56.65	74.00	-17.35	peak
3	5467.000	18.33	39.58	57.91	68.20	-10.29	peak
4	5470.000	17.24	39.58	56.82	68.20	-11.38	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5500 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5455.300	4.00	39.55	43.55	54.00	-10.45	AVG
2	5460.000	4.07	39.56	43.63	54.00	-10.37	AVG
3	5467.000	4.02	39.58	43.60	/	/	AVG
4	5470.000	3.98	39.58	43.56	/	/	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5500 52 37
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.620	21.98	39.56	61.54	74.00	-12.46	peak
2	5460.000	19.47	39.56	59.03	74.00	-14.97	peak
3	5465.560	23.96	39.58	63.54	68.20	-4.66	peak
4	5470.000	19.78	39.58	59.36	68.20	-8.84	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5500 52 37
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5459.620	4.27	39.56	43.83	54.00	-10.17	AVG
2	5460.000	4.15	39.56	43.71	54.00	-10.29	AVG
3	5465.560	4.21	39.58	43.79	/	/	AVG
4	5470.000	4.31	39.58	43.89	/	/	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5500 106 53
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.640	18.64	39.56	58.20	74.00	-15.80	peak
2	5460.000	18.05	39.56	57.61	74.00	-16.39	peak
3	5469.340	24.78	39.58	64.36	68.20	-3.84	peak
4	5470.000	22.36	39.58	61.94	68.20	-6.26	peak

Test Mode:	802.11ax HE20 AV	Frequency(MHz):	5500 106 53
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5457.640	4.51	39.56	44.07	54.00	-9.93	AVG
2	5460.000	4.50	39.56	44.06	54.00	-9.94	AVG
3	5469.340	4.45	39.58	44.03	/	/	AVG
4	5470.000	4.58	39.58	44.16	/	/	AVG

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5700 26 8
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	19.07	40.09	59.16	68.20	-9.04	peak
2	5741.820	23.84	40.11	63.95	68.20	-4.25	peak

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5700 52 40
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	18.38	40.09	58.47	68.20	-9.73	peak
2	5736.240	24.22	40.10	64.32	68.20	-3.88	peak

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5700 106 54
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5725.000	17.73	40.09	57.82	68.20	-10.38	peak
2	5743.800	24.08	40.11	64.19	68.20	-4.01	peak

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5745 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5627.550	19.19	39.96	59.15	68.20	-9.05	peak
2	5725.000	36.97	40.09	77.06	122.20	-45.14	peak

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5745 52 37
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5643.320	18.54	39.98	58.52	68.20	-9.68	peak
2	5725.000	35.16	40.09	75.25	122.20	-46.95	peak

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5745 106 53
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5638.570	18.87	39.98	58.85	68.20	-9.35	peak
2	5725.000	38.66	40.09	78.75	122.20	-43.45	peak

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5825 26 8
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5850.000	30.57	40.30	70.87	122.20	-51.33	peak
2	5951.010	19.97	40.53	60.50	68.20	-7.70	peak

Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5825 52 40
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5850.000	30.01	40.30	70.31	122.20	-51.89	peak
2	5933.760	19.61	40.49	60.10	68.20	-8.10	peak


Test Mode:	802.11ax HE20 PK	Frequency(MHz):	5825 106 54
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	5850.000	36.58	40.30	76.88	122.20	-45.32	peak
2	5954.000	20.16	40.55	60.71	68.20	-7.49	peak


8.5. SPURIOUS EMISSIONS(1 GHZ~7 GHZ)

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2338.000	48.52	-8.82	39.70	74.00	-34.30	peak
2	3838.000	45.18	-2.73	42.45	74.00	-31.55	peak
3	4552.000	43.26	-0.17	43.09	74.00	-30.91	peak
4	5180.000	45.36	2.02	47.38	/	/	fundamental
5	5716.000	41.58	4.13	45.71	74.00	-28.29	peak
6	6028.000	39.84	5.74	45.58	74.00	-28.42	peak

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1918.000	48.62	-9.28	39.34	74.00	-34.66	peak
2	2332.000	50.48	-8.01	42.47	74.00	-31.53	peak
3	3838.000	46.42	-1.66	44.76	74.00	-29.24	peak
4	5180.000	43.30	3.21	46.51	/	/	fundamental
5	6052.000	40.40	6.80	47.20	74.00	-26.80	peak
6	6670.000	38.99	7.10	46.09	74.00	-27.91	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2332.000	52.21	-8.85	43.36	74.00	-30.64	peak
2	3838.000	46.50	-2.73	43.77	74.00	-30.23	peak
3	4504.000	44.41	-0.41	44.00	74.00	-30.00	peak
4	5200.000	42.51	2.04	44.55	/	/	fundamental
5	5392.000	43.08	2.89	45.97	74.00	-28.03	peak
6	6022.000	40.61	5.71	46.32	74.00	-27.68	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1810.000	52.21	-9.37	42.84	74.00	-31.16	peak
2	2338.000	49.93	-7.99	41.94	74.00	-32.06	peak
3	3838.000	46.39	-1.66	44.73	74.00	-29.27	peak
4	5002.000	42.24	3.00	45.24	74.00	-28.76	peak
5	5968.000	40.84	6.46	47.30	74.00	-26.70	peak
6	6868.000	39.19	7.43	46.62	74.00	-27.38	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2332.000	53.19	-8.85	44.34	74.00	-29.66	peak
2	3838.000	47.72	-2.73	44.99	74.00	-29.01	peak
3	5038.000	41.27	1.85	43.12	74.00	-30.88	peak
4	5422.000	42.93	2.99	45.92	74.00	-28.08	peak
5	5974.000	41.20	5.48	46.68	74.00	-27.32	peak
6	6694.000	39.06	6.33	45.39	74.00	-28.61	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2338.000	49.29	-7.99	41.30	74.00	-32.70	peak
2	3844.000	46.10	-1.65	44.45	74.00	-29.55	peak
3	4696.000	43.36	1.48	44.84	74.00	-29.16	peak
4	5146.000	41.67	3.18	44.85	74.00	-29.15	peak
5	6028.000	40.90	6.72	47.62	74.00	-26.38	peak
6	6718.000	39.34	7.23	46.57	74.00	-27.43	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2338.000	51.57	-8.82	42.75	74.00	-31.25	peak
2	3838.000	49.07	-2.73	46.34	74.00	-27.66	peak
3	5260.000	43.24	2.30	45.54	/	/	fundamental
4	5386.000	43.14	2.86	46.00	74.00	-28.00	peak
5	5680.000	42.28	3.98	46.26	74.00	-27.74	peak
6	6022.000	41.70	5.71	47.41	74.00	-26.59	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2338.000	50.19	-7.99	42.20	74.00	-31.80	peak
2	3838.000	46.82	-1.66	45.16	74.00	-28.84	peak
3	4786.000	43.15	1.89	45.04	74.00	-28.96	peak
4	5416.000	41.65	4.17	45.82	74.00	-28.18	peak
5	6022.000	41.13	6.71	47.84	74.00	-26.16	peak
6	6706.000	38.62	7.20	45.82	74.00	-28.18	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2338.000	53.21	-8.82	44.39	74.00	-29.61	peak
2	3838.000	47.72	-2.73	44.99	74.00	-29.01	peak
3	4918.000	42.26	1.42	43.68	74.00	-30.32	peak
4	5280.000	45.22	2.38	47.60	/	/	fundamental
5	5386.000	43.51	2.86	46.37	74.00	-27.63	peak
6	5848.000	40.94	4.78	45.72	74.00	-28.28	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1816.000	49.98	-9.37	40.61	74.00	-33.39	peak
2	3838.000	47.07	-1.66	45.41	74.00	-28.59	peak
3	4798.000	42.89	1.95	44.84	74.00	-29.16	peak
4	5280.000	41.44	3.61	45.05	/	/	fundamental
5	5386.000	42.27	4.06	46.33	74.00	-27.67	peak
6	6022.000	40.14	6.71	46.85	74.00	-27.15	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2338.000	52.92	-8.82	44.10	74.00	-29.90	peak
2	3838.000	47.17	-2.73	44.44	74.00	-29.56	peak
3	5320.000	49.02	2.56	51.58	/	/	fundamental
4	5392.000	45.76	2.89	48.65	74.00	-25.35	peak
5	5968.000	41.04	5.45	46.49	74.00	-27.51	peak
6	6880.000	39.08	6.55	45.63	74.00	-28.37	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2338.000	49.32	-7.99	41.33	74.00	-32.67	peak
2	3838.000	46.84	-1.66	45.18	74.00	-28.82	peak
3	5110.000	41.24	3.13	44.37	74.00	-29.63	peak
4	5518.000	40.67	4.50	45.17	74.00	-28.83	peak
5	5956.000	40.60	6.40	47.00	74.00	-27.00	peak
6	6880.000	38.39	7.42	45.81	74.00	-28.19	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2338.000	50.23	-8.82	41.41	74.00	-32.59	peak
2	3838.000	47.99	-2.73	45.26	74.00	-28.74	peak
3	4606.000	43.65	0.10	43.75	74.00	-30.25	peak
4	5434.000	46.18	3.03	49.21	74.00	-24.79	peak
5	5500.000	63.29	3.24	66.53	/	/	fundamental
6	5962.000	41.20	5.42	46.62	74.00	-27.38	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1810.000	51.74	-9.37	42.37	74.00	-31.63	peak
2	2332.000	49.28	-8.01	41.27	74.00	-32.73	peak
3	3838.000	44.65	-1.66	42.99	74.00	-31.01	peak
4	4774.000	43.72	1.83	45.55	74.00	-28.45	peak
5	5500.000	45.41	4.44	49.85	/	/	fundamental
6	6028.000	40.39	6.72	47.11	74.00	-26.89	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1924.000	47.18	-10.05	37.13	74.00	-36.87	peak
2	2338.000	52.89	-8.82	44.07	74.00	-29.93	peak
3	3838.000	45.58	-2.73	42.85	74.00	-31.15	peak
4	4726.000	43.03	0.58	43.61	74.00	-30.39	peak
5	5580.000	50.40	3.53	53.93	/	/	fundamental
6	6028.000	40.19	5.74	45.93	74.00	-28.07	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2332.000	48.50	-8.01	40.49	74.00	-33.51	peak
2	3838.000	44.51	-1.66	42.85	74.00	-31.15	peak
3	4558.000	44.27	0.80	45.07	74.00	-28.93	peak
4	5580.000	48.52	4.72	53.24	/	/	fundamental
5	5938.000	40.31	6.31	46.62	74.00	-27.38	peak
6	6862.000	38.24	7.43	45.67	74.00	-28.33	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2326.000	54.21	-8.87	45.34	74.00	-28.66	peak
2	3838.000	44.83	-2.73	42.10	74.00	-31.90	peak
3	5002.000	41.64	1.80	43.44	74.00	-30.56	peak
4	5700.000	51.21	4.05	55.26	/	/	fundamental
5	5920.000	41.16	5.18	46.34	74.00	-27.66	peak
6	6826.000	38.93	6.59	45.52	74.00	-28.48	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1822.000	48.52	-9.37	39.15	74.00	-34.85	peak
2	2332.000	48.76	-8.01	40.75	74.00	-33.25	peak
3	3838.000	46.76	-1.66	45.10	74.00	-28.90	peak
4	4732.000	43.24	1.64	44.88	74.00	-29.12	peak
5	5700.000	42.29	5.17	47.46	/	/	fundamental
6	6040.000	40.42	6.76	47.18	74.00	-26.82	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2338.000	50.23	-8.82	41.41	74.00	-32.59	peak
2	3838.000	44.17	-2.73	41.44	74.00	-32.56	peak
3	4576.000	43.44	-0.05	43.39	74.00	-30.61	peak
4	5002.000	42.07	1.80	43.87	74.00	-30.13	peak
5	5720.000	58.46	4.29	62.75	/	/	fundamental
6	6034.000	39.77	5.76	45.53	74.00	-28.47	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2338.000	50.94	-7.99	42.95	74.00	-31.05	peak
2	3838.000	46.59	-1.66	44.93	74.00	-29.07	peak
3	4984.000	41.46	2.91	44.37	74.00	-29.63	peak
4	5720.000	59.72	5.39	65.11	/	/	fundamental
5	5974.000	40.37	6.49	46.86	74.00	-27.14	peak
6	6874.000	38.38	7.42	45.80	74.00	-28.20	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2338.000	49.83	-8.82	41.01	74.00	-32.99	peak
2	3838.000	46.80	-2.73	44.07	74.00	-29.93	peak
3	4090.000	44.88	-2.07	42.81	74.00	-31.19	peak
4	5638.000	45.70	3.78	49.48	74.00	-24.52	peak
5	5745.000	65.96	4.26	70.22	/	/	fundamental
6	5890.000	43.47	5.01	48.48	74.00	-25.52	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	1678.000	56.68	-10.43	46.25	74.00	-27.75	peak
2	3910.000	44.85	-1.51	43.34	74.00	-30.66	peak
3	4804.000	42.84	1.97	44.81	74.00	-29.19	peak
4	5745.000	54.27	5.37	59.64	/	/	fundamental
5	6046.000	41.02	6.78	47.80	74.00	-26.20	peak
6	6712.000	39.08	7.22	46.30	74.00	-27.70	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2338.000	52.60	-8.82	43.78	74.00	-30.22	peak
2	3838.000	45.56	-2.73	42.83	74.00	-31.17	peak
3	4852.000	42.28	1.11	43.39	74.00	-30.61	peak
4	5704.000	43.22	4.08	47.30	74.00	-26.70	peak
5	5785.000	60.38	4.46	64.84	/	/	fundamental
6	5872.000	42.69	4.91	47.60	74.00	-26.40	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2338.000	49.10	-7.99	41.11	74.00	-32.89	peak
2	3838.000	45.03	-1.66	43.37	74.00	-30.63	peak
3	4774.000	42.14	1.83	43.97	74.00	-30.03	peak
4	5785.000	53.15	5.52	58.67	/	/	fundamental
5	6022.000	40.29	6.71	47.00	74.00	-27.00	peak
6	6682.000	38.85	7.14	45.99	74.00	-28.01	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2338.000	57.06	-8.82	48.24	74.00	-25.76	peak
2	3838.000	46.20	-2.73	43.47	74.00	-30.53	peak
3	4846.000	42.31	1.08	43.39	74.00	-30.61	peak
4	5692.000	45.45	4.03	49.48	74.00	-24.52	peak
5	5825.000	64.53	4.68	69.21	/	/	fundamental
6	6004.000	41.52	5.64	47.16	74.00	-26.84	peak


Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	2332.000	50.06	-8.01	42.05	74.00	-31.95	peak
2	3838.000	45.70	-1.66	44.04	74.00	-29.96	peak
3	4792.000	43.13	1.91	45.04	74.00	-28.96	peak
4	5698.000	42.05	5.17	47.22	74.00	-26.78	peak
5	5825.000	55.94	5.75	61.69	/	/	fundamental
6	6058.000	39.75	6.82	46.57	74.00	-27.43	peak


8.6. SPURIOUS EMISSIONS(7 GHZ~18 GHZ) - CONDITION 1 PCB ANTENNA

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9706.000	36.48	13.62	50.10	74.00	-23.90	peak
2	11004.000	37.59	11.97	49.56	74.00	-24.44	peak
3	11565.000	37.33	13.42	50.75	74.00	-23.25	peak
4	12698.000	36.05	14.55	50.60	74.00	-23.40	peak
5	13974.000	32.35	18.31	50.66	74.00	-23.34	peak
6	17967.000	28.67	21.56	50.23	74.00	-23.77	peak

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9805.000	36.53	13.35	49.88	74.00	-24.12	peak
2	10300.000	36.58	12.83	49.41	74.00	-24.59	peak
3	12412.000	35.79	13.12	48.91	74.00	-25.09	peak
4	14194.000	34.02	16.51	50.53	74.00	-23.47	peak
5	15888.000	33.62	17.16	50.78	74.00	-23.22	peak
6	18000.000	31.05	19.71	50.76	74.00	-23.24	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	38.88	11.77	50.65	74.00	-23.35	peak
2	10399.000	38.34	13.31	51.65	74.00	-22.35	peak
3	11521.000	37.26	13.30	50.56	74.00	-23.44	peak
4	12764.000	36.14	14.80	50.94	74.00	-23.06	peak
5	13270.000	34.87	16.04	50.91	74.00	-23.09	peak
6	17934.000	28.34	21.21	49.55	74.00	-24.45	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	38.58	11.88	50.46	74.00	-23.54	peak
2	10190.000	37.25	12.66	49.91	74.00	-24.09	peak
3	12687.000	36.35	13.50	49.85	74.00	-24.15	peak
4	14029.000	33.89	16.76	50.65	74.00	-23.35	peak
5	15976.000	32.81	17.73	50.54	74.00	-23.46	peak
6	17978.000	30.02	19.58	49.60	74.00	-24.40	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	38.88	11.77	50.65	74.00	-23.35	peak
2	10476.000	41.03	13.06	54.09	74.00	-19.91	peak
3	11642.000	36.81	13.44	50.25	74.00	-23.75	peak
4	12709.000	36.07	14.59	50.66	74.00	-23.34	peak
5	13963.000	32.21	18.26	50.47	74.00	-23.53	peak
6	17989.000	28.71	21.79	50.50	74.00	-23.50	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9431.000	37.66	12.40	50.06	74.00	-23.94	peak
2	9662.000	36.89	13.31	50.20	74.00	-23.80	peak
3	11642.000	37.72	12.05	49.77	74.00	-24.23	peak
4	12588.000	36.95	13.21	50.16	74.00	-23.84	peak
5	14007.000	32.86	16.81	49.67	74.00	-24.33	peak
6	15976.000	32.72	17.73	50.45	74.00	-23.55	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9156.000	38.78	11.28	50.06	74.00	-23.94	peak
2	9552.000	37.16	13.12	50.28	74.00	-23.72	peak
3	10509.000	49.55	12.96	62.51	74.00	-11.49	peak
4	11532.000	36.88	13.34	50.22	74.00	-23.78	peak
5	13314.000	34.35	16.19	50.54	74.00	-23.46	peak
6	17989.000	27.95	21.79	49.74	74.00	-24.26	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9156.000	39.36	11.55	50.91	74.00	-23.09	peak
2	9750.000	36.31	13.34	49.65	74.00	-24.35	peak
3	10509.000	45.87	12.75	58.62	74.00	-15.38	peak
4	13556.000	34.94	15.29	50.23	74.00	-23.77	peak
5	14821.000	34.79	15.34	50.13	74.00	-23.87	peak
6	16185.000	31.46	18.73	50.19	74.00	-23.81	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9651.000	37.08	13.51	50.59	74.00	-23.41	peak
2	10564.000	49.56	12.85	62.41	74.00	-11.59	peak
3	11686.000	37.13	13.35	50.48	74.00	-23.52	peak
4	12544.000	36.10	14.10	50.20	74.00	-23.80	peak
5	13831.000	32.68	17.74	50.42	74.00	-23.58	peak
6	17945.000	27.86	21.33	49.19	74.00	-24.81	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9046.000	39.60	11.13	50.73	74.00	-23.27	peak
2	10553.000	46.53	12.60	59.13	74.00	-14.87	peak
3	12588.000	35.98	13.21	49.19	74.00	-24.81	peak
4	13644.000	33.71	15.52	49.23	74.00	-24.77	peak
5	16009.000	32.03	17.91	49.94	74.00	-24.06	peak
6	17989.000	29.68	19.63	49.31	74.00	-24.69	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	38.75	11.59	50.34	74.00	-23.66	peak
2	9662.000	37.34	13.53	50.87	74.00	-23.13	peak
3	10641.000	43.20	12.68	55.88	74.00	-18.12	peak
4	10641.000	32.97	12.68	45.65	54.00	-8.35	AVG
5	11521.000	36.72	13.30	50.02	74.00	-23.98	peak
6	13611.000	33.38	17.09	50.47	74.00	-23.53	peak
7	17989.000	27.76	21.79	49.55	74.00	-24.45	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9420.000	38.45	12.35	50.80	74.00	-23.20	peak
2	10641.000	42.31	12.31	54.62	74.00	-19.38	peak
3	10641.000	31.99	12.31	44.30	54.00	-9.70	AVG
4	12676.000	37.17	13.46	50.63	74.00	-23.37	peak
5	14227.000	34.30	16.41	50.71	74.00	-23.29	peak
6	16064.000	32.40	18.17	50.57	74.00	-23.43	peak
7	17670.000	31.35	17.84	49.19	74.00	-24.81	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9651.000	36.62	13.51	50.13	74.00	-23.87	peak
2	10993.000	38.83	11.98	50.81	74.00	-23.19	peak
3	11532.000	37.10	13.34	50.44	74.00	-23.56	peak
4	12687.000	36.24	14.51	50.75	74.00	-23.25	peak
5	13193.000	34.82	15.75	50.57	74.00	-23.43	peak
6	17978.000	28.48	21.68	50.16	74.00	-23.84	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	38.76	11.81	50.57	74.00	-23.43	peak
2	9596.000	37.37	13.26	50.63	74.00	-23.37	peak
3	10993.000	40.05	11.19	51.24	74.00	-22.76	peak
4	10993.000	31.17	11.19	42.36	54.00	-11.64	AVG
5	12687.000	36.27	13.50	49.77	74.00	-24.23	peak
6	16020.000	32.14	17.96	50.10	74.00	-23.90	peak
7	16790.000	32.93	16.92	49.85	74.00	-24.15	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9607.000	36.76	13.44	50.20	74.00	-23.80	peak
2	11158.000	45.47	12.01	57.48	74.00	-16.52	peak
3	11158.000	34.88	12.01	46.89	54.00	-7.11	AVG
4	11829.000	37.51	13.21	50.72	74.00	-23.28	peak
5	12676.000	35.78	14.47	50.25	74.00	-23.75	peak
6	13842.000	32.57	17.78	50.35	74.00	-23.65	peak
7	17989.000	27.91	21.79	49.70	74.00	-24.30	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	38.77	11.81	50.58	74.00	-23.42	peak
2	9596.000	36.68	13.26	49.94	74.00	-24.06	peak
3	11158.000	42.62	10.99	53.61	74.00	-20.39	peak
4	11158.000	33.21	10.99	44.20	54.00	-9.80	AVG
5	12676.000	36.09	13.46	49.55	74.00	-24.45	peak
6	14018.000	33.09	16.79	49.88	74.00	-24.12	peak
7	16042.000	32.45	18.07	50.52	74.00	-23.48	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9717.000	36.70	13.63	50.33	74.00	-23.67	peak
2	10421.000	36.55	13.24	49.79	74.00	-24.21	peak
3	11400.000	38.72	12.76	51.48	74.00	-22.52	peak
4	11400.000	29.41	12.76	42.17	54.00	-11.83	AVG
5	13424.000	33.60	16.59	50.19	74.00	-23.81	peak
6	14084.000	32.30	18.06	50.36	74.00	-23.64	peak
7	17934.000	28.88	21.21	50.09	74.00	-23.91	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9277.000	38.46	11.92	50.38	74.00	-23.62	peak
2	11521.000	38.05	11.82	49.87	74.00	-24.13	peak
3	12654.000	37.54	13.39	50.93	74.00	-23.07	peak
4	13919.000	33.95	16.47	50.42	74.00	-23.58	peak
5	14733.000	34.58	15.49	50.07	74.00	-23.93	peak
6	16053.000	32.54	18.12	50.66	74.00	-23.34	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	38.44	11.70	50.14	74.00	-23.86	peak
2	9695.000	36.67	13.59	50.26	74.00	-23.74	peak
3	11444.000	40.22	12.98	53.20	74.00	-20.80	peak
4	11444.000	31.25	12.98	44.23	54.00	-9.77	AVG
5	12709.000	35.53	14.59	50.12	74.00	-23.88	peak
6	13534.000	32.59	16.95	49.54	74.00	-24.46	peak
7	17989.000	27.24	21.79	49.03	74.00	-24.97	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9277.000	38.46	11.92	50.38	74.00	-23.62	peak
2	11433.000	40.35	11.51	51.86	74.00	-22.14	peak
3	11433.000	31.26	11.51	42.77	54.00	-11.23	AVG
4	12654.000	36.54	13.39	49.93	74.00	-24.07	peak
5	13919.000	32.95	16.47	49.42	74.00	-24.58	peak
6	16141.000	31.52	18.54	50.06	74.00	-23.94	peak
7	18000.000	29.02	19.71	48.73	74.00	-25.27	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9486.000	37.43	12.72	50.15	74.00	-23.85	peak
2	10333.000	36.72	13.26	49.98	74.00	-24.02	peak
3	11477.000	38.69	13.13	51.82	74.00	-22.18	peak
4	11477.000	29.06	13.13	42.19	54.00	-11.81	AVG
5	13578.000	33.63	17.03	50.66	74.00	-23.34	peak
6	14062.000	32.46	18.15	50.61	74.00	-23.39	peak
7	17989.000	28.51	21.79	50.30	74.00	-23.70	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	38.71	11.84	50.55	74.00	-23.45	peak
2	9563.000	37.58	13.10	50.68	74.00	-23.32	peak
3	11488.000	39.40	11.70	51.10	74.00	-22.90	peak
4	11488.000	29.95	11.70	41.65	54.00	-12.35	AVG
5	12236.000	35.94	12.89	48.83	74.00	-25.17	peak
6	14018.000	32.40	16.79	49.19	74.00	-24.81	peak
7	16075.000	31.34	18.22	49.56	74.00	-24.44	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	38.59	11.59	50.18	74.00	-23.82	peak
2	9937.000	37.06	13.48	50.54	74.00	-23.46	peak
3	11565.000	36.81	13.42	50.23	74.00	-23.77	peak
4	12654.000	36.33	14.39	50.72	74.00	-23.28	peak
5	13952.000	32.00	18.22	50.22	74.00	-23.78	peak
6	17989.000	28.34	21.79	50.13	74.00	-23.87	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8441.000	39.40	9.14	48.54	74.00	-25.46	peak
2	9552.000	36.54	13.05	49.59	74.00	-24.41	peak
3	11576.000	37.85	12.03	49.88	74.00	-24.12	peak
4	13941.000	33.71	16.57	50.28	74.00	-23.72	peak
5	15987.000	32.14	17.78	49.92	74.00	-24.08	peak
6	18000.000	29.80	19.71	49.51	74.00	-24.49	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9222.000	38.36	11.56	49.92	74.00	-24.08	peak
2	9948.000	36.61	13.46	50.07	74.00	-23.93	peak
3	12698.000	35.39	14.55	49.94	74.00	-24.06	peak
4	13842.000	32.80	17.78	50.58	74.00	-23.42	peak
5	14161.000	32.49	17.74	50.23	74.00	-23.77	peak
6	17725.000	29.68	19.09	48.77	74.00	-25.23	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9508.000	37.18	12.85	50.03	74.00	-23.97	peak
2	10399.000	36.19	13.01	49.20	74.00	-24.80	peak
3	11653.000	39.37	12.04	51.41	74.00	-22.59	peak
4	11653.000	30.62	12.04	42.66	54.00	-11.34	AVG
5	13556.000	34.44	15.29	49.73	74.00	-24.27	peak
6	14447.000	35.03	15.77	50.80	74.00	-23.20	peak
7	16482.000	33.00	17.52	50.52	74.00	-23.48	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	38.50	11.17	49.67	74.00	-24.33	peak
2	9607.000	36.65	13.48	50.13	74.00	-23.87	peak
3	10366.000	36.65	13.32	49.97	74.00	-24.03	peak
4	12412.000	31.20	18.98	50.18	74.00	-23.82	peak
5	13259.000	28.48	21.13	49.61	74.00	-24.39	peak
6	18000.000	20.78	29.61	50.39	74.00	-23.61	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9519.000	36.96	12.94	49.90	74.00	-24.10	peak
2	10355.000	36.47	12.97	49.44	74.00	-24.56	peak
3	12687.000	35.81	13.51	49.32	74.00	-24.68	peak
4	14799.000	34.32	15.60	49.92	74.00	-24.08	peak
5	16141.000	31.40	18.57	49.97	74.00	-24.03	peak
6	17923.000	30.22	19.42	49.64	74.00	-24.36	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9596.000	36.72	13.44	50.16	74.00	-23.84	peak
2	10234.000	37.51	13.21	50.72	74.00	-23.28	peak
3	11499.000	37.31	13.19	50.50	74.00	-23.50	peak
4	12599.000	36.52	14.16	50.68	74.00	-23.32	peak
5	13919.000	32.29	18.28	50.57	74.00	-23.43	peak
6	17967.000	27.53	21.76	49.29	74.00	-24.71	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9398.000	37.64	12.29	49.93	74.00	-24.07	peak
2	10553.000	36.40	12.66	49.06	74.00	-24.94	peak
3	12731.000	35.53	13.66	49.19	74.00	-24.81	peak
4	13963.000	33.54	16.85	50.39	74.00	-23.61	peak
5	14876.000	35.11	15.36	50.47	74.00	-23.53	peak
6	16273.000	32.14	18.40	50.54	74.00	-23.46	peak
7	17769.000	32.29	18.51	50.80	74.00	-23.20	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9585.000	37.25	13.38	50.63	74.00	-23.37	peak
2	9959.000	36.65	13.44	50.09	74.00	-23.91	peak
3	11598.000	37.09	13.45	50.54	74.00	-23.46	peak
4	12533.000	36.39	14.05	50.44	74.00	-23.56	peak
5	13919.000	32.27	18.28	50.55	74.00	-23.45	peak
6	18000.000	28.88	22.11	50.99	74.00	-23.01	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	38.80	12.15	50.95	74.00	-23.05	peak
2	9519.000	37.67	12.94	50.61	74.00	-23.39	peak
3	11609.000	37.34	12.02	49.36	74.00	-24.64	peak
4	13842.000	34.51	16.33	50.84	74.00	-23.16	peak
5	15998.000	32.74	17.86	50.60	74.00	-23.40	peak
6	18000.000	30.66	19.91	50.57	74.00	-23.43	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9508.000	37.95	12.91	50.86	74.00	-23.14	peak
2	10520.000	38.71	12.99	51.70	74.00	-22.30	peak
3	11697.000	37.16	13.23	50.39	74.00	-23.61	peak
4	13116.000	34.88	15.56	50.44	74.00	-23.56	peak
5	13963.000	31.46	18.46	49.92	74.00	-24.08	peak
6	17989.000	27.63	21.99	49.62	74.00	-24.38	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	38.80	11.96	50.76	74.00	-23.24	peak
2	10520.000	47.51	12.76	60.27	74.00	-13.73	peak
3	13358.000	35.58	14.93	50.51	74.00	-23.49	peak
4	14161.000	33.77	16.76	50.53	74.00	-23.47	peak
5	15987.000	32.31	17.78	50.09	74.00	-23.91	peak
6	16933.000	33.25	16.64	49.89	74.00	-24.11	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	38.91	11.17	50.08	74.00	-23.92	peak
2	9585.000	37.35	13.38	50.73	74.00	-23.27	peak
3	10553.000	38.71	12.93	51.64	74.00	-22.36	peak
4	13171.000	34.31	15.79	50.10	74.00	-23.90	peak
5	13644.000	33.08	17.35	50.43	74.00	-23.57	peak
6	17934.000	28.11	21.41	49.52	74.00	-24.48	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	38.69	11.93	50.62	74.00	-23.38	peak
2	10564.000	44.87	12.62	57.49	74.00	-16.51	peak
3	12731.000	36.97	13.66	50.63	74.00	-23.37	peak
4	14084.000	33.66	16.88	50.54	74.00	-23.46	peak
5	15646.000	34.19	16.05	50.24	74.00	-23.76	peak
6	17714.000	31.01	18.25	49.26	74.00	-24.74	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9794.000	37.13	13.78	50.91	74.00	-23.09	peak
2	10641.000	44.43	12.74	57.17	74.00	-16.83	peak
3	10641.000	33.65	12.74	46.39	54.00	-7.61	AVG
4	11455.000	37.76	12.99	50.75	74.00	-23.25	peak
5	12720.000	35.90	14.65	50.55	74.00	-23.45	peak
6	13754.000	33.03	17.66	50.69	74.00	-23.31	peak
7	18000.000	27.90	22.11	50.01	74.00	-23.99	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	38.38	11.82	50.20	74.00	-23.80	peak
2	9651.000	37.34	13.34	50.68	74.00	-23.32	peak
3	10630.000	42.28	12.42	54.70	74.00	-19.30	peak
4	10630.000	31.05	12.42	43.47	54.00	-10.53	AVG
5	12720.000	36.43	13.62	50.05	74.00	-23.95	peak
6	13963.000	33.76	16.85	50.61	74.00	-23.39	peak
7	16262.000	32.53	18.46	50.99	74.00	-23.01	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	38.96	11.71	50.67	74.00	-23.33	peak
2	10036.000	37.66	13.31	50.97	74.00	-23.03	peak
3	10542.000	37.16	13.66	50.82	74.00	-23.18	peak
4	12610.000	30.92	19.20	50.12	74.00	-23.88	peak
5	13974.000	26.22	23.50	49.72	74.00	-24.28	peak
6	17989.000	20.68	29.49	50.17	74.00	-23.83	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	38.54	11.80	50.34	74.00	-23.66	peak
2	10641.000	36.68	13.58	50.26	74.00	-23.74	peak
3	11070.000	35.83	14.55	50.38	74.00	-23.62	peak
4	12368.000	32.64	17.98	50.62	74.00	-23.38	peak
5	13468.000	29.88	20.24	50.12	74.00	-23.88	peak
6	17945.000	23.45	27.07	50.52	74.00	-23.48	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9123.000	39.60	11.22	50.82	74.00	-23.18	peak
2	9970.000	37.07	13.41	50.48	74.00	-23.52	peak
3	11147.000	41.97	15.87	57.84	74.00	-16.16	peak
4	11147.000	30.43	15.87	46.30	54.00	-7.70	AVG
5	12313.000	32.13	18.86	50.99	74.00	-23.01	peak
6	13138.000	29.91	20.64	50.55	74.00	-23.45	peak
7	17868.000	22.52	28.21	50.73	74.00	-23.27	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	38.75	11.82	50.57	74.00	-23.43	peak
2	11158.000	38.23	14.91	53.14	74.00	-20.86	peak
3	11158.000	27.26	14.91	42.17	54.00	-11.83	AVG
4	11862.000	33.95	16.93	50.88	74.00	-23.12	peak
5	12775.000	31.41	18.82	50.23	74.00	-23.77	peak
6	16152.000	26.15	23.85	50.00	74.00	-24.00	peak
7	17714.000	25.06	25.71	50.77	74.00	-23.23	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9519.000	37.55	12.97	50.52	74.00	-23.48	peak
2	10905.000	35.39	14.75	50.14	74.00	-23.86	peak
3	12357.000	30.87	18.92	49.79	74.00	-24.21	peak
4	13248.000	28.50	21.09	49.59	74.00	-24.41	peak
5	14018.000	26.52	23.54	50.06	74.00	-23.94	peak
6	17934.000	21.19	28.91	50.10	74.00	-23.90	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	38.47	12.01	50.48	74.00	-23.52	peak
2	11279.000	35.48	15.44	50.92	74.00	-23.08	peak
3	12555.000	32.58	18.15	50.73	74.00	-23.27	peak
4	13402.000	30.94	20.04	50.98	74.00	-23.02	peak
5	14293.000	29.12	21.37	50.49	74.00	-23.51	peak
6	17109.000	26.24	24.69	50.93	74.00	-23.07	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	39.08	11.56	50.64	74.00	-23.36	peak
2	10751.000	35.91	14.28	50.19	74.00	-23.81	peak
3	11444.000	40.77	17.57	58.34	74.00	-15.66	peak
4	11444.000	29.84	17.57	47.41	54.00	-6.59	AVG
5	12698.000	31.14	19.56	50.70	74.00	-23.30	peak
6	13622.000	28.45	22.28	50.73	74.00	-23.27	peak
7	17956.000	21.82	29.14	50.96	74.00	-23.04	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9552.000	37.48	13.10	50.58	74.00	-23.42	peak
2	11433.000	39.74	16.11	55.85	74.00	-18.15	peak
3	11433.000	28.63	16.11	44.74	54.00	-9.26	AVG
4	12588.000	32.38	18.19	50.57	74.00	-23.43	peak
5	14062.000	28.44	21.91	50.35	74.00	-23.65	peak
6	16361.000	26.87	23.71	50.58	74.00	-23.42	peak
7	18000.000	23.32	27.41	50.73	74.00	-23.27	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9530.000	37.56	13.04	50.60	74.00	-23.40	peak
2	11037.000	35.19	15.27	50.46	74.00	-23.54	peak
3	11488.000	35.55	17.77	53.32	74.00	-20.68	peak
4	11488.000	25.02	17.77	42.79	54.00	-11.21	AVG
5	13105.000	30.01	20.50	50.51	74.00	-23.49	peak
6	14029.000	27.17	23.49	50.66	74.00	-23.34	peak
7	17967.000	21.20	29.26	50.46	74.00	-23.54	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	38.64	11.82	50.46	74.00	-23.54	peak
2	9607.000	37.56	13.33	50.89	74.00	-23.11	peak
3	11290.000	34.77	15.49	50.26	74.00	-23.74	peak
4	12687.000	32.24	18.51	50.75	74.00	-23.25	peak
5	14029.000	28.18	21.96	50.14	74.00	-23.86	peak
6	17373.000	25.91	25.04	50.95	74.00	-23.05	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9365.000	38.25	12.09	50.34	74.00	-23.66	peak
2	10399.000	36.69	13.35	50.04	74.00	-23.96	peak
3	11576.000	36.76	13.40	50.16	74.00	-23.84	peak
4	12720.000	36.10	14.65	50.75	74.00	-23.25	peak
5	13963.000	32.01	18.46	50.47	74.00	-23.53	peak
6	17879.000	29.26	20.82	50.08	74.00	-23.92	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	39.04	11.55	50.59	74.00	-23.41	peak
2	9739.000	37.38	13.36	50.74	74.00	-23.26	peak
3	11631.000	37.66	11.98	49.64	74.00	-24.36	peak
4	12698.000	37.16	13.54	50.70	74.00	-23.30	peak
5	16262.000	31.78	18.46	50.24	74.00	-23.76	peak
6	17769.000	31.59	18.51	50.10	74.00	-23.90	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	38.33	11.84	50.17	74.00	-23.83	peak
2	9618.000	37.30	13.49	50.79	74.00	-23.21	peak
3	11587.000	36.57	13.42	49.99	74.00	-24.01	peak
4	12720.000	35.39	14.65	50.04	74.00	-23.96	peak
5	13556.000	33.20	17.14	50.34	74.00	-23.66	peak
6	18000.000	27.64	22.11	49.75	74.00	-24.25	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	38.46	11.76	50.22	74.00	-23.78	peak
2	9585.000	37.47	13.26	50.73	74.00	-23.27	peak
3	11642.000	37.89	11.96	49.85	74.00	-24.15	peak
4	13842.000	34.41	16.33	50.74	74.00	-23.26	peak
5	16196.000	31.90	18.83	50.73	74.00	-23.27	peak
6	17934.000	31.42	19.50	50.92	74.00	-23.08	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9156.000	38.15	11.36	49.51	74.00	-24.49	peak
2	10377.000	38.13	13.34	51.47	74.00	-22.53	peak
3	11598.000	37.43	13.45	50.88	74.00	-23.12	peak
4	12676.000	35.99	14.48	50.47	74.00	-23.53	peak
5	14007.000	31.83	18.59	50.42	74.00	-23.58	peak
6	18000.000	28.59	22.11	50.70	74.00	-23.30	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8584.000	39.32	9.44	48.76	74.00	-25.24	peak
2	9530.000	37.05	13.00	50.05	74.00	-23.95	peak
3	10388.000	39.11	13.02	52.13	74.00	-21.87	peak
4	12687.000	36.31	13.51	49.82	74.00	-24.18	peak
5	13963.000	34.15	16.85	51.00	74.00	-23.00	peak
6	16559.000	33.23	17.59	50.82	74.00	-23.18	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9398.000	37.92	12.21	50.13	74.00	-23.87	peak
2	10454.000	42.17	13.18	55.35	74.00	-18.65	peak
3	11521.000	37.51	13.24	50.75	74.00	-23.25	peak
4	13622.000	33.64	17.28	50.92	74.00	-23.08	peak
5	13985.000	32.10	18.55	50.65	74.00	-23.35	peak
6	17967.000	28.43	21.76	50.19	74.00	-23.81	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	37.82	11.93	49.75	74.00	-24.25	peak
2	10454.000	38.04	12.94	50.98	74.00	-23.02	peak
3	12698.000	36.45	13.54	49.99	74.00	-24.01	peak
4	13622.000	35.33	15.60	50.93	74.00	-23.07	peak
5	14128.000	33.94	16.82	50.76	74.00	-23.24	peak
6	16174.000	32.08	18.72	50.80	74.00	-23.20	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	38.57	11.78	50.35	74.00	-23.65	peak
2	10542.000	41.75	12.95	54.70	74.00	-19.30	peak
3	11455.000	37.13	12.99	50.12	74.00	-23.88	peak
4	12731.000	36.13	14.70	50.83	74.00	-23.17	peak
5	13369.000	34.44	16.52	50.96	74.00	-23.04	peak
6	17934.000	28.62	21.41	50.03	74.00	-23.97	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9101.000	38.75	11.43	50.18	74.00	-23.82	peak
2	10553.000	39.91	12.66	52.57	74.00	-21.43	peak
3	12786.000	36.55	13.86	50.41	74.00	-23.59	peak
4	13842.000	34.40	16.33	50.73	74.00	-23.27	peak
5	15437.000	34.70	15.60	50.30	74.00	-23.70	peak
6	16196.000	31.81	18.83	50.64	74.00	-23.36	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9552.000	36.87	13.17	50.04	74.00	-23.96	peak
2	10619.000	38.74	13.88	52.62	74.00	-21.38	peak
3	10619.000	27.42	13.88	41.30	54.00	-12.70	AVG
4	11939.000	31.88	18.34	50.22	74.00	-23.78	peak
5	12434.000	31.19	18.98	50.17	74.00	-23.83	peak
6	13413.000	28.18	21.69	49.87	74.00	-24.13	peak
7	17978.000	21.17	29.38	50.55	74.00	-23.45	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9574.000	36.64	13.21	49.85	74.00	-24.15	peak
2	10619.000	39.57	12.45	52.02	74.00	-21.98	peak
3	10619.000	29.50	12.45	41.95	54.00	-12.05	AVG
4	12027.000	36.80	12.45	49.25	74.00	-24.75	peak
5	13853.000	33.88	16.38	50.26	74.00	-23.74	peak
6	16119.000	32.36	18.46	50.82	74.00	-23.18	peak
7	17989.000	30.91	19.83	50.74	74.00	-23.26	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9596.000	37.05	13.44	50.49	74.00	-23.51	peak
2	10883.000	35.52	14.68	50.20	74.00	-23.80	peak
3	11092.000	33.99	15.56	49.55	74.00	-24.45	peak
4	12698.000	30.58	19.56	50.14	74.00	-23.86	peak
5	13666.000	27.19	22.41	49.60	74.00	-24.40	peak
6	17989.000	21.12	29.49	50.61	74.00	-23.39	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	38.95	11.80	50.75	74.00	-23.25	peak
2	11048.000	36.21	14.46	50.67	74.00	-23.33	peak
3	12698.000	31.83	18.54	50.37	74.00	-23.63	peak
4	13974.000	28.19	21.89	50.08	74.00	-23.92	peak
5	16152.000	26.20	23.85	50.05	74.00	-23.95	peak
6	17989.000	22.97	27.33	50.30	74.00	-23.70	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9420.000	38.65	12.34	50.99	74.00	-23.01	peak
2	10960.000	35.90	14.93	50.83	74.00	-23.17	peak
3	11532.000	32.71	17.92	50.63	74.00	-23.37	peak
4	12786.000	30.10	19.93	50.03	74.00	-23.97	peak
5	13435.000	28.21	21.79	50.00	74.00	-24.00	peak
6	18000.000	21.01	29.61	50.62	74.00	-23.38	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	38.39	11.93	50.32	74.00	-23.68	peak
2	11059.000	35.92	14.51	50.43	74.00	-23.57	peak
3	11543.000	34.50	16.47	50.97	74.00	-23.03	peak
4	13270.000	31.21	19.69	50.90	74.00	-23.10	peak
5	14678.000	29.69	20.75	50.44	74.00	-23.56	peak
6	17769.000	24.93	26.00	50.93	74.00	-23.07	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9365.000	38.23	12.09	50.32	74.00	-23.68	peak
2	11092.000	34.66	15.56	50.22	74.00	-23.78	peak
3	12379.000	31.48	18.95	50.43	74.00	-23.57	peak
4	13116.000	30.04	20.56	50.60	74.00	-23.40	peak
5	13666.000	27.99	22.41	50.40	74.00	-23.60	peak
6	17912.000	22.26	28.68	50.94	74.00	-23.06	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	38.87	11.92	50.79	74.00	-23.21	peak
2	10872.000	36.22	14.00	50.22	74.00	-23.78	peak
3	12764.000	30.78	18.77	49.55	74.00	-24.45	peak
4	13710.000	28.98	20.87	49.85	74.00	-24.15	peak
5	15921.000	27.23	22.39	49.62	74.00	-24.38	peak
6	17318.000	24.83	24.99	49.82	74.00	-24.18	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	38.64	11.66	50.30	74.00	-23.70	peak
2	9585.000	36.47	13.38	49.85	74.00	-24.15	peak
3	11048.000	34.91	15.33	50.24	74.00	-23.76	peak
4	13237.000	29.44	21.04	50.48	74.00	-23.52	peak
5	13996.000	26.44	23.59	50.03	74.00	-23.97	peak
6	17890.000	22.24	28.43	50.67	74.00	-23.33	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9640.000	37.34	13.33	50.67	74.00	-23.33	peak
2	9970.000	37.66	12.75	50.41	74.00	-23.59	peak
3	11334.000	34.51	15.70	50.21	74.00	-23.79	peak
4	13259.000	30.59	19.67	50.26	74.00	-23.74	peak
5	17230.000	25.04	24.93	49.97	74.00	-24.03	peak
6	17989.000	23.24	27.33	50.57	74.00	-23.43	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9123.000	38.66	11.22	49.88	74.00	-24.12	peak
2	9640.000	37.46	13.53	50.99	74.00	-23.01	peak
3	12016.000	36.67	13.52	50.19	74.00	-23.81	peak
4	12676.000	36.36	14.48	50.84	74.00	-23.16	peak
5	14084.000	31.90	18.26	50.16	74.00	-23.84	peak
6	17945.000	28.75	21.53	50.28	74.00	-23.72	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9640.000	37.43	13.33	50.76	74.00	-23.24	peak
2	10366.000	36.86	12.99	49.85	74.00	-24.15	peak
3	12324.000	37.75	12.90	50.65	74.00	-23.35	peak
4	14018.000	33.67	16.99	50.66	74.00	-23.34	peak
5	16251.000	32.13	18.53	50.66	74.00	-23.34	peak
6	17934.000	31.39	19.50	50.89	74.00	-23.11	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9013.000	39.76	10.72	50.48	74.00	-23.52	peak
2	10333.000	37.36	13.30	50.66	74.00	-23.34	peak
3	11532.000	37.11	13.28	50.39	74.00	-23.61	peak
4	13259.000	34.12	16.13	50.25	74.00	-23.75	peak
5	14128.000	31.66	18.09	49.75	74.00	-24.25	peak
6	17956.000	28.10	21.64	49.74	74.00	-24.26	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	38.07	11.80	49.87	74.00	-24.13	peak
2	10388.000	36.83	13.02	49.85	74.00	-24.15	peak
3	12687.000	36.79	13.51	50.30	74.00	-23.70	peak
4	13930.000	33.70	16.71	50.41	74.00	-23.59	peak
5	16020.000	32.58	17.97	50.55	74.00	-23.45	peak
6	17857.000	31.28	19.01	50.29	74.00	-23.71	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	38.92	11.92	50.84	74.00	-23.16	peak
2	11059.000	38.42	12.06	50.48	74.00	-23.52	peak
3	11532.000	37.42	13.28	50.70	74.00	-23.30	peak
4	12676.000	36.13	14.48	50.61	74.00	-23.39	peak
5	14062.000	32.19	18.35	50.54	74.00	-23.46	peak
6	17978.000	28.17	21.88	50.05	74.00	-23.95	peak