



Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.88	11.88	49.76	74.00	-24.24	peak
2	10322.000	36.75	12.91	49.66	74.00	-24.34	peak
3	12753.000	36.27	13.73	50.00	74.00	-24.00	peak
4	13622.000	34.60	15.60	50.20	74.00	-23.80	peak
5	14447.000	34.30	15.97	50.27	74.00	-23.73	peak
6	16031.000	32.65	18.02	50.67	74.00	-23.33	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	39.24	11.17	50.41	74.00	-23.59	peak
2	10553.000	37.91	12.93	50.84	74.00	-23.16	peak
3	11576.000	36.87	13.40	50.27	74.00	-23.73	peak
4	12753.000	35.47	14.78	50.25	74.00	-23.75	peak
5	13809.000	32.08	17.83	49.91	74.00	-24.09	peak
6	17978.000	28.36	21.88	50.24	74.00	-23.76	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9519.000	37.39	12.94	50.33	74.00	-23.67	peak
2	10212.000	37.51	12.71	50.22	74.00	-23.78	peak
3	12643.000	36.37	13.35	49.72	74.00	-24.28	peak
4	13996.000	33.81	16.99	50.80	74.00	-23.20	peak
5	16229.000	32.25	18.68	50.93	74.00	-23.07	peak
6	17901.000	31.68	19.29	50.97	74.00	-23.03	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	38.92	11.84	50.76	74.00	-23.24	peak
2	11334.000	33.83	16.96	50.79	74.00	-23.21	peak
3	12412.000	32.00	18.98	50.98	74.00	-23.02	peak
4	13413.000	28.88	21.69	50.57	74.00	-23.43	peak
5	14007.000	26.97	23.59	50.56	74.00	-23.44	peak
6	17857.000	22.57	28.08	50.65	74.00	-23.35	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	38.79	11.82	50.61	74.00	-23.39	peak
2	11136.000	35.75	14.82	50.57	74.00	-23.43	peak
3	12698.000	32.45	18.54	50.99	74.00	-23.01	peak
4	13457.000	30.00	20.21	50.21	74.00	-23.79	peak
5	16031.000	27.22	23.07	50.29	74.00	-23.71	peak
6	17384.000	25.40	25.05	50.45	74.00	-23.55	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	39.15	11.59	50.74	74.00	-23.26	peak
2	10729.000	36.38	14.20	50.58	74.00	-23.42	peak
3	11532.000	32.70	17.92	50.62	74.00	-23.38	peak
4	12170.000	31.78	18.68	50.46	74.00	-23.54	peak
5	13325.000	28.43	21.36	49.79	74.00	-24.21	peak
6	17989.000	21.32	29.49	50.81	74.00	-23.19	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9420.000	38.29	12.41	50.70	74.00	-23.30	peak
2	11532.000	34.21	16.44	50.65	74.00	-23.35	peak
3	12467.000	32.77	18.07	50.84	74.00	-23.16	peak
4	13314.000	29.99	19.81	49.80	74.00	-24.20	peak
5	16405.000	26.26	23.60	49.86	74.00	-24.14	peak
6	17769.000	24.63	26.00	50.63	74.00	-23.37	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9277.000	38.79	11.81	50.60	74.00	-23.40	peak
2	9794.000	36.78	13.78	50.56	74.00	-23.44	peak
3	10553.000	36.36	13.70	50.06	74.00	-23.94	peak
4	11521.000	31.96	17.88	49.84	74.00	-24.16	peak
5	13127.000	29.34	20.60	49.94	74.00	-24.06	peak
6	18000.000	20.64	29.61	50.25	74.00	-23.75	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9684.000	37.29	13.35	50.64	74.00	-23.36	peak
2	10905.000	36.61	14.06	50.67	74.00	-23.33	peak
3	11334.000	35.16	15.70	50.86	74.00	-23.14	peak
4	12335.000	32.67	17.93	50.60	74.00	-23.40	peak
5	14029.000	28.69	21.96	50.65	74.00	-23.35	peak
6	17868.000	24.34	26.59	50.93	74.00	-23.07	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9101.000	39.68	11.11	50.79	74.00	-23.21	peak
2	9618.000	37.34	13.49	50.83	74.00	-23.17	peak
3	10817.000	35.88	14.48	50.36	74.00	-23.64	peak
4	12544.000	31.05	19.06	50.11	74.00	-23.89	peak
5	13259.000	28.79	21.13	49.92	74.00	-24.08	peak
6	17747.000	23.04	26.98	50.02	74.00	-23.98	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9354.000	38.16	12.17	50.33	74.00	-23.67	peak
2	11257.000	35.11	15.35	50.46	74.00	-23.54	peak
3	11851.000	33.69	16.89	50.58	74.00	-23.42	peak
4	12709.000	32.33	18.58	50.91	74.00	-23.09	peak
5	16097.000	26.58	23.49	50.07	74.00	-23.93	peak
6	18000.000	23.53	27.41	50.94	74.00	-23.06	peak

Test Mode:	802.11ac VHT160	Frequency(MHz):	5250
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9662.000	36.84	13.56	50.40	74.00	-23.60	peak
2	10322.000	37.06	13.28	50.34	74.00	-23.66	peak
3	11510.000	37.27	13.22	50.49	74.00	-23.51	peak
4	12313.000	36.62	13.86	50.48	74.00	-23.52	peak
5	13655.000	33.36	17.38	50.74	74.00	-23.26	peak
6	17978.000	28.27	21.88	50.15	74.00	-23.85	peak

Test Mode:	802.11ac VHT160	Frequency(MHz):	5250
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9277.000	38.46	11.99	50.45	74.00	-23.55	peak
2	11532.000	38.30	11.80	50.10	74.00	-23.90	peak
3	12533.000	36.41	13.13	49.54	74.00	-24.46	peak
4	13996.000	33.21	16.99	50.20	74.00	-23.80	peak
5	16053.000	32.26	18.13	50.39	74.00	-23.61	peak
6	16889.000	33.49	16.76	50.25	74.00	-23.75	peak

Test Mode:	802.11ac VHT160	Frequency(MHz):	5570
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9585.000	37.54	13.38	50.92	74.00	-23.08	peak
2	10795.000	36.02	14.41	50.43	74.00	-23.57	peak
3	12709.000	29.92	19.60	49.52	74.00	-24.48	peak
4	14029.000	26.25	23.49	49.74	74.00	-24.26	peak
5	17615.000	24.07	25.70	49.77	74.00	-24.23	peak
6	17934.000	21.36	28.91	50.27	74.00	-23.73	peak

Test Mode:	802.11ac VHT160	Frequency(MHz):	5570
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	39.52	11.48	51.00	74.00	-23.00	peak
2	11037.000	36.08	14.42	50.50	74.00	-23.50	peak
3	11906.000	33.52	17.09	50.61	74.00	-23.39	peak
4	13072.000	31.34	19.10	50.44	74.00	-23.56	peak
5	16933.000	26.48	24.30	50.78	74.00	-23.22	peak
6	18000.000	23.14	27.41	50.55	74.00	-23.45	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9541.000	37.60	13.10	50.70	74.00	-23.30	peak
2	10355.000	39.04	13.31	52.35	74.00	-21.65	peak
3	11048.000	37.64	12.07	49.71	74.00	-24.29	peak
4	12665.000	36.07	14.42	50.49	74.00	-23.51	peak
5	13600.000	33.42	17.22	50.64	74.00	-23.36	peak
6	17989.000	27.92	21.99	49.91	74.00	-24.09	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8947.000	38.97	10.82	49.79	74.00	-24.21	peak
2	10355.000	37.26	12.97	50.23	74.00	-23.77	peak
3	12676.000	36.60	13.47	50.07	74.00	-23.93	peak
4	13732.000	34.58	15.95	50.53	74.00	-23.47	peak
5	15833.000	33.98	16.85	50.83	74.00	-23.17	peak
6	17989.000	30.57	19.83	50.40	74.00	-23.60	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	38.23	11.78	50.01	74.00	-23.99	peak
2	9717.000	37.07	13.66	50.73	74.00	-23.27	peak
3	10399.000	40.54	13.35	53.89	74.00	-20.11	peak
4	11642.000	36.87	13.35	50.22	74.00	-23.78	peak
5	13468.000	33.77	16.91	50.68	74.00	-23.32	peak
6	17934.000	28.23	21.41	49.64	74.00	-24.36	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9640.000	36.74	13.33	50.07	74.00	-23.93	peak
2	10399.000	38.91	13.05	51.96	74.00	-22.04	peak
3	11455.000	38.00	11.55	49.55	74.00	-24.45	peak
4	12698.000	36.16	13.54	49.70	74.00	-24.30	peak
5	13776.000	33.93	16.09	50.02	74.00	-23.98	peak
6	16174.000	31.48	18.72	50.20	74.00	-23.80	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	38.04	11.92	49.96	74.00	-24.04	peak
2	10311.000	37.14	13.28	50.42	74.00	-23.58	peak
3	11521.000	37.56	13.24	50.80	74.00	-23.20	peak
4	12786.000	35.46	14.93	50.39	74.00	-23.61	peak
5	14062.000	31.54	18.35	49.89	74.00	-24.11	peak
6	17989.000	28.10	21.99	50.09	74.00	-23.91	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	38.00	11.96	49.96	74.00	-24.04	peak
2	10190.000	36.96	12.68	49.64	74.00	-24.36	peak
3	12786.000	36.02	13.86	49.88	74.00	-24.12	peak
4	14216.000	34.06	16.65	50.71	74.00	-23.29	peak
5	15987.000	32.37	17.78	50.15	74.00	-23.85	peak
6	17769.000	32.22	18.51	50.73	74.00	-23.27	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9607.000	36.91	13.48	50.39	74.00	-23.61	peak
2	10520.000	41.26	12.99	54.25	74.00	-19.75	peak
3	11433.000	37.66	12.88	50.54	74.00	-23.46	peak
4	12731.000	36.29	14.70	50.99	74.00	-23.01	peak
5	13787.000	32.39	17.76	50.15	74.00	-23.85	peak
6	17956.000	28.61	21.64	50.25	74.00	-23.75	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.96	11.76	49.72	74.00	-24.28	peak
2	10520.000	38.41	12.76	51.17	74.00	-22.83	peak
3	11510.000	37.88	11.73	49.61	74.00	-24.39	peak
4	12632.000	36.66	13.32	49.98	74.00	-24.02	peak
5	13853.000	34.35	16.38	50.73	74.00	-23.27	peak
6	16185.000	31.91	18.77	50.68	74.00	-23.32	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9376.000	38.42	12.13	50.55	74.00	-23.45	peak
2	9684.000	37.09	13.60	50.69	74.00	-23.31	peak
3	10564.000	43.30	12.90	56.20	74.00	-17.80	peak
4	12566.000	36.81	14.10	50.91	74.00	-23.09	peak
5	14040.000	31.90	18.44	50.34	74.00	-23.66	peak
6	17934.000	28.18	21.41	49.59	74.00	-24.41	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	38.14	11.93	50.07	74.00	-23.93	peak
2	10553.000	41.71	12.66	54.37	74.00	-19.63	peak
3	12687.000	36.57	13.51	50.08	74.00	-23.92	peak
4	14821.000	34.63	15.54	50.17	74.00	-23.83	peak
5	16262.000	31.74	18.46	50.20	74.00	-23.80	peak
6	17714.000	32.45	18.25	50.70	74.00	-23.30	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9541.000	37.39	13.10	50.49	74.00	-23.51	peak
2	10641.000	44.79	12.74	57.53	74.00	-16.47	peak
3	10641.000	34.06	12.74	46.80	54.00	-7.20	AVG
4	11510.000	37.73	13.22	50.95	74.00	-23.05	peak
5	12797.000	35.91	14.97	50.88	74.00	-23.12	peak
6	14018.000	31.76	18.54	50.30	74.00	-23.70	peak
7	17945.000	28.79	21.53	50.32	74.00	-23.68	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	38.81	11.68	50.49	74.00	-23.51	peak
2	10641.000	42.60	12.37	54.97	74.00	-19.03	peak
3	10641.000	31.21	12.37	43.58	54.00	-10.42	AVG
4	12335.000	37.35	12.93	50.28	74.00	-23.72	peak
5	13820.000	34.25	16.24	50.49	74.00	-23.51	peak
6	16438.000	33.19	17.62	50.81	74.00	-23.19	peak
7	17934.000	30.67	19.50	50.17	74.00	-23.83	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9552.000	37.14	13.17	50.31	74.00	-23.69	peak
2	10289.000	37.25	13.25	50.50	74.00	-23.50	peak
3	11609.000	36.43	13.43	49.86	74.00	-24.14	peak
4	12698.000	35.80	14.56	50.36	74.00	-23.64	peak
5	13963.000	32.00	18.46	50.46	74.00	-23.54	peak
6	17989.000	27.98	21.99	49.97	74.00	-24.03	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9552.000	36.76	13.10	49.86	74.00	-24.14	peak
2	10289.000	36.71	12.84	49.55	74.00	-24.45	peak
3	12687.000	36.93	13.51	50.44	74.00	-23.56	peak
4	14128.000	33.87	16.82	50.69	74.00	-23.31	peak
5	16537.000	33.10	17.61	50.71	74.00	-23.29	peak
6	17813.000	32.21	18.74	50.95	74.00	-23.05	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9376.000	38.63	12.13	50.76	74.00	-23.24	peak
2	10564.000	37.08	13.72	50.80	74.00	-23.20	peak
3	11158.000	38.44	15.93	54.37	74.00	-19.63	peak
4	11158.000	27.64	15.93	43.57	54.00	-10.43	AVG
5	12797.000	30.27	19.97	50.24	74.00	-23.76	peak
6	14007.000	26.84	23.59	50.43	74.00	-23.57	peak
7	17989.000	20.23	29.49	49.72	74.00	-24.28	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	38.67	12.07	50.74	74.00	-23.26	peak
2	10949.000	36.72	14.15	50.87	74.00	-23.13	peak
3	12533.000	32.38	18.13	50.51	74.00	-23.49	peak
4	14073.000	28.11	21.90	50.01	74.00	-23.99	peak
5	16174.000	25.64	23.99	49.63	74.00	-24.37	peak
6	17703.000	24.26	25.65	49.91	74.00	-24.09	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	38.95	11.74	50.69	74.00	-23.31	peak
2	9574.000	37.49	13.31	50.80	74.00	-23.20	peak
3	10960.000	35.25	14.93	50.18	74.00	-23.82	peak
4	11510.000	31.67	17.86	49.53	74.00	-24.47	peak
5	13204.000	28.83	20.93	49.76	74.00	-24.24	peak
6	17989.000	21.25	29.49	50.74	74.00	-23.26	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	38.60	11.71	50.31	74.00	-23.69	peak
2	10971.000	35.99	14.20	50.19	74.00	-23.81	peak
3	12412.000	32.41	18.04	50.45	74.00	-23.55	peak
4	13567.000	30.03	20.47	50.50	74.00	-23.50	peak
5	16383.000	25.45	23.65	49.10	74.00	-24.90	peak
6	17956.000	23.22	27.13	50.35	74.00	-23.65	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	38.47	11.95	50.42	74.00	-23.58	peak
2	11103.000	35.18	15.63	50.81	74.00	-23.19	peak
3	11433.000	36.34	17.51	53.85	74.00	-20.15	peak
4	11433.000	25.18	17.51	42.69	54.00	-11.31	AVG
5	12005.000	32.37	18.51	50.88	74.00	-23.12	peak
6	12775.000	30.59	19.89	50.48	74.00	-23.52	peak
7	17736.000	23.31	26.86	50.17	74.00	-23.83	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9607.000	37.48	13.33	50.81	74.00	-23.19	peak
2	11125.000	35.88	14.78	50.66	74.00	-23.34	peak
3	12027.000	32.95	17.45	50.40	74.00	-23.60	peak
4	13402.000	30.64	20.04	50.68	74.00	-23.32	peak
5	13798.000	29.01	21.15	50.16	74.00	-23.84	peak
6	17934.000	23.81	27.00	50.81	74.00	-23.19	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9728.000	36.56	13.68	50.24	74.00	-23.76	peak
2	10916.000	34.99	14.79	49.78	74.00	-24.22	peak
3	11400.000	32.60	17.36	49.96	74.00	-24.04	peak
4	12720.000	30.44	19.65	50.09	74.00	-23.91	peak
5	13633.000	27.55	22.31	49.86	74.00	-24.14	peak
6	17857.000	22.58	28.08	50.66	74.00	-23.34	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9387.000	38.17	12.26	50.43	74.00	-23.57	peak
2	11015.000	36.42	14.32	50.74	74.00	-23.26	peak
3	12742.000	30.87	18.70	49.57	74.00	-24.43	peak
4	13974.000	27.97	21.89	49.86	74.00	-24.14	peak
5	15976.000	27.00	22.73	49.73	74.00	-24.27	peak
6	17373.000	25.87	25.04	50.91	74.00	-23.09	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9222.000	38.70	11.64	50.34	74.00	-23.66	peak
2	9629.000	37.20	13.51	50.71	74.00	-23.29	peak
3	11257.000	33.92	16.51	50.43	74.00	-23.57	peak
4	12720.000	30.82	19.65	50.47	74.00	-23.53	peak
5	13633.000	27.64	22.31	49.95	74.00	-24.05	peak
6	17989.000	20.99	29.49	50.48	74.00	-23.52	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	38.89	11.76	50.65	74.00	-23.35	peak
2	11092.000	36.10	14.63	50.73	74.00	-23.27	peak
3	12698.000	31.90	18.54	50.44	74.00	-23.56	peak
4	13556.000	30.27	20.45	50.72	74.00	-23.28	peak
5	14447.000	29.46	20.97	50.43	74.00	-23.57	peak
6	18000.000	23.14	27.41	50.55	74.00	-23.45	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9431.000	38.08	12.41	50.49	74.00	-23.51	peak
2	9739.000	36.78	13.70	50.48	74.00	-23.52	peak
3	11125.000	34.14	15.75	49.89	74.00	-24.11	peak
4	12357.000	30.75	18.92	49.67	74.00	-24.33	peak
5	13820.000	26.85	22.88	49.73	74.00	-24.27	peak
6	17791.000	22.44	27.39	49.83	74.00	-24.17	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	38.72	12.01	50.73	74.00	-23.27	peak
2	10817.000	36.31	13.90	50.21	74.00	-23.79	peak
3	12621.000	32.04	18.27	50.31	74.00	-23.69	peak
4	14007.000	28.60	22.01	50.61	74.00	-23.39	peak
5	16889.000	26.02	24.21	50.23	74.00	-23.77	peak
6	17945.000	23.53	27.07	50.60	74.00	-23.40	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	38.88	11.71	50.59	74.00	-23.41	peak
2	10388.000	42.40	13.33	55.73	74.00	-18.27	peak
3	11510.000	37.01	13.22	50.23	74.00	-23.77	peak
4	12698.000	35.97	14.56	50.53	74.00	-23.47	peak
5	14040.000	32.15	18.44	50.59	74.00	-23.41	peak
6	17989.000	27.88	21.99	49.87	74.00	-24.13	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9046.000	38.46	11.23	49.69	74.00	-24.31	peak
2	10366.000	38.37	12.99	51.36	74.00	-22.64	peak
3	12577.000	36.45	13.18	49.63	74.00	-24.37	peak
4	13842.000	34.30	16.33	50.63	74.00	-23.37	peak
5	16163.000	31.84	18.66	50.50	74.00	-23.50	peak
6	17978.000	30.06	19.78	49.84	74.00	-24.16	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9706.000	36.60	13.65	50.25	74.00	-23.75	peak
2	10454.000	41.72	13.18	54.90	74.00	-19.10	peak
3	11532.000	36.70	13.28	49.98	74.00	-24.02	peak
4	12665.000	35.67	14.42	50.09	74.00	-23.91	peak
5	13963.000	31.51	18.46	49.97	74.00	-24.03	peak
6	18000.000	28.82	22.11	50.93	74.00	-23.07	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9277.000	37.91	11.99	49.90	74.00	-24.10	peak
2	10454.000	40.95	12.94	53.89	74.00	-20.11	peak
3	12709.000	35.72	13.58	49.30	74.00	-24.70	peak
4	14084.000	33.20	16.88	50.08	74.00	-23.92	peak
5	16053.000	32.38	18.13	50.51	74.00	-23.49	peak
6	18000.000	30.48	19.91	50.39	74.00	-23.61	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	38.79	11.78	50.57	74.00	-23.43	peak
2	10542.000	40.49	12.95	53.44	74.00	-20.56	peak
3	11532.000	37.57	13.28	50.85	74.00	-23.15	peak
4	12863.000	35.85	15.00	50.85	74.00	-23.15	peak
5	13281.000	34.75	16.20	50.95	74.00	-23.05	peak
6	17989.000	28.31	21.99	50.30	74.00	-23.70	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9222.000	38.03	11.86	49.89	74.00	-24.11	peak
2	10542.000	39.85	12.70	52.55	74.00	-21.45	peak
3	11664.000	37.32	11.92	49.24	74.00	-24.76	peak
4	12720.000	35.69	13.62	49.31	74.00	-24.69	peak
5	14480.000	33.28	15.96	49.24	74.00	-24.76	peak
6	16163.000	31.34	18.66	50.00	74.00	-24.00	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9222.000	38.45	11.64	50.09	74.00	-23.91	peak
2	10190.000	37.44	13.19	50.63	74.00	-23.37	peak
3	11433.000	38.03	12.88	50.91	74.00	-23.09	peak
4	12335.000	36.78	13.89	50.67	74.00	-23.33	peak
5	13622.000	33.38	17.28	50.66	74.00	-23.34	peak
6	17934.000	28.69	21.41	50.10	74.00	-23.90	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9530.000	37.70	13.00	50.70	74.00	-23.30	peak
2	12819.000	36.29	13.90	50.19	74.00	-23.81	peak
3	13996.000	33.34	16.99	50.33	74.00	-23.67	peak
4	14865.000	34.76	15.40	50.16	74.00	-23.84	peak
5	16218.000	31.81	18.74	50.55	74.00	-23.45	peak
6	17758.000	32.08	18.46	50.54	74.00	-23.46	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9013.000	39.08	10.72	49.80	74.00	-24.20	peak
2	10278.000	37.49	13.25	50.74	74.00	-23.26	peak
3	11510.000	37.05	13.22	50.27	74.00	-23.73	peak
4	12720.000	35.58	14.65	50.23	74.00	-23.77	peak
5	13831.000	32.19	17.93	50.12	74.00	-23.88	peak
6	17934.000	28.70	21.41	50.11	74.00	-23.89	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9563.000	37.18	13.14	50.32	74.00	-23.68	peak
2	11653.000	37.37	11.94	49.31	74.00	-24.69	peak
3	12753.000	36.03	13.73	49.76	74.00	-24.24	peak
4	14018.000	32.77	16.99	49.76	74.00	-24.24	peak
5	16174.000	31.97	18.72	50.69	74.00	-23.31	peak
6	17978.000	29.33	19.78	49.11	74.00	-24.89	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9794.000	36.47	13.78	50.25	74.00	-23.75	peak
2	10927.000	35.87	14.82	50.69	74.00	-23.31	peak
3	11928.000	32.39	18.32	50.71	74.00	-23.29	peak
4	12621.000	31.18	19.24	50.42	74.00	-23.58	peak
5	13875.000	26.77	23.11	49.88	74.00	-24.12	peak
6	17978.000	21.09	29.38	50.47	74.00	-23.53	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	39.29	11.68	50.97	74.00	-23.03	peak
2	10542.000	36.80	13.41	50.21	74.00	-23.79	peak
3	13017.000	31.11	18.91	50.02	74.00	-23.98	peak
4	14029.000	28.25	21.96	50.21	74.00	-23.79	peak
5	16570.000	26.66	23.54	50.20	74.00	-23.80	peak
6	17065.000	25.72	24.58	50.30	74.00	-23.70	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	38.00	11.99	49.99	74.00	-24.01	peak
2	9959.000	37.10	13.44	50.54	74.00	-23.46	peak
3	11675.000	36.80	13.28	50.08	74.00	-23.92	peak
4	12676.000	35.54	14.48	50.02	74.00	-23.98	peak
5	13677.000	33.23	17.44	50.67	74.00	-23.33	peak
6	18000.000	28.46	22.11	50.57	74.00	-23.43	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	38.06	11.92	49.98	74.00	-24.02	peak
2	9849.000	36.86	13.19	50.05	74.00	-23.95	peak
3	10982.000	37.69	11.31	49.00	74.00	-25.00	peak
4	14062.000	33.98	16.91	50.89	74.00	-23.11	peak
5	16284.000	32.37	18.33	50.70	74.00	-23.30	peak
6	18000.000	30.62	19.91	50.53	74.00	-23.47	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9101.000	39.19	11.11	50.30	74.00	-23.70	peak
2	9937.000	36.49	13.49	49.98	74.00	-24.02	peak
3	11631.000	36.64	13.38	50.02	74.00	-23.98	peak
4	13743.000	32.84	17.64	50.48	74.00	-23.52	peak
5	14040.000	31.84	18.44	50.28	74.00	-23.72	peak
6	17989.000	28.01	21.99	50.00	74.00	-24.00	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9519.000	37.07	12.94	50.01	74.00	-23.99	peak
2	10245.000	36.95	12.76	49.71	74.00	-24.29	peak
3	12720.000	36.23	13.62	49.85	74.00	-24.15	peak
4	13809.000	34.61	16.19	50.80	74.00	-23.20	peak
5	15690.000	34.28	16.23	50.51	74.00	-23.49	peak
6	16845.000	33.75	16.91	50.66	74.00	-23.34	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	38.83	11.84	50.67	74.00	-23.33	peak
2	9640.000	36.83	13.53	50.36	74.00	-23.64	peak
3	11499.000	32.73	17.83	50.56	74.00	-23.44	peak
4	13182.000	29.89	20.83	50.72	74.00	-23.28	peak
5	14018.000	26.82	23.54	50.36	74.00	-23.64	peak
6	18000.000	21.18	29.61	50.79	74.00	-23.21	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9409.000	38.39	12.34	50.73	74.00	-23.27	peak
2	10872.000	36.74	14.00	50.74	74.00	-23.26	peak
3	12687.000	32.04	18.51	50.55	74.00	-23.45	peak
4	13765.000	28.62	21.05	49.67	74.00	-24.33	peak
5	16878.000	26.05	24.19	50.24	74.00	-23.76	peak
6	17945.000	22.84	27.07	49.91	74.00	-24.09	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9035.000	39.13	10.83	49.96	74.00	-24.04	peak
2	9596.000	36.88	13.44	50.32	74.00	-23.68	peak
3	11642.000	36.17	13.35	49.52	74.00	-24.48	peak
4	12742.000	34.67	14.75	49.42	74.00	-24.58	peak
5	13974.000	31.10	18.50	49.60	74.00	-24.40	peak
6	17945.000	28.92	21.53	50.45	74.00	-23.55	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	38.47	11.82	50.29	74.00	-23.71	peak
2	11620.000	37.76	12.00	49.76	74.00	-24.24	peak
3	12775.000	36.39	13.82	50.21	74.00	-23.79	peak
4	14051.000	33.08	16.93	50.01	74.00	-23.99	peak
5	16240.000	32.30	18.60	50.90	74.00	-23.10	peak
6	17868.000	31.19	19.09	50.28	74.00	-23.72	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	38.59	11.59	50.18	74.00	-23.82	peak
2	9651.000	36.69	13.55	50.24	74.00	-23.76	peak
3	10410.000	38.45	13.33	51.78	74.00	-22.22	peak
4	12687.000	34.84	14.52	49.36	74.00	-24.64	peak
5	13512.000	32.16	17.06	49.22	74.00	-24.78	peak
6	17934.000	27.04	21.41	48.45	74.00	-25.55	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9409.000	37.93	12.34	50.27	74.00	-23.73	peak
2	10399.000	36.74	13.05	49.79	74.00	-24.21	peak
3	11631.000	37.23	11.98	49.21	74.00	-24.79	peak
4	14029.000	33.91	16.96	50.87	74.00	-23.13	peak
5	14832.000	35.07	15.50	50.57	74.00	-23.43	peak
6	15954.000	33.17	17.59	50.76	74.00	-23.24	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	38.89	11.84	50.73	74.00	-23.27	peak
2	10190.000	37.67	13.19	50.86	74.00	-23.14	peak
3	11862.000	37.25	13.14	50.39	74.00	-23.61	peak
4	13193.000	34.99	15.87	50.86	74.00	-23.14	peak
5	13853.000	32.74	18.01	50.75	74.00	-23.25	peak
6	17967.000	28.73	21.76	50.49	74.00	-23.51	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	37.71	12.10	49.81	74.00	-24.19	peak
2	10102.000	37.34	12.66	50.00	74.00	-24.00	peak
3	11708.000	37.30	11.87	49.17	74.00	-24.83	peak
4	12698.000	36.34	13.54	49.88	74.00	-24.12	peak
5	14018.000	32.85	16.99	49.84	74.00	-24.16	peak
6	16372.000	32.67	17.79	50.46	74.00	-23.54	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	38.40	11.74	50.14	74.00	-23.86	peak
2	9893.000	36.37	13.58	49.95	74.00	-24.05	peak
3	11510.000	37.05	13.22	50.27	74.00	-23.73	peak
4	12720.000	35.45	14.65	50.10	74.00	-23.90	peak
5	13259.000	34.35	16.13	50.48	74.00	-23.52	peak
6	17923.000	28.45	21.28	49.73	74.00	-24.27	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9277.000	38.00	11.99	49.99	74.00	-24.01	peak
2	10916.000	37.03	11.51	48.54	74.00	-25.46	peak
3	12731.000	35.94	13.66	49.60	74.00	-24.40	peak
4	14128.000	33.61	16.82	50.43	74.00	-23.57	peak
5	16262.000	32.16	18.46	50.62	74.00	-23.38	peak
6	17769.000	32.00	18.51	50.51	74.00	-23.49	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9112.000	39.45	11.17	50.62	74.00	-23.38	peak
2	9629.000	37.42	13.51	50.93	74.00	-23.07	peak
3	10982.000	35.69	15.00	50.69	74.00	-23.31	peak
4	12698.000	29.91	19.56	49.47	74.00	-24.53	peak
5	13963.000	26.45	23.46	49.91	74.00	-24.09	peak
6	18000.000	21.20	29.61	50.81	74.00	-23.19	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9541.000	37.57	13.04	50.61	74.00	-23.39	peak
2	10795.000	36.47	13.86	50.33	74.00	-23.67	peak
3	12544.000	32.29	18.14	50.43	74.00	-23.57	peak
4	13259.000	30.93	19.67	50.60	74.00	-23.40	peak
5	13952.000	27.93	21.81	49.74	74.00	-24.26	peak
6	17384.000	25.86	25.05	50.91	74.00	-23.09	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9739.000	36.81	13.70	50.51	74.00	-23.49	peak
2	10311.000	37.20	13.28	50.48	74.00	-23.52	peak
3	11070.000	35.23	15.44	50.67	74.00	-23.33	peak
4	12533.000	31.60	19.05	50.65	74.00	-23.35	peak
5	14051.000	27.01	23.40	50.41	74.00	-23.59	peak
6	17868.000	22.27	28.21	50.48	74.00	-23.52	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	38.56	11.96	50.52	74.00	-23.48	peak
2	10685.000	36.53	13.66	50.19	74.00	-23.81	peak
3	12775.000	30.91	18.82	49.73	74.00	-24.27	peak
4	13897.000	28.84	21.57	50.41	74.00	-23.59	peak
5	14931.000	29.96	20.19	50.15	74.00	-23.85	peak
6	17945.000	23.83	27.07	50.90	74.00	-23.10	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9640.000	36.68	13.53	50.21	74.00	-23.79	peak
2	11037.000	38.35	12.06	50.41	74.00	-23.59	peak
3	12731.000	35.68	14.70	50.38	74.00	-23.62	peak
4	13314.000	34.24	16.32	50.56	74.00	-23.44	peak
5	14007.000	31.40	18.59	49.99	74.00	-24.01	peak
6	17989.000	28.16	21.99	50.15	74.00	-23.85	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	37.94	12.04	49.98	74.00	-24.02	peak
2	10289.000	36.12	12.84	48.96	74.00	-25.04	peak
3	12709.000	35.55	13.58	49.13	74.00	-24.87	peak
4	13974.000	33.98	16.89	50.87	74.00	-23.13	peak
5	16625.000	33.20	17.52	50.72	74.00	-23.28	peak
6	17868.000	31.39	19.09	50.48	74.00	-23.52	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	5250
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9728.000	37.09	13.68	50.77	74.00	-23.23	peak
2	10289.000	37.04	13.25	50.29	74.00	-23.71	peak
3	11521.000	37.01	13.24	50.25	74.00	-23.75	peak
4	12577.000	36.00	14.13	50.13	74.00	-23.87	peak
5	13831.000	32.06	17.93	49.99	74.00	-24.01	peak
6	17912.000	27.92	21.18	49.10	74.00	-24.90	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	5250
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	38.01	11.88	49.89	74.00	-24.11	peak
2	10322.000	36.71	12.91	49.62	74.00	-24.38	peak
3	12775.000	35.58	13.82	49.40	74.00	-24.60	peak
4	13930.000	33.74	16.71	50.45	74.00	-23.55	peak
5	16196.000	31.78	18.83	50.61	74.00	-23.39	peak
6	16559.000	32.88	17.59	50.47	74.00	-23.53	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	5570
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	38.48	11.66	50.14	74.00	-23.86	peak
2	10223.000	37.04	13.19	50.23	74.00	-23.77	peak
3	11499.000	37.16	13.19	50.35	74.00	-23.65	peak
4	12687.000	36.15	14.52	50.67	74.00	-23.33	peak
5	13875.000	32.08	18.11	50.19	74.00	-23.81	peak
6	17912.000	28.85	21.18	50.03	74.00	-23.97	peak

Test Mode:	802.11ax HE160	Frequency(MHz):	5570
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9563.000	37.09	13.14	50.23	74.00	-23.77	peak
2	10256.000	36.97	12.79	49.76	74.00	-24.24	peak
3	12709.000	36.31	13.58	49.89	74.00	-24.11	peak
4	13985.000	32.40	16.95	49.35	74.00	-24.65	peak
5	15976.000	32.34	17.73	50.07	74.00	-23.93	peak
6	17813.000	30.31	18.74	49.05	74.00	-24.95	peak

8.7. SPURIOUS EMISSIONS(7 GHZ~18 GHZ) - CONDITION 1 PCB ANTENNA PARTIAL RU


Note: For the 3 data of Frequency means: Frequency, RU Size, RU index

Test Mode:	802.11ax HE20	Frequency(MHz):	5180 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	38.27	11.78	50.05	74.00	-23.95	peak
2	11741.000	32.69	18.02	50.71	74.00	-23.29	peak
3	12335.000	30.85	18.89	49.74	74.00	-24.26	peak
4	12687.000	30.18	19.52	49.70	74.00	-24.30	peak
5	14040.000	26.28	23.44	49.72	74.00	-24.28	peak
6	17934.000	21.89	28.91	50.80	74.00	-23.20	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180 26 0
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9574.000	36.92	13.21	50.13	74.00	-23.87	peak
2	11059.000	35.70	14.51	50.21	74.00	-23.79	peak
3	12676.000	31.12	18.47	49.59	74.00	-24.41	peak
4	14007.000	27.08	22.01	49.09	74.00	-24.91	peak
5	16031.000	25.99	23.07	49.06	74.00	-24.94	peak
6	17087.000	25.82	24.63	50.45	74.00	-23.55	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200 26 4
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	37.97	11.56	49.53	74.00	-24.47	peak
2	9662.000	36.46	13.56	50.02	74.00	-23.98	peak
3	10278.000	36.33	13.25	49.58	74.00	-24.42	peak
4	11906.000	31.52	18.26	49.78	74.00	-24.22	peak
5	13919.000	26.20	23.28	49.48	74.00	-24.52	peak
6	17967.000	21.13	29.26	50.39	74.00	-23.61	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200 26 4
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9475.000	38.12	12.72	50.84	74.00	-23.16	peak
2	10630.000	35.98	13.57	49.55	74.00	-24.45	peak
3	12687.000	31.65	18.51	50.16	74.00	-23.84	peak
4	13798.000	29.10	21.15	50.25	74.00	-23.75	peak
5	14315.000	28.75	21.30	50.05	74.00	-23.95	peak
6	16856.000	26.05	24.14	50.19	74.00	-23.81	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240 26 8
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	38.77	11.25	50.02	74.00	-23.98	peak
2	10278.000	37.26	13.25	50.51	74.00	-23.49	peak
3	11026.000	35.01	15.21	50.22	74.00	-23.78	peak
4	12720.000	30.45	19.65	50.10	74.00	-23.90	peak
5	13523.000	27.27	22.08	49.35	74.00	-24.65	peak
6	17978.000	20.94	29.38	50.32	74.00	-23.68	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240 26 8
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	38.39	12.01	50.40	74.00	-23.60	peak
2	9640.000	37.25	13.33	50.58	74.00	-23.42	peak
3	11433.000	34.03	16.11	50.14	74.00	-23.86	peak
4	11862.000	32.40	16.93	49.33	74.00	-24.67	peak
5	13677.000	28.42	20.78	49.20	74.00	-24.80	peak
6	17351.000	24.90	25.02	49.92	74.00	-24.08	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	37.99	11.99	49.98	74.00	-24.02	peak
2	9728.000	36.38	13.68	50.06	74.00	-23.94	peak
3	11356.000	32.30	17.10	49.40	74.00	-24.60	peak
4	12632.000	30.28	19.29	49.57	74.00	-24.43	peak
5	13402.000	27.34	21.64	48.98	74.00	-25.02	peak
6	17967.000	20.92	29.26	50.18	74.00	-23.82	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260 26 0
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9563.000	37.32	13.14	50.46	74.00	-23.54	peak
2	10498.000	36.61	13.33	49.94	74.00	-24.06	peak
3	12665.000	31.97	18.42	50.39	74.00	-23.61	peak
4	13853.000	28.59	21.38	49.97	74.00	-24.03	peak
5	16119.000	26.07	23.64	49.71	74.00	-24.29	peak
6	17373.000	25.06	25.04	50.10	74.00	-23.90	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280 26 4
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	39.20	11.51	50.71	74.00	-23.29	peak
2	10542.000	44.94	13.66	58.60	74.00	-15.40	peak
3	10817.000	35.98	14.48	50.46	74.00	-23.54	peak
4	12302.000	30.78	18.85	49.63	74.00	-24.37	peak
5	13435.000	28.03	21.79	49.82	74.00	-24.18	peak
6	17978.000	21.15	29.38	50.53	74.00	-23.47	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280 26 4
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9321.000	37.98	12.10	50.08	74.00	-23.92	peak
2	10542.000	39.61	13.41	53.02	74.00	-20.98	peak
3	12225.000	32.34	17.74	50.08	74.00	-23.92	peak
4	13941.000	27.42	21.76	49.18	74.00	-24.82	peak
5	16251.000	25.29	24.01	49.30	74.00	-24.70	peak
6	17791.000	23.96	26.11	50.07	74.00	-23.93	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320 26 8
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9530.000	37.91	13.04	50.95	74.00	-23.05	peak
2	11048.000	35.14	15.33	50.47	74.00	-23.53	peak
3	11851.000	32.08	18.11	50.19	74.00	-23.81	peak
4	12390.000	31.36	18.97	50.33	74.00	-23.67	peak
5	13974.000	25.28	23.50	48.78	74.00	-25.22	peak
6	17879.000	22.14	28.32	50.46	74.00	-23.54	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320 26 8
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9629.000	36.66	13.33	49.99	74.00	-24.01	peak
2	10619.000	36.32	13.54	49.86	74.00	-24.14	peak
3	11851.000	33.27	16.89	50.16	74.00	-23.84	peak
4	12654.000	31.57	18.39	49.96	74.00	-24.04	peak
5	14821.000	28.31	20.54	48.85	74.00	-25.15	peak
6	17725.000	24.27	25.76	50.03	74.00	-23.97	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9288.000	38.72	11.84	50.56	74.00	-23.44	peak
2	9596.000	37.29	13.44	50.73	74.00	-23.27	peak
3	10982.000	39.76	15.00	54.76	74.00	-19.24	peak
4	10982.000	30.75	15.00	45.75	54.00	-8.25	AVG
5	12698.000	31.17	19.56	50.73	74.00	-23.27	peak
6	13270.000	29.48	21.16	50.64	74.00	-23.36	peak
7	18000.000	21.40	29.61	51.01	74.00	-22.99	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500 26 0
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9277.000	38.68	11.99	50.67	74.00	-23.33	peak
2	11048.000	35.91	14.46	50.37	74.00	-23.63	peak
3	12346.000	32.89	17.95	50.84	74.00	-23.16	peak
4	13985.000	27.87	21.95	49.82	74.00	-24.18	peak
5	16207.000	25.87	24.14	50.01	74.00	-23.99	peak
6	17791.000	24.62	26.11	50.73	74.00	-23.27	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580 26 4
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	38.33	11.66	49.99	74.00	-24.01	peak
2	9717.000	36.41	13.66	50.07	74.00	-23.93	peak
3	11136.000	39.07	15.81	54.88	74.00	-19.12	peak
4	11136.000	29.39	15.81	45.20	54.00	-8.80	AVG
5	11675.000	32.30	18.06	50.36	74.00	-23.64	peak
6	13138.000	29.68	20.64	50.32	74.00	-23.68	peak
7	17868.000	22.22	28.21	50.43	74.00	-23.57	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580 26 4
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	38.13	11.88	50.01	74.00	-23.99	peak
2	9640.000	37.43	13.33	50.76	74.00	-23.24	peak
3	11147.000	39.37	14.87	54.24	74.00	-19.76	peak
4	11147.000	29.27	14.87	44.14	54.00	-9.86	AVG
5	11499.000	34.15	16.33	50.48	74.00	-23.52	peak
6	12698.000	31.71	18.54	50.25	74.00	-23.75	peak
7	17307.000	25.13	25.00	50.13	74.00	-23.87	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700 26 8
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9079.000	38.92	11.02	49.94	74.00	-24.06	peak
2	9640.000	36.59	13.53	50.12	74.00	-23.88	peak
3	11411.000	34.23	17.41	51.64	74.00	-22.36	peak
4	11411.000	25.24	17.41	42.65	54.00	-11.35	AVG
5	12599.000	31.17	19.16	50.33	74.00	-23.67	peak
6	13369.000	28.95	21.52	50.47	74.00	-23.53	peak
7	17736.000	23.38	26.86	50.24	74.00	-23.76	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700 26 8
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9343.000	38.30	12.15	50.45	74.00	-23.55	peak
2	11422.000	34.57	16.07	50.64	74.00	-23.36	peak
3	12621.000	32.56	18.27	50.83	74.00	-23.17	peak
4	13864.000	29.01	21.43	50.44	74.00	-23.56	peak
5	14711.000	29.85	20.72	50.57	74.00	-23.43	peak
6	16911.000	26.41	24.26	50.67	74.00	-23.33	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745 26 0
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	38.91	11.42	50.33	74.00	-23.67	peak
2	10927.000	35.66	14.82	50.48	74.00	-23.52	peak
3	11466.000	43.62	17.68	61.30	74.00	-12.70	peak
4	11466.000	33.18	17.68	50.86	54.00	-3.14	AVG
5	12610.000	31.36	19.20	50.56	74.00	-23.44	peak
6	13446.000	28.65	21.82	50.47	74.00	-23.53	peak
7	17868.000	21.60	28.21	49.81	74.00	-24.19	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745 26 0
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9563.000	37.47	13.14	50.61	74.00	-23.39	peak
2	11477.000	42.18	16.26	58.44	74.00	-15.56	peak
3	11477.000	31.23	16.26	47.49	54.00	-6.51	AVG
4	11840.000	33.83	16.86	50.69	74.00	-23.31	peak
5	14018.000	28.77	21.99	50.76	74.00	-23.24	peak
6	16900.000	26.13	24.24	50.37	74.00	-23.63	peak
7	17989.000	23.19	27.33	50.52	74.00	-23.48	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785 26 4
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9376.000	37.71	12.13	49.84	74.00	-24.16	peak
2	9783.000	36.70	13.77	50.47	74.00	-23.53	peak
3	11554.000	37.93	17.97	55.90	74.00	-18.10	peak
4	11554.000	27.35	17.97	45.32	54.00	-8.68	AVG
5	12467.000	31.58	18.99	50.57	74.00	-23.43	peak
6	13259.000	28.92	21.13	50.05	74.00	-23.95	peak
7	17978.000	20.97	29.38	50.35	74.00	-23.65	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785 26 4
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9508.000	37.92	12.90	50.82	74.00	-23.18	peak
2	10322.000	37.06	12.91	49.97	74.00	-24.03	peak
3	11554.000	39.85	16.51	56.36	74.00	-17.64	peak
4	11554.000	29.38	16.51	45.89	54.00	-8.11	AVG
5	12225.000	32.23	17.74	49.97	74.00	-24.03	peak
6	13941.000	27.28	21.76	49.04	74.00	-24.96	peak
7	16867.000	26.31	24.17	50.48	74.00	-23.52	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5825 26 8
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9607.000	37.06	13.48	50.54	74.00	-23.46	peak
2	11059.000	34.48	15.39	49.87	74.00	-24.13	peak
3	11664.000	39.50	18.05	57.55	74.00	-16.45	peak
4	11664.000	29.30	18.05	47.35	54.00	-6.65	AVG
5	12687.000	31.44	19.52	50.96	74.00	-23.04	peak
6	13380.000	28.86	21.57	50.43	74.00	-23.57	peak
7	18000.000	21.31	29.61	50.92	74.00	-23.08	peak


Test Mode:	802.11ax HE20	Frequency(MHz):	5825 26 8
Polarity:	Vertical	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	38.89	11.55	50.44	74.00	-23.56	peak
2	11664.000	38.60	16.68	55.28	74.00	-18.72	peak
3	11664.000	28.03	16.68	44.71	54.00	-9.29	AVG
4	12181.000	33.26	17.67	50.93	74.00	-23.07	peak
5	13545.000	30.09	20.43	50.52	74.00	-23.48	peak
6	14843.000	28.62	20.47	49.09	74.00	-24.91	peak
7	17450.000	25.25	25.02	50.27	74.00	-23.73	peak


8.8. SPURIOUS EMISSIONS(7 GHZ~18 GHZ) - CONDITION 2 FPC ANTENNA

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7506.000	38.02	7.84	45.86	74.00	-28.14	peak
2	9563.000	36.24	13.23	49.47	74.00	-24.53	peak
3	10355.000	36.87	13.31	50.18	74.00	-23.82	peak
4	12588.000	28.50	19.14	47.64	74.00	-26.36	peak
5	14018.000	26.24	23.54	49.78	74.00	-24.22	peak
6	17956.000	21.15	29.14	50.29	74.00	-23.71	peak

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7506.000	38.42	8.34	46.76	74.00	-27.24	peak
2	9717.000	37.53	13.35	50.88	74.00	-23.12	peak
3	11070.000	35.87	14.55	50.42	74.00	-23.58	peak
4	12698.000	29.57	18.54	48.11	74.00	-25.89	peak
5	14150.000	29.02	21.79	50.81	74.00	-23.19	peak
6	17879.000	23.25	26.65	49.90	74.00	-24.10	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7924.000	39.17	8.05	47.22	74.00	-26.78	peak
2	9563.000	36.55	13.23	49.78	74.00	-24.22	peak
3	11092.000	33.68	15.56	49.24	74.00	-24.76	peak
4	12709.000	27.99	19.60	47.59	74.00	-26.41	peak
5	13853.000	26.74	23.01	49.75	74.00	-24.25	peak
6	17868.000	18.75	28.21	46.96	74.00	-27.04	peak

Test Mode:	802.11a 20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9684.000	37.00	13.35	50.35	74.00	-23.65	peak
2	10399.000	37.60	13.05	50.65	74.00	-23.35	peak
3	11136.000	35.65	14.82	50.47	74.00	-23.53	peak
4	12269.000	30.47	17.80	48.27	74.00	-25.73	peak
5	14029.000	27.80	21.96	49.76	74.00	-24.24	peak
6	17109.000	25.91	24.69	50.60	74.00	-23.40	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7418.000	37.48	7.76	45.24	74.00	-28.76	peak
2	9651.000	37.05	13.55	50.60	74.00	-23.40	peak
3	10476.000	40.21	13.49	53.70	74.00	-20.30	peak
4	12709.000	28.01	19.60	47.61	74.00	-26.39	peak
5	13677.000	27.60	22.44	50.04	74.00	-23.96	peak
6	17989.000	20.01	29.49	49.50	74.00	-24.50	peak

Test Mode:	802.11a 20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7308.000	38.45	8.29	46.74	74.00	-27.26	peak
2	9200.000	38.75	11.80	50.55	74.00	-23.45	peak
3	10476.000	39.80	13.26	53.06	74.00	-20.94	peak
4	12687.000	29.89	18.51	48.40	74.00	-25.60	peak
5	14018.000	27.92	21.99	49.91	74.00	-24.09	peak
6	17736.000	24.63	25.83	50.46	74.00	-23.54	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7990.000	39.70	8.07	47.77	74.00	-26.23	peak
2	9607.000	36.81	13.48	50.29	74.00	-23.71	peak
3	10520.000	48.58	13.59	62.17	74.00	-11.83	peak
4	12698.000	27.65	19.56	47.21	74.00	-26.79	peak
5	14018.000	25.80	23.54	49.34	74.00	-24.66	peak
6	18000.000	19.92	29.61	49.53	74.00	-24.47	peak

Test Mode:	802.11a 20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	37.67	8.31	45.98	74.00	-28.02	peak
2	9640.000	36.73	13.33	50.06	74.00	-23.94	peak
3	10520.000	45.07	13.36	58.43	74.00	-15.57	peak
4	12764.000	28.69	18.77	47.46	74.00	-26.54	peak
5	14051.000	26.92	21.93	48.85	74.00	-25.15	peak
6	17802.000	22.93	26.18	49.11	74.00	-24.89	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7308.000	37.83	7.64	45.47	74.00	-28.53	peak
2	9178.000	38.62	11.45	50.07	74.00	-23.93	peak
3	10564.000	48.50	13.72	62.22	74.00	-11.78	peak
4	12676.000	27.92	19.48	47.40	74.00	-26.60	peak
5	14007.000	27.23	23.59	50.82	74.00	-23.18	peak
6	18000.000	20.02	29.61	49.63	74.00	-24.37	peak

Test Mode:	802.11a 20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7858.000	38.65	8.52	47.17	74.00	-26.83	peak
2	9585.000	37.08	13.26	50.34	74.00	-23.66	peak
3	10553.000	43.51	13.43	56.94	74.00	-17.06	peak
4	12610.000	30.02	18.24	48.26	74.00	-25.74	peak
5	13875.000	28.83	21.49	50.32	74.00	-23.68	peak
6	17945.000	22.34	27.07	49.41	74.00	-24.59	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7286.000	38.17	7.62	45.79	74.00	-28.21	peak
2	9717.000	37.26	13.66	50.92	74.00	-23.08	peak
3	10630.000	40.27	13.92	54.19	74.00	-19.81	peak
4	10630.000	29.12	13.92	43.04	54.00	-10.96	AVG
5	12621.000	28.64	19.24	47.88	74.00	-26.12	peak
6	14018.000	26.54	23.54	50.08	74.00	-23.92	peak
7	18000.000	19.60	29.61	49.21	74.00	-24.79	peak

Test Mode:	802.11a 20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	37.69	8.30	45.99	74.00	-28.01	peak
2	9277.000	38.17	11.99	50.16	74.00	-23.84	peak
3	10641.000	40.11	13.58	53.69	74.00	-20.31	peak
4	10641.000	28.99	13.58	42.57	54.00	-11.43	AVG
5	12687.000	30.61	18.51	49.12	74.00	-24.88	peak
6	14018.000	28.45	21.99	50.44	74.00	-23.56	peak
7	17780.000	24.32	26.06	50.38	74.00	-23.62	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7517.000	38.18	7.85	46.03	74.00	-27.97	peak
2	9563.000	37.35	13.23	50.58	74.00	-23.42	peak
3	11004.000	34.70	15.08	49.78	74.00	-24.22	peak
4	12566.000	28.41	19.10	47.51	74.00	-26.49	peak
5	14139.000	27.00	23.05	50.05	74.00	-23.95	peak
6	17945.000	19.76	29.03	48.79	74.00	-25.21	peak

Test Mode:	802.11a 20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9123.000	38.81	11.52	50.33	74.00	-23.67	peak
2	11004.000	35.71	14.27	49.98	74.00	-24.02	peak
3	12676.000	31.33	18.47	49.80	74.00	-24.20	peak
4	14161.000	28.84	21.76	50.60	74.00	-23.40	peak
5	16097.000	24.65	23.49	48.14	74.00	-25.86	peak
6	16966.000	25.87	24.36	50.23	74.00	-23.77	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7506.000	38.72	7.84	46.56	74.00	-27.44	peak
2	9772.000	36.68	13.75	50.43	74.00	-23.57	peak
3	11147.000	39.17	15.87	55.04	74.00	-18.96	peak
4	11147.000	27.91	15.87	43.78	54.00	-10.22	AVG
5	12412.000	29.64	18.98	48.62	74.00	-25.38	peak
6	14007.000	26.98	23.59	50.57	74.00	-23.43	peak
7	17967.000	21.29	29.26	50.55	74.00	-23.45	peak

Test Mode:	802.11a 20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	38.58	12.13	50.71	74.00	-23.29	peak
2	11136.000	34.48	14.82	49.30	74.00	-24.70	peak
3	12687.000	29.46	18.51	47.97	74.00	-26.03	peak
4	13809.000	28.83	21.19	50.02	74.00	-23.98	peak
5	16592.000	24.57	23.53	48.10	74.00	-25.90	peak
6	17912.000	22.33	26.87	49.20	74.00	-24.80	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	37.40	7.69	45.09	74.00	-28.91	peak
2	9563.000	37.01	13.23	50.24	74.00	-23.76	peak
3	11059.000	35.33	15.39	50.72	74.00	-23.28	peak
4	12720.000	27.94	19.65	47.59	74.00	-26.41	peak
5	14007.000	26.29	23.59	49.88	74.00	-24.12	peak
6	17934.000	21.26	28.91	50.17	74.00	-23.83	peak

Test Mode:	802.11a 20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9662.000	36.78	13.34	50.12	74.00	-23.88	peak
2	11070.000	36.29	14.55	50.84	74.00	-23.16	peak
3	12731.000	29.82	18.66	48.48	74.00	-25.52	peak
4	14018.000	28.57	21.99	50.56	74.00	-23.44	peak
5	16207.000	25.09	24.14	49.23	74.00	-24.77	peak
6	17791.000	23.91	26.11	50.02	74.00	-23.98	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	38.37	7.68	46.05	74.00	-27.95	peak
2	9233.000	38.66	11.66	50.32	74.00	-23.68	peak
3	11433.000	38.43	17.51	55.94	74.00	-18.06	peak
4	11433.000	28.73	17.51	46.24	54.00	-7.76	AVG
5	13941.000	27.19	23.37	50.56	74.00	-23.44	peak
6	15998.000	26.28	20.46	46.74	74.00	-27.26	peak
7	17923.000	21.92	28.78	50.70	74.00	-23.30	peak

Test Mode:	802.11a 20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7231.000	38.46	8.28	46.74	74.00	-27.26	peak
2	9706.000	36.93	13.36	50.29	74.00	-23.71	peak
3	11037.000	35.22	14.42	49.64	74.00	-24.36	peak
4	13589.000	29.21	20.52	49.73	74.00	-24.27	peak
5	16042.000	24.82	23.15	47.97	74.00	-26.03	peak
6	17967.000	22.45	27.20	49.65	74.00	-24.35	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7330.000	37.60	7.66	45.26	74.00	-28.74	peak
2	9233.000	38.47	11.66	50.13	74.00	-23.87	peak
3	11037.000	34.74	15.27	50.01	74.00	-23.99	peak
4	12302.000	29.42	18.85	48.27	74.00	-25.73	peak
5	14007.000	27.16	23.59	50.75	74.00	-23.25	peak
6	17978.000	20.79	29.38	50.17	74.00	-23.83	peak

Test Mode:	802.11a 20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9607.000	37.15	13.33	50.48	74.00	-23.52	peak
2	11103.000	34.96	14.68	49.64	74.00	-24.36	peak
3	12764.000	29.49	18.77	48.26	74.00	-25.74	peak
4	13611.000	29.40	20.57	49.97	74.00	-24.03	peak
5	14865.000	28.59	20.40	48.99	74.00	-25.01	peak
6	17780.000	23.45	26.06	49.51	74.00	-24.49	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7363.000	39.44	7.70	47.14	74.00	-26.86	peak
2	10003.000	36.55	13.33	49.88	74.00	-24.12	peak
3	11510.000	30.24	17.86	48.10	74.00	-25.90	peak
4	12698.000	27.98	19.56	47.54	74.00	-26.46	peak
5	14018.000	26.26	23.54	49.80	74.00	-24.20	peak
6	17923.000	21.14	28.78	49.92	74.00	-24.08	peak

Test Mode:	802.11a 20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8221.000	38.83	8.92	47.75	74.00	-26.25	peak
2	9420.000	37.88	12.41	50.29	74.00	-23.71	peak
3	11081.000	34.38	14.59	48.97	74.00	-25.03	peak
4	12676.000	29.70	18.47	48.17	74.00	-25.83	peak
5	14161.000	29.02	21.76	50.78	74.00	-23.22	peak
6	17934.000	22.33	27.00	49.33	74.00	-24.67	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7363.000	38.34	7.70	46.04	74.00	-27.96	peak
2	9959.000	37.18	13.44	50.62	74.00	-23.38	peak
3	10905.000	34.12	14.75	48.87	74.00	-25.13	peak
4	12753.000	28.23	19.78	48.01	74.00	-25.99	peak
5	14018.000	26.11	23.54	49.65	74.00	-24.35	peak
6	17956.000	20.86	29.14	50.00	74.00	-24.00	peak

Test Mode:	802.11a 20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7781.000	38.06	8.49	46.55	74.00	-27.45	peak
2	9662.000	37.05	13.34	50.39	74.00	-23.61	peak
3	11653.000	38.67	16.68	55.35	74.00	-18.65	peak
4	11653.000	29.59	16.68	46.27	54.00	-7.73	AVG
5	12698.000	31.17	18.54	49.71	74.00	-24.29	peak
6	14766.000	29.58	20.64	50.22	74.00	-23.78	peak
7	16955.000	25.97	24.33	50.30	74.00	-23.70	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7308.000	38.65	7.64	46.29	74.00	-27.71	peak
2	9277.000	38.17	11.81	49.98	74.00	-24.02	peak
3	10894.000	36.08	14.72	50.80	74.00	-23.20	peak
4	12742.000	28.82	19.75	48.57	74.00	-25.43	peak
5	14018.000	26.76	23.54	50.30	74.00	-23.70	peak
6	17879.000	21.43	28.32	49.75	74.00	-24.25	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9541.000	37.20	13.04	50.24	74.00	-23.76	peak
2	11312.000	33.93	15.59	49.52	74.00	-24.48	peak
3	12687.000	29.84	18.51	48.35	74.00	-25.65	peak
4	14062.000	28.78	21.91	50.69	74.00	-23.31	peak
5	15184.000	28.67	19.94	48.61	74.00	-25.39	peak
6	17285.000	25.29	24.97	50.26	74.00	-23.74	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7297.000	37.51	7.64	45.15	74.00	-28.85	peak
2	9189.000	39.32	11.51	50.83	74.00	-23.17	peak
3	10410.000	36.29	13.38	49.67	74.00	-24.33	peak
4	12720.000	29.79	19.65	49.44	74.00	-24.56	peak
5	13523.000	28.44	22.08	50.52	74.00	-23.48	peak
6	18000.000	20.25	29.61	49.86	74.00	-24.14	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7330.000	39.01	8.30	47.31	74.00	-26.69	peak
2	9200.000	38.57	11.80	50.37	74.00	-23.63	peak
3	11092.000	35.71	14.63	50.34	74.00	-23.66	peak
4	12698.000	29.89	18.54	48.43	74.00	-25.57	peak
5	14194.000	28.15	21.71	49.86	74.00	-24.14	peak
6	17230.000	25.05	24.93	49.98	74.00	-24.02	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7506.000	37.48	7.84	45.32	74.00	-28.68	peak
2	9101.000	38.45	11.11	49.56	74.00	-24.44	peak
3	10465.000	36.26	13.47	49.73	74.00	-24.27	peak
4	12720.000	27.11	19.65	46.76	74.00	-27.24	peak
5	13809.000	25.96	22.83	48.79	74.00	-25.21	peak
6	18000.000	18.96	29.61	48.57	74.00	-25.43	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7297.000	37.80	8.30	46.10	74.00	-27.90	peak
2	9618.000	36.00	13.32	49.32	74.00	-24.68	peak
3	11070.000	35.67	14.55	50.22	74.00	-23.78	peak
4	12346.000	30.78	17.95	48.73	74.00	-25.27	peak
5	13875.000	28.87	21.49	50.36	74.00	-23.64	peak
6	17857.000	23.86	26.51	50.37	74.00	-23.63	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7858.000	38.96	8.02	46.98	74.00	-27.02	peak
2	9574.000	36.87	13.31	50.18	74.00	-23.82	peak
3	10520.000	47.01	13.59	60.60	74.00	-13.40	peak
4	12709.000	28.98	19.60	48.58	74.00	-25.42	peak
5	13952.000	26.93	23.42	50.35	74.00	-23.65	peak
6	17934.000	20.45	28.91	49.36	74.00	-24.64	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7209.000	37.92	8.28	46.20	74.00	-27.80	peak
2	9618.000	37.13	13.32	50.45	74.00	-23.55	peak
3	10520.000	45.99	13.36	59.35	74.00	-14.65	peak
4	12720.000	30.89	18.62	49.51	74.00	-24.49	peak
5	14502.000	29.68	20.95	50.63	74.00	-23.37	peak
6	17945.000	23.25	27.07	50.32	74.00	-23.68	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7330.000	37.59	7.66	45.25	74.00	-28.75	peak
2	9706.000	36.99	13.65	50.64	74.00	-23.36	peak
3	10564.000	49.43	13.72	63.15	74.00	-10.85	peak
4	12225.000	29.27	18.74	48.01	74.00	-25.99	peak
5	13919.000	26.84	23.28	50.12	74.00	-23.88	peak
6	18000.000	20.36	29.61	49.97	74.00	-24.03	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8122.000	39.27	8.77	48.04	74.00	-25.96	peak
2	10564.000	46.61	13.44	60.05	74.00	-13.95	peak
3	12698.000	29.56	18.54	48.10	74.00	-25.90	peak
4	14018.000	28.33	21.99	50.32	74.00	-23.68	peak
5	16856.000	25.06	24.14	49.20	74.00	-24.80	peak
6	17890.000	23.51	26.72	50.23	74.00	-23.77	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7363.000	38.83	7.70	46.53	74.00	-27.47	peak
2	9530.000	36.88	13.04	49.92	74.00	-24.08	peak
3	10641.000	40.90	13.95	54.85	74.00	-19.15	peak
4	10641.000	29.89	13.95	43.84	54.00	-10.16	AVG
5	12731.000	27.80	19.70	47.50	74.00	-26.50	peak
6	13908.000	26.83	23.24	50.07	74.00	-23.93	peak
7	18000.000	20.68	29.61	50.29	74.00	-23.71	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7726.000	37.73	8.45	46.18	74.00	-27.82	peak
2	9684.000	36.32	13.35	49.67	74.00	-24.33	peak
3	10641.000	38.44	13.58	52.02	74.00	-21.98	peak
4	10641.000	28.06	13.58	41.64	54.00	-12.36	AVG
5	12643.000	30.65	18.35	49.00	74.00	-25.00	peak
6	13875.000	28.92	21.49	50.41	74.00	-23.59	peak
7	17384.000	25.11	25.05	50.16	74.00	-23.84	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7341.000	38.40	7.68	46.08	74.00	-27.92	peak
2	9442.000	37.44	12.48	49.92	74.00	-24.08	peak
3	10289.000	36.78	13.25	50.03	74.00	-23.97	peak
4	12720.000	28.51	19.65	48.16	74.00	-25.84	peak
5	13875.000	26.94	23.11	50.05	74.00	-23.95	peak
6	17835.000	21.06	27.86	48.92	74.00	-25.08	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7495.000	38.88	8.35	47.23	74.00	-26.77	peak
2	9365.000	38.45	12.20	50.65	74.00	-23.35	peak
3	10993.000	36.19	14.25	50.44	74.00	-23.56	peak
4	12676.000	28.58	18.47	47.05	74.00	-26.95	peak
5	14007.000	27.21	22.01	49.22	74.00	-24.78	peak
6	17945.000	22.25	27.07	49.32	74.00	-24.68	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7286.000	37.76	7.62	45.38	74.00	-28.62	peak
2	9585.000	36.74	13.38	50.12	74.00	-23.88	peak
3	11158.000	34.44	15.93	50.37	74.00	-23.63	peak
4	12731.000	27.51	19.70	47.21	74.00	-26.79	peak
5	14029.000	26.02	23.49	49.51	74.00	-24.49	peak
6	17978.000	21.04	29.38	50.42	74.00	-23.58	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	38.12	12.13	50.25	74.00	-23.75	peak
2	11136.000	35.00	14.82	49.82	74.00	-24.18	peak
3	12698.000	29.42	18.54	47.96	74.00	-26.04	peak
4	13853.000	29.40	21.38	50.78	74.00	-23.22	peak
5	16163.000	25.08	23.91	48.99	74.00	-25.01	peak
6	17769.000	23.91	26.00	49.91	74.00	-24.09	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7506.000	38.54	7.84	46.38	74.00	-27.62	peak
2	9563.000	36.93	13.23	50.16	74.00	-23.84	peak
3	11070.000	35.15	15.44	50.59	74.00	-23.41	peak
4	12709.000	28.58	19.60	48.18	74.00	-25.82	peak
5	13798.000	27.68	22.79	50.47	74.00	-23.53	peak
6	17923.000	20.90	28.78	49.68	74.00	-24.32	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7121.000	37.96	8.17	46.13	74.00	-27.87	peak
2	9255.000	38.82	11.93	50.75	74.00	-23.25	peak
3	11070.000	36.02	14.55	50.57	74.00	-23.43	peak
4	12709.000	29.61	18.58	48.19	74.00	-25.81	peak
5	14029.000	28.51	21.96	50.47	74.00	-23.53	peak
6	17417.000	24.81	25.04	49.85	74.00	-24.15	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7110.000	38.51	7.34	45.85	74.00	-28.15	peak
2	9596.000	36.97	13.44	50.41	74.00	-23.59	peak
3	10916.000	35.90	14.79	50.69	74.00	-23.31	peak
4	12280.000	29.45	18.82	48.27	74.00	-25.73	peak
5	13864.000	27.00	23.06	50.06	74.00	-23.94	peak
6	18000.000	20.10	29.61	49.71	74.00	-24.29	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8221.000	39.29	8.92	48.21	74.00	-25.79	peak
2	9222.000	38.09	11.86	49.95	74.00	-24.05	peak
3	11092.000	35.11	14.63	49.74	74.00	-24.26	peak
4	12753.000	29.68	18.73	48.41	74.00	-25.59	peak
5	13996.000	28.57	21.99	50.56	74.00	-23.44	peak
6	17769.000	24.31	26.00	50.31	74.00	-23.69	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9717.000	37.19	13.66	50.85	74.00	-23.15	peak
2	10905.000	35.38	14.75	50.13	74.00	-23.87	peak
3	12599.000	28.97	19.16	48.13	74.00	-25.87	peak
4	13754.000	28.08	22.66	50.74	74.00	-23.26	peak
5	15668.000	27.56	19.40	46.96	74.00	-27.04	peak
6	17791.000	22.70	27.39	50.09	74.00	-23.91	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8166.000	38.47	8.84	47.31	74.00	-26.69	peak
2	10476.000	37.07	13.26	50.33	74.00	-23.67	peak
3	11433.000	33.73	16.11	49.84	74.00	-24.16	peak
4	12742.000	29.47	18.70	48.17	74.00	-25.83	peak
5	13996.000	27.81	21.99	49.80	74.00	-24.20	peak
6	17978.000	22.51	27.28	49.79	74.00	-24.21	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7517.000	37.26	7.85	45.11	74.00	-28.89	peak
2	9805.000	36.26	13.80	50.06	74.00	-23.94	peak
3	12709.000	28.66	19.60	48.26	74.00	-25.74	peak
4	13963.000	27.17	23.46	50.63	74.00	-23.37	peak
5	15646.000	27.45	19.36	46.81	74.00	-27.19	peak
6	17956.000	20.41	29.14	49.55	74.00	-24.45	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7319.000	38.02	8.30	46.32	74.00	-27.68	peak
2	9211.000	39.03	11.82	50.85	74.00	-23.15	peak
3	10564.000	36.35	13.44	49.79	74.00	-24.21	peak
4	12676.000	29.75	18.47	48.22	74.00	-25.78	peak
5	14799.000	29.39	20.60	49.99	74.00	-24.01	peak
6	17912.000	23.02	26.87	49.89	74.00	-24.11	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7297.000	38.21	7.64	45.85	74.00	-28.15	peak
2	9222.000	39.20	11.64	50.84	74.00	-23.16	peak
3	11059.000	34.14	15.39	49.53	74.00	-24.47	peak
4	12720.000	29.16	19.65	48.81	74.00	-25.19	peak
5	14018.000	26.16	23.54	49.70	74.00	-24.30	peak
6	17989.000	19.09	29.49	48.58	74.00	-25.42	peak

Test Mode:	802.11n HT20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7506.000	38.14	8.34	46.48	74.00	-27.52	peak
2	9332.000	38.05	12.13	50.18	74.00	-23.82	peak
3	11653.000	38.08	16.68	54.76	74.00	-19.24	peak
4	11653.000	28.70	16.68	45.38	54.00	-8.62	AVG
5	14172.000	27.73	21.75	49.48	74.00	-24.52	peak
6	16328.000	24.75	23.80	48.55	74.00	-25.45	peak
7	17978.000	22.69	27.28	49.97	74.00	-24.03	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	37.75	11.66	49.41	74.00	-24.59	peak
2	10234.000	36.98	13.21	50.19	74.00	-23.81	peak
3	11070.000	33.32	15.44	48.76	74.00	-25.24	peak
4	12742.000	27.38	19.75	47.13	74.00	-26.87	peak
5	13721.000	27.44	22.57	50.01	74.00	-23.99	peak
6	17967.000	20.70	29.26	49.96	74.00	-24.04	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9486.000	37.43	12.78	50.21	74.00	-23.79	peak
2	11444.000	33.33	16.15	49.48	74.00	-24.52	peak
3	12720.000	29.85	18.62	48.47	74.00	-25.53	peak
4	14007.000	28.26	22.01	50.27	74.00	-23.73	peak
5	16229.000	24.93	24.09	49.02	74.00	-24.98	peak
6	17846.000	23.95	26.45	50.40	74.00	-23.60	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7110.000	38.19	7.34	45.53	74.00	-28.47	peak
2	9189.000	38.83	11.51	50.34	74.00	-23.66	peak
3	10454.000	39.58	13.45	53.03	74.00	-20.97	peak
4	12665.000	28.56	19.42	47.98	74.00	-26.02	peak
5	14007.000	25.96	23.59	49.55	74.00	-24.45	peak
6	17802.000	21.82	27.51	49.33	74.00	-24.67	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9706.000	37.08	13.36	50.44	74.00	-23.56	peak
2	10465.000	37.13	13.23	50.36	74.00	-23.64	peak
3	12687.000	29.70	18.51	48.21	74.00	-25.79	peak
4	14007.000	28.14	22.01	50.15	74.00	-23.85	peak
5	16262.000	24.61	23.98	48.59	74.00	-25.41	peak
6	17945.000	22.98	27.07	50.05	74.00	-23.95	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7506.000	37.49	7.84	45.33	74.00	-28.67	peak
2	9266.000	38.60	11.78	50.38	74.00	-23.62	peak
3	10542.000	43.67	13.66	57.33	74.00	-16.67	peak
4	12654.000	27.85	19.39	47.24	74.00	-26.76	peak
5	14029.000	26.75	23.49	50.24	74.00	-23.76	peak
6	17956.000	20.08	29.14	49.22	74.00	-24.78	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9574.000	37.64	13.21	50.85	74.00	-23.15	peak
2	10542.000	41.47	13.41	54.88	74.00	-19.12	peak
3	12335.000	29.74	17.93	47.67	74.00	-26.33	peak
4	13776.000	29.11	21.09	50.20	74.00	-23.80	peak
5	16031.000	25.05	23.07	48.12	74.00	-25.88	peak
6	17967.000	22.44	27.20	49.64	74.00	-24.36	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9585.000	36.86	13.38	50.24	74.00	-23.76	peak
2	10619.000	39.25	13.88	53.13	74.00	-20.87	peak
3	12687.000	28.76	19.52	48.28	74.00	-25.72	peak
4	14018.000	27.06	23.54	50.60	74.00	-23.40	peak
5	15877.000	25.85	19.96	45.81	74.00	-28.19	peak
6	17978.000	19.83	29.38	49.21	74.00	-24.79	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8166.000	38.73	8.84	47.57	74.00	-26.43	peak
2	9640.000	37.16	13.33	50.49	74.00	-23.51	peak
3	10619.000	36.94	13.54	50.48	74.00	-23.52	peak
4	12698.000	29.39	18.54	47.93	74.00	-26.07	peak
5	14227.000	28.23	21.61	49.84	74.00	-24.16	peak
6	17802.000	23.84	26.18	50.02	74.00	-23.98	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7792.000	38.27	8.01	46.28	74.00	-27.72	peak
2	9794.000	36.86	13.78	50.64	74.00	-23.36	peak
3	11059.000	33.74	15.39	49.13	74.00	-24.87	peak
4	12742.000	28.02	19.75	47.77	74.00	-26.23	peak
5	14029.000	25.55	23.49	49.04	74.00	-24.96	peak
6	17978.000	20.60	29.38	49.98	74.00	-24.02	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7363.000	37.50	8.31	45.81	74.00	-28.19	peak
2	9310.000	38.01	12.07	50.08	74.00	-23.92	peak
3	10905.000	36.08	14.06	50.14	74.00	-23.86	peak
4	12731.000	29.25	18.66	47.91	74.00	-26.09	peak
5	14887.000	29.49	20.32	49.81	74.00	-24.19	peak
6	17769.000	23.54	26.00	49.54	74.00	-24.46	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8100.000	39.81	8.21	48.02	74.00	-25.98	peak
2	9431.000	37.82	12.41	50.23	74.00	-23.77	peak
3	11246.000	33.71	16.44	50.15	74.00	-23.85	peak
4	12335.000	28.82	18.89	47.71	74.00	-26.29	peak
5	13963.000	25.90	23.46	49.36	74.00	-24.64	peak
6	17912.000	20.36	28.68	49.04	74.00	-24.96	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9530.000	36.88	13.00	49.88	74.00	-24.12	peak
2	10531.000	36.22	13.39	49.61	74.00	-24.39	peak
3	12687.000	29.23	18.51	47.74	74.00	-26.26	peak
4	14007.000	27.79	22.01	49.80	74.00	-24.20	peak
5	16460.000	24.84	23.58	48.42	74.00	-25.58	peak
6	17780.000	23.92	26.06	49.98	74.00	-24.02	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7297.000	38.43	7.64	46.07	74.00	-27.93	peak
2	9640.000	37.18	13.53	50.71	74.00	-23.29	peak
3	12731.000	28.77	19.70	48.47	74.00	-25.53	peak
4	13875.000	27.75	23.11	50.86	74.00	-23.14	peak
5	15646.000	26.41	19.36	45.77	74.00	-28.23	peak
6	17912.000	20.90	28.68	49.58	74.00	-24.42	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9618.000	37.01	13.32	50.33	74.00	-23.67	peak
2	10916.000	36.02	14.09	50.11	74.00	-23.89	peak
3	12698.000	29.89	18.54	48.43	74.00	-25.57	peak
4	13644.000	29.33	20.68	50.01	74.00	-23.99	peak
5	16284.000	24.98	23.92	48.90	74.00	-25.10	peak
6	17747.000	23.88	25.89	49.77	74.00	-24.23	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7297.000	39.32	7.64	46.96	74.00	-27.04	peak
2	9299.000	38.30	11.88	50.18	74.00	-23.82	peak
3	10344.000	36.30	13.30	49.60	74.00	-24.40	peak
4	12401.000	28.06	18.98	47.04	74.00	-26.96	peak
5	14062.000	25.36	23.35	48.71	74.00	-25.29	peak
6	17219.000	26.26	23.96	50.22	74.00	-23.78	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7352.000	38.61	7.69	46.30	74.00	-27.70	peak
2	9563.000	37.02	13.23	50.25	74.00	-23.75	peak
3	11048.000	34.65	15.33	49.98	74.00	-24.02	peak
4	12720.000	28.47	19.65	48.12	74.00	-25.88	peak
5	14018.000	26.17	23.54	49.71	74.00	-24.29	peak
6	17934.000	21.28	28.91	50.19	74.00	-23.81	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9618.000	36.98	13.32	50.30	74.00	-23.70	peak
2	10916.000	35.38	14.09	49.47	74.00	-24.53	peak
3	12753.000	30.55	18.73	49.28	74.00	-24.72	peak
4	14018.000	28.84	21.99	50.83	74.00	-23.17	peak
5	16933.000	25.92	24.30	50.22	74.00	-23.78	peak
6	17945.000	23.55	27.07	50.62	74.00	-23.38	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7506.000	37.59	7.84	45.43	74.00	-28.57	peak
2	9607.000	36.79	13.48	50.27	74.00	-23.73	peak
3	10905.000	35.20	14.75	49.95	74.00	-24.05	peak
4	12698.000	29.80	19.56	49.36	74.00	-24.64	peak
5	13622.000	28.58	22.28	50.86	74.00	-23.14	peak
6	17989.000	20.31	29.49	49.80	74.00	-24.20	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7506.000	37.54	8.34	45.88	74.00	-28.12	peak
2	9387.000	38.25	12.26	50.51	74.00	-23.49	peak
3	11092.000	35.10	14.63	49.73	74.00	-24.27	peak
4	12720.000	30.12	18.62	48.74	74.00	-25.26	peak
5	13908.000	28.03	21.62	49.65	74.00	-24.35	peak
6	17846.000	22.93	26.45	49.38	74.00	-24.62	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7286.000	39.16	7.62	46.78	74.00	-27.22	peak
2	10410.000	37.26	13.38	50.64	74.00	-23.36	peak
3	12698.000	28.63	19.56	48.19	74.00	-25.81	peak
4	13776.000	27.57	22.73	50.30	74.00	-23.70	peak
5	15514.000	26.93	19.24	46.17	74.00	-27.83	peak
6	17747.000	22.17	26.98	49.15	74.00	-24.85	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 3.3V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7902.000	39.07	8.54	47.61	74.00	-26.39	peak
2	9618.000	36.96	13.32	50.28	74.00	-23.72	peak
3	10905.000	35.59	14.06	49.65	74.00	-24.35	peak
4	12665.000	29.86	18.42	48.28	74.00	-25.72	peak
5	14733.000	29.51	20.69	50.20	74.00	-23.80	peak
6	17219.000	24.98	24.92	49.90	74.00	-24.10	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9574.000	37.66	13.31	50.97	74.00	-23.03	peak
2	10542.000	36.79	13.66	50.45	74.00	-23.55	peak
3	12709.000	27.93	19.60	47.53	74.00	-26.47	peak
4	13886.000	26.51	23.15	49.66	74.00	-24.34	peak
5	15789.000	26.54	19.64	46.18	74.00	-27.82	peak
6	18000.000	20.81	29.61	50.42	74.00	-23.58	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 3.3V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7704.000	38.57	8.43	47.00	74.00	-27.00	peak
2	10575.000	37.30	13.46	50.76	74.00	-23.24	peak
3	12753.000	28.35	18.73	47.08	74.00	-26.92	peak
4	13974.000	27.08	21.89	48.97	74.00	-25.03	peak
5	16174.000	23.82	23.99	47.81	74.00	-26.19	peak
6	17945.000	22.57	27.07	49.64	74.00	-24.36	peak