


















Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	13.97	0	13.97	24	Pass
NVNT	a	5200	14.28	0	14.28	24	Pass
NVNT	a	5240	14.14	0	14.14	24	Pass
NVNT	a	5260	13.95	0	13.95	24	Pass
NVNT	a	5300	13.72	0	13.72	24	Pass
NVNT	a	5320	13.66	0	13.66	24	Pass
NVNT	a	5500	14.57	0	14.57	24	Pass
NVNT	a	5580	15.1	0	15.1	24	Pass
NVNT	a	5700	15.54	0	15.54	24	Pass
NVNT	a	5745	15.33	0	15.33	30	Pass
NVNT	a	5785	15.24	0	15.24	30	Pass
NVNT	a	5825	14.91	0	14.91	30	Pass
NVNT	n20	5180	11.52	0	11.52	24	Pass
NVNT	n20	5200	12.37	0	12.37	24	Pass
NVNT	n20	5240	11.69	0	11.69	24	Pass
NVNT	n20	5260	11.8	0	11.8	24	Pass
NVNT	n20	5300	11.55	0	11.55	24	Pass
NVNT	n20	5320	11.42	0	11.42	24	Pass
NVNT	n20	5500	12.26	0	12.26	24	Pass
NVNT	n20	5580	12.78	0	12.78	24	Pass
NVNT	n20	5700	13.2	0	13.2	24	Pass
NVNT	n20	5745	13.27	0	13.27	30	Pass
NVNT	n20	5785	13.06	0	13.06	30	Pass
NVNT	n20	5825	12.62	0	12.62	30	Pass
NVNT	n40	5190	12.33	0.16	12.49	24	Pass
NVNT	n40	5230	12.59	0.16	12.75	24	Pass
NVNT	n40	5270	12.28	0.16	12.44	24	Pass
NVNT	n40	5310	12.02	0.16	12.18	24	Pass
NVNT	n40	5510	12.51	0.16	12.67	24	Pass
NVNT	n40	5550	12.91	0.16	13.07	24	Pass
NVNT	n40	5670	13.81	0.16	13.97	24	Pass
NVNT	n40	5755	13.67	0.16	13.83	30	Pass
NVNT	n40	5795	13.46	0.16	13.62	30	Pass
NVNT	ac20	5180	11.44	0	11.44	24	Pass
NVNT	ac20	5200	12.32	0	12.32	24	Pass
NVNT	ac20	5240	11.67	0	11.67	24	Pass
NVNT	ac20	5260	11.66	0	11.66	24	Pass
NVNT	ac20	5300	11.5	0	11.5	24	Pass
NVNT	ac20	5320	11.37	0	11.37	24	Pass
NVNT	ac20	5500	12.1	0	12.1	24	Pass
NVNT	ac20	5580	12.66	0	12.66	24	Pass
NVNT	ac20	5700	13.13	0	13.13	24	Pass
NVNT	ac20	5745	13.22	0	13.22	30	Pass
NVNT	ac20	5785	13.02	0	13.02	30	Pass
NVNT	ac20	5825	12.61	0	12.61	30	Pass
NVNT	ac40	5190	11.57	0.16	11.73	24	Pass
NVNT	ac40	5230	12.07	0.15	12.22	24	Pass
NVNT	ac40	5270	12.28	0.15	12.43	24	Pass
NVNT	ac40	5310	12	0.15	12.15	24	Pass
NVNT	ac40	5510	12.37	0.16	12.53	24	Pass
NVNT	ac40	5550	13.1	0.15	13.25	24	Pass






NVNT	ac40	5670	13.87	0.15	14.02	24	Pass
NVNT	ac40	5755	13.87	0.15	14.02	30	Pass
NVNT	ac40	5795	13.78	0.15	13.93	30	Pass
NVNT	ac80	5210	12.63	0.33	12.96	24	Pass
NVNT	ac80	5290	11.17	0.32	11.49	24	Pass
NVNT	ac80	5530	11.69	0.32	12.01	24	Pass
NVNT	ac80	5610	13.48	0.33	13.81	24	Pass
NVNT	ac80	5775	13.56	0.32	13.88	30	Pass









-26dB Bandwidth




Condition	Mode	Frequency (MHz)	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	23.628	Pass
NVNT	a	5200	23.308	Pass
NVNT	a	5240	23.681	Pass
NVNT	a	5260	24.017	Pass
NVNT	a	5300	23.533	Pass
NVNT	a	5320	24.443	Pass
NVNT	a	5500	23.351	Pass
NVNT	a	5580	24.048	Pass
NVNT	a	5700	24.108	Pass
NVNT	n20	5180	23.925	Pass
NVNT	n20	5200	23.766	Pass
NVNT	n20	5240	24.204	Pass
NVNT	n20	5260	24.367	Pass
NVNT	n20	5300	24.139	Pass
NVNT	n20	5320	24.078	Pass
NVNT	n20	5500	23.254	Pass
NVNT	n20	5580	23.879	Pass
NVNT	n20	5700	24.228	Pass
NVNT	n40	5190	41.771	Pass
NVNT	n40	5230	41.258	Pass
NVNT	n40	5270	41.325	Pass
NVNT	n40	5310	41.494	Pass
NVNT	n40	5510	41.301	Pass
NVNT	n40	5550	41.064	Pass
NVNT	n40	5670	41.541	Pass
NVNT	ac20	5180	23.784	Pass
NVNT	ac20	5200	25.485	Pass
NVNT	ac20	5240	24.497	Pass
NVNT	ac20	5260	24.175	Pass
NVNT	ac20	5300	24.528	Pass
NVNT	ac20	5320	23.915	Pass
NVNT	ac20	5500	23.919	Pass
NVNT	ac20	5580	23.776	Pass
NVNT	ac20	5700	23.767	Pass
NVNT	ac40	5190	41.726	Pass
NVNT	ac40	5230	40.777	Pass
NVNT	ac40	5270	41.74	Pass
NVNT	ac40	5310	41.558	Pass
NVNT	ac40	5510	41.384	Pass
NVNT	ac40	5550	41.577	Pass
NVNT	ac40	5670	41.448	Pass
NVNT	ac80	5210	99.284	Pass
NVNT	ac80	5290	84.278	Pass
NVNT	ac80	5530	84.003	Pass
NVNT	ac80	5610	83.536	Pass




















































Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5180	16.622
NVNT	a	5200	16.574
NVNT	a	5240	16.562
NVNT	a	5260	16.585
NVNT	a	5300	16.61
NVNT	a	5320	16.596
NVNT	a	5500	16.579
NVNT	a	5580	16.555
NVNT	a	5700	16.577
NVNT	a	5745	16.582
NVNT	a	5785	16.57
NVNT	a	5825	16.572
NVNT	n20	5180	17.731
NVNT	n20	5200	17.719
NVNT	n20	5240	17.719
NVNT	n20	5260	17.714
NVNT	n20	5300	17.749
NVNT	n20	5320	17.703
NVNT	n20	5500	17.734
NVNT	n20	5580	17.717
NVNT	n20	5700	17.741
NVNT	n20	5745	17.755
NVNT	n20	5785	17.734
NVNT	n20	5825	17.729
NVNT	n40	5190	36.183
NVNT	n40	5230	36.203
NVNT	n40	5270	36.212
NVNT	n40	5310	36.21
NVNT	n40	5510	36.253
NVNT	n40	5550	36.192
NVNT	n40	5670	36.214
NVNT	n40	5755	36.241
NVNT	n40	5795	36.217
NVNT	ac20	5180	17.738
NVNT	ac20	5200	17.737
NVNT	ac20	5240	17.718
NVNT	ac20	5260	17.749
NVNT	ac20	5300	17.763
NVNT	ac20	5320	17.741
NVNT	ac20	5500	17.735
NVNT	ac20	5580	17.733
NVNT	ac20	5700	17.739
NVNT	ac20	5745	17.707
NVNT	ac20	5785	17.73
NVNT	ac20	5825	17.762
NVNT	ac40	5190	36.168
NVNT	ac40	5230	36.2
NVNT	ac40	5270	36.184
NVNT	ac40	5310	36.244
NVNT	ac40	5510	36.192
NVNT	ac40	5550	36.214
NVNT	ac40	5670	36.206
NVNT	ac40	5755	36.199



NVNT	ac40	5795	36.218
NVNT	ac80	5210	75.602
NVNT	ac80	5290	75.623
NVNT	ac80	5530	75.507
NVNT	ac80	5610	75.55
NVNT	ac80	5775	75.604







