



SAR TEST REPORT

No. I15N01121-SAR

For

TCL Communication Ltd.

GSM Dual band &UMTS Dual band mobile phone

Mode Name: 2045X

With

Hardware Version: PIO

Software Version: V1.0

FCC ID: 2ACCJB038

Issued Date: 2015-10-26

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:

CTTL, Telecommunication Technology Labs, Academy of Telecommunication Research, MIIT

No.52, HuayuanNorth Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512,Fax:+86(0)10-62304633-2504


Email:ctl_terminals@catr.cn, website:www.chinattl.com



Picture 1: front side of the sample



Picture 2: back side of the sample



Picture 3: Left Hand Touch Cheek Position



Picture 4: Left Hand Tilt 15° Position



Picture 5: Right Hand Touch Cheek Position




Picture 6: Right Hand Tilt 15° Position

Test positions for body:

The Body SAR is tested at the following test positions all with the distance =15mm between the EUT and the phantom bottom:



Picture 7: Front Side



Picture 8: Rear Side



Picture 13:Rear Side with Headset