



FCC PART 15C TEST REPORT No. I15N01121-BT

for

TCL Communication Ltd.

GSM Quad band &UMTS Dual band mobile phone

Model Name: 2045X

With

Hardware Version: PIO

Software Version: V1.0

FCC ID: 2ACCJB038

Issued Date: Oct 20th, 2015

Test Laboratory:

FCC 2.948 Listed: No.342690

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:

CTTL, Telecommunication Technology Labs, Academy of Telecommunication Research, MIIT

No.52, HuayuanNorth Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633, Fax:+86(0)10-62304633Email:cttl@chinattl.com, website:www.chinattl.com

REPORT HISTORY

Report Number	Revision	Description	Issue Date
I15N01121-BT	Rev.0	1st edition	2015-10-20

CONTENTS

1. TEST LABORATORY	7
1.1. TESTING LOCATION	7
1.2. TESTING ENVIRONMENT.....	7
1.3. PROJECT DATA	7
1.4. SIGNATURE	7
2. CLIENT INFORMATION.....	8
2.1. APPLICANT INFORMATION	8
2.2. MANUFACTURER INFORMATION	8
3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	9
3.1. ABOUT EUT	9
3.2. INTERNAL IDENTIFICATION OF EUT	9
3.3. INTERNAL IDENTIFICATION OF AE.....	9
4. REFERENCE DOCUMENTS.....	10
4.1. DOCUMENTS SUPPLIED BY APPLICANT	10
4.2. REFERENCE DOCUMENTS FOR TESTING.....	10
5. TEST RESULTS	11
5.1. SUMMARY OF TEST RESULTS.....	11
5.2. STATEMENTS.....	11
5.3. TERMS USED IN THE RESULT TABLE	11
5.4. LABORATORY ENVIRONMENT.....	12
6. TEST FACILITIES UTILIZED	13
9. MEASUREMENT UNCERTAINTY	14
ANNEX A: EUT PHOTOGRAPH	15
ANNEX B: MEASUREMENT RESULTS FOR RECEIVER	17
B.0 ANTENNA REQUIREMENT	17
B.1 MAXIMUM PEAK OUTPUT POWER	18
B.2 BAND EDGES COMPLIANCE	19
B.3 CONDUCTED EMISSION	20
B.4 RADIATED EMISSION.....	21
B.5 OCCUPIED 20dB BANDWIDTH	29
B.6 TIME OF OCCUPANCY (DWELL TIME).....	29
B.7 NUMBER OF HOPPING CHANNELS.....	30
B.8 CARRIER FREQUENCY SEPARATION	30
B.9 AC POWER LINE CONDUCTED EMISSION	31
ANNEX C: TEST FIGURE LIST	33
FIG. 1 MAXIMUM PEAK OUTPUT POWER(GFSK, Ch 0).....	33

FIG. 2	MAXIMUM PEAK OUTPUT POWER(GFSK, Ch 39).....	33
FIG. 3	MAXIMUM PEAK OUTPUT POWER(GFSK, Ch 78).....	34
FIG. 4	MAXIMUM PEAK OUTPUT POWER($\pi/4$ DQPSK, Ch 0)	34
FIG. 5	MAXIMUM PEAK OUTPUT POWER($\pi/4$ DQPSK, Ch 39)	35
FIG. 6	MAXIMUM PEAK OUTPUT POWER($\pi/4$ DQPSK, Ch 78)	35
FIG. 7	MAXIMUM PEAK OUTPUT POWER(8DPSK, Ch 0).....	36
FIG. 8	MAXIMUM PEAK OUTPUT POWER(8DPSK, Ch 39).....	36
FIG. 9	MAXIMUM PEAK OUTPUT POWER(8DPSK, Ch 78).....	37
FIG. 10	BAND EDGES (GFSK, Ch 0, HOPPING ON)	37
FIG. 11	BAND EDGES (GFSK, Ch 78, HOPPING ON)	38
FIG. 12	BAND EDGES ($\pi/4$ DQPSK, Ch 0, HOPPING ON).....	38
FIG. 13	BAND EDGES ($\pi/4$ DQPSK, Ch 78, HOPPING ON)	39
FIG. 14	BAND EDGES (8DPSK, Ch 0, HOPPING ON)	39
FIG. 15	BAND EDGES (8DPSK, Ch 78, HOPPING ON)	40
FIG. 16	BAND EDGES (GFSK, Ch 0, HOPPING OFF).....	40
FIG. 17	BAND EDGES (GFSK, Ch 78, HOPPING OFF).....	41
FIG. 18	BAND EDGES ($\pi/4$ DQPSK, Ch 0, HOPPING OFF)	41
FIG. 19	BAND EDGES ($\pi/4$ DQPSK, Ch 78, HOPPING OFF)	42
FIG. 20	BAND EDGES (8DPSK, Ch 0, HOPPING OFF).....	42
FIG. 21	BAND EDGES (8DPSK, Ch 78, HOPPING OFF).....	43
FIG. 22	CONDUCTED SPURIOUS EMISSION (GFSK, Ch0, 2.402GHz).....	43
FIG. 23	CONDUCTED SPURIOUS EMISSION (GFSK, Ch0, 30 MHz-3 GHz).....	44
FIG. 24	CONDUCTED SPURIOUS EMISSION (GFSK, Ch0, 3GHz-18 GHz)	44
FIG. 25	CONDUCTED SPURIOUS EMISSION (GFSK, Ch39, 2.441GHz).....	45
FIG. 26	CONDUCTED SPURIOUS EMISSION (GFSK, Ch39, 30 MHz-3 GHz).....	45
FIG. 27	CONDUCTED SPURIOUS EMISSION (GFSK, Ch39, 3GHz-18 GHz)	46
FIG. 28	CONDUCTED SPURIOUS EMISSION (GFSK, Ch78, 2.480GHz).....	46
FIG. 29	CONDUCTED SPURIOUS EMISSION (GFSK, Ch78, 30 MHz-3 GHz).....	47
FIG. 30	CONDUCTED SPURIOUS EMISSION (GFSK, Ch78, 3GHz-18 GHz)	47
FIG. 31	CONDUCTED SPURIOUS EMISSION ($\pi/4$ DQPSK, Ch0, 2.402GHz).....	48
FIG. 32	CONDUCTED SPURIOUS EMISSION ($\pi/4$ DQPSK, Ch0, 30 MHz-3 GHz)	48
FIG. 33	CONDUCTED SPURIOUS EMISSION ($\pi/4$ DQPSK, Ch0, 3GHz-18 GHz)	49
FIG. 34	CONDUCTED SPURIOUS EMISSION ($\pi/4$ DQPSK, Ch39, 2.441GHz).....	49
FIG. 35	CONDUCTED SPURIOUS EMISSION ($\pi/4$ DQPSK, Ch39, 30 MHz-3 GHz)	50
FIG. 36	CONDUCTED SPURIOUS EMISSION ($\pi/4$ DQPSK, Ch39, 3GHz-18 GHz)	50
FIG. 37	CONDUCTED SPURIOUS EMISSION ($\pi/4$ DQPSK, Ch78, 2.480GHz).....	51
FIG. 38	CONDUCTED SPURIOUS EMISSION ($\pi/4$ DQPSK, Ch78, 30 MHz-3 GHz)	51
FIG. 39	CONDUCTED SPURIOUS EMISSION ($\pi/4$ DQPSK, Ch78, 3GHz-18 GHz).....	52
FIG. 40	CONDUCTED SPURIOUS EMISSION (8DPSK, Ch0, 2.402GHz).....	52
FIG. 41	CONDUCTED SPURIOUS EMISSION (8DPSK, Ch0, 30 MHz-3 GHz).....	53
FIG. 42	CONDUCTED SPURIOUS EMISSION (8DPSK, Ch0, 3GHz-18 GHz)	53
FIG. 43	CONDUCTED SPURIOUS EMISSION (8DPSK, Ch39, 2.441GHz).....	54
FIG. 44	CONDUCTED SPURIOUS EMISSION (8DPSK, Ch39, 30 MHz-3 GHz).....	54
FIG. 45	CONDUCTED SPURIOUS EMISSION (8DPSK, Ch39, 3GHz-18 GHz)	55

FIG. 46	CONDUCTED SPURIOUS EMISSION (8DPSK, CH78, 2.480GHz).....	55
FIG. 47	CONDUCTED SPURIOUS EMISSION (8DPSK, CH78, 30 MHz-3 GHz).....	56
FIG. 48	CONDUCTED SPURIOUS EMISSION (8DPSK, CH78, 3GHz-18 GHz)	56
FIG. 49	CONDUCTED SPURIOUS EMISSION (ALL CHANNEL, 18 GHz-26 GHz)	57
FIG. 50	RADIATED SPURIOUS EMISSION (GFSK, CH0, 30 MHz ~1 GHz).....	57
FIG. 51	RADIATED SPURIOUS EMISSION (GFSK, CH0, 1 GHz ~18 GHz)	58
FIG. 52	RADIATED SPURIOUS EMISSION (GFSK, CH39, 30 MHz ~1 GHz).....	58
FIG. 53	RADIATED SPURIOUS EMISSION (GFSK, CH39, 1 GHz ~18 GHz)	59
FIG. 54	RADIATED SPURIOUS EMISSION (GFSK, CH78, 30 MHz ~1 GHz).....	59
FIG. 55	RADIATED SPURIOUS EMISSION (GFSK, CH78, 1 GHz ~18 GHz)	60
FIG. 56	RADIATED EMISSION POWER (GFSK, CH0, 2380GHz~2450GHz)	60
FIG. 57	RADIATED EMISSION POWER (GFSK, CH78, 2450GHz~2500GHz)	61
FIG. 58	RADIATED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH0, 30 MHz ~1 GHz).....	61
FIG. 59	RADIATED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH0, 1 GHz ~18 GHz)	62
FIG. 60	RADIATED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH39, 30 MHz ~1 GHz).....	62
FIG. 61	RADIATED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH39, 1 GHz ~18 GHz)	63
FIG. 62	RADIATED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH78, 30 MHz ~1 GHz).....	63
FIG. 63	RADIATED SPURIOUS EMISSION ($\pi/4$ DQPSK, CH78, 1 GHz ~18 GHz)	64
FIG. 64	RADIATED EMISSION POWER ($\pi/4$ DQPSK, CH0, 2380GHz~2450GHz)	64
FIG. 65	RADIATED EMISSION POWER ($\pi/4$ DQPSK, CH78, 2450GHz~2500GHz)	65
FIG. 66	RADIATED SPURIOUS EMISSION (8DPSK, CH0, 30 MHz ~1 GHz).....	65
FIG. 67	RADIATED SPURIOUS EMISSION (8DPSK, CH0, 1 GHz ~18 GHz)	66
FIG. 68	RADIATED SPURIOUS EMISSION (8DPSK, CH39, 30 MHz ~1 GHz).....	66
FIG. 69	RADIATED SPURIOUS EMISSION (8DPSK, CH39, 1 GHz ~18 GHz)	67
FIG. 70	RADIATED SPURIOUS EMISSION (8DPSK, CH78, 30 MHz ~1 GHz).....	67
FIG. 71	RADIATED SPURIOUS EMISSION (8DPSK, CH78, 1 GHz ~18 GHz)	68
FIG. 72	RADIATED EMISSION POWER (8DPSK, CH0, 2380GHz~2450GHz)	68
FIG. 73	RADIATED EMISSION POWER (8DPSK, CH78, 2450GHz~2500GHz)	69
FIG. 74	RADIATED SPURIOUS EMISSION (ALL CHANNEL, 18 GHz ~26 GHz)	69
FIG. 75	OCCUPIED 20dB BANDWIDTH (GFSK, CH 0).....	70
FIG. 76	OCCUPIED 20dB BANDWIDTH (GFSK, CH 39).....	70
FIG. 77	OCCUPIED 20dB BANDWIDTH (GFSK, CH 78).....	71
FIG. 78	OCCUPIED 20dB BANDWIDTH ($\pi/4$ DQPSK, CH 0).....	71
FIG. 79	OCCUPIED 20dB BANDWIDTH ($\pi/4$ DQPSK, CH 39).....	72
FIG. 80	OCCUPIED 20dB BANDWIDTH ($\pi/4$ DQPSK, CH 78).....	72
FIG. 81	OCCUPIED 20dB BANDWIDTH (8DPSK, CH 0).....	73
FIG. 82	OCCUPIED 20dB BANDWIDTH (8DPSK, CH 39).....	73
FIG. 83	OCCUPIED 20dB BANDWIDTH (8DPSK, CH 78).....	74
FIG. 84	TIME OF OCCUPANCY(DWELL TIME) (GFSK, CH39)	74
FIG. 85	NUMBER OF TRANSMISSIONS (GFSK, CH39).....	75
FIG. 86	TIME OF OCCUPANCY(DWELL TIME) ($\pi/4$ DQPSK, CH39)	75
FIG. 87	NUMBER OF TRANSMISSIONS ($\pi/4$ DQPSK, CH39).....	76
FIG. 88	TIME OF OCCUPANCY(DWELL TIME) (8DPSK, CH39)	76
FIG. 89	NUMBER OF TRANSMISSIONS (8DPSK, CH39).....	77

FIG. 90	HOPPING CHANNEL CH0~39 (GFSK, CH39).....	77
FIG. 91	HOPPING CHANNEL CH39~78 (GFSK, CH39).....	78
FIG. 92	HOPPING CHANNEL CH0~39 ($\pi/4$ DQPSK, CH39).....	78
FIG. 93	HOPPING CHANNEL CH39~78 ($\pi/4$ DQPSK, CH39).....	79
FIG. 94	HOPPING CHANNEL CH0~39 (8DPSK, CH39).....	79
FIG. 95	HOPPING CHANNEL CH39~78 (8DPSK, CH39).....	80
FIG. 96	CARRIER FREQUENCY SEPARATION (GFSK, CH39).....	80
FIG. 97	CARRIER FREQUENCY SEPARATION ($\pi/4$ DQPSK, CH39).....	81
FIG. 98	CARRIER FREQUENCY SEPARATION (8DPSK, CH39).....	81
FIG. 99	AC POWER LINE CONDUCTED EMISSION (TRAFFIC, AE1).....	82
FIG. 100	AC POWER LINE CONDUCTED EMISSION (IDLE, AE1).....	83
ANNEX D: PERSONS INVOLVED IN THIS TESTING		84



1. Test Laboratory

1.1. Testing Location

Location: CTTL(South Branch)

Address: TCL International E city No. 1001 Zhongshanyuan Road, Nanshan District, Shenzhen, Guangdong, China 518000

1.2. Testing Environment

Normal Temperature: 15-35℃

Extreme Temperature: -20/+55℃

Relative Humidity: 20-75%

1.3. Project data

Testing Start Date: Nov 24th, 2014

Testing End Date: Nov 27th, 2014

1.4. Signature

Xu Ye

(Prepared this test report)

Tang Weisheng

(Reviewed this test report)

Zhang Bojun

(Approved this test report)

2. Client Information

2.1. Applicant Information

Company Name: TCL Communication Ltd.
Address: 5F, C-Tower, No. 232, Liang Jing Road, ZhangJiang High-Tech Park,
Pudong Area, Shanghai, 201203, P.R. China
City: Shanghai
Postal Code: /
Country: China
Telephone: (0)21 51798260
Fax: (0)21 6146 0600

2.2. Manufacturer Information

Company Name: TCL Communication Ltd.
Address: 5F, C-Tower, No. 232, Liang Jing Road, ZhangJiang High-Tech Park,
Pudong Area, Shanghai, 201203, P.R. China
City: Shanghai
Postal Code: /
Country: China
Telephone: (0)21 51798260
Fax: (0)21 6146 0600

3. Equipment Under Test (EUT) and Ancillary Equipment (AE)

3.1. About EUT

Description	GSM Quad band &UMTS Dual band mobile phone
Model Name	2045X
Market Name	/
Frequency Band	2402MHz~2480MHz
Type of Modulation	GFSK/ π /4 DQPSK/8DPSK
Number of Channels	79
FCC ID	2ACCJB038

*Note: Photographs of EUT are shown in ANNEX A of this test report.

3.2. Internal Identification of EUT

EUT ID*	IMEI	HW Version	SW Version
EUT1	/	PIO	V1.0

*EUT ID: is used to identify the test sample in the lab internally.

3.3. Internal Identification of AE

AE ID*	Description	Type	SN
AE1	Charger	CBA3007AG0C1	/
AE2	Battery	CAB3120000C1	/

*AE ID: is used to identify the test sample in the lab internally.

4. Reference Documents

4.1. Documents supplied by applicant

EUT feature information is supplied by the applicant or manufacturer, which is the basis of testing.

4.2. Reference Documents for testing

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part15	FCC CFR 47, Part 15, Subpart C: 15.205 Restricted bands of operation; 15.209 Radiated emission limits, general requirements; 15.247 Operation within the bands 902–928MHz, 2400–2483.5 MHz, and 5725–5850 MHz.	Oct, 2013 Edition
ANSI C63.4	Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz	2003
FCC Public Notice DA 00-705	Filing and Measurement Guidelines for Frequency Hopping Spread Spectrum Systems	Mar, 2000

5. Test Results

5.1. Summary of Test Results

No	Test cases	Sub-clause of Part15C	Verdict
0	Antenna Requirement	15.203	P
1	Maximum Peak Output Power	15.247 (b)	P
2	Band Edges Compliance	15.247 (d)	P
3	Conducted Spurious Emission	15.247 (d)	P
4	Radiated Spurious Emission	15.247,15.205,15.209	P
5	Occupied 20dB bandwidth	15.247(a)	P
6	Time of Occupancy(Dwell Time)	15.247(a)	P
7	Number of Hopping Channel	15.247(a)	P
8	Carrier Frequency Separation	15.247(a)	P
9	AC Powerline Conducted Emission	15.107,15.207	P

See **ANNEX B** and **ANNEX C** for details.

5.2. Statements

CTTL has evaluated the test cases requested by the applicant/manufacture as listed in section 5.1 of this report, for the EUT specified in section 3, according to the standards or reference documents listed in section 4.2

The hardware of 2045X and 2045M are the same. The tests base on the model 2045M of I14N01400-BT.

5.3. Terms used in the result table

Terms used in Verdict column

P	Pass
NA	Not Available
F	Fail

Abbreviations

AC	Alternating Current
AFH	Adaptive Frequency Hopping
BW	Band Width
E.I.R.P.	equivalent isotropical radiated power
ISM	Industrial, Scientific and Medical
R&TTE	Radio and Telecommunications Terminal Equipment
RF	Radio Frequency
Tx	Transmitter

5.4. Laboratory Environment

Semi-anechoic chamber (23 meters×17 meters×10 meters) did not exceed following limits:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 15 %, Max. = 75 %
Shielding effectiveness	0.014MHz - 1MHz, >60dB; 1MHz - 1000MHz, >90dB.
Electrical insulation	> 2 M
Ground system resistance	< 4
Normalised site attenuation (NSA)	< ± 4 dB, 3m/10m distance, from 30 to 1000 MHz
Site voltage standing-wave ratio (S_{VSWR})	Between 0 and 6 dB, from 1GHz to 18GHz
Uniformity of field strength	Between 0 and 6 dB, from 80 to 3000 MHz

Shielded room did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 75 %
Shielding effectiveness	0.014MHz - 1MHz, >60dB; 1MHz - 1000MHz, >90dB.
Electrical insulation	> 2 M
Ground system resistance	< 4

6. Test Facilities Utilized

Conducted test system

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date	Calibration Period
1	Vector Signal Analyzer	FSV40	100903	Rohde & Schwarz	2016-04-21	1 year
2	Bluetooth Tester	CBT32	100584	Rohde & Schwarz	2016-01-10	1 year

Radiated emission test system

No.	Equipment	Model	Serial Number	Manufacturer	Calibration Due date	Calibration Period
1	Chamber	FACT5-2.0	4166	ETS-Lindgren	2018-05-13	3 years
2	Test Receiver	ESCI	100701	Rohde & Schwarz	2016-08-10	1 year
3	Spectrum Analyzer	FSP40	100378	Rohde & Schwarz	2015-12-19	1 year
4	BiLog Antenna	VULB9163	9163-329	Schwarzbeck	2017-01-20	3 years
5	Test Receiver	ESCI	100702	Rohde & Schwarz	2016-05-30	1 year
6	LISN	ESH2-Z5	100196	Rohde & Schwarz	2016-01-13	1 year
7	Signal Generator	SMR40	100541	Rohde & Schwarz	2016-06-28	1 year
8	Dual-Ridge Waveguide Horn Antenna	3117	00066577	ETS-Lindgren	2016-04-01	3 years
9	Loop Antenna	HLA6120	35779	TESEQ	2016-02-25	3 years
10	EMI Antenna	3160-09	00118383	ETS-Lindgren	2018-07-14	3 years

Anechoic chamber

Fully anechoic chamber by ETS-Lindgren.

7. Measurement Uncertainty

Test Name	Uncertainty	
1.Maximum Peak Output Power	$\pm 1.32\text{dB}$	
2.Band Edges Compliance	$\pm 66\text{Hz}$	
3.Conducted Spurious Emission	$30\text{MHz} \leq f \leq 1\text{GHz}$	$\pm 1.41\text{dB}$
	$1\text{GHz} \leq f \leq 18\text{GHz}$	$\pm 1.92\text{dB}$
	$18\text{GHz} \leq f \leq 26\text{GHz}$	$\pm 2.31\text{dB}$
4.Radiated Spurious Emission	$9\text{k} \leq f \leq 30\text{MHz}$	$\pm 4.00\text{dB}$
	$30\text{M} \leq f \leq 1\text{GHz}$	$\pm 5.08\text{dB}$
	$1\text{GHz} \leq f \leq 18\text{GHz}$	$\pm 4.56\text{dB}$
	$18\text{GHz} \leq f \leq 26\text{GHz}$	$\pm 4.56\text{dB}$
5.Occupied 20dB bandwidth	$\pm 66\text{Hz}$	
6.Time of Occupancy(Dwell Time)	$\pm 0.6\text{ms}$	
7.Number of Hopping Channel	$\pm 66\text{Hz}$	
8.Carrier Frequency Separation	$\pm 0.6\text{ms}$	
9.AC Powerline Conducted Emission	$\pm 2.7\text{dB}$	

ANNEX A: EUT photograph



Pic A-1 Mobile phone



Pic A-2 Mobile phone



Pic A-3 Charger



Pic A-4 Battery

ANNEX B: MEASUREMENT RESULTS FOR RECEIVER

B.0 Antenna requirement

Measurement Limit:

Standard	Requirement
FCC CRF Part 15.203	An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. This requirement does not apply to carrier current devices or to devices operated under the provisions of §15.211, §15.213, § 15.217, §15.219, or §15.221. Further, this requirement does not apply to intentional radiators that must be professionally installed, such as perimeter protection systems and some field disturbance sensors, or to other intentional radiators which, in accordance with §15.31(d), must be measured at the installation site. However, the installer shall be responsible for ensuring that the proper antenna is employed so that the limits in this part are not exceeded.

**Conclusion: The Directional gains of antenna used for transmitting is 1.96 dBi.
The RF transmitter uses an integrate antenna without connector.**

B.1 Maximum Peak Output Power

Measurement Limit:

Standard	Limit (dBm)
FCC CRF Part 15.247(b)(1)	< 30

Measurement Results:

Mode	Test Result (dBm)					
	2402MHz (Ch0)		2441MHz (Ch39)		2480 MHz (Ch78)	
GFSK	Fig.1	4.81	Fig.2	4.80	Fig.3	4.74
$\pi/4$ DQPSK	Fig.4	3.79	Fig.5	3.90	Fig.6	4.00
8DPSK	Fig.7	3.69	Fig.8	3.85	Fig.9	3.93

Conclusion: Pass

B.2 Band Edges Compliance

Measurement Limit:

Standard	Limit (dBc)
FCC 47 CFR Part 15.247 (d)	> 20

Measurement Result:

Mode	Channel	Hopping	Test Results	Conclusion
GFSK	0	ON	Fig.10	P
	78	ON	Fig.11	P
$\pi/4$ DQPSK	0	ON	Fig.12	P
	78	ON	Fig.13	P
8DPSK	0	ON	Fig.14	P
	78	ON	Fig.15	P

Mode	Channel	Hopping	Test Results	Conclusion
GFSK	0	OFF	Fig.16	P
	78	OFF	Fig.17	P
$\pi/4$ DQPSK	0	OFF	Fig.18	P
	78	OFF	Fig.19	P
8DPSK	0	OFF	Fig.20	P
	78	OFF	Fig.21	P

See ANNEX C for test graphs.

Conclusion: Pass

B.3 Conducted Emission

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247 (d)	20dB below peak output power in 100 kHz bandwidth

Measurement Results:

MODE	Channel	Frequency Range	Test Results	Conclusion
GFSK	0	2.402 GHz	Fig.22	P
		30 MHz-3GHz	Fig.23	P
		3GHz-18GHz	Fig.24	P
	39	2.441 GHz	Fig.25	P
		30 MHz-3 GHz	Fig.26	P
		3GHz-18GHz	Fig.27	P
	78	2.480 GHz	Fig.28	P
		30 MHz-3GHz	Fig.29	P
		3GHz-18GHz	Fig.30	P
$\pi/4$ DQPSK	0	2.402 GHz	Fig.31	P
		30 MHz-3 GHz	Fig.32	P
		3GHz-18GHz	Fig.33	P
	39	2.441 GHz	Fig.34	P
		30 MHz-3GHz	Fig.35	P
		3GHz-18Ghz	Fig.36	P
	78	2.480 GHz	Fig.37	P
		30 MHz-3GHz	Fig.38	P
		3GHz-18Ghz	Fig.39	P
8DPSK	0	2.402 GHz	Fig.40	P
		30 MHz-3GHz	Fig.41	P
		3GHz-18GHz	Fig.42	P
	39	2.441 GHz	Fig.43	P
		30 MHz-3GHz	Fig.44	P
		3GHz-18GHz	Fig.45	P
	78	2.480 GHz	Fig.46	P
		30 MHz-3GHz	Fig.47	P
		3GHz-18GHz	Fig.48	P
/	All channel	18GHz-26GHz	Fig.49	P

See ANNEX C for test graphs.

Conclusion: Pass

B.4 Radiated Emission

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247, 15.205, 15.209	20dB below peak output power

In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

Limit in restricted band:

Frequency of emission (MHz)	Field strength($\mu\text{V/m}$)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Test Condition

The EUT was placed on a non-conductive table. The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

Frequency of emission (MHz)	RBW/VBW	Sweep Time(s)
30-1000	120kHz/300kHz	5
1000-4000	1MHz/3MHz	15
4000-18000	1MHz/3MHz	40
18000-26500	1MHz/3MHz	20

Note: According to the performance evaluation, the radiated emission margin of EUT is over 20dB in the band from 9kHz to 30MHz. Therefore, the measurement starts from 30MHz to tenth harmonic.

The measurement results include the horizontal polarization and vertical polarization measurements.

Measurement Results:
GFSK mode

Mode	Channel	Frequency Range	Test Results	Conclusion
GFSK	0	30 MHz ~1 GHz	Fig.50	P
		1 GHz ~ 18 GHz	Fig.51	P
	39	30 MHz ~1 GHz	Fig.52	P
		1 GHz ~ 18 GHz	Fig.53	P
	78	30 MHz ~1 GHz	Fig.54	P
		1 GHz ~ 18 GHz	Fig.55	P
	Power(CH0)	2.38 GHz ~ 2.45 GHz	Fig.56	P
	Power(CH78)	2.45 GHz ~ 2.5 GHz	Fig.57	P
$\pi/4$ DQPSK	0	30 MHz ~1 GHz	Fig.58	P
		1 GHz ~ 18 GHz	Fig.59	P
	39	30 MHz ~1 GHz	Fig.60	P
		1 GHz ~ 18 GHz	Fig.61	P
	78	30 MHz ~1 GHz	Fig.62	P
		1 GHz ~ 18 GHz	Fig.63	P
	Power(CH0)	2.38 GHz ~ 2.45 GHz	Fig.64	P
	Power(CH78)	2.45 GHz ~ 2.5 GHz	Fig.65	P
8DPSK	0	30 MHz ~1 GHz	Fig.66	P
		1 GHz ~ 18 GHz	Fig.67	P
	39	30 MHz ~1 GHz	Fig.68	P
		1 GHz ~ 18 GHz	Fig.69	P
	78	30 MHz ~1 GHz	Fig.70	P
		1 GHz ~ 18 GHz	Fig.71	P
	Power(CH0)	2.38 GHz ~ 2.45 GHz	Fig.72	P
	Power(CH78)	2.45 GHz ~ 2.5 GHz	Fig.73	P
/	All channels	18 GHz~ 26.5 GHz	Fig.74	P

GFSK CH0 (1-18GHz)

Frequency (MHz)	Average-Clear Write	Polarization	Corr. (dB)	Margin (dB)	Limit (dB μ V/m)
4804.250	46.4	V	5.4	7.6	54.0
14976.000	45.8	H	13.8	8.2	54.0
15779.000	47.3	V	14.2	6.7	54.0
16325.000	47.4	H	15.0	6.6	54.0
16842.000	48.2	H	15.6	5.8	54.0
17402.000	47.6	H	15.6	6.4	54.0

GFSK CH0 (1-18GHz)

Frequency (MHz)	MaxPeak-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
14411.000	56.7	V	13.3	17.3	74.0
15055.000	57.3	H	13.2	16.7	74.0
15677.000	59.0	V	13.8	15.0	74.0
16346.000	59.8	H	15.1	14.2	74.0
16878.000	59.5	H	15.8	14.5	74.0
17329.000	60.1	H	15.5	13.9	74.0

GFSK CH39 (1-18GHz)

Frequency (MHz)	Average-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
7323.375	51.0	H	6.8	3.0	54.0
15070.000	45.8	H	13.1	8.2	54.0
15801.000	47.4	H	14.3	6.6	54.0
16289.000	47.9	H	14.8	6.1	54.0
16831.000	48.5	H	15.5	5.5	54.0
17279.000	48.2	H	15.4	5.8	54.0

GFSK CH39 (1-18GHz)

Frequency (MHz)	MaxPeak-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
14200.000	57.1	H	12.7	16.9	74.0
15026.000	57.9	V	13.4	16.1	74.0
15744.000	59.7	H	14.0	14.3	74.0
16287.000	60.4	H	14.8	13.6	74.0
16836.000	60.3	H	15.6	13.7	74.0
17322.000	60.1	H	15.4	13.9	74.0

GFSK CH78 (1-18GHz)

Frequency (MHz)	Average-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
7439.750	53.1	H	6.9	0.9	54.0
14961.000	44.9	H	13.7	9.1	54.0
15787.000	46.7	H	14.2	7.3	54.0
16312.000	46.7	H	14.9	7.3	54.0
16847.000	47.3	H	15.6	6.7	54.0
17366.000	46.7	H	15.5	7.3	54.0

GFSK CH78 (1-18GHz)

Frequency (MHz)	MaxPeak-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
7439.750	58.2	H	6.9	15.8	74.0
15007.000	56.7	H	13.6	17.3	74.0
15727.000	59.2	H	14.0	14.8	74.0
16374.000	59.6	H	15.3	14.4	74.0
16757.000	59.4	H	15.1	14.6	74.0
17336.000	58.5	H	15.5	15.5	74.0

$\pi/4$ DQPSK CH0 (1-18GHz)

Frequency (MHz)	Average-Clear Write	Polarization	Corr. (dB)	Margin (dB)	Limit (dB μ V/m)
14398.000	44.6	H	13.4	9.4	54.0
14979.000	45.2	H	13.7	8.8	54.0
15784.000	46.9	V	14.2	7.1	54.0
16330.000	46.8	V	15.0	7.2	54.0
16845.000	47.5	H	15.6	6.5	54.0
17391.000	47.1	H	15.6	6.9	54.0

$\pi/4$ DQPSK CH0 (1-18GHz)

Frequency (MHz)	MaxPeak-Clear Write	Polarization	Corr. (dB)	Margin (dB)	Limit (dB μ V/m)
14400.000	56.4	H	13.4	17.6	74.0
15041.000	57.4	H	13.3	16.6	74.0
15833.000	59.3	H	14.4	14.7	74.0
16325.000	58.9	H	15.0	15.1	74.0
16778.000	59.4	V	15.2	14.6	74.0
17268.000	59.7	H	15.3	14.3	74.0

$\pi/4$ DQPSK CH39 (1-18GHz)

Frequency (MHz)	Average-Clear Write	Polarization	Corr. (dB)	Margin (dB)	Limit (dB μ V/m)
4881.250	45.5	V	5.6	8.5	54.0
15053.000	45.5	H	13.2	8.5	54.0
15777.000	47.2	H	14.2	6.8	54.0
16340.000	47.3	H	15.1	6.7	54.0
16842.000	47.8	H	15.6	6.2	54.0
17381.000	47.5	H	15.5	6.5	54.0

$\pi/4$ DQPSK CH39 (1-18GHz)

Frequency (MHz)	MaxPeak-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dB μ V/m)
14422.000	57.1	H	13.3	16.9	74.0
14995.000	58.1	H	13.6	15.9	74.0
15783.000	58.9	H	14.2	15.1	74.0
16425.000	59.1	V	15.3	14.9	74.0
16603.000	59.8	H	15.1	14.2	74.0
17804.000	60.4	V	15.7	13.6	74.0

$\pi/4$ DQPSK CH78 (1-18GHz)

Frequency (MHz)	Average-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dB μ V/m)
4960.000	47.3	V	5.9	6.7	54.0
15048.000	45.6	H	13.3	8.4	54.0
15787.000	47.2	H	14.2	6.8	54.0
16315.000	47.2	H	14.9	6.8	54.0
16838.000	48.1	H	15.6	5.9	54.0
17361.000	47.8	H	15.5	6.2	54.0

$\pi/4$ DQPSK CH78 (1-18GHz)

Frequency (MHz)	MaxPeak-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dB μ V/m)
14150.000	56.6	H	12.4	17.4	74.0
15071.000	57.4	H	13.1	16.6	74.0
15732.000	59.8	H	14.0	14.2	74.0
16307.000	59.4	H	14.9	14.6	74.0
16784.000	60.9	H	15.3	13.1	74.0
17297.000	60.4	H	15.4	13.6	74.0

8DPSK CH0 (1-18GHz)

Frequency (MHz)	Average-Clear Write	Polarization	Corr. (dB)	Margin (dB)	Limit (dB μ V/m)
14496.000	44.9	H	12.8	9.1	54.0
15174.000	45.7	H	13.1	8.3	54.0
15744.000	47.4	H	14.0	6.6	54.0
16223.000	47.7	H	14.4	6.3	54.0
16767.000	48.5	H	15.2	5.5	54.0
17273.000	48.1	H	15.4	5.9	54.0

8DPSK CH0 (1-18GHz)

Frequency (MHz)	MaxPeak-Clear Write	Polarization	Corr. (dB)	Margin (dB)	Limit (dB μ V/m)
14352.000	58.0	H	13.3	16.0	74.0
15139.000	57.7	V	12.8	16.3	74.0
15843.000	59.6	H	14.4	14.4	74.0
16232.000	59.7	V	14.5	14.3	74.0
16770.000	60.5	H	15.2	13.5	74.0
17417.000	60.5	H	15.6	13.5	74.0

8DPSK CH39 (1-18GHz)

Frequency (MHz)	Average-Clear Write	Polarization	Corr. (dB)	Margin (dB)	Limit (dB μ V/m)
7323.375	45.4	V	6.8	8.6	54.0
15053.000	45.3	H	13.2	8.7	54.0
15779.000	46.9	H	14.2	7.1	54.0
16312.000	47.1	H	14.9	6.9	54.0
16833.000	47.7	H	15.5	6.3	54.0
17353.000	47.3	H	15.5	6.7	54.0

8DPSK CH39 (1-18GHz)

Frequency (MHz)	MaxPeak-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
14424.000	56.7	H	13.3	17.3	74.0
15049.000	57.3	H	13.3	16.7	74.0
15777.000	58.9	V	14.2	15.1	74.0
16168.000	59.7	H	14.5	14.3	74.0
16733.000	59.6	H	15.0	14.4	74.0
17683.000	59.9	H	15.7	14.1	74.0

8DPSK CH78 (1-18GHz)

Frequency (MHz)	Average-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
4960.000	46.8	V	5.9	7.2	54.0
14969.000	45.2	H	13.7	8.8	54.0
15772.000	46.8	H	14.1	7.2	54.0
16269.000	46.8	H	14.7	7.2	54.0
16827.000	47.4	H	15.5	6.6	54.0
17350.000	46.9	H	15.5	7.1	54.0

8DPSK CH78 (1-18GHz)

Frequency (MHz)	MaxPeak-ClearWrite	Polarization	Corr. (dB)	Margin (dB)	Limit (dBμV/m)
14366.000	56.5	H	13.3	17.5	74.0
15139.000	57.4	H	12.8	16.6	74.0
15798.000	58.9	V	14.3	15.1	74.0
16328.000	58.7	V	15.0	15.3	74.0
16886.000	60.0	V	15.8	14.0	74.0
17799.000	58.8	H	15.7	15.2	74.0

See ANNEX C for test graphs.

Conclusion: Pass

B.5 Occupied 20dB Bandwidth

Measurement Limit:

Standard	Limit (kHz)
FCC 47 CFR Part 15.247 (a)	/

Measurement Result:

Mode	Channel	Occupied 20dB Bandwidth (MHz)		conclusion
GFSK	0	Fig.75	1.129	/
	39	Fig.76	1.129	
	78	Fig.77	1.129	
$\pi/4$ DQPSK	0	Fig.78	1.295	/
	39	Fig.79	1.302	
	78	Fig.80	1.295	
8DPSK	0	Fig.81	1.317	/
	39	Fig.82	1.310	
	78	Fig.83	1.324	

See ANNEX C for test graphs.

Conclusion: PASS

B.6 Time of Occupancy (Dwell Time)

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247(a)	< 400 ms

Measurement Results:

Mode	Channel	Packet	Dwell Time(ms)		Conclusion
GFSK	39	DH5	Fig.84	223.8	P
			Fig.85		
$\pi/4$ DQPSK	39	2-DH5	Fig.86	190.4	P
			Fig.87		
8DPSK	39	3-DH5	Fig.88	219.2	P
			Fig.89		

See ANNEX C for test graphs.

Conclusion: Pass

B.7 Number of Hopping Channels

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247(a)	At least 15 non-overlapping channels

Measurement Results:

Mode	Channel	Packet	Number of hopping channels		Test result	Conclusion
GFSK	39	DH5	Fig.90	Fig.91	79	P
$\pi/4$ DQPSK	39	2-DH5	Fig.92	Fig.93	79	P
8DPSK	39	3-DH5	Fig.94	Fig.95	79	P

See ANNEX C for test graphs.

Conclusion: Pass

B.8 Carrier Frequency Separation

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247(a)	By a minimum of 25 kHz or two-thirds of the 20 dB bandwidth of the hopping channel, whichever is greater

Measurement Results:

Mode	Channel	Packet	Separation of hopping channels	Test result (MHz)	Conclusion
GFSK	39	DH5	Fig.96	1.006	P
$\pi/4$ DQPSK	39	2-DH5	Fig.97	1.006	P
8DPSK	39	3-DH5	Fig.98	1.006	P

See ANNEX C for test graphs.

Conclusion: Pass

B.9 AC Power line Conducted Emission

Test Condition:

Voltage (V)	Frequency (Hz)
120	60

Measurement Result and limit:

BT (Quasi-peak Limit)-AE1

Frequency range (MHz)	Quasi-peak Limit (dB μ V)	Result (dB μ V)	Conclusion
		Traffic	
0.15 to 0.5	66 to 56	Fig.99	P
0.5 to 5	56		
5 to 30	60		

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

BT (Average Limit)-AE1

Frequency range (MHz)	Average-peak Limit (dB μ V)	Result (dB μ V)	Conclusion
		Traffic	
0.15 to 0.5	56 to 46	Fig.99	P
0.5 to 5	46		
5 to 30	50		

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

BT (Quasi-peak Limit)-AE1

Frequency range (MHz)	Quasi-peak Limit (dB μ V)	Result (dB μ V)	Conclusion
		Idle	
0.15 to 0.5	66 to 56	Fig.100	P
0.5 to 5	56		
5 to 30	60		

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.

BT (Average Limit)-AE1

Frequency range (MHz)	Average-peak Limit (dB μ V)	Result (dB μ V)	Conclusion
		Idle	
0.15 to 0.5	56 to 46	Fig.100	P
0.5 to 5	46		
5 to 30	50		

NOTE: The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.5 MHz.



Note: The measurement results include the L1 and N measurements.

See ANNEX C for test graphs.

Conclusion: Pass

ANNEX C: TEST FIGURE LIST




Fig. 1 Maximum Peak Output Power(GFSK, Ch 0)




Fig. 2 Maximum Peak Output Power(GFSK, Ch 39)




Fig. 3 Maximum Peak Output Power(GFSK, Ch 78)




Fig. 4 Maximum Peak Output Power($\pi/4$ DQPSK, Ch 0)




Fig. 5 Maximum Peak Output Power($\pi/4$ DQPSK, Ch 39)




Fig. 6 Maximum Peak Output Power($\pi/4$ DQPSK, Ch 78)




Fig. 7 Maximum Peak Output Power(8DPSK, Ch 0)




Fig. 8 Maximum Peak Output Power(8DPSK, Ch 39)




Fig. 9 Maximum Peak Output Power(8DPSK, Ch 78)




Fig. 10 Band Edges (GFSK, Ch 0, Hopping ON)




Fig. 11 Band Edges (GFSK, Ch 78, Hopping ON)




Fig. 12 Band Edges ($\pi/4$ DQPSK, Ch 0, Hopping ON)




Fig. 13 Band Edges ($\pi/4$ DQPSK, Ch 78, Hopping ON)




Fig. 14 Band Edges (8DPSK, Ch 0, Hopping ON)




Fig. 15 Band Edges (8DPSK, Ch 78, Hopping ON)




Fig. 16 Band Edges (GFSK, Ch 0, Hopping OFF)




Fig. 17 Band Edges (GFSK, Ch 78, Hopping OFF)




Fig. 18 Band Edges ($\pi/4$ DQPSK, Ch 0, Hopping OFF)




Fig. 19 Band Edges ($\pi/4$ DQPSK, Ch 78, Hopping OFF)




Fig. 20 Band Edges (8DPSK, Ch 0, Hopping OFF)




Fig. 21 Band Edges (8DPSK, Ch 78, Hopping OFF)




Fig. 22 Conducted Spurious Emission (GFSK, Ch0, 2.402GHz)




Fig. 23 Conducted Spurious Emission (GFSK, Ch0, 30 MHz-3 GHz)




Fig. 24 Conducted Spurious Emission (GFSK, Ch0, 3GHz-18 GHz)




Fig. 25 Conducted Spurious Emission (GFSK, Ch39, 2.441GHz)




Fig. 26 Conducted Spurious Emission (GFSK, Ch39, 30 MHz-3 GHz)




Fig. 27 Conducted Spurious Emission (GFSK, Ch39, 3GHz-18 GHz)




Fig. 28 Conducted Spurious Emission (GFSK, Ch78, 2.480GHz)




Fig. 29 Conducted Spurious Emission (GFSK, Ch78, 30 MHz-3 GHz)




Fig. 30 Conducted Spurious Emission (GFSK, Ch78, 3GHz-18 GHz)




Fig. 31 Conducted Spurious Emission ($\pi/4$ DQPSK, Ch0, 2.402GHz)




Fig. 32 Conducted Spurious Emission ($\pi/4$ DQPSK, Ch0, 30 MHz-3 GHz)




Fig. 33 Conducted Spurious Emission ($\pi/4$ DQPSK, Ch0, 3GHz-18 GHz)




Fig. 34 Conducted Spurious Emission ($\pi/4$ DQPSK, Ch39, 2.441GHz)




Fig. 35 Conducted Spurious Emission ($\pi/4$ DQPSK, Ch39, 30 MHz-3 GHz)




Fig. 36 Conducted Spurious Emission ($\pi/4$ DQPSK, Ch39, 3GHz-18 GHz)




Fig. 37 Conducted Spurious Emission ($\pi/4$ DQPSK, Ch78, 2.480GHz)




Fig. 38 Conducted Spurious Emission ($\pi/4$ DQPSK, Ch78, 30 MHz-3 GHz)




Fig. 39 Conducted Spurious Emission ($\pi/4$ DQPSK, Ch78, 3GHz-18 GHz)




Fig. 40 Conducted Spurious Emission (8DPSK, Ch0, 2.402GHz)




Fig. 41 Conducted Spurious Emission (8DPSK, Ch0, 30 MHz-3 GHz)




Fig. 42 Conducted Spurious Emission (8DPSK, Ch0, 3GHz-18 GHz)




Fig. 43 Conducted Spurious Emission (8DPSK, Ch39, 2.441GHz)




Fig. 44 Conducted Spurious Emission (8DPSK, Ch39, 30 MHz-3 GHz)




Fig. 45 Conducted Spurious Emission (8DPSK, Ch39, 3GHz-18 GHz)




Fig. 46 Conducted Spurious Emission (8DPSK, Ch78, 2.480GHz)




Fig. 47 Conducted Spurious Emission (8DPSK, Ch78, 30 MHz-3 GHz)




Fig. 48 Conducted Spurious Emission (8DPSK, Ch78, 3GHz-18 GHz)




Fig. 49 Conducted Spurious Emission (All channel, 18 GHz-26 GHz)




Fig. 50 Radiated Spurious Emission (GFSK, Ch0, 30 MHz ~1 GHz)




Fig. 51 Radiated Spurious Emission (GFSK, Ch0, 1 GHz ~18 GHz)




Fig. 52 Radiated Spurious Emission (GFSK, Ch39, 30 MHz ~1 GHz)




Fig. 53 Radiated Spurious Emission (GFSK, Ch39, 1 GHz ~18 GHz)




Fig. 54 Radiated Spurious Emission (GFSK, Ch78, 30 MHz ~1 GHz)




Fig. 55 Radiated Spurious Emission (GFSK, Ch78, 1 GHz ~18 GHz)




Fig. 56 Radiated Emission Power (GFSK, Ch0, 2380GHz~2450GHz)




Fig. 57 Radiated Emission Power (GFSK, Ch78, 2450GHz~2500GHz)




Fig. 58 Radiated Spurious Emission ($\pi/4$ DQPSK, Ch0, 30 MHz ~1 GHz)




Fig. 59 Radiated Spurious Emission ($\pi/4$ DQPSK, Ch0, 1 GHz ~18 GHz)




Fig. 60 Radiated Spurious Emission ($\pi/4$ DQPSK, Ch39, 30 MHz ~1 GHz)




Fig. 61 Radiated Spurious Emission ($\pi/4$ DQPSK, Ch39, 1 GHz ~18 GHz)




Fig. 62 Radiated Spurious Emission ($\pi/4$ DQPSK, Ch78, 30 MHz ~1 GHz)




Fig. 63 Radiated Spurious Emission ($\pi/4$ DQPSK, Ch78, 1 GHz ~18 GHz)




Fig. 64 Radiated Emission Power ($\pi/4$ DQPSK, Ch0, 2380GHz~2450GHz)




Fig. 65 Radiated Emission Power ($\pi/4$ DQPSK, Ch78, 2450GHz~2500GHz)




Fig. 66 Radiated Spurious Emission (8DPSK, Ch0, 30 MHz ~1 GHz)




Fig. 67 Radiated Spurious Emission (8DPSK, Ch0, 1 GHz ~18 GHz)




Fig. 68 Radiated Spurious Emission (8DPSK, Ch39, 30 MHz ~1 GHz)




Fig. 69 Radiated Spurious Emission (8DPSK, Ch39, 1 GHz ~18 GHz)




Fig. 70 Radiated Spurious Emission (8DPSK, Ch78, 30 MHz ~1 GHz)




Fig. 71 Radiated Spurious Emission (8DPSK, Ch78, 1 GHz ~18 GHz)




Fig. 72 Radiated Emission Power (8DPSK, Ch0, 2380GHz~2450GHz)




Fig. 73 Radiated Emission Power (8DPSK, Ch78, 2450GHz~2500GHz)




Fig. 74 Radiated Spurious Emission (All channel, 18 GHz ~26 GHz)




Fig. 75 Occupied 20dB Bandwidth (GFSK, Ch 0)




Fig. 76 Occupied 20dB Bandwidth (GFSK, Ch 39)




Fig. 77 Occupied 20dB Bandwidth (GFSK, Ch 78)




Fig. 78 Occupied 20dB Bandwidth ($\pi/4$ DQPSK, Ch 0)




Fig. 79 Occupied 20dB Bandwidth ($\pi/4$ DQPSK, Ch 39)




Fig. 80 Occupied 20dB Bandwidth ($\pi/4$ DQPSK, Ch 78)




Fig. 81 Occupied 20dB Bandwidth (8DPSK, Ch 0)




Fig. 82 Occupied 20dB Bandwidth (8DPSK, Ch 39)




Fig. 83 Occupied 20dB Bandwidth (8DPSK, Ch 78)




Fig. 84 Time of Occupancy(Dwell Time) (GFSK, Ch39)




Fig. 85 Number of Transmissions (GFSK, Ch39)




Fig. 86 Time of Occupancy(Dwell Time) ($\pi/4$ DQPSK, Ch39)




Fig. 87 Number of Transmissions ($\pi/4$ DQPSK, Ch39)




Fig. 88 Time of Occupancy(Dwell Time) (8DPSK, Ch39)




Fig. 89 Number of Transmissions (8DPSK, Ch39)




Fig. 90 Hopping channel ch0~39 (GFSK, Ch39)




Fig. 91 Hopping channel ch39~78 (GFSK, Ch39)




Fig. 92 Hopping channel ch0~39 ($\pi/4$ DQPSK, Ch39)




Fig. 93 Hopping channel ch39~78 ($\pi/4$ DQPSK, Ch39)




Fig. 94 Hopping channel ch0~39 (8DPSK, Ch39)




Fig. 95 Hopping channel ch39~78 (8DPSK, Ch39)




Fig. 96 Carrier Frequency Separation (GFSK, Ch39)




Fig. 97 Carrier Frequency Separation ($\pi/4$ DQPSK, Ch39)




Fig. 98 Carrier Frequency Separation (8DPSK, Ch39)




Fig. 99 AC Power line Conducted Emission (Traffic, AE1)

MEASUREMENT RESULT: " QuasiPeak "

Frequency (MHz)	QuasiPeak (dBµV)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dBµV)
2.626000	40.3	FLO	L1	10.2	15.7	56.0
2.642000	40.3	FLO	L1	10.2	15.7	56.0
2.654000	40.2	FLO	L1	10.2	15.8	56.0
2.722000	39.9	FLO	L1	10.2	16.1	56.0
3.002000	39.9	FLO	L1	10.2	16.1	56.0
3.014000	38.3	FLO	L1	10.2	17.7	56.0

MEASUREMENT RESULT: " Average "

Frequency (MHz)	CAverage (dBµV)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dBµV)
2.626000	24.6	FLO	L1	10.2	21.4	46.0
2.654000	28.6	FLO	L1	10.2	17.4	46.0
2.682000	28.1	FLO	L1	10.2	17.9	46.0
2.822000	26.4	FLO	L1	10.1	19.6	46.0
3.114000	29.1	FLO	L1	10.2	16.9	46.0
3.518000	28.6	FLO	L1	10.2	17.4	46.0




Fig. 100 AC Power line Conducted Emission (Idle, AE1)

MEASUREMENT RESULT: " QuasiPeak "

Frequency (MHz)	QuasiPeak (dBµV)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dBµV)
2.082000	38.4	FLO	L1	10.1	17.6	56.0
2.126000	38.8	FLO	L1	10.1	17.2	56.0
2.446000	37.7	FLO	L1	10.1	18.3	56.0
2.586000	39.1	FLO	L1	10.2	16.9	56.0
2.614000	39.3	FLO	L1	10.2	16.7	56.0
2.710000	38.7	FLO	L1	10.2	17.3	56.0

MEASUREMENT RESULT: " Average "

Frequency (MHz)	CAverage (dBµV)	PE	Line	Corr. (dB)	Margin (dB)	Limit (dBµV)
2.098000	26.6	FLO	L1	10.1	19.4	46.0
2.586000	27.6	FLO	L1	10.2	18.4	46.0
2.614000	27.3	FLO	L1	10.2	18.7	46.0
2.710000	26.2	FLO	L1	10.2	19.8	46.0
2.934000	26.7	FLO	L1	10.1	19.3	46.0
2.990000	25.4	FLO	L1	10.2	20.6	46.0

ANNEX D: Persons involved in this testing

Test Name	Tester
Maximum Peak Output Power	Xu Ye, Tang Weisheng
Peak Power Spectral Density	Xu Ye, Tang Weisheng
Occupied 6dB Bandwidth	Xu Ye, Tang Weisheng
Band Edges Compliance	Xu Ye, Tang Weisheng
Transmitter Spurious Emission - Conducted	Xu Ye, Tang Weisheng
Transmitter Spurious Emission - Radiated	Xu Ye, Tang Weisheng
AC Powerline Conducted Emission	Xu Ye, Tang Weisheng

*****END OF REPORT*****