



No. I21Z60109-SEM01

For

TCL Communication Ltd.

LTE/WCDMA/GSM mobile phone

Model Name: 6025A/6125A

with

Hardware Version: PIO

Software Version: 9M59

FCC ID: 2ACCJB141

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT


No. 51, Xueyuan Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504


Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn




Picture 1: Constituents of the sample




Picture 2: Left Head Touch Cheek Position




Picture 3: Left Head Tilt 15° Position




Picture 4: Right Head Touch Cheek Position




Picture 5: Right Head Tilt 15° Position




Picture 6: Left Head Touch Cheek Position-spot check



Picture 7: Left Head Tilt 15° Position-spot check




Picture 8: Right Head Touch Cheek Position-spot check




Picture 9: Right Head Tilt 15° Position-spot check

Test positions for body:


The Body SAR is tested at the following 10 test positions all with the distance =0/10/15mm between the EUT and the phantom bottom:




Picture 10: Front 10mm




Picture 11: Rear 10mm




Picture 12: Left 10mm




Picture 13: Right 10mm




Picture 14: Top 10mm



Picture 15: Bottom 10mm




Picture 16: Front 15mm




Picture 17: Rear 15mm




Picture 18: Bottom 0mm



Picture 19: Rear 0mm



Picture 20: Rear 10mm-spot check



Picture 21: Bottom 10mm-spot check



Picture 22: Top 10mm-spot check