



No. I23Z61098-SEM03

For

TCL Communication Ltd.

LTE/WCDMA/GSM mobile phone

Model Name: T312A,T312E

with

Hardware Version: T300_MB_V1.01

Software Version:

T312A_1SIM_V1.0_20230826_UNLOCK;

T312E_2SIM_V1.0_20230906_UNLOCK

FCC ID: 2ACCJB211

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:

CTTL-Telecommunication Technology Labs, CAICT


No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504


Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn




Picture 1: Constituents of the sample




Picture 2 Left Head Touch Cheek Position



Picture 3 Left Head Tilt 15° Position



Picture4 Right Head Touch Cheek Position



Picture 5 Right Head Tilt 15° Position

Test positions for body:

The Body SAR is tested at the following test positions all with the distance = 15mm between the EUT and the phantom bottom:



Picture 6 Front 15mm



Picture 7 Rear 15mm

Transmit Antenna Separation Distances



Picture 8: Antenna Locations