



FCC ID: 2ACCJB225




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	10620.00	38.32	5.69	30.51	30.88	43.64	54.00	10.36	Average
2	10620.00	38.32	5.69	39.69	30.88	52.82	74.00	21.18	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5310.00	32.98	4.16	90.42	30.80	96.76	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	10620.00	38.32	5.69	31.41	30.88	44.54	54.00	9.46	Average
2	10620.00	38.32	5.69	39.79	30.88	52.92	74.00	21.08	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	10620.00	38.32	5.69	31.41	30.88	44.54	54.00	9.46	Average
2	10620.00	38.32	5.69	39.79	30.88	52.92	74.00	21.08	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5260.00	32.74	4.14	94.20	30.74	100.34	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	10520.00	38.38	5.66	38.92	31.06	51.90	68.20	16.30	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	10520.00	38.38	5.66	38.92	31.06	51.90	68.20	16.30	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5260.00	32.74	4.14	86.80	30.74	92.94	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	10520.00	38.38	5.66	39.76	31.06	52.74	68.20	15.46	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5300.00	32.90	4.16	88.35	30.79	94.62	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -amp factor.
2. The emission levels that are 20dB below the official limit are not reported.




FCC ID: 2ACCJB225




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	10600.00	38.30	5.69	32.07	30.92	45.14	54.00	8.86	Average
2	10600.00	38.30	5.69	41.50	30.92	54.57	68.20	13.63	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5300.00	32.90	4.16	92.86	30.79	99.13	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	10600.00	38.30	5.69	31.22	30.92	44.29	54.00	9.71	Average
2	10600.00	38.30	5.69	39.60	30.92	52.67	68.20	15.53	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	10600.00	38.30	5.69	31.22	30.92	44.29	54.00	9.71	Average
2	10600.00	38.30	5.69	39.60	30.92	52.67	68.20	15.53	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.


FCC ID: 2ACCJB225



Site no. : 3m Chamber Data no. : 109
 Dis. / Ant. : 3m 2023 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E PK U-NII-2A
 Env. / Ins. : 23.2°C/52.5% Engineer : winter
 Test Mode : WIFI5G 11ac20 5320MHz TX Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5320.00	33.06	4.16	92.25	30.82	98.65	---	---	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 110
 Dis. / Ant. : 3m 2023 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E PK U-NII-2A
 Env. / Ins. : 23.2°C/52.5% Engineer : winter
 Test Mode : WIFI5G 11ac20 5320MHz TX Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	15320.00	33.06	4.16	92.25	30.82	98.65	---	---	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 111
 Dis. / Ant. : 3m 2023 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E PK U-NII-2A
 Env. / Ins. : 23.2°C/52.5% Engineer : winter
 Test Mode : WIFI5G 11ac20 5320MHz TX Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	10640.00	38.34	5.70	31.44	30.85	44.63	54.00	9.37	Average
2	10640.00	38.34	5.70	39.42	30.85	52.61	74.00	21.39	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.





Site no. : 3m Chamber Data no. : 112
 Dis. / Ant. : 3m 2023 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E PK U-NII-2A
 Env. / Ins. : 23.2°C/52.5% Engineer : winter
 Test Mode : WIFI5G 11ac20 5320MHz TX Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5320.00	33.06	4.16	87.53	30.82	93.93	---	---	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	10640.00	38.34	5.70	30.45	30.85	43.64	54.00	10.36	Average
2	10640.00	38.34	5.70	39.44	30.85	52.63	74.00	21.37	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5270.00	32.78	4.14	87.54	30.75	93.71	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




FCC ID: 2ACCJB225




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	10540.00	38.36	5.67	39.85	31.03	52.85	68.20	15.35	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5270.00	32.78	4.14	91.36	30.75	97.53	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	10540.00	38.36	5.67	39.30	31.03	52.30	68.20	15.90	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	10540.00	38.36	5.67	39.30	31.03	52.30	68.20	15.90	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5310.00	32.98	4.16	92.03	30.80	98.37	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	15620.00	38.32	5.69	39.55	30.88	52.68	74.00	21.32	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	10620.00	38.32	5.69	39.55	30.88	52.68	74.00	21.32	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5310.00	32.98	4.16	86.82	30.80	93.16	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	10620.00	38.32	5.69	30.89	30.88	44.02	54.00	9.98	Average
2	10620.00	38.32	5.69	38.85	30.88	51.98	74.00	22.02	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.







No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5290.00	32.86	4.15	84.27	30.78	90.50	-----	-----	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



FCC ID: 2ACCJB225





U-NII-2C Band:



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5500.00	33.70	4.24	94.33	31.05	101.22	74.00	27.22	Peak
2	11000.00	38.70	5.81	33.16	30.20	47.47	54.00	-6.53	Average
3	11000.00	38.70	5.81	41.09	30.20	55.40	74.00	-18.60	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5500.00	33.70	4.24	91.22	31.05	98.11	74.00	24.11	Peak
2	11000.00	38.70	5.81	33.26	30.20	47.57	54.00	-6.43	Average
3	11000.00	38.70	5.81	41.09	30.20	55.40	74.00	-18.60	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5600.00	33.20	4.28	90.90	31.18	97.20	74.00	23.20	Peak
2	11200.00	38.60	5.85	32.59	30.00	47.04	54.00	6.96	Average
3	11200.00	38.60	5.85	40.94	30.00	55.39	74.00	18.61	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5600.00	33.20	4.28	91.44	31.18	97.74	74.00	23.74	Peak
2	11200.00	38.60	5.85	32.57	30.00	47.02	54.00	6.98	Average
3	11200.00	38.60	5.85	41.34	30.00	55.79	74.00	18.21	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5720.00	33.48	4.33	90.48	31.34	96.95	-----	-----	Peak
2	11440.00	38.54	5.90	33.18	29.76	47.66	54.00	6.14	Average
3	11440.00	38.54	5.90	41.22	29.76	55.90	74.00	18.10	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5720.00	33.48	4.33	89.32	31.34	95.79	-----	-----	Peak
2	11440.00	38.54	5.90	32.08	29.76	46.76	54.00	7.24	Average
3	11440.00	38.54	5.90	39.68	29.76	54.36	74.00	19.64	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5500.00	33.70	4.24	89.74	31.05	96.63	74.00	22.63	Peak
2	11000.00	38.70	5.81	32.06	30.20	46.37	54.00	7.63	Average
3	11000.00	38.70	5.81	39.90	30.20	54.21	74.00	19.79	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5500.00	33.70	4.24	91.60	31.05	98.49	74.00	24.49	Peak
2	11000.00	38.70	5.81	33.16	30.20	47.47	54.00	6.53	Average
3	11000.00	38.70	5.81	42.36	30.20	56.67	74.00	17.33	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5600.00	33.20	4.28	91.20	31.18	97.50	-----	-----	Peak
2	11200.00	38.60	5.85	32.73	30.00	47.18	54.00	6.82	Average
3	11200.00	38.60	5.85	41.22	30.00	55.67	74.00	18.33	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5600.00	33.20	4.28	89.24	31.18	95.54	-----	-----	Peak
2	11200.00	38.60	5.85	32.31	30.00	46.76	54.00	7.24	Average
3	11200.00	38.60	5.85	40.01	30.00	54.46	74.00	19.54	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amplifier factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5720.00	33.48	4.33	88.58	31.34	95.05	-----	-----	Peak
2	11440.00	38.54	5.90	32.43	29.76	47.11	54.00	6.89	Average
3	11440.00	38.54	5.90	39.81	29.76	54.49	74.00	19.51	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Amplifier factor.
2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amplifier factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5720.00	33.48	4.33	90.14	31.34	96.61	-----	-----	Peak
2	11440.00	38.54	5.90	32.15	29.76	46.83	54.00	7.17	Average
3	11440.00	38.54	5.90	39.76	29.76	54.44	74.00	19.56	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Amplifier factor.
2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5510.00	33.64	4.24	87.93	31.06	94.75	54.00	8.43	Peak
2	11020.00	38.70	5.81	31.24	30.18	45.57	54.00	8.43	Average
3	11020.00	38.70	5.81	40.05	30.18	54.38	74.00	19.62	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5510.00	33.64	4.24	84.23	31.06	91.05	54.00	9.56	Peak
2	11020.00	38.70	5.81	30.11	30.18	44.44	54.00	9.56	Average
3	11020.00	38.70	5.81	39.28	30.18	53.61	74.00	20.39	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5590.00	33.24	4.28	84.66	31.17	91.01	54.00	9.44	Peak
2	11180.00	38.62	5.85	30.11	30.02	44.56	54.00	9.44	Average
3	11180.00	38.62	5.85	38.42	30.02	52.87	74.00	21.13	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5590.00	33.24	4.28	87.23	31.17	93.58	54.00	8.33	Peak
2	11180.00	38.62	5.85	31.22	30.02	45.67	54.00	8.33	Average
3	11180.00	38.62	5.85	38.24	30.02	52.69	74.00	21.31	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5710.00	33.44	4.33	86.82	31.32	93.27	54.00	8.28	Peak
2	11420.00	38.52	5.89	31.09	29.78	45.72	54.00	8.28	Average
3	11420.00	38.52	5.89	39.54	29.78	54.17	74.00	19.83	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5710.00	33.44	4.33	84.66	31.32	91.11	54.00	9.12	Peak
2	11420.00	38.52	5.89	30.25	29.78	44.88	54.00	9.12	Average
3	11420.00	38.52	5.89	38.48	29.78	53.11	74.00	20.89	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5500.00	33.70	4.24	92.08	31.05	98.97	54.00	8.44	Peak
2	11000.00	38.70	5.81	31.25	30.20	45.56	54.00	8.44	Average
3	11000.00	38.70	5.81	42.68	30.20	56.99	74.00	17.01	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5500.00	33.70	4.24	93.40	31.05	100.29	54.00	6.48	Peak
2	11000.00	38.70	5.81	33.21	30.20	47.52	54.00	6.48	Average
3	11000.00	38.70	5.81	38.80	30.20	53.11	74.00	20.89	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5600.00	33.20	4.28	92.21	31.18	98.51	54.00	8.31	Peak
2	11200.00	38.60	5.85	31.24	30.00	45.69	54.00	8.31	Average
3	11200.00	38.60	5.85	39.85	30.00	54.30	74.00	19.70	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5600.00	33.20	4.28	89.62	31.18	95.92	54.00	7.50	Peak
2	11200.00	38.60	5.85	32.05	30.00	46.50	54.00	7.50	Average
3	11200.00	38.60	5.85	38.31	30.00	52.76	74.00	21.24	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5720.00	33.48	4.33	89.45	31.34	95.92	-----	-----	Peak
2	11440.00	38.54	5.90	32.16	29.76	46.84	54.00	7.16	Average
3	11440.00	38.54	5.90	39.02	29.76	53.70	74.00	20.30	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5720.00	33.48	4.33	89.23	31.34	95.70	-----	-----	Peak
2	11440.00	38.54	5.90	32.11	29.76	46.79	54.00	7.21	Average
3	11440.00	38.54	5.90	40.04	29.76	54.72	74.00	19.28	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5510.00	33.64	4.24	90.27	31.06	97.09	54.00	9.56	Peak
2	11020.00	38.70	5.81	30.11	30.18	44.44	54.00	9.56	Average
3	11020.00	38.70	5.81	39.98	30.18	54.31	74.00	19.69	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5510.00	33.64	4.24	87.31	31.06	94.13	54.00	9.52	Peak
2	11020.00	38.70	5.81	30.15	30.18	44.48	54.00	9.52	Average
3	11020.00	38.70	5.81	39.31	30.18	53.64	74.00	20.36	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5590.00	33.24	4.28	88.89	31.17	95.24	74.00	21.24	Peak
2	11180.00	38.62	5.85	30.17	30.02	44.62	54.00	9.38	Average
3	11180.00	38.62	5.85	38.99	30.02	53.44	74.00	20.56	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5590.00	33.24	4.28	89.57	31.17	95.92	74.00	21.92	Peak
2	11180.00	38.62	5.85	31.08	30.02	45.53	54.00	8.47	Average
3	11180.00	38.62	5.85	40.11	30.02	54.56	74.00	19.44	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5710.00	33.44	4.33	89.02	31.32	95.47	-----	-----	Peak
2	11420.00	38.52	5.89	30.15	29.78	44.78	54.00	9.22	Average
3	11420.00	38.52	5.89	38.38	29.78	53.01	74.00	20.99	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5710.00	33.44	4.33	86.87	31.32	93.32	-----	-----	Peak
2	11420.00	38.52	5.89	30.08	29.78	44.71	54.00	9.29	Average
3	11420.00	38.52	5.89	38.41	29.78	53.04	74.00	20.96	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5530.00	33.52	4.25	85.64	31.09	92.32	74.00	29.53	Peak
2	11060.00	38.70	5.82	30.09	30.14	44.47	74.00	29.53	Average
3	11060.00	38.70	5.82	38.28	30.14	52.66	74.00	21.34	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5530.00	33.52	4.25	85.67	31.09	92.35	74.00	8.60	Peak
2	11060.00	38.70	5.82	31.02	30.14	45.40	74.00	19.87	Average
3	11060.00	38.70	5.82	39.75	30.14	54.13	74.00	19.87	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5610.00	33.20	4.29	85.76	31.19	92.06	54.00	10.96	Peak
2	11220.00	38.58	5.85	28.59	29.98	43.04	54.00	10.96	Average
3	11220.00	38.58	5.85	36.92	29.98	51.37	74.00	22.63	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5610.00	33.20	4.29	83.74	31.19	90.04	54.00	9.47	Peak
2	11220.00	38.58	5.85	30.08	29.98	44.53	54.00	9.47	Average
3	11220.00	38.58	5.85	37.27	29.98	51.72	74.00	22.28	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5692.00	33.37	4.32	84.32	31.30	90.71	54.00	9.42	Peak
2	11380.00	38.50	5.89	30.01	29.82	44.58	74.00	21.23	Average
3	11390.00	38.50	5.89	38.20	29.82	52.77	74.00	21.23	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5690.00	33.36	4.32	83.88	31.30	90.26	54.00	9.35	Peak
2	11380.00	38.50	5.89	30.08	29.82	44.65	74.00	20.88	Average
3	11390.00	38.50	5.89	38.05	29.82	53.12	74.00	20.88	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

U-NII-3 Band:



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5745.00	33.58	4.34	89.70	31.37	96.25	74.00	22.25	Peak
2	11490.00	38.59	5.91	30.15	29.71	44.94	54.00	9.06	Average
3	11490.00	38.59	5.91	38.99	29.71	53.78	74.00	20.22	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5745.00	33.58	4.34	87.29	31.37	93.84	74.00	19.84	Peak
2	11490.00	38.59	5.91	31.55	29.71	46.34	54.00	7.66	Average
3	11490.00	38.59	5.91	38.49	29.71	53.28	74.00	20.72	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5785.00	33.60	4.36	88.88	31.42	95.42	-----	-----	Peak
2	11570.00	38.60	5.92	31.57	29.63	46.46	54.00	7.54	Average
3	11570.00	38.60	5.92	38.59	29.63	53.48	74.00	20.52	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5785.00	33.60	4.36	89.67	31.42	96.21	-----	-----	Peak
2	11570.00	38.60	5.92	31.46	29.63	46.35	54.00	7.65	Average
3	11570.00	38.60	5.92	38.75	29.63	53.64	74.00	20.36	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.00	33.60	4.38	90.58	31.47	97.09	-----	-----	Peak
2	11650.00	38.55	5.94	32.74	29.55	47.68	54.00	6.32	Average
3	11650.00	38.55	5.94	39.91	29.55	54.65	74.00	19.15	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Ant. factor.
2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.00	33.60	4.38	87.89	31.47	94.40	-----	-----	Peak
2	11650.00	38.55	5.94	32.08	29.55	47.02	54.00	6.98	Average
3	11650.00	38.55	5.94	39.34	29.55	54.28	74.00	19.72	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Ant. factor.
2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5745.00	33.58	4.34	88.18	31.37	94.73	-----	-----	Peak
2	11490.00	38.59	5.91	32.05	29.71	46.84	54.00	7.16	Average
3	11490.00	38.59	5.91	38.61	29.71	53.40	74.00	20.60	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5745.00	33.58	4.34	88.21	31.37	94.76	-----	-----	Peak
2	11490.00	38.59	5.91	31.46	29.71	46.25	54.00	7.75	Average
3	11490.00	38.59	5.91	38.66	29.71	53.45	74.00	20.55	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amplifier factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5785.00	33.60	4.36	90.92	31.42	97.46	-----	-----	Peak
2	11570.00	38.60	5.92	32.09	29.63	46.98	54.00	7.02	Average
3	11570.00	38.60	5.92	39.32	29.63	54.21	74.00	19.79	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amplifier factor.
2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amplifier factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5785.00	33.60	4.36	87.03	31.42	93.57	-----	-----	Peak
2	11570.00	38.60	5.92	31.67	29.63	46.56	54.00	7.44	Average
3	11570.00	38.60	5.92	38.53	29.63	53.42	74.00	20.58	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amplifier factor.
2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.00	33.60	4.38	89.20	31.47	95.71	-----	-----	Peak
2	11650.00	38.55	5.94	32.60	29.55	47.54	54.00	6.46	Average
3	11650.00	38.55	5.94	39.49	29.55	54.43	74.00	19.57	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Ant. factor.
2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.00	33.60	4.38	89.45	31.47	95.96	-----	-----	Peak
2	11650.00	38.55	5.94	32.57	29.55	47.51	54.00	6.49	Average
3	11650.00	38.55	5.94	40.11	29.55	55.05	74.00	18.95	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Ant. factor.
2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5745.00	33.58	4.34	86.52	31.37	93.07	-----	-----	Peak
2	11490.00	38.59	5.91	30.14	29.71	44.93	54.00	9.07	Average
3	11490.00	38.59	5.91	37.71	29.71	52.50	74.00	21.50	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5745.00	33.58	4.34	83.68	31.37	90.23	-----	-----	Peak
2	11490.00	38.59	5.91	30.22	29.71	45.01	54.00	8.99	Average
3	11490.00	38.59	5.91	38.01	29.71	52.60	74.00	21.20	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5795.00	33.60	4.36	84.39	31.43	90.92	54.00	8.93	Peak
2	11590.00	38.60	5.93	30.15	29.61	45.07	54.00	8.93	Average
3	11590.00	38.60	5.93	38.79	29.61	53.71	74.00	20.29	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5795.00	33.60	4.36	85.74	31.43	92.27	54.00	8.97	Peak
2	11590.00	38.60	5.93	30.11	29.61	45.03	54.00	8.97	Average
3	11590.00	38.60	5.93	38.24	29.61	53.16	74.00	20.84	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5745.00	33.58	4.34	87.80	31.37	94.35	-----	-----	Peak
2	11490.00	38.59	5.91	30.11	29.71	44.90	54.00	9.10	Average
3	11490.00	38.59	5.91	38.62	29.71	53.41	74.00	20.59	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5745.00	33.58	4.34	85.85	31.37	92.40	-----	-----	Peak
2	11490.00	38.59	5.91	31.09	29.71	45.88	54.00	8.12	Average
3	11490.00	38.59	5.91	38.62	29.71	53.41	74.00	20.59	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5785.00	33.60	4.36	91.50	31.42	98.04	-----	-----	Peak
2	11570.00	38.60	5.92	30.12	29.63	45.01	54.00	8.99	Average
3	11570.00	38.60	5.92	39.96	29.63	54.85	74.00	19.15	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5785.00	33.60	4.36	90.82	31.42	97.36	-----	-----	Peak
2	11570.00	38.60	5.92	29.56	29.63	44.45	54.00	9.55	Average
3	11570.00	38.60	5.92	39.49	29.63	54.38	74.00	19.62	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.00	33.60	4.38	91.06	31.47	97.57	54.00	9.17	Peak
2	11650.00	38.55	5.94	29.89	29.55	44.83	54.00	9.17	Average
3	11650.00	38.55	5.94	40.15	29.55	55.09	74.00	18.91	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5825.00	33.60	4.38	85.86	31.47	92.37	54.00	9.03	Peak
2	11650.00	38.55	5.94	30.03	29.55	44.97	54.00	9.03	Average
3	11650.00	38.55	5.94	38.99	29.55	53.93	74.00	20.07	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5755.00	33.60	4.35	84.36	31.38	90.93	54.00	8.48	Peak
2	11510.00	38.60	5.91	30.70	29.69	45.52	54.00	8.48	Average
3	11510.00	38.60	5.91	38.59	29.69	53.41	74.00	20.59	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5755.00	33.60	4.35	84.98	31.38	91.55	54.00	9.07	Peak
2	11510.00	38.60	5.91	30.11	29.69	44.93	54.00	9.07	Average
3	11510.00	38.60	5.91	39.02	29.69	53.64	74.00	20.16	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5795.00	33.60	4.36	87.25	31.43	93.78	54.00	8.92	Peak
2	11590.00	38.60	5.93	30.16	29.61	45.08	54.00	8.92	Average
3	11590.00	38.60	5.93	39.20	29.61	54.12	74.00	19.88	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5795.00	33.60	4.36	84.68	31.43	91.21	54.00	7.56	Peak
2	11590.00	38.60	5.93	31.52	29.61	46.44	54.00	7.56	Average
3	11590.00	38.60	5.93	38.18	29.61	53.10	74.00	20.90	Peak



Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCJB225



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5775.00	33.60	4.36	81.90	31.41	88.45	54.00	10.57	Peak
2	11550.00	38.60	5.92	28.56	29.65	43.43	54.00	10.57	Average
3	11550.00	38.60	5.92	37.43	29.65	52.30	74.00	21.70	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading factor (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5775.00	33.60	4.36	82.47	31.41	89.02	54.00	8.00	Peak
2	11550.00	38.60	5.92	31.13	29.65	46.00	54.00	8.00	Average
3	11550.00	38.60	5.92	38.98	29.65	53.65	74.00	20.15	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

5. BAND EDGE COMPLIANCE TEST

5.1.Limit

For transmitters operating in the band 5150-5250 MHz, all emissions outside the band 5150-5350 MHz shall not exceed -27 dBm/MHz e.i.r.p.

For devices with both operating frequencies and channel bandwidths contained within the band 5250-5350 MHz,

All emissions outside the band 5150-5350 MHz shall not exceed -27 dBm/MHz e.i.r.p.

For transmitters operating in the band 5470-5725MHz, Emissions outside the band 5470-5725 MHz shall not exceed -27 dBm/MHz e.i.r.p.

For transmitters operating in the 5.725-5.85 GHz band:

All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

5.2.Test Procedure


Use the test method described in ANSI C63.10 clause 6.10:

1. The EUT is placed on a turntable, which is 0.8m above the ground plane and worked at highest radiated power.
2. The turntable was rotated for 360 degrees to determine the position of maximum emission level.
3. EUT is set 3m away from the receiving antenna, which is varied from 1m to 4m to find out the highest emission.
4. Set the spectrum analyzer in the following setting in order to capture the lower and upper band-edges of the emission:
 - (a) PEAK: RBW=1MHz; VBW=3MHz; Sweep=AUTO
 - (b) AVERAGE: RBW=1MHz; VBW=10Hz; Sweep=AUTO
5. Per KDB789033 clause H 2)d).if the test distance is 3m, the EIRP(dBm)=E(dBuv/m)-95.2
Get the final compare with limit.

5.3.Test Results

Pass (The testing data was attached in the next pages.)


U-NII-1 Band:



Site no. : 3m Chamber Data no. : 1
 Dis. / Ant. : 3m 2023 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E AV
 Env. / Ins. : 21.9°C/56.3% Engineer : winter
 Test Mode : WiFi5G 11a 5180MHz TX Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	32.50	4.09	32.14	30.59	38.14	54.00	15.86	Average
2	5178.76	32.50	4.11	86.23	30.63	92.21	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 2
 Dis. / Ant. : 3m 2023 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E AV
 Env. / Ins. : 21.9°C/56.3% Engineer : winter
 Test Mode : WiFi5G 11a 5180MHz TX Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	32.50	4.09	28.27	30.59	34.27	54.00	19.73	Average
2	5179.47	32.50	4.11	81.04	30.63	87.02	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 3
 Dis. / Ant. : 3m 2023 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E PK U-NII-1
 Env. / Ins. : 21.9°C/56.3% Engineer : winter
 Test Mode : WiFi5G 11a 5180MHz TX Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	32.50	4.09	46.01	30.59	52.01	74.00	21.99	Peak
2	5182.31	32.50	4.11	90.55	30.64	96.52	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




Site no. : 3m Chamber Data no. : 4
 Dis. / Ant. : 3m 2023 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E PK U-NII-1
 Env. / Ins. : 21.9°C/56.3% Engineer : winter
 Test Mode : WiFi5G 11a 5180MHz TX Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	32.50	4.09	52.49	30.59	58.49	74.00	15.51	Peak
2	5183.02	32.50	4.11	93.96	30.64	99.93	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

FCC ID: 2ACCB225




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5241.46	32.67	4.13	90.39	30.71	96.48	-----	-----	Peak
2	5350.00	33.30	4.18	37.00	30.85	43.63	74.00	30.37	Peak
3	5460.00	34.02	4.22	37.41	31.00	44.65	68.20	23.55	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5241.20	32.66	4.13	94.18	30.71	100.26	-----	-----	Peak
2	5350.00	33.30	4.18	38.08	30.85	44.71	74.00	29.29	Peak
3	5460.00	34.02	4.22	36.82	31.00	44.06	68.20	24.14	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.06	32.66	4.13	84.68	30.71	90.76	-----	-----	Average
2	5350.00	33.30	4.18	27.39	30.85	34.02	54.00	19.98	Average
3	5460.00	34.02	4.22	25.81	31.00	33.05	54.00	20.95	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.34	32.65	4.13	80.35	30.71	86.42	-----	-----	Average
2	5350.00	33.30	4.18	26.36	30.85	32.99	54.00	21.01	Average
3	5460.00	34.02	4.22	25.78	31.00	33.02	54.00	20.98	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	32.50	4.09	28.10	30.59	34.10	54.00	19.90	Average
2	5181.60	32.50	4.11	80.51	30.64	86.48	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	32.50	4.09	30.96	30.59	36.96	54.00	17.04	Average
2	5181.60	32.50	4.11	84.22	30.64	90.19	-----	-----	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	32.50	4.09	51.99	30.59	57.99	74.00	16.01	Peak
2	5179.47	32.50	4.11	93.66	30.63	99.64	-----	-----	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	32.50	4.09	48.06	30.59	54.06	74.00	19.14	Peak
2	5183.02	32.50	4.11	88.55	30.64	94.52	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.


FCC ID: 2ACCB225



Site no. : 3m Chamber Data no. : 13
Dis. / Ant. : 3m 2023 MCTD1209-3006 Ant. pol. : HORIZONTAL
Limit : FCC 15E PK U-NII-1
Env. / Ins. : 21.9°C/56.3% Engineer : winter
Test Mode : WiFi5G 11n20 5240MHz TX Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5241.46	32.67	4.13	94.08	30.71	100.17	-----	-----	Peak
2	5350.00	33.30	4.18	38.41	30.85	45.04	74.00	28.96	Peak
3	5460.00	34.02	4.22	38.02	31.00	45.26	68.20	22.94	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 14
Dis. / Ant. : 3m 2023 MCTD1209-3006 Ant. pol. : VERTICAL
Limit : FCC 15E PK U-NII-1
Env. / Ins. : 21.9°C/56.3% Engineer : winter
Test Mode : WiFi5G 11n20 5240MHz TX Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5238.86	32.66	4.13	89.24	30.71	95.32	-----	-----	Peak
2	5350.00	33.30	4.18	37.94	30.85	44.57	74.00	29.43	Peak
3	5460.00	34.02	4.22	37.13	31.00	44.37	68.20	23.83	Peak


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 15
Dis. / Ant. : 3m 2023 MCTD1209-3006 Ant. pol. : VERTICAL
Limit : FCC 15E AV
Env. / Ins. : 21.9°C/56.3% Engineer : winter
Test Mode : WiFi5G 11n20 5240MHz TX Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5241.20	32.66	4.13	79.76	30.71	85.84	-----	-----	Average
2	5350.00	33.30	4.18	26.52	30.85	33.15	54.00	20.85	Average
3	5460.00	34.02	4.22	25.75	31.00	32.99	54.00	21.01	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.




Site no. : 3m Chamber Data no. : 16
Dis. / Ant. : 3m 2023 MCTD1209-3006 Ant. pol. : HORIZONTAL
Limit : FCC 15E AV
Env. / Ins. : 21.9°C/56.3% Engineer : winter
Test Mode : WiFi5G 11n20 5240MHz TX Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5240.94	32.66	4.13	84.30	30.71	90.38	-----	-----	Average
2	5350.00	33.30	4.18	27.53	30.85	34.16	54.00	19.84	Average
3	5460.00	34.02	4.22	26.03	31.00	33.27	54.00	20.73	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
-Amp factor.
2. The emission levels that are 20dB below the official limit are not reported.


FCC ID: 2ACCJB225



Site no. : 3m Chamber Data no. : 17
 Dis. / Ant. : 3m 2023 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E AV
 Env. / Ins. : 23.2°C/52.5% Engineer : winter
 Test Mode : WIFI5G 11n40 5190MHz TX Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	32.50	4.09	33.05	30.59	39.05	54.00	14.95	Average
2	5187.66	32.50	4.11	82.02	30.64	87.99	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 18
 Dis. / Ant. : 3m 2023 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E AV
 Env. / Ins. : 23.2°C/52.5% Engineer : winter
 Test Mode : WIFI5G 11n40 5190MHz TX Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	32.50	4.09	28.66	30.59	34.66	54.00	19.34	Average
2	5189.12	32.50	4.11	75.57	30.65	81.53	-----	-----	Average


Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 19
 Dis. / Ant. : 3m 2023 MCTD1209-3006 Ant. pol. : VERTICAL
 Limit : FCC 15E PK U-NII-1
 Env. / Ins. : 23.2°C/52.5% Engineer : winter
 Test Mode : WIFI5G 11n40 5190MHz TX Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	32.50	4.09	46.33	30.59	52.33	74.00	21.67	Peak
2	5193.50	32.50	4.11	85.06	30.65	91.02	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



Site no. : 3m Chamber Data no. : 20
 Dis. / Ant. : 3m 2023 MCTD1209-3006 Ant. pol. : HORIZONTAL
 Limit : FCC 15E PK U-NII-1
 Env. / Ins. : 23.2°C/52.5% Engineer : winter
 Test Mode : WIFI5G 11n40 5190MHz TX Mode

No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	5150.00	32.50	4.09	52.20	30.59	58.20	74.00	15.80	Peak
2	5193.50	32.50	4.11	91.52	30.65	97.48	-----	-----	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.