

1. Transmitter Conducted Power Output

1.1 Test Result

1.1.1 B26a_1.4MHz_ERP

Band: 26a / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	1	0	23.92	<=50	Pass
			2	23.72	<=50	Pass
			5	23.76	<=50	Pass
		3	0	23.89	<=50	Pass
			2	23.85	<=50	Pass
			3	23.95	<=50	Pass
		6	0	22.85	<=50	Pass
	819	1	0	23.78	<=50	Pass
			2	23.66	<=50	Pass
			5	23.73	<=50	Pass
		3	0	23.95	<=50	Pass
			2	23.87	<=50	Pass
			3	23.77	<=50	Pass
		6	0	22.76	<=50	Pass
	823.3	1	0	23.71	<=50	Pass
			2	23.63	<=50	Pass
			5	23.63	<=50	Pass
		3	0	23.84	<=50	Pass
			2	23.81	<=50	Pass
			3	23.82	<=50	Pass
		6	0	22.73	<=50	Pass
16QAM	814.7	1	0	22.50	<=50	Pass
			2	23.27	<=50	Pass
			5	22.97	<=50	Pass
		3	0	23.00	<=50	Pass
			2	22.99	<=50	Pass
			3	22.59	<=50	Pass
		6	0	22.02	<=50	Pass
	819	1	0	22.72	<=50	Pass
			2	23.33	<=50	Pass
			5	23.00	<=50	Pass
		3	0	22.90	<=50	Pass
			2	22.70	<=50	Pass
			3	22.67	<=50	Pass
		6	0	22.01	<=50	Pass
	823.3	1	0	22.58	<=50	Pass
			2	22.97	<=50	Pass
			5	22.53	<=50	Pass
		3	0	22.94	<=50	Pass
			2	22.76	<=50	Pass
			3	22.94	<=50	Pass
		6	0	21.98	<=50	Pass
64QAM	814.7	1	0	22.12	<=50	Pass
			2	22.38	<=50	Pass
			5	22.43	<=50	Pass
		3	0	21.78	<=50	Pass
			2	22.09	<=50	Pass
			3	21.77	<=50	Pass
		6	0	21.06	<=50	Pass

	819	1	0	21.65	<=50	Pass
			2	22.10	<=50	Pass
			5	21.67	<=50	Pass
		3	0	22.12	<=50	Pass
			2	22.51	<=50	Pass
			3	22.07	<=50	Pass
		6	0	21.34	<=50	Pass
	823.3	1	0	21.41	<=50	Pass
			2	22.31	<=50	Pass
			5	21.56	<=50	Pass
		3	0	21.89	<=50	Pass
			2	21.86	<=50	Pass
			3	22.02	<=50	Pass
		6	0	21.29	<=50	Pass

1.1.2 B26a_3MHz_ERP

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	1	0	24.08	<=50	Pass
			7	23.82	<=50	Pass
			14	23.71	<=50	Pass
		8	0	22.87	<=50	Pass
			4	22.81	<=50	Pass
			7	22.85	<=50	Pass
		15	0	22.74	<=50	Pass
	819	1	0	23.72	<=50	Pass
			7	23.79	<=50	Pass
			14	23.62	<=50	Pass
		8	0	22.77	<=50	Pass
			4	22.76	<=50	Pass
			7	22.81	<=50	Pass
		15	0	22.87	<=50	Pass
	822.5	1	0	23.76	<=50	Pass
			7	23.70	<=50	Pass
			14	23.68	<=50	Pass
		8	0	22.70	<=50	Pass
			4	22.81	<=50	Pass
			7	22.88	<=50	Pass
		15	0	22.77	<=50	Pass
16QAM	815.5	1	0	23.86	<=50	Pass
			7	23.10	<=50	Pass
			14	22.46	<=50	Pass
		8	0	22.03	<=50	Pass
			4	22.24	<=50	Pass
			7	22.07	<=50	Pass
		15	0	21.91	<=50	Pass
	819	1	0	23.78	<=50	Pass
			7	23.15	<=50	Pass
			14	22.35	<=50	Pass
		8	0	21.99	<=50	Pass
			4	22.23	<=50	Pass
			7	22.08	<=50	Pass
		15	0	21.90	<=50	Pass
	822.5	1	0	23.64	<=50	Pass
			7	22.94	<=50	Pass

64QAM	815.5	8	14	22.28	<=50	Pass
			0	22.08	<=50	Pass
			4	22.30	<=50	Pass
			7	22.11	<=50	Pass
		15	0	22.04	<=50	Pass
	819	1	0	22.61	<=50	Pass
			7	21.69	<=50	Pass
			14	21.43	<=50	Pass
		8	0	21.03	<=50	Pass
			4	20.80	<=50	Pass
			7	21.21	<=50	Pass
		15	0	20.98	<=50	Pass
		1	0	22.59	<=50	Pass
			7	21.71	<=50	Pass
			14	21.41	<=50	Pass
64QAM	822.5	8	0	21.32	<=50	Pass
			4	21.22	<=50	Pass
			7	21.17	<=50	Pass
		15	0	21.34	<=50	Pass
		1	0	22.64	<=50	Pass
			7	21.66	<=50	Pass
			14	21.48	<=50	Pass
		8	0	20.99	<=50	Pass
			4	21.23	<=50	Pass
			7	21.17	<=50	Pass
		15	0	21.26	<=50	Pass

1.1.3 B26a_5MHz_ERP

Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	1	0	23.84	<=50	Pass
			13	23.79	<=50	Pass
			24	23.80	<=50	Pass
		12	0	22.92	<=50	Pass
			6	22.82	<=50	Pass
			13	22.81	<=50	Pass
		25	0	22.76	<=50	Pass
	819	1	0	23.69	<=50	Pass
			13	23.92	<=50	Pass
			24	23.81	<=50	Pass
		12	0	22.81	<=50	Pass
			6	22.84	<=50	Pass
			13	22.84	<=50	Pass
		25	0	22.77	<=50	Pass
	821.5	1	0	23.76	<=50	Pass
			13	23.83	<=50	Pass
			24	23.81	<=50	Pass
		12	0	22.81	<=50	Pass
			6	22.75	<=50	Pass
			13	22.89	<=50	Pass
		25	0	22.86	<=50	Pass
16QAM	816.5	1	0	22.58	<=50	Pass
			13	22.64	<=50	Pass
			24	21.96	<=50	Pass
		12	0	21.82	<=50	Pass

		25	6	21.95	<=50	Pass		
			13	21.85	<=50	Pass		
			0	21.98	<=50	Pass		
	819	1	0	22.68	<=50	Pass		
			13	22.81	<=50	Pass		
			24	21.92	<=50	Pass		
		12	0	21.81	<=50	Pass		
			6	22.02	<=50	Pass		
			13	21.99	<=50	Pass		
		25	0	22.04	<=50	Pass		
		821.5	1	0	22.68	<=50	Pass	
				13	22.84	<=50	Pass	
	24			21.99	<=50	Pass		
	12		0	21.82	<=50	Pass		
			6	21.92	<=50	Pass		
			13	21.92	<=50	Pass		
	25		0	22.10	<=50	Pass		
	64QAM		816.5	1	0	22.14	<=50	Pass
					13	21.34	<=50	Pass
24		21.25			<=50	Pass		
12		0		21.00	<=50	Pass		
		6		21.12	<=50	Pass		
		13		21.18	<=50	Pass		
25		0		21.26	<=50	Pass		
819		1	0	22.11	<=50	Pass		
			13	21.32	<=50	Pass		
			24	21.29	<=50	Pass		
		12	0	21.28	<=50	Pass		
			6	21.13	<=50	Pass		
			13	20.74	<=50	Pass		
		25	0	21.36	<=50	Pass		
821.5		1	0	22.15	<=50	Pass		
			13	21.34	<=50	Pass		
			24	21.29	<=50	Pass		
		12	0	21.09	<=50	Pass		
			6	20.88	<=50	Pass		
	13		21.23	<=50	Pass			
	25	0	21.03	<=50	Pass			

1.1.4 B26a_10MHz_ERP

Band: 26a / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)		Verdict
		Size	Offset	Result	Limit	
QPSK	819	1	0	23.80	<=50	Pass
			25	23.67	<=50	Pass
			49	23.68	<=50	Pass
		25	0	22.71	<=50	Pass
			13	22.72	<=50	Pass
			25	22.74	<=50	Pass
		50	0	22.74	<=50	Pass
16QAM	819	1	0	23.07	<=50	Pass
			25	22.54	<=50	Pass
			49	23.57	<=50	Pass
		25	0	21.89	<=50	Pass
			13	22.04	<=50	Pass
			25	21.92	<=50	Pass

		50	0	21.90	<=50	Pass
64QAM	819	1	0	22.42	<=50	Pass
			25	21.97	<=50	Pass
			49	22.51	<=50	Pass
			0	21.34	<=50	Pass
		25	13	21.31	<=50	Pass
			25	21.01	<=50	Pass
		50	0	21.40	<=50	Pass

2. Frequency Stability

2.1 Test Result

2.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	814.7	6	0	20	3.6	44.254	0.0543	-2.5 to 2.5	Pass
					3.87	11.821	0.0145	-2.5 to 2.5	Pass
					4.45	22.677	0.0278	-2.5 to 2.5	Pass
				-30	3.87	25.210	0.0309	-2.5 to 2.5	Pass
				-20	3.87	19.339	0.0237	-2.5 to 2.5	Pass
				-10	3.87	12.886	0.0158	-2.5 to 2.5	Pass
				0	3.87	8.316	0.0102	-2.5 to 2.5	Pass
				10	3.87	3.878	0.0048	-2.5 to 2.5	Pass
				30	3.87	-4.795	-0.0059	-2.5 to 2.5	Pass
				40	3.87	-2.596	-0.0032	-2.5 to 2.5	Pass
				50	3.87	-19.907	-0.0244	-2.5 to 2.5	Pass
	819	6	0	20	3.6	32.457	0.0396	-2.5 to 2.5	Pass
					3.87	29.857	0.0365	-2.5 to 2.5	Pass
					4.45	12.043	0.0147	-2.5 to 2.5	Pass
				-30	3.87	-9.776	-0.0119	-2.5 to 2.5	Pass
				-20	3.87	-38.854	-0.0474	-2.5 to 2.5	Pass
				-10	3.87	-16.757	-0.0205	-2.5 to 2.5	Pass
				0	3.87	-1.565	-0.0019	-2.5 to 2.5	Pass
				10	3.87	-30.593	-0.0374	-2.5 to 2.5	Pass
				30	3.87	-7.194	-0.0088	-2.5 to 2.5	Pass
				40	3.87	11.126	0.0136	-2.5 to 2.5	Pass
				50	3.87	-7.285	-0.0089	-2.5 to 2.5	Pass
	823.3	6	0	20	3.6	42.270	0.0513	-2.5 to 2.5	Pass
					3.87	-3.454	-0.0042	-2.5 to 2.5	Pass
					4.45	-18.384	-0.0223	-2.5 to 2.5	Pass
				-30	3.87	-44.043	-0.0535	-2.5 to 2.5	Pass
				-20	3.87	-21.456	-0.0261	-2.5 to 2.5	Pass
				-10	3.87	-19.274	-0.0234	-2.5 to 2.5	Pass
				0	3.87	-26.848	-0.0326	-2.5 to 2.5	Pass
				10	3.87	-3.288	-0.0040	-2.5 to 2.5	Pass
				30	3.87	-15.960	-0.0194	-2.5 to 2.5	Pass
				40	3.87	-17.539	-0.0213	-2.5 to 2.5	Pass
				50	3.87	-32.309	-0.0392	-2.5 to 2.5	Pass
16QAM	814.7	6	0	20	3.6	23.961	0.0294	-2.5 to 2.5	Pass
					3.87	9.934	0.0122	-2.5 to 2.5	Pass
					4.45	-9.114	-0.0112	-2.5 to 2.5	Pass
				-30	3.87	-31.365	-0.0385	-2.5 to 2.5	Pass
				-20	3.87	-12.145	-0.0149	-2.5 to 2.5	Pass
				-10	3.87	-40.730	-0.0500	-2.5 to 2.5	Pass

				0	3.87	-20.573	-0.0253	-2.5 to 2.5	Pass
				10	3.87	-46.448	-0.0570	-2.5 to 2.5	Pass
				30	3.87	-26.620	-0.0327	-2.5 to 2.5	Pass
				40	3.87	36.220	0.0445	-2.5 to 2.5	Pass
				50	3.87	23.860	0.0293	-2.5 to 2.5	Pass
	819	6	0	20	3.6	40.941	0.0500	-2.5 to 2.5	Pass
					3.87	37.712	0.0460	-2.5 to 2.5	Pass
					4.45	26.725	0.0326	-2.5 to 2.5	Pass
				-30	3.87	5.824	0.0071	-2.5 to 2.5	Pass
				-20	3.87	-14.513	-0.0177	-2.5 to 2.5	Pass
				-10	3.87	-34.200	-0.0418	-2.5 to 2.5	Pass
				0	3.87	-5.050	-0.0062	-2.5 to 2.5	Pass
				10	3.87	-25.544	-0.0312	-2.5 to 2.5	Pass
				30	3.87	-10.140	-0.0124	-2.5 to 2.5	Pass
				40	3.87	-33.636	-0.0411	-2.5 to 2.5	Pass
				50	3.87	-9.717	-0.0119	-2.5 to 2.5	Pass
				20	3.6	19.071	0.0232	-2.5 to 2.5	Pass
					3.87	8.701	0.0106	-2.5 to 2.5	Pass
					4.45	-14.456	-0.0176	-2.5 to 2.5	Pass
	823.3	6	0	-30	3.87	-42.794	-0.0520	-2.5 to 2.5	Pass
				-20	3.87	-23.051	-0.0280	-2.5 to 2.5	Pass
				-10	3.87	-2.645	-0.0032	-2.5 to 2.5	Pass
				0	3.87	-37.824	-0.0459	-2.5 to 2.5	Pass
				10	3.87	-16.607	-0.0202	-2.5 to 2.5	Pass
				30	3.87	-15.303	-0.0186	-2.5 to 2.5	Pass
				40	3.87	-25.360	-0.0308	-2.5 to 2.5	Pass
				50	3.87	-41.754	-0.0507	-2.5 to 2.5	Pass
64QAM	814.7	6	0	20	3.6	27.077	0.0332	-2.5 to 2.5	Pass
					3.87	26.661	0.0327	-2.5 to 2.5	Pass
					4.45	19.446	0.0239	-2.5 to 2.5	Pass
				-30	3.87	2.432	0.0030	-2.5 to 2.5	Pass
				-20	3.87	-15.540	-0.0191	-2.5 to 2.5	Pass
				-10	3.87	-29.491	-0.0362	-2.5 to 2.5	Pass
				0	3.87	-44.093	-0.0541	-2.5 to 2.5	Pass
				10	3.87	-10.620	-0.0130	-2.5 to 2.5	Pass
				30	3.87	-27.882	-0.0342	-2.5 to 2.5	Pass
				40	3.87	17.560	0.0216	-2.5 to 2.5	Pass
				50	3.87	-1.462	-0.0018	-2.5 to 2.5	Pass
	819	6	0	20	3.6	33.828	0.0413	-2.5 to 2.5	Pass
					3.87	23.497	0.0287	-2.5 to 2.5	Pass
					4.45	8.463	0.0103	-2.5 to 2.5	Pass
				-30	3.87	-15.454	-0.0189	-2.5 to 2.5	Pass
				-20	3.87	-38.040	-0.0464	-2.5 to 2.5	Pass
				-10	3.87	-11.654	-0.0142	-2.5 to 2.5	Pass
				0	3.87	-36.651	-0.0448	-2.5 to 2.5	Pass
				10	3.87	-10.865	-0.0133	-2.5 to 2.5	Pass
				30	3.87	-28.404	-0.0347	-2.5 to 2.5	Pass
				40	3.87	-12.021	-0.0147	-2.5 to 2.5	Pass
				50	3.87	-34.469	-0.0421	-2.5 to 2.5	Pass
	823.3	6	0	20	3.6	20.599	0.0250	-2.5 to 2.5	Pass
					3.87	6.386	0.0078	-2.5 to 2.5	Pass
					4.45	-17.396	-0.0211	-2.5 to 2.5	Pass
				-30	3.87	-42.456	-0.0516	-2.5 to 2.5	Pass
				-20	3.87	-26.415	-0.0321	-2.5 to 2.5	Pass
				-10	3.87	-1.376	-0.0017	-2.5 to 2.5	Pass
				0	3.87	-27.844	-0.0338	-2.5 to 2.5	Pass
				10	3.87	-9.784	-0.0119	-2.5 to 2.5	Pass
				30	3.87	-17.199	-0.0209	-2.5 to 2.5	Pass
				40	3.87	-26.024	-0.0316	-2.5 to 2.5	Pass

				50	3.87	-41.925	-0.0509	-2.5 to 2.5	Pass
--	--	--	--	----	------	---------	---------	-------------	------

2.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	815.5	15	0	20	3.6	-43.724	-0.0536	-2.5 to 2.5	Pass
					3.87	-38.777	-0.0475	-2.5 to 2.5	Pass
					4.45	-34.401	-0.0422	-2.5 to 2.5	Pass
				-30	3.87	-20.962	-0.0257	-2.5 to 2.5	Pass
				-20	3.87	-38.474	-0.0472	-2.5 to 2.5	Pass
				-10	3.87	-30.519	-0.0374	-2.5 to 2.5	Pass
				0	3.87	-31.711	-0.0389	-2.5 to 2.5	Pass
				10	3.87	-20.671	-0.0253	-2.5 to 2.5	Pass
				30	3.87	-26.799	-0.0329	-2.5 to 2.5	Pass
				40	3.87	-35.115	-0.0431	-2.5 to 2.5	Pass
				50	3.87	-40.198	-0.0493	-2.5 to 2.5	Pass
	819	15	0	20	3.6	4.867	0.0059	-2.5 to 2.5	Pass
					3.87	4.905	0.0060	-2.5 to 2.5	Pass
					4.45	2.670	0.0033	-2.5 to 2.5	Pass
				-30	3.87	-7.280	-0.0089	-2.5 to 2.5	Pass
				-20	3.87	-20.605	-0.0252	-2.5 to 2.5	Pass
				-10	3.87	-28.829	-0.0352	-2.5 to 2.5	Pass
				0	3.87	-40.771	-0.0498	-2.5 to 2.5	Pass
				10	3.87	-9.166	-0.0112	-2.5 to 2.5	Pass
				30	3.87	-27.191	-0.0332	-2.5 to 2.5	Pass
				40	3.87	-42.171	-0.0515	-2.5 to 2.5	Pass
				50	3.87	-7.305	-0.0089	-2.5 to 2.5	Pass
	822.5	15	0	20	3.6	3.032	0.0037	-2.5 to 2.5	Pass
					3.87	7.506	0.0091	-2.5 to 2.5	Pass
					4.45	0.397	0.0005	-2.5 to 2.5	Pass
				-30	3.87	-15.595	-0.0190	-2.5 to 2.5	Pass
				-20	3.87	-30.120	-0.0366	-2.5 to 2.5	Pass
				-10	3.87	-43.139	-0.0524	-2.5 to 2.5	Pass
				0	3.87	-4.571	-0.0056	-2.5 to 2.5	Pass
				10	3.87	-17.698	-0.0215	-2.5 to 2.5	Pass
				30	3.87	-28.512	-0.0347	-2.5 to 2.5	Pass
				40	3.87	-41.613	-0.0506	-2.5 to 2.5	Pass
				50	3.87	-1.149	-0.0014	-2.5 to 2.5	Pass
16QAM	815.5	15	0	20	3.6	-10.431	-0.0128	-2.5 to 2.5	Pass
					3.87	-28.916	-0.0355	-2.5 to 2.5	Pass
					4.45	-48.602	-0.0596	-2.5 to 2.5	Pass
				-30	3.87	-16.817	-0.0206	-2.5 to 2.5	Pass
				-20	3.87	-33.387	-0.0409	-2.5 to 2.5	Pass
				-10	3.87	-10.125	-0.0124	-2.5 to 2.5	Pass
				0	3.87	-24.765	-0.0304	-2.5 to 2.5	Pass
				10	3.87	-45.893	-0.0563	-2.5 to 2.5	Pass
				30	3.87	-13.423	-0.0165	-2.5 to 2.5	Pass
				40	3.87	-27.253	-0.0334	-2.5 to 2.5	Pass
				50	3.87	-40.853	-0.0501	-2.5 to 2.5	Pass
	819	15	0	20	3.6	6.039	0.0074	-2.5 to 2.5	Pass
					3.87	10.717	0.0131	-2.5 to 2.5	Pass
					4.45	14.629	0.0179	-2.5 to 2.5	Pass
				-30	3.87	13.041	0.0159	-2.5 to 2.5	Pass
				-20	3.87	11.187	0.0137	-2.5 to 2.5	Pass
				-10	3.87	8.528	0.0104	-2.5 to 2.5	Pass

				0	3.87	8.738	0.0107	-2.5 to 2.5	Pass
				10	3.87	9.062	0.0111	-2.5 to 2.5	Pass
				30	3.87	9.472	0.0116	-2.5 to 2.5	Pass
				40	3.87	12.110	0.0148	-2.5 to 2.5	Pass
				50	3.87	16.008	0.0195	-2.5 to 2.5	Pass
	822.5	15	0	20	3.6	8.803	0.0107	-2.5 to 2.5	Pass
					3.87	10.588	0.0129	-2.5 to 2.5	Pass
					4.45	12.072	0.0147	-2.5 to 2.5	Pass
				-30	3.87	10.335	0.0126	-2.5 to 2.5	Pass
				-20	3.87	11.467	0.0139	-2.5 to 2.5	Pass
				-10	3.87	11.665	0.0142	-2.5 to 2.5	Pass
				0	3.87	10.827	0.0132	-2.5 to 2.5	Pass
				10	3.87	9.268	0.0113	-2.5 to 2.5	Pass
				30	3.87	10.505	0.0128	-2.5 to 2.5	Pass
				40	3.87	11.287	0.0137	-2.5 to 2.5	Pass
				50	3.87	10.000	0.0122	-2.5 to 2.5	Pass
64QAM	815.5	15	0	20	3.6	-3.007	-0.0037	-2.5 to 2.5	Pass
					3.87	-9.620	-0.0118	-2.5 to 2.5	Pass
					4.45	-15.111	-0.0185	-2.5 to 2.5	Pass
				-30	3.87	-21.001	-0.0258	-2.5 to 2.5	Pass
				-20	3.87	-26.083	-0.0320	-2.5 to 2.5	Pass
				-10	3.87	-31.538	-0.0387	-2.5 to 2.5	Pass
				0	3.87	-34.292	-0.0421	-2.5 to 2.5	Pass
				10	3.87	-38.537	-0.0473	-2.5 to 2.5	Pass
				30	3.87	-46.445	-0.0570	-2.5 to 2.5	Pass
				40	3.87	-7.226	-0.0089	-2.5 to 2.5	Pass
				50	3.87	-11.756	-0.0144	-2.5 to 2.5	Pass
	819	15	0	20	3.6	7.998	0.0098	-2.5 to 2.5	Pass
					3.87	16.567	0.0202	-2.5 to 2.5	Pass
					4.45	23.105	0.0282	-2.5 to 2.5	Pass
				-30	3.87	26.128	0.0319	-2.5 to 2.5	Pass
				-20	3.87	27.689	0.0338	-2.5 to 2.5	Pass
				-10	3.87	22.597	0.0276	-2.5 to 2.5	Pass
				0	3.87	14.745	0.0180	-2.5 to 2.5	Pass
				10	3.87	13.852	0.0169	-2.5 to 2.5	Pass
				30	3.87	8.475	0.0103	-2.5 to 2.5	Pass
				40	3.87	4.359	0.0053	-2.5 to 2.5	Pass
				50	3.87	2.345	0.0029	-2.5 to 2.5	Pass
	822.5	15	0	20	3.6	6.666	0.0081	-2.5 to 2.5	Pass
					3.87	10.864	0.0132	-2.5 to 2.5	Pass
					4.45	15.327	0.0186	-2.5 to 2.5	Pass
				-30	3.87	16.760	0.0204	-2.5 to 2.5	Pass
				-20	3.87	15.417	0.0187	-2.5 to 2.5	Pass
				-10	3.87	20.584	0.0250	-2.5 to 2.5	Pass
				0	3.87	19.286	0.0234	-2.5 to 2.5	Pass
				10	3.87	22.841	0.0278	-2.5 to 2.5	Pass
				30	3.87	22.749	0.0277	-2.5 to 2.5	Pass
				40	3.87	21.231	0.0258	-2.5 to 2.5	Pass
				50	3.87	18.712	0.0228	-2.5 to 2.5	Pass

2.1.3 B26a_5MHz

Band: 26a / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	816.5	25	0	20	3.6	6.167	0.0076	-2.5 to 2.5	Pass
					3.87	15.562	0.0191	-2.5 to 2.5	Pass

					4.45	20.774	0.0254	-2.5 to 2.5	Pass
				-30	3.87	20.597	0.0252	-2.5 to 2.5	Pass
				-20	3.87	17.099	0.0209	-2.5 to 2.5	Pass
				-10	3.87	7.002	0.0086	-2.5 to 2.5	Pass
				0	3.87	-0.524	-0.0006	-2.5 to 2.5	Pass
				10	3.87	-8.277	-0.0101	-2.5 to 2.5	Pass
				30	3.87	-14.613	-0.0179	-2.5 to 2.5	Pass
				40	3.87	-16.416	-0.0201	-2.5 to 2.5	Pass
				50	3.87	-15.418	-0.0189	-2.5 to 2.5	Pass
	819	25	0	20	3.6	10.962	0.0134	-2.5 to 2.5	Pass
					3.87	15.783	0.0193	-2.5 to 2.5	Pass
					4.45	19.095	0.0233	-2.5 to 2.5	Pass
				-30	3.87	8.089	0.0099	-2.5 to 2.5	Pass
				-20	3.87	-0.999	-0.0012	-2.5 to 2.5	Pass
				-10	3.87	-5.292	-0.0065	-2.5 to 2.5	Pass
				0	3.87	-8.798	-0.0107	-2.5 to 2.5	Pass
				10	3.87	-16.609	-0.0203	-2.5 to 2.5	Pass
				30	3.87	-23.173	-0.0283	-2.5 to 2.5	Pass
	40	3.87	-31.177	-0.0381	-2.5 to 2.5	Pass			
	50	3.87	-38.738	-0.0473	-2.5 to 2.5	Pass			
	821.5	25	0	20	3.6	9.012	0.0110	-2.5 to 2.5	Pass
					3.87	8.060	0.0098	-2.5 to 2.5	Pass
					4.45	4.124	0.0050	-2.5 to 2.5	Pass
				-30	3.87	-7.621	-0.0093	-2.5 to 2.5	Pass
				-20	3.87	-14.379	-0.0175	-2.5 to 2.5	Pass
				-10	3.87	-25.146	-0.0306	-2.5 to 2.5	Pass
				0	3.87	-32.641	-0.0397	-2.5 to 2.5	Pass
				10	3.87	-45.645	-0.0556	-2.5 to 2.5	Pass
				30	3.87	-6.606	-0.0080	-2.5 to 2.5	Pass
	40	3.87	-17.969	-0.0219	-2.5 to 2.5	Pass			
50	3.87	-26.560	-0.0323	-2.5 to 2.5	Pass				
16QAM	816.5	25	0	20	3.6	9.935	0.0122	-2.5 to 2.5	Pass
					3.87	12.442	0.0152	-2.5 to 2.5	Pass
					4.45	13.289	0.0163	-2.5 to 2.5	Pass
				-30	3.87	16.508	0.0202	-2.5 to 2.5	Pass
				-20	3.87	24.276	0.0297	-2.5 to 2.5	Pass
				-10	3.87	26.709	0.0327	-2.5 to 2.5	Pass
				0	3.87	24.864	0.0305	-2.5 to 2.5	Pass
				10	3.87	26.914	0.0330	-2.5 to 2.5	Pass
				30	3.87	28.781	0.0352	-2.5 to 2.5	Pass
	40	3.87	30.757	0.0377	-2.5 to 2.5	Pass			
	50	3.87	33.110	0.0406	-2.5 to 2.5	Pass			
	819	25	0	20	3.6	12.222	0.0149	-2.5 to 2.5	Pass
					3.87	17.744	0.0217	-2.5 to 2.5	Pass
					4.45	22.930	0.0280	-2.5 to 2.5	Pass
				-30	3.87	24.264	0.0296	-2.5 to 2.5	Pass
				-20	3.87	22.752	0.0278	-2.5 to 2.5	Pass
				-10	3.87	27.860	0.0340	-2.5 to 2.5	Pass
				0	3.87	27.800	0.0339	-2.5 to 2.5	Pass
				10	3.87	25.638	0.0313	-2.5 to 2.5	Pass
				30	3.87	19.472	0.0238	-2.5 to 2.5	Pass
	40	3.87	16.188	0.0198	-2.5 to 2.5	Pass			
	50	3.87	15.875	0.0194	-2.5 to 2.5	Pass			
	821.5	25	0	20	3.6	2.509	0.0031	-2.5 to 2.5	Pass
					3.87	1.567	0.0019	-2.5 to 2.5	Pass
					4.45	4.284	0.0052	-2.5 to 2.5	Pass
				-30	3.87	7.243	0.0088	-2.5 to 2.5	Pass
				-20	3.87	5.178	0.0063	-2.5 to 2.5	Pass
	-10	3.87	3.966	0.0048	-2.5 to 2.5	Pass			

64QAM				0	3.87	9.161	0.0112	-2.5 to 2.5	Pass
				10	3.87	15.139	0.0184	-2.5 to 2.5	Pass
				30	3.87	20.823	0.0253	-2.5 to 2.5	Pass
				40	3.87	21.548	0.0262	-2.5 to 2.5	Pass
				50	3.87	19.052	0.0232	-2.5 to 2.5	Pass
	816.5	25	0	20	3.6	1.541	0.0019	-2.5 to 2.5	Pass
					3.87	7.754	0.0095	-2.5 to 2.5	Pass
					4.45	14.722	0.0180	-2.5 to 2.5	Pass
				-30	3.87	17.075	0.0209	-2.5 to 2.5	Pass
				-20	3.87	17.668	0.0216	-2.5 to 2.5	Pass
				-10	3.87	16.558	0.0203	-2.5 to 2.5	Pass
				0	3.87	16.319	0.0200	-2.5 to 2.5	Pass
				10	3.87	19.217	0.0235	-2.5 to 2.5	Pass
				30	3.87	22.789	0.0279	-2.5 to 2.5	Pass
				40	3.87	27.106	0.0332	-2.5 to 2.5	Pass
				50	3.87	34.432	0.0422	-2.5 to 2.5	Pass
	819	25	0	20	3.6	7.747	0.0095	-2.5 to 2.5	Pass
					3.87	14.988	0.0183	-2.5 to 2.5	Pass
					4.45	22.531	0.0275	-2.5 to 2.5	Pass
				-30	3.87	26.213	0.0320	-2.5 to 2.5	Pass
				-20	3.87	29.647	0.0362	-2.5 to 2.5	Pass
				-10	3.87	34.413	0.0420	-2.5 to 2.5	Pass
				0	3.87	37.439	0.0457	-2.5 to 2.5	Pass
				10	3.87	-3.195	-0.0039	-2.5 to 2.5	Pass
				30	3.87	-0.163	-0.0002	-2.5 to 2.5	Pass
				40	3.87	6.919	0.0084	-2.5 to 2.5	Pass
				50	3.87	2.761	0.0034	-2.5 to 2.5	Pass
	821.5	25	0	20	3.6	4.758	0.0058	-2.5 to 2.5	Pass
					3.87	12.116	0.0147	-2.5 to 2.5	Pass
					4.45	16.310	0.0199	-2.5 to 2.5	Pass
				-30	3.87	18.858	0.0230	-2.5 to 2.5	Pass
				-20	3.87	24.960	0.0304	-2.5 to 2.5	Pass
				-10	3.87	25.010	0.0304	-2.5 to 2.5	Pass
				0	3.87	26.051	0.0317	-2.5 to 2.5	Pass
				10	3.87	31.703	0.0386	-2.5 to 2.5	Pass
				30	3.87	40.124	0.0488	-2.5 to 2.5	Pass
				40	3.87	39.793	0.0484	-2.5 to 2.5	Pass
				50	3.87	-2.251	-0.0027	-2.5 to 2.5	Pass

2.1.4 B26a_10MHz

Band: 26a / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	819	50	0	20	3.6	5.256	0.0064	-2.5 to 2.5	Pass
					3.87	9.068	0.0111	-2.5 to 2.5	Pass
					4.45	6.311	0.0077	-2.5 to 2.5	Pass
				-30	3.87	0.419	0.0005	-2.5 to 2.5	Pass
				-20	3.87	-8.567	-0.0105	-2.5 to 2.5	Pass
				-10	3.87	-16.849	-0.0206	-2.5 to 2.5	Pass
				0	3.87	-23.722	-0.0290	-2.5 to 2.5	Pass
				10	3.87	-40.184	-0.0491	-2.5 to 2.5	Pass
				30	3.87	-4.341	-0.0053	-2.5 to 2.5	Pass
				40	3.87	-16.710	-0.0204	-2.5 to 2.5	Pass
16QAM	819	50	0	20	3.6	10.259	0.0125	-2.5 to 2.5	Pass
					3.87	10.869	0.0133	-2.5 to 2.5	Pass

					4.45	11.611	0.0142	-2.5 to 2.5	Pass
				-30	3.87	6.721	0.0082	-2.5 to 2.5	Pass
				-20	3.87	0.741	0.0009	-2.5 to 2.5	Pass
				-10	3.87	-2.198	-0.0027	-2.5 to 2.5	Pass
				0	3.87	-6.553	-0.0080	-2.5 to 2.5	Pass
				10	3.87	-11.293	-0.0138	-2.5 to 2.5	Pass
				30	3.87	-16.184	-0.0198	-2.5 to 2.5	Pass
				40	3.87	-19.473	-0.0238	-2.5 to 2.5	Pass
				50	3.87	-17.714	-0.0216	-2.5 to 2.5	Pass
64QAM	819	50	0	20	3.6	10.550	0.0129	-2.5 to 2.5	Pass
					3.87	13.711	0.0167	-2.5 to 2.5	Pass
					4.45	10.957	0.0134	-2.5 to 2.5	Pass
				-30	3.87	8.066	0.0098	-2.5 to 2.5	Pass
				-20	3.87	7.736	0.0094	-2.5 to 2.5	Pass
				-10	3.87	5.425	0.0066	-2.5 to 2.5	Pass
				0	3.87	5.045	0.0062	-2.5 to 2.5	Pass
				10	3.87	3.627	0.0044	-2.5 to 2.5	Pass
				30	3.87	0.395	0.0005	-2.5 to 2.5	Pass
				40	3.87	-3.530	-0.0043	-2.5 to 2.5	Pass
				50	3.87	-7.783	-0.0095	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band26a_OBW

Band: 26a / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.118	/	Pass
		819	6	0	1.110	/	Pass
		823.3	6	0	1.114	/	Pass
	16QAM	814.7	6	0	1.115	/	Pass
		819	6	0	1.113	/	Pass
		823.3	6	0	1.110	/	Pass
	64QAM	814.7	6	0	1.117	/	Pass
		819	6	0	1.111	/	Pass
		823.3	6	0	1.113	/	Pass
3	QPSK	815.5	15	0	2.758	/	Pass
		819	15	0	2.745	/	Pass
		822.5	15	0	2.756	/	Pass
	16QAM	815.5	15	0	2.768	/	Pass
		819	15	0	2.764	/	Pass
		822.5	15	0	2.778	/	Pass
	64QAM	815.5	15	0	2.753	/	Pass
		819	15	0	2.776	/	Pass
		822.5	15	0	2.748	/	Pass
5	QPSK	816.5	25	0	4.571	/	Pass
		819	25	0	4.564	/	Pass
		821.5	25	0	4.557	/	Pass
	16QAM	816.5	25	0	4.566	/	Pass
		819	25	0	4.553	/	Pass
		821.5	25	0	4.555	/	Pass
	64QAM	816.5	25	0	4.550	/	Pass
		819	25	0	4.547	/	Pass
		821.5	25	0	4.550	/	Pass


10	QPSK	819	50	0	9.031	/	Pass
	16QAM	819	50	0	9.014	/	Pass
	64QAM	819	50	0	9.045	/	Pass

3.1.2 Band26a_XDB


Band: 26a / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.276	/	Pass
		819	6	0	1.277	/	Pass
		823.3	6	0	1.271	/	Pass
	16QAM	814.7	6	0	1.280	/	Pass
		819	6	0	1.271	/	Pass
		823.3	6	0	1.266	/	Pass
	64QAM	814.7	6	0	1.278	/	Pass
		819	6	0	1.270	/	Pass
		823.3	6	0	1.272	/	Pass
3	QPSK	815.5	15	0	3.097	/	Pass
		819	15	0	3.080	/	Pass
		822.5	15	0	3.094	/	Pass
	16QAM	815.5	15	0	3.097	/	Pass
		819	15	0	3.078	/	Pass
		822.5	15	0	3.099	/	Pass
	64QAM	815.5	15	0	3.103	/	Pass
		819	15	0	3.088	/	Pass
		822.5	15	0	3.121	/	Pass
5	QPSK	816.5	25	0	5.062	/	Pass
		819	25	0	5.039	/	Pass
		821.5	25	0	5.054	/	Pass
	16QAM	816.5	25	0	5.050	/	Pass
		819	25	0	5.083	/	Pass
		821.5	25	0	5.065	/	Pass
	64QAM	816.5	25	0	5.047	/	Pass
		819	25	0	5.068	/	Pass
		821.5	25	0	5.076	/	Pass
10	QPSK	819	50	0	10.004	/	Pass
	16QAM	819	50	0	10.077	/	Pass
	64QAM	819	50	0	10.028	/	Pass

3.2 Test Graph


3.2.1 Band26a_OBW




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTN




Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_6_0_NTNV




Band26a_1.4MHz_64QAM_LCH_814.7MHz_RB_6_0_NTNV




Band26a_1.4MHz_64QAM_MCH_819MHz_RB_6_0_NTNV




Band26a_1.4MHz_64QAM_HCH_823.3MHz_RB_6_0_NTNV




Band26a_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV




Band26a_3MHz_QPSK_MCH_819MHz_RB_15_0_NTNV




Band26a_3MHz_QPSK_HCH_822.5MHz_RB_15_0_NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 15 0 NTNV




Band26a_3MHz_16QAM_MCH_819MHz_RB_15_0_NTNV




Band26a_3MHz_16QAM_HCH_822.5MHz_RB_15_0_NTNV




Band26a_3MHz_64QAM_LCH_815.5MHz_RB_15_0_NTNV




Band26a_3MHz_64QAM_MCH_819MHz_RB_15_0_NTNV




Band26a_3MHz_64QAM_HCH_822.5MHz_RB_15_0_NTNV




Band26a_5MHz_QPSK_LCH_816.5MHz_RB_25_0_NTNV




Band26a_5MHz_QPSK_MCH_819MHz_RB_25_0_NTNV




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 25 0 NTNV




Band26a_5MHz_16QAM_MCH_819MHz_RB_25_0_NTNV




Band26a_5MHz_16QAM_HCH_821.5MHz_RB_25_0_NTNV




Band26a 5MHz 64QAM LCH 816.5MHz RB 25 0 NTNV




Band26a_5MHz_64QAM_MCH_819MHz_RB_25_0_NTNV




Band26a 5MHz 64QAM HCH 821.5MHz RB 25 0 NTNV




Band26a_10MHz_QPSK_MCH_819MHz_RB_50_0_NTNV




Band26a_10MHz_16QAM_MCH_819MHz_RB_50_0_NTNV




Band26a_10MHz_64QAM_MCH_819MHz_RB_50_0_NTNV




3.2.2 Band26a_XDB




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTN




Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_6_0_NTNV




Band26a_1.4MHz_64QAM_LCH_814.7MHz_RB_6_0_NTNV




Band26a_1.4MHz_64QAM_MCH_819MHz_RB_6_0_NTNV




Band26a_1.4MHz_64QAM_HCH_823.3MHz_RB_6_0_NTNV




Band26a_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV




Band26a_3MHz_QPSK_MCH_819MHz_RB_15_0_NTNV




Band26a_3MHz_QPSK_HCH_822.5MHz_RB_15_0_NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 15 0 NTNV




Band26a_3MHz_16QAM_MCH_819MHz_RB_15_0_NTNV




Band26a_3MHz_16QAM_HCH_822.5MHz_RB_15_0_NTNV




Band26a_3MHz_64QAM_LCH_815.5MHz_RB_15_0_NTNV




Band26a_3MHz_64QAM_MCH_819MHz_RB_15_0_NTNV




Band26a_3MHz_64QAM_HCH_822.5MHz_RB_15_0_NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 25 0 NTNV




Band26a_5MHz_QPSK_MCH_819MHz_RB_25_0_NTNV




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTNV




Band26a_5MHz_16QAM_HCH_821.5MHz_RB_25_0_NTNV




Band26a 5MHz 64QAM LCH 816.5MHz RB 25 0 NTNV




Band26a_5MHz_64QAM_MCH_819MHz_RB_25_0_NTNV




Band26a 5MHz 64QAM HCH 821.5MHz RB 25 0 NTNV




Band26a_10MHz_QPSK_MCH_819MHz_RB_50_0_NTNV



Band26a_10MHz_16QAM_MCH_819MHz_RB_50_0_NTNV



Band26a_10MHz_64QAM_MCH_819MHz_RB_50_0_NTNV



4. Peak-Average Ratio

4.1 Test Result

4.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	6	0	4.82	<=13	Pass
	819	6	0	6.24	<=13	Pass
	823.3	6	0	5.13	<=13	Pass
16QAM	814.7	6	0	5.62	<=13	Pass
	819	6	0	6.10	<=13	Pass
	823.3	6	0	6.36	<=13	Pass
64QAM	814.7	6	0	6.25	<=13	Pass
	819	6	0	7.97	<=13	Pass
	823.3	6	0	6.11	<=13	Pass

4.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	15	0	5.18	<=13	Pass
	819	15	0	5.45	<=13	Pass
	822.5	15	0	5.38	<=13	Pass
16QAM	815.5	15	0	5.88	<=13	Pass
	819	15	0	6.20	<=13	Pass
	822.5	15	0	6.10	<=13	Pass
64QAM	815.5	15	0	6.31	<=13	Pass
	819	15	0	6.49	<=13	Pass
	822.5	15	0	6.42	<=13	Pass

4.1.3 B26a_5MHz


Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	25	0	5.39	<=13	Pass
	819	25	0	5.51	<=13	Pass
	821.5	25	0	5.49	<=13	Pass
16QAM	816.5	25	0	6.09	<=13	Pass
	819	25	0	6.23	<=13	Pass
	821.5	25	0	6.20	<=13	Pass
64QAM	816.5	25	0	6.34	<=13	Pass
	819	25	0	6.45	<=13	Pass
	821.5	25	0	6.48	<=13	Pass

4.1.4 B26a_10MHz


Band: 26a / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	819	50	0	5.41	<=13	Pass
16QAM	819	50	0	6.15	<=13	Pass
64QAM	819	50	0	6.39	<=13	Pass

4.2 Test Graph


4.2.1 B26a_1.4MHz




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV




Band26a 1.4MHz 64QAM LCH 814.7MHz RB 6 0 NTNV



Band26a 1.4MHz 64QAM MCH 819MHz RB 6 0 NTNV



Band26a 1.4MHz 64QAM HCH 823.3MHz RB 6 0 NTV



4.2.2 B26a_3MHz

