




Fig.30. Conducted spurious emission: $\pi/4$ DQPSK, Channel 0, 1GHz - 3GHz




Fig.31. Conducted spurious emission: $\pi/4$ DQPSK, Channel 0, 3GHz - 10GHz




Fig.32. Conducted spurious emission: $\pi/4$ DQPSK, Channel 0, 10GHz - 26GHz




Fig.33. Conducted spurious emission: $\pi/4$ DQPSK, Channel 39, 2441MHz




Fig.34. Conducted spurious emission: $\pi/4$ DQPSK, Channel 39, 30MHz - 1GHz




Fig.35. Conducted spurious emission: $\pi/4$ DQPSK, Channel 39, 1GHz - 3GHz




Fig.36. Conducted spurious emission: $\pi/4$ DQPSK, Channel 39, 3GHz - 10GHz




Fig.37. Conducted spurious emission: $\pi/4$ DQPSK, Channel 39, 10GHz – 26GHz




Fig.38. Conducted spurious emission: $\pi/4$ DQPSK, Channel 78, 2480MHz




Fig.39. Conducted spurious emission: $\pi/4$ DQPSK, Channel 78, 30MHz - 1GHz




Fig.40. Conducted spurious emission: $\pi/4$ DQPSK, Channel 78, 1GHz - 3GHz




Fig.41. Conducted spurious emission: $\pi/4$ DQPSK, Channel 78, 3GHz - 10GHz




Fig.42. Fig.30 Conducted spurious emission: $\pi/4$ DQPSK, Channel 78, 10GHz - 26GHz




Fig.43. Conducted spurious emission: 8DPSK, Channel 0,2402MHz




Fig.44. Conducted spurious emission: 8DPSK, Channel 0, 30MHz - 1GHz




Fig.45. Conducted spurious emission: 8DPSK, Channel 0, 1GHz - 3GHz




Fig.46. Conducted spurious emission: 8DPSK, Channel 0, 3GHz - 10GHz




Fig.47. Conducted spurious emission: 8DPSK, Channel 0, 10GHz - 26GHz




Fig.48. Conducted spurious emission: 8DPSK, Channel 39, 2441MHz




Fig.49. Conducted spurious emission: 8DPSK, Channel 39, 30MHz - 1GHz




Fig.50. Conducted spurious emission: 8DPSK, Channel 39, 1GHz - 3GHz




Fig.51. Conducted spurious emission: 8DPSK, Channel 39, 3GHz - 10GHz




Fig.52. Conducted spurious emission: 8DPSK, Channel 39, 10GHz – 26GHz




Fig.53. Conducted spurious emission: 8DPSK, Channel 78, 2480MHz




Fig.54. Conducted spurious emission: 8DPSK, Channel 78, 30MHz - 1GHz




Fig.55. Conducted spurious emission: 8DPSK, Channel 78, 1GHz - 3GHz




Fig.56. Conducted spurious emission: 8DPSK, Channel 78, 3GHz - 10GHz




Fig.57. Conducted spurious emission: 8DPSK, Channel 78, 10GHz - 26GHz

A.5. Radiated Emission

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247, 15.205, 15.209	20dB below peak output power

In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

The measurement is made according to ANSI C63.10

Limit in restricted band:

Frequency of emission (MHz)	Field strength(uV/m)	Field strength(dBuV/m)
30-88	100	40
88-216	150	43.5
216-960	200	46
Above 960	500	54

Test Condition

The EUT was placed on a non-conductive table. The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

Frequency of emission (MHz)	RBW/VBW	Sweep Time(s)
30-1000	100KHz/300KHz	5
1000-4000	1MHz/1MHz	15
4000-18000	1MHz/1MHz	40
18000-26500	1MHz/1MHz	20

Measurement Results:

Result= P_{Mea} +ARPL

For GFSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	1 GHz ~ 3 GHz	Fig.58	P
	3 GHz ~ 18 GHz	Fig.59	P
Ch 39 2441 MHz	9 kHz ~ 30 MHz	Fig.60	P
	30 MHz ~ 1 GHz	Fig.61	P
	1 GHz ~ 3 GHz	Fig.62	P
	3 GHz ~ 18 GHz	Fig.63	P
Ch 78 2480 MHz	1 GHz ~ 3 GHz	Fig.64	P
	3 GHz ~ 18 GHz	Fig.65	P
Power	2.38GHz~2.4GHz---L	Fig.66	P
Power	2.45GHz~2.5GHz---H	Fig.67	P

For all channels	18 GHz ~ 26 GHz	Fig.68	P
------------------	-----------------	--------	---

For $\pi/4$ DQPSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	1 GHz ~ 3 GHz	Fig.69	P
	3 GHz ~ 18 GHz	Fig.70	P
Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.71	P
	1 GHz ~ 3 GHz	Fig.72	P
	3 GHz ~ 18 GHz	Fig.73	P
Ch 78 2480 MHz	1 GHz ~ 3 GHz	Fig.74	P
	3 GHz ~ 18 GHz	Fig.75	P
Power	2.38GHz~2.4GHz---L	Fig.76	P
Power	2.45GHz~2.5GHz---H	Fig.77	P
For all channels	18 GHz ~ 26 GHz	Fig.78	P

For 8DPSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	1 GHz ~ 3 GHz	Fig.79	P
	3 GHz ~ 18 GHz	Fig.80	P
Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.81	P
	1 GHz ~ 3 GHz	Fig.82	P
	3 GHz ~ 18 GHz	Fig.83	P
Ch 78 2480 MHz	1 GHz ~ 3 GHz	Fig.84	P
	3 GHz ~ 18 GHz	Fig.85	P
Power	2.38GHz~2.4GHz---L	Fig.86	P
Power	2.45GHz~2.5GHz---H	Fig.87	P
For all channels	18 GHz ~ 26 GHz	Fig.88	P

GFSK Ch 0 – Average

Frequency (MHz)	Measurement Result (dB μ V/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dB μ V)	Limit (dB μ V/m)	Margin (dB)	Antenna Pol. (H/V)
2378.600	46.8	2.9	32.1	11.893	54.0	7.2	H
2386.510	46.8	2.9	32.0	11.901	54.0	7.2	H
4804.000	37.5	-17.3	34.5	20.300	54.0	16.5	H
7206.000	39.7	-16.4	36.1	20.028	54.0	14.3	H
9608.000	38.5	-18.2	37.0	19.793	54.0	15.5	H
12010.000	41.6	-17.4	39.3	19.643	54.0	12.4	H

GFSK Ch 39 - Average

Frequency (MHz)	Measurement Result (dB μ V/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dB μ V)	Limit (dB μ V/m)	Margin (dB)	Antenna Pol. (H/V)
2390.000	46.8	2.9	32.0	11.955	54.0	7.2	H
2485.000	47.9	2.9	32.7	12.217	54.0	6.1	H

4882.500	36.3	-18.5	34.5	20.362	54.0	17.7	H
7323.000	37.5	-18.5	36.1	19.912	54.0	16.5	H
9764.000	39.4	-17.8	37.2	19.938	54.0	14.6	H
12205.000	40.7	-17.8	39.2	19.257	54.0	13.3	H

GFSK Ch 78 - Average

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)
2483.500	49.4	2.9	32.8	13.709	54.0	4.6	H
2484.300	48.1	2.9	32.7	12.399	54.0	5.9	H
4960.500	36.9	-18.2	34.5	20.593	54.0	17.1	H
7440.000	39.2	-16.9	36.0	20.095	54.0	14.8	H
9920.000	40.2	-17.1	37.4	19.910	54.0	13.8	H
12400.000	40.9	-17.5	39.1	19.279	54.0	13.1	H

π/4 DQPSK Ch 0 - Average

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)
2380.100	46.7	2.9	32.1	11.782	54.0	7.3	H
2388.652	46.8	2.9	32.0	11.945	54.0	7.2	H
4804.000	37.6	-17.3	34.5	20.408	54.0	16.4	H
7206.000	39.8	-16.4	36.1	20.084	54.0	14.2	H
9608.000	38.6	-18.2	37.0	19.899	54.0	15.4	H
12010.000	41.6	-17.4	39.3	19.689	54.0	12.4	H

π/4 DQPSK Ch 39 - Average

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)
2375.400	46.8	2.9	32.1	11.815	54.0	7.2	H
2484.400	48.0	2.9	32.7	12.306	54.0	6.0	H
4882.500	36.4	-18.5	34.5	20.466	54.0	17.6	H
7323.000	37.6	-18.5	36.1	19.961	54.0	16.4	H
9464.000	39.4	-17.2	36.8	19.759	54.0	14.6	H
12205.000	40.7	-17.8	39.2	19.306	54.0	13.3	H

π/4 DQPSK Ch 78 - Average

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)
2483.520	48.7	2.9	32.8	12.976	54.0	5.3	H
2484.700	48.0	2.9	32.7	12.342	54.0	6.0	H
4960.500	36.9	-18.2	34.5	20.605	54.0	17.1	H

7440.000	39.3	-16.9	36.0	20.215	54.0	14.7	H
9199.500	40.3	-16.2	36.7	19.756	54.0	13.7	H
12400.500	41.0	-17.5	39.1	19.339	54.0	13.0	H

8DPSK Ch 0 - Average

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)
2380.300	46.8	2.9	32.1	11.866	54.0	7.2	H
2387.100	46.8	2.9	32.0	11.958	54.0	7.2	H
4804.500	37.7	-17.3	34.5	20.434	54.0	16.3	H
7206.400	39.9	-16.4	36.1	20.209	54.0	14.1	H
9607.500	38.6	-18.2	37.0	19.898	54.0	15.4	H
12010.500	41.7	-17.4	39.3	19.723	54.0	12.3	H

8DPSK Ch 39 - Average

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)
2379.500	46.8	2.9	32.1	11.871	54.0	7.2	H
2491.200	47.7	2.9	32.5	12.257	54.0	6.3	H
4882.500	36.5	-18.5	34.5	20.545	54.0	17.5	H
7323.000	37.7	-18.5	36.1	20.111	54.0	16.3	H
9764.000	40.0	-17.8	37.2	20.531	54.0	14.0	H
12205.000	40.8	-17.8	39.2	19.320	54.0	13.2	H

8DPSK Ch 78 - Average

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)
2483.500	49.1	2.9	32.8	13.420	54.0	4.9	H
2484.000	48.2	2.9	32.7	12.556	54.0	5.8	H
4960.000	37.1	-18.2	34.5	20.823	54.0	16.9	H
7440.400	39.5	-16.9	36.0	20.402	54.0	14.5	H
9920.500	40.2	-17.1	37.4	19.916	54.0	13.8	H
12400.500	41.0	-17.5	39.1	19.380	54.0	13.0	H

GFSK Ch 0 – Peak

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)
2387.714	59.6	2.9	32.0	24.72	74.0	14.4	H
2388.442	59.5	2.9	32.0	24.59	74.0	14.6	V
17517.750	59.9	-14.3	41.2	33.026	74.0	14.1	V
17286.000	59.7	-13.9	41.2	32.450	74.0	14.3	H

17925.750	59.6	-13.6	40.9	32.286	74.0	14.4	V
17984.250	59.5	-13.6	40.8	32.341	74.0	14.5	V

GFSK Ch 39 - Peak

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)
2366.800	50.3	-27.2	32.0	45.51	74.0	23.7	H
2519.400	51.0	-26.7	32.6	45.13	74.0	23.0	V
17623.500	60.5	-13.1	41.1	32.524	74.0	13.5	H
17947.500	59.6	-13.6	40.8	32.360	74.0	14.4	H
17283.750	59.5	-13.9	41.2	32.269	74.0	14.5	H
17740.500	59.4	-13.3	41.0	31.711	74.0	14.6	V

GFSK Ch 78 - Peak

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)
2483.530	60.6	2.9	32.8	24.94	74.0	13.4	H
2484.070	60.4	2.9	32.7	24.72	74.0	13.6	H
17655.000	59.8	-13.1	41.1	31.771	74.0	14.2	H
17623.500	59.4	-13.1	41.1	31.454	74.0	14.6	H
17949.750	59.4	-13.6	40.8	32.173	74.0	14.6	H
17511.750	59.3	-14.3	41.2	32.448	74.0	14.7	H

π/4 DQPSK Ch 0 - Peak

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)
2384.032	59.6	2.9	32.0	24.71	74.0	14.4	H
2388.526	59.7	2.9	32.0	24.83	74.0	14.3	H
17243.250	60.1	-14.2	41.2	33.115	74.0	13.9	H
17609.250	59.9	-13.3	41.1	32.026	74.0	14.1	V
17631.000	59.8	-13.0	41.1	31.767	74.0	14.2	H
17949.750	59.6	-13.6	40.8	32.392	74.0	14.4	H

π/4 DQPSK Ch 39 - Peak

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)
2339.600	49.1	-27.7	31.5	45.27	74.0	24.9	V
2510.000	51.7	-26.5	32.5	45.72	74.0	22.3	V
17532.000	60.0	-14.1	41.2	32.934	74.0	14.0	H
17659.500	59.6	-13.1	41.1	31.630	74.0	14.4	V
17261.250	59.5	-14.1	41.2	32.420	74.0	14.5	V

17263.500	59.5	-14.1	41.2	32.362	74.0	14.5	H
-----------	------	-------	------	--------	------	------	---

$\pi/4$ DQPSK Ch 78 - Peak

Frequency (MHz)	Measurement Result (dB μ V/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dB μ V)	Limit (dB μ V/m)	Margin (dB)	Antenna Pol. (H/V)
2486.450	61.3	2.9	32.7	25.65	74.0	12.7	H
2488.630	61.4	2.9	32.6	25.87	74.0	12.6	H
17991.750	59.6	-13.6	40.8	32.338	74.0	14.4	H
17276.250	59.4	-14.0	41.2	32.208	74.0	14.6	V
17761.500	59.4	-13.3	41.0	31.709	74.0	14.6	H
17569.500	59.3	-13.7	41.1	31.884	74.0	14.7	V

8DPSK Ch 0 - Peak

Frequency (MHz)	Measurement Result (dB μ V/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dB μ V)	Limit (dB μ V/m)	Margin (dB)	Antenna Pol. (H/V)
2385.894	60.2	2.9	32.0	25.30	74.0	13.8	H
2388.974	59.9	2.9	32.0	25.08	74.0	14.1	H
17989.500	59.6	-13.6	40.8	32.38	74.0	14.4	H
17281.500	59.5	-14.0	41.2	32.28	74.0	14.5	V
17584.500	59.2	-13.5	41.1	31.62	74.0	14.8	H
17199.750	59.1	-14.5	41.2	32.38	74.0	14.9	H

8DPSK Ch 39 - Peak

Frequency (MHz)	Measurement Result (dB μ V/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dB μ V)	Limit (dB μ V/m)	Margin (dB)	Antenna Pol. (H/V)
2333.600	48.6	-27.7	31.4	44.97	74.0	25.4	H
2525.400	51.1	-26.8	32.7	45.22	74.0	22.9	H
17961.750	59.5	-13.6	40.8	32.28	74.0	14.5	V
17276.250	59.4	-14.0	41.2	32.21	74.0	14.6	H
17558.250	59.3	-13.8	41.2	32.00	74.0	14.7	H
17616.000	59.3	-13.2	41.1	31.42	74.0	14.7	H

8DPSK Ch 78 - Peak

Frequency (MHz)	Measurement Result (dB μ V/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dB μ V)	Limit (dB μ V/m)	Margin (dB)	Antenna Pol. (H/V)
2483.560	61.2	2.9	32.8	25.48	74.0	12.8	H
2493.990	61.0	2.9	32.5	25.61	74.0	13.0	V
17651.250	59.5	-13.1	41.1	31.46	74.0	14.5	H
17850.000	59.5	-13.5	40.9	32.05	74.0	14.5	H
17126.250	59.3	-15.0	41.3	33.05	74.0	14.7	V

17656.500	59.3	-13.1	41.1	31.32	74.0	14.7	H
-----------	------	-------	------	-------	------	------	---

Conclusion: PASS

Test graphs as below:




Fig.58. Radiated emission: GFSK, Channel 0, 1 GHz - 3 GHz




Fig.59. Radiated emission: GFSK, Channel 0, 3 GHz - 18 GHz

RE 9kHz-30MHz




Fig.60. Radiated emission: GFSK, Channel 39, 9 kHz - 30 MHz

RE 30MHz-1GHz




Fig.61. Radiated emission: GFSK, Channel 39, 30 MHz - 1 GHz

RE - TX - WLAN BT +AV+PK_1GHz-3GHz




Fig.62. Radiated emission: GFSK, Channel 39, 1 GHz - 3 GHz

RE - 3GHz-18GHz




Fig.63. Radiated emission: GFSK, Channel 39, 3 GHz - 18 GHz

RE - TX - WLAN BT +AV+PK_1GHz-3GHz




Fig.64. Radiated emission: GFSK, Channel 78, 1 GHz - 3 GHz

RE - 3GHz-18GHz




Fig.65. Radiated emission: GFSK, Channel 78, 3 GHz - 18 GHz

RE - Power-2.38GHz-2.45GHz




Fig.66. Radiated emission (Power): GFSK, low channel

RE - Power-2.45GHz-2.5GHz




Fig.67. Radiated emission (Power) GFSK, high channel




Fig.68. Radiated emission: GFSK, 18 GHz - 26 GHz

RE - TX - WLAN BT +AV+PK_1GHz-3GHz




Fig.69. Radiated emission: $\pi/4$ DQPSK, Channel 0, 1 GHz - 3 GHz

RE - 3GHz-18GHz




Fig.70. Radiated emission: $\pi/4$ DQPSK, Channel 0, 3 GHz - 18 GHz

RE 30MHz-1GHz




Fig.71. Radiated emission: $\pi/4$ DQPSK, Channel 39, 30 MHz - 1 GHz

RE - TX - WLAN BT +AV+PK_1GHz-3GHz




Fig.72. Radiated emission: $\pi/4$ DQPSK, Channel 39, 1 GHz - 3 GHz

RE - 3GHz-18GHz




Fig.73. Radiated emission: $\pi/4$ DQPSK, Channel 39, 3 GHz - 18 GHz

RE - TX - WLAN BT +AV+PK_1GHz-3GHz




Fig.74. Radiated emission: $\pi/4$ DQPSK, Channel 78, 1 GHz - 3 GHz

RE - 3GHz-18GHz




Fig.75. Radiated emission: $\pi/4$ DQPSK, Channel 78, 3 GHz - 18 GHz




Fig.76. Radiated emission (Power): $\pi/4$ DQPSK, low channel




Fig.77. Radiated emission (Power): $\pi/4$ DQPSK, high channel




Fig.78. Radiated emission: $\pi/4$ DQPSK, 18 GHz - 26 GHz

RE - TX - WLAN BT +AV+PK_1GHz-3GHz




Fig.79. Radiated emission: 8DPSK, Channel 0, 1 GHz - 3 GHz

RE - 3GHz-18GHz




Fig.80. Radiated emission: 8DPSK, Channel 0, 3 GHz - 18 GHz

RE 30MHz-1GHz




Fig.81. Radiated emission: 8DPSK, Channel 39, 30 MHz - 1 GHz

RE - TX - WLAN BT +AV+PK_1GHz-3GHz




Fig.82. Radiated emission: 8DPSK, Channel 39, 1 GHz - 3 GHz

RE - 3GHz-18GHz




Fig.83. Radiated emission: 8DPSK, Channel 39, 3 GHz - 18 GHz

RE - TX - WLAN BT +AV+PK_1GHz-3GHz




Fig.84. Radiated emission: 8DPSK, Channel 78, 1 GHz - 3 GHz

RE - 3GHz-18GHz




Fig.85. Radiated emission: 8DPSK, Channel 78, 3 GHz - 18 GHz