




Fig.38. Conducted spurious emission: $\pi/4$ DQPSK, Channel 78, 2480MHz




Fig.39. Conducted spurious emission: $\pi/4$ DQPSK, Channel 78, 30MHz - 1GHz




Fig.40. Conducted spurious emission: $\pi/4$ DQPSK, Channel 78, 1GHz - 3GHz




Fig.41. Conducted spurious emission: $\pi/4$ DQPSK, Channel 78, 3GHz - 10GHz




Fig.42. Fig.30 Conducted spurious emission: $\pi/4$ DQPSK, Channel 78, 10GHz - 26GHz




Fig.43. Conducted spurious emission: 8DPSK, Channel 0,2402MHz




Fig.44. Conducted spurious emission: 8DPSK, Channel 0, 30MHz - 1GHz




Fig.45. Conducted spurious emission: 8DPSK, Channel 0, 1GHz - 3GHz




Fig.46. Conducted spurious emission: 8DPSK, Channel 0, 3GHz - 10GHz




Fig.47. Conducted spurious emission: 8DPSK, Channel 0, 10GHz - 26GHz




Fig.48. Conducted spurious emission: 8DPSK, Channel 39, 2441MHz




Fig.49. Conducted spurious emission: 8DPSK, Channel 39, 30MHz - 1GHz




Fig.50. Conducted spurious emission: 8DPSK, Channel 39, 1GHz - 3GHz




Fig.51. Conducted spurious emission: 8DPSK, Channel 39, 3GHz - 10GHz




Fig.52. Conducted spurious emission: 8DPSK, Channel 39, 10GHz – 26GHz




Fig.53. Conducted spurious emission: 8DPSK, Channel 78, 2480MHz




Fig.54. Conducted spurious emission: 8DPSK, Channel 78, 30MHz - 1GHz




Fig.55. Conducted spurious emission: 8DPSK, Channel 78, 1GHz - 3GHz




Fig.56. Conducted spurious emission: 8DPSK, Channel 78, 3GHz - 10GHz




Fig.57. Conducted spurious emission: 8DPSK, Channel 78, 10GHz - 26GHz

A.5. Radiated Emission

Measurement Limit:

Standard	Limit
FCC 47 CFR Part 15.247, 15.205, 15.209	20dB below peak output power

In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

The measurement is made according to ANSI C63.10

Limit in restricted band:

Frequency of emission (MHz)	Field strength(uV/m)	Field strength(dBuV/m)
30-88	100	40
88-216	150	43.5
216-960	200	46
Above 960	500	54

Test Condition

The EUT was placed on a non-conductive table. The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

Frequency of emission (MHz)	RBW/VBW	Sweep Time(s)
30-1000	100KHz/300KHz	5
1000-4000	1MHz/1MHz	15
4000-18000	1MHz/1MHz	40
18000-26500	1MHz/1MHz	20

Measurement Results:

Result= P_{Mea} +ARPL

For GFSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	1 GHz ~ 3 GHz	Fig.58	P
	3 GHz ~ 18 GHz	Fig.59	P
Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.60	P
	1 GHz ~ 3 GHz	Fig.61	P
	3 GHz ~ 18 GHz	Fig.62	P
Ch 78 2480 MHz	1 GHz ~ 3 GHz	Fig.63	P
	3 GHz ~ 18 GHz	Fig.64	P
Power	2.38GHz~2.4GHz---L	Fig.65	P
Power	2.45GHz~2.5GHz---H	Fig.66	P
For all channels	18 GHz ~ 26 GHz	Fig.67	P

For $\pi/4$ DQPSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	1 GHz ~ 3 GHz	Fig.68	P
	3 GHz ~ 18 GHz	Fig.69	P
Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.70	P
	1 GHz ~ 3 GHz	Fig.71	P
	3 GHz ~ 18 GHz	Fig.72	P
Ch 78 2480 MHz	1 GHz ~ 3 GHz	Fig.73	P
	3 GHz ~ 18 GHz	Fig.74	P
Power	2.38GHz~2.4GHz---L	Fig.75	P
Power	2.45GHz~2.5GHz---H	Fig.76	P
For all channels	18 GHz ~ 26 GHz	Fig.77	P

For 8DPSK

Channel	Frequency Range	Test Results	Conclusion
Ch 0 2402 MHz	1 GHz ~ 3 GHz	Fig.78	P
	3 GHz ~ 18 GHz	Fig.79	P
Ch 39 2441 MHz	30 MHz ~ 1 GHz	Fig.80	P
	1 GHz ~ 3 GHz	Fig.81	P
	3 GHz ~ 18 GHz	Fig.82	P
Ch 78 2480 MHz	1 GHz ~ 3 GHz	Fig.83	P
	3 GHz ~ 18 GHz	Fig.84	P
Power	2.38GHz~2.4GHz---L	Fig.85	P
Power	2.45GHz~2.5GHz---H	Fig.86	P
For all channels	18 GHz ~ 26 GHz	Fig.87	P

GFSK Ch 0 – Average

Frequency (MHz)	Measurement Result (dB μ V/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dB μ V)	Antenna Pol. (H/V)
2388.325	41.8	-38.8	27.7	52.900	H
17910.500	45.0	-18.5	45.6	17.900	H
17921.500	45.0	-17.7	45.6	17.100	V
17925.000	45.0	-17.7	45.6	17.100	H
17911.000	44.9	-18.5	45.6	17.800	H
17923.500	44.8	-17.7	45.6	16.900	H

GFSK Ch 39 - Average

Frequency (MHz)	Measurement Result (dB μ V/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dB μ V)	Antenna Pol. (H/V)
17904.000	45.0	-18.5	45.6	17.900	H
17931.000	44.9	-17.7	45.6	17.000	H
17924.000	44.8	-17.7	45.6	16.900	V

17918.500	44.8	-17.7	45.6	16.900	H
17935.000	44.8	-17.7	45.6	16.900	H
17930.000	44.8	-17.7	45.6	16.900	H

GFSK Ch 78 - Average

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Antenna Pol. (H/V)
2484.160	41.8	-38.9	27.7	53.0	H
17918.000	44.9	-17.7	45.6	17.0	H
17914.000	44.8	-18.5	45.6	17.7	V
17904.000	44.8	-18.5	45.6	17.7	H
17917.000	44.7	-17.7	45.6	16.8	H
17945.000	44.7	-17.7	45.6	16.8	H

$\pi/4$ DQPSK Ch 0 - Average

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Antenna Pol. (H/V)
2389.900	41.6	-38.8	27.7	52.7	H
17932.000	45.0	-17.7	45.6	17.1	H
17914.500	45.0	-17.7	45.6	17.1	V
17933.500	44.9	-17.7	45.6	17.0	H
17922.500	44.9	-17.7	45.6	17.0	H
17916.000	44.9	-17.7	45.6	17.0	H

$\pi/4$ DQPSK Ch 39 - Average

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Antenna Pol. (H/V)
17905.000	45.0	-18.5	45.6	17.9	H
17911.500	45.0	-18.5	45.6	17.9	H
17927.000	44.9	-17.7	45.6	17.0	V
17912.000	44.9	-18.5	45.6	17.8	H
17915.500	44.8	-17.7	45.6	16.9	H
17914.000	44.8	-18.5	45.6	17.7	H

$\pi/4$ DQPSK Ch 78 - Average

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Antenna Pol. (H/V)
2484.925	41.9	-38.9	27.7	53.1	H
17924.500	45.0	-17.7	45.6	17.1	H
17909.500	44.9	-18.5	45.6	17.8	V
17914.500	44.9	-17.7	45.6	17.0	H

17918.500	44.9	-17.7	45.6	17.0	H
17920.000	44.9	-17.7	45.6	17.0	H

8DPSK Ch 0 - Average

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Antenna Pol. (H/V)
2389.175	41.7	-38.8	27.7	52.8	H
17929.500	45.1	-17.7	45.6	17.2	H
17914.000	44.9	-18.5	45.6	17.8	V
17932.500	44.9	-17.7	45.6	17.0	H
17911.500	44.9	-18.5	45.6	17.8	H
17928.000	44.9	-17.7	45.6	17.0	H

8DPSK Ch 39 - Average

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Antenna Pol. (H/V)
17919.000	44.9	-17.7	45.6	17.0	H
17931.000	44.8	-17.7	45.6	16.9	H
17925.000	44.8	-17.7	45.6	16.9	V
17918.500	44.8	-17.7	45.6	16.9	H
17902.500	44.7	-18.5	45.6	17.6	H
17916.000	44.7	-17.7	45.6	16.8	H

8DPSK Ch 78 - Average

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Antenna Pol. (H/V)
2484.490	41.8	-38.9	27.7	53.0	H
17918.000	45.1	-17.7	45.6	17.2	H
17915.000	45.1	-17.7	45.6	17.2	V
17917.000	45.0	-17.7	45.6	17.1	H
17922.000	45.0	-17.7	45.6	17.1	H
17928.500	45.0	-17.7	45.6	17.1	H

GFSK Ch 0 – Peak

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Antenna Pol. (H/V)
2388.100	53.9	-38.8	27.7	65.0	H
17945.500	56.6	-17.7	45.6	28.7	H
17919.500	56.6	-17.7	45.6	28.7	V
17905.000	56.5	-18.5	45.6	29.4	H
17923.500	56.2	-17.7	45.6	28.3	H

17901.000	56.1	-18.5	45.6	29.0	H
-----------	------	-------	------	------	---

GFSK Ch 39 - Peak

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Antenna Pol. (H/V)
17918.500	56.6	-17.7	45.6	28.7	H
17939.500	56.3	-17.7	45.6	28.4	H
17931.000	56.2	-17.7	45.6	28.3	V
17932.500	56.0	-17.7	45.6	28.1	H
17910.500	55.9	-18.5	45.6	28.8	H
17974.500	55.9	-17.7	45.6	28.0	H

GFSK Ch 78 - Peak

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Antenna Pol. (H/V)
2484.025	60.3	-38.9	27.7	71.5	H
17812.500	56.6	-18.5	45.6	29.5	H
17959.000	56.5	-17.7	45.6	28.6	V
17973.500	56.5	-17.7	45.6	28.6	H
17986.500	56.2	-17.7	45.6	28.3	H
17883.000	56.1	-18.5	45.6	29.0	H

π/4 DQPSK Ch 0 - Peak

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Antenna Pol. (H/V)
2389.235	54.0	-38.8	27.7	65.1	H
17945.000	56.6	-17.7	45.6	28.7	H
17926.500	56.6	-17.7	45.6	28.7	V
17928.500	56.6	-17.7	45.6	28.7	H
17941.000	56.3	-17.7	45.6	28.4	H
17913.500	56.1	-18.5	45.6	29.0	H

π/4 DQPSK Ch 39 -Peak

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Antenna Pol. (H/V)
17827.500	57.0	-18.5	45.6	29.9	H
17909.500	56.3	-18.5	45.6	29.2	H
17939.500	56.2	-17.7	45.6	28.3	V
17817.500	56.1	-18.5	45.6	29.0	H
17794.000	56.1	-18.5	45.6	29.0	H
17708.000	56.1	-18.9	45.6	29.4	H

$\pi/4$ DQPSK Ch 78 - Peak

Frequency (MHz)	Measurement Result (dB μ V/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dB μ V)	Antenna Pol. (H/V)
2483.820	62.0	-38.9	27.7	73.2	H
17915.500	57.1	-17.7	45.6	29.2	H
17926.500	56.5	-17.7	45.6	28.6	V
17852.000	56.4	-18.5	45.6	29.3	H
17827.000	56.3	-18.5	45.6	29.2	H
17837.000	56.1	-18.5	45.6	29.0	H

8DPSK Ch 0 -Peak

Frequency (MHz)	Measurement Result (dB μ V/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dB μ V)	Antenna Pol. (H/V)
2388.770	54.2	-38.8	27.7	65.3	H
17929.500	57.4	-17.7	45.6	29.5	H
17994.500	56.5	-17.7	45.6	28.6	V
17911.500	56.4	-18.5	45.6	29.3	H
17850.500	56.3	-18.5	45.6	29.2	H
17926.000	56.3	-17.7	45.6	28.4	H

8DPSK Ch 39 - Peak

Frequency (MHz)	Measurement Result (dB μ V/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dB μ V)	Antenna Pol. (H/V)
17898.000	55.9	-18.5	45.6	28.8	H
17861.500	55.9	-18.5	45.6	28.8	H
17923.000	55.8	-17.7	45.6	27.9	V
17998.500	55.8	-17.7	45.6	27.9	H
17852.500	55.7	-18.5	45.6	28.6	H
17908.500	55.7	-18.5	45.6	28.6	H

8DPSK Ch 78 - Peak

Frequency (MHz)	Measurement Result (dB μ V/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dB μ V)	Antenna Pol. (H/V)
2483.965	59.2	-38.9	27.7	70.4	H
17931.500	56.8	-17.7	45.6	28.9	H
17910.000	56.4	-18.5	45.6	29.3	V
17957.000	56.2	-17.7	45.6	28.3	H
17955.000	56.2	-17.7	45.6	28.3	H
17941.000	56.2	-17.7	45.6	28.3	H

Conclusion: PASS

Test graphs as below:




Fig.58. Radiated emission: GFSK, Channel 0, 1 GHz - 3 GHz




Fig.59. Radiated emission: GFSK, Channel 0, 3 GHz - 18 GHz




Fig.60. Radiated emission: GFSK, Channel 39, 30 MHz - 1 GHz




Fig.61. Radiated emission: GFSK, Channel 39, 1 GHz - 3 GHz




Fig.62. Radiated emission: GFSK, Channel 39, 3 GHz - 18 GHz




Fig.63. Radiated emission: GFSK, Channel 78, 1 GHz - 3 GHz




Fig.64. Radiated emission: GFSK, Channel 78, 3 GHz - 18 GHz




Fig.65. Radiated emission (Power): GFSK, low channel




Fig.66. Radiated emission (Power) GFSK, high channel




Fig.67. Radiated emission: GFSK, 18 GHz - 26 GHz




Fig.68. Radiated emission: $\pi/4$ DQPSK, Channel 0, 1 GHz - 3 GHz




Fig.69. Radiated emission: $\pi/4$ DQPSK, Channel 0, 3 GHz - 18 GHz




Fig.70. Radiated emission: $\pi/4$ DQPSK, Channel 39, 30 MHz - 1 GHz




Fig.71. Radiated emission: $\pi/4$ DQPSK, Channel 39, 1 GHz - 3 GHz




Fig.72. Radiated emission: $\pi/4$ DQPSK, Channel 39, 3 GHz - 18 GHz




Fig.73. Radiated emission: $\pi/4$ DQPSK, Channel 78, 1 GHz - 3 GHz




Fig.74. Radiated emission: $\pi/4$ DQPSK, Channel 78, 3 GHz - 18 GHz




Fig.75. Radiated emission (Power): $\pi/4$ DQPSK, low channel




Fig.76. Radiated emission (Power): $\pi/4$ DQPSK, high channel




Fig.77. Radiated emission: $\pi/4$ DQPSK, 18 GHz - 26 GHz




Fig.78. Radiated emission: 8DPSK, Channel 0, 1 GHz - 3 GHz




Fig.79. Radiated emission: 8DPSK, Channel 0, 3 GHz - 18 GHz




Fig.80. Radiated emission: 8DPSK, Channel 39, 30 MHz - 1 GHz




Fig.81. Radiated emission: 8DPSK, Channel 39, 1 GHz - 3 GHz




Fig.82. Radiated emission: 8DPSK, Channel 39, 3 GHz - 18 GHz




Fig.83. Radiated emission: 8DPSK, Channel 78, 1 GHz - 3 GHz




Fig.84. Radiated emission: 8DPSK, Channel 78, 3 GHz - 18 GHz




Fig.85. Radiated emission (Power): 8DPSK, low channel




Fig.86. Radiated emission (Power): 8DPSK, high channel




Fig.87. Radiated emission: 8DPSK, 18 GHz - 26 GHz

A.6. Time of Occupancy (Dwell Time)

Method of Measurement: See ANSI C63.10-clause 7.8.4

The EUT must have its hopping function enabled. Use the following spectrum analyzer settings:

- Span = zero span, centered on a hopping channel
- RBW = 1 MHz
- VBW $\geq$ RBW
- Sweep = as necessary to capture the entire dwell time per hopping channel
- Detector function = peak
- Trace = max hold

Measure a pulse time in time domain at middle frequency and then count the hopping number in 31.6s(which equals with 0.4 multiply 79) of middle frequency ,then multiply the pulse time and hopping number and record them.

Measurement Limit:

Standard	Limit (ms)
FCC 47 CFR Part 15.247(a) (1)(iii)	< 400

Measurement Result:

For GFSK

Channel	Packet	Dwell Time (ms)		Conclusion
39	DH1	Fig.88	117.32	P
		Fig.89		
	DH3	Fig.90	160.98	P
		Fig.91		
	DH5	Fig.92	192.57	P
		Fig.93		

For $\pi/4$ DQPSK

Channel	Packet	Dwell Time (ms)		Conclusion
39	DH1	Fig.94	120.32	P
		Fig.95		
	DH3	Fig.96	179.19	P
		Fig.97		
	DH5	Fig.98	172.65	P
		Fig.99		

For 8DPSK

Channel	Packet	Dwell Time (ms)		Conclusion
39	DH1	Fig.100	120.64	P
		Fig.101		
	DH3	Fig.102	172.61	P

	DH5	Fig.103	238.99	P
		Fig.104		
		Fig.105		

Conclusion: PASS

Test graphs as below:




Fig.88. Time of occupancy (Dwell Time): Channel 39, Packet DH1




Fig.89. Number of Transmissions Measurement:Channel 39,Packet DH1




Fig.90. Time of occupancy (Dwell Time): Channel 39, Packet DH3




Fig.91. Number of Transmissions Measurement:Channel 39,Packet DH3




Fig.92. Time of occupancy (Dwell Time): Channel 39, Packet DH5




Fig.93. Number of Transmissions Measurement:Channel 39,Packet DH5