


n78L


n78L,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	77.926	77.852

n78L,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n78L,80MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L


n78L,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	87.516	87.353

n78L,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n78L,90MHz Bandwidth,DFT-s-QPSK (99% BW)



Note: The maximum value of expanded measurement uncertainty for this test item is $U = 0.626$ kHz, $k = 2$.

A.5 Emission Bandwidth

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. Table below lists the measured -26dBc BW. Spectrum analyzer plots are included on the following pages.

The measurement method is from ANSI C63.26:


- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be wide enough to see sufficient roll off of the signal to make the measurement.
- b) The nominal RBW shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times \text{RBW}$.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) The dynamic range of the spectrum analyzer at the selected RBW shall be more than 10 dB below the target “-X dB” requirement, i.e., if the requirement calls for measuring the -26 dB OBW, the spectrum analyzer noise floor at the selected RBW shall be at least 36 dB below the reference level.
- e) Set spectrum analyzer detection mode to peak, and the trace mode to max hold.

n2

n2,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	4.945	4.930

n2,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n2,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n2


n2,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	9.590	9.560

n2,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n2,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n2


n2,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	14.251	14.341

n2,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n2,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n2


n2,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	19.181	19.121

n2,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n2,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n2


n2,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	24.201	24.276

n2,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n2,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n2


n2,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	30.120	30.030

n2,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n2,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n2


n2,35MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	33.670	33.880

n2,35MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n2,35MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n2

n2,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	41.240	41.240

n2,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n2,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n5


n5,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	4.915	4.930

n5,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n5,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n5


n5,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	9.560	9.530

n5,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n5,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n5


n5,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	14.296	14.296

n5,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n5,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n5


n5,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	19.121	19.241

n5,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n5,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	9.381	9.441

n48,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	13.891	13.891

n48,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	19.301	19.181

n48,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	28.322	28.322

n48,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	38.480	38.480

n48,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,50MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	48.400	48.550

n48,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,60MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	60.780	60.600

n48,60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,70MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	67.130	67.130

n48,70MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,70MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n48


n48,80MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	82.480	82.480

n48,80MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,80MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,90MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	92.250	92.250

n48,90MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,90MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,100MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	101.900	101.900

n48,100MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,100MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66

n66,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	4.945	4.900

n66,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66

n66,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	9.590	9.530

n66,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66


n66,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	14.251	14.296

n66,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66


n66,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	19.181	19.241

n66,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66


n66,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	24.201	24.276

n66,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66

n66,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	30.030	30.120

n66,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66

n66,35MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	33.670	33.670

n66,35MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,35MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66

n66,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	41.240	41.240

n66,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	9.471	9.500

n77L,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	13.846	13.846

n77L,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	19.421	19.181

n77L,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	24.276	24.351

n77L,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	28.322	28.591

n77L,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	38.480	38.600

n77L,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,50MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	48.550	48.850

n77L,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,60MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	60.780	60.780

n77L,60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,70MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	67.340	67.340

n77L,70MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,70MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,80MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	82.720	83.200

n77L,80MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,80MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L

n77L,90MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	92.520	92.790

n77L,90MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,90MHz Bandwidth,DFT-s-QPSK (-26dBc BW)

