


n77L


n77L,100MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	96.668	96.495

n77L,100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,100MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H


n77H,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	8.624	8.601

n77H,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,10MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H


n77H,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	12.941	12.924

n77H,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,15MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H


n77H,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	18.028	18.007

n77H,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,20MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H


n77H,25MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	22.976	23.017

n77H,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,25MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H


n77H,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	26.926	26.854

n77H,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,30MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H


n77H,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	36.000	35.898

n77H,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,40MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H


n77H,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	45.948	45.838

n77H,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,50MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H


n77H,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	57.974	57.861

n77H,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,60MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H


n77H,70MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	64.361	64.327

n77H,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,70MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H


n77H,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	77.790	77.479

n77H,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,80MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H


n77H,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	87.197	86.962

n77H,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,90MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H


n77H,100MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	96.866	96.376

n77H,100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,100MHz Bandwidth,DFT-s-QPSK (99% BW)



Note: The maximum value of expanded measurement uncertainty for this test item is $U = 0.626$ kHz, $k = 2$.

A.5 Emission Bandwidth

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. Table below lists the measured -26dBc BW. Spectrum analyzer plots are included on the following pages.

The measurement method is from ANSI C63.26:

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be wide enough to see sufficient roll off of the signal to make the measurement.
- b) The nominal RBW shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times \text{RBW}$.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) The dynamic range of the spectrum analyzer at the selected RBW shall be more than 10 dB below the target “-X dB” requirement, i.e., if the requirement calls for measuring the -26 dB OBW, the spectrum analyzer noise floor at the selected RBW shall be at least 36 dB below the reference level.
- e) Set spectrum analyzer detection mode to peak, and the trace mode to max hold.

n5

n5,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	4.930	4.915

n5,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n5,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n5


n5,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	9.560	9.590

n5,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n5,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n5


n5,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	14.251	14.341

n5,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n5,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n5


n5,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	19.121	19.181

n5,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n5,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n5


n5,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	24.201	24.201

n5,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n5,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	9.471	9.351

n48,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	13.846	13.891

n48,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	19.361	19.121

n48,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	28.412	28.501

n48,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	38.240	38.480

n48,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,50MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	48.400	48.400

n48,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,60MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	60.420	60.780

n48,60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,70MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	66.920	67.130

n48,70MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,70MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,80MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	82.240	82.240

n48,80MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,80MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,90MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	91.980	92.250

n48,90MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,90MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n48


n48,100MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3624.99	101.600	101.600

n48,100MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,100MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66


n66,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	4.945	4.900

n66,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66


n66,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	9.590	9.590

n66,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66


n66,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	14.341	14.296

n66,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66


n66,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	19.181	19.241

n66,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66


n66,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	24.201	24.276

n66,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66


n66,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	30.120	30.120

n66,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66


n66,35MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	33.670	33.780

n66,35MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,35MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66


n66,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	41.240	41.120

n66,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66


n66,45MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	45.450	45.580

n66,45MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,45MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	9.381	9.321

n77L,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	13.846	13.801

n77L,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	19.301	19.241

n77L,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	24.276	24.276

n77L,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	28.412	28.232

n77L,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	38.360	38.480

n77L,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,50MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	48.400	48.550

n77L,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,60MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	60.600	60.780

n77L,60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,70MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	67.130	67.340

n77L,70MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,70MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,80MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	82.480	82.240

n77L,80MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,80MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,90MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	92.250	91.980

n77L,90MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,90MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,100MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	101.600	101.900

n77L,100MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,100MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n77H


n77H,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	9.471	9.381

n77H,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77H,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77H


n77H,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	13.846	13.711

n77H,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77H,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77H


n77H,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	19.241	19.301

n77H,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77H,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n77H

n77H,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	24.201	24.351

n77H,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77H,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)

