



LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 18.NOV.2024 12:09:36



Date: 18.NOV.2024 12:10:15




HIGH BAND EDGE BLOCK-20MHz-100%RB




LTE band 41

OBW: 1RB-low_offset



Date: 18.NOV.2024 12:17:24


LOW BAND EDGE BLOCK-1RB-low_offset



Date: 18.NOV.2024 12:18:05




OBW: 1RB-high_offset




Date: 18.NOV.2024 12:19:45


HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 18.NOV.2024 12:20:26




Date: 18.NOV.2024 12:21:13




Date: 18.NOV.2024 12:21:31

LOW BAND EDGE BLOCK-20MHz-100%RB




Date: 9.OCT.2024 14:48:58




Date: 9.OCT.2024 14:49:37

HIGH BAND EDGE BLOCK-20MHz-100%RB




Date: 9.OCT.2024 14:51:33



Date: 9.OCT.2024 14:52:12


LTE band 66

OBW: 1RB-low_offset




Date: 18.NOV.2024 15:17:05

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 18.NOV.2024 15:18:19

OBW: 1RB-high_offset




Date: 18.NOV.2024 15:18:55

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 18.NOV.2024 15:20:10

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 9.OCT.2024 09:57:24


HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 9.OCT.2024 09:58:56


LTE band 71

OBW: 1RB-low_offset




Date: 18.NOV.2024 09:46:19

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 18.NOV.2024 09:46:38

OBW: 1RB-high_offset




Date: 18.NOV.2024 09:47:15

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 18.NOV.2024 09:47:34

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 9.OCT.2024 11:30:22


HIGH BAND EDGE BLOCK-20MHz-100%RB




Date: 9.OCT.2024 11:31:55

LTE band 2@CA 2A-5A


OBW: 1RB-LOW_offset




LOW BAND EDGE BLOCK-1RB-LOW_offset




OBW: 1RB-HIGH_offset




HIGH BAND EDGE BLOCK-1RB-HIGH_offset



LOW BAND EDGE BLOCK-20MHz+10MHz-100%RB




HIGH BAND EDGE BLOCK-20MHz+10MHz-100%RB




LTE band 5@CA 2A-5A


OBW: 1RB-LOW_offset




LOW BAND EDGE BLOCK-1RB-LOW_offset




OBW: 1RB-HIGH_offset




HIGH BAND EDGE BLOCK-1RB-HIGH_offset



LOW BAND EDGE BLOCK-20MHz+10MHz-100%RB




HIGH BAND EDGE BLOCK-20MHz+10MHz-100%RB




LTE band 2@CA 2A-12A


OBW: 1RB-LOW_offset




LOW BAND EDGE BLOCK-1RB-LOW_offset




OBW: 1RB-HIGH_offset




HIGH BAND EDGE BLOCK-1RB-HIGH_offset



LOW BAND EDGE BLOCK-20MHz+10MHz-100%RB




HIGH BAND EDGE BLOCK-20MHz+10MHz-100%RB




LTE band 12@CA 2A-12A


LOW BAND EDGE BLOCK-1RB-LOW_offset




HIGH BAND EDGE BLOCK-1RB-HIGH_offset



LOW BAND EDGE BLOCK-20MHz+10MHz-100%RB




HIGH BAND EDGE BLOCK-20MHz+10MHz-100%RB




LTE band 4@CA 4A-12A


OBW: 1RB-LOW_offset




LOW BAND EDGE BLOCK-1RB-LOW_offset




OBW: 1RB-HIGH_offset




HIGH BAND EDGE BLOCK-1RB-HIGH_offset



LOW BAND EDGE BLOCK-20MHz+10MHz-100%RB




HIGH BAND EDGE BLOCK-20MHz+10MHz-100%RB




LTE band 12@CA 4A-12A


LOW BAND EDGE BLOCK-1RB-LOW_offset




HIGH BAND EDGE BLOCK-1RB-HIGH_offset



LOW BAND EDGE BLOCK-20MHz+10MHz-100%RB




HIGH BAND EDGE BLOCK-20MHz+10MHz-100%RB




LTE band 5@CA 5A-66A


OBW: 1RB-LOW_offset




LOW BAND EDGE BLOCK-1RB-LOW_offset




OBW: 1RB-HIGH_offset




HIGH BAND EDGE BLOCK-1RB-HIGH_offset



LOW BAND EDGE BLOCK-10MHz+20MHz-100%RB




HIGH BAND EDGE BLOCK-10MHz+20MHz-100%RB




LTE band 66@CA 5A-66A


OBW: 1RB-LOW_offset




LOW BAND EDGE BLOCK-1RB-LOW_offset




OBW: 1RB-HIGH_offset




HIGH BAND EDGE BLOCK-1RB-HIGH_offset



LOW BAND EDGE BLOCK-10MHz+20MHz-100%RB




HIGH BAND EDGE BLOCK-10MHz+20MHz-100%RB




LTE band 12@CA 12A-66A


LOW BAND EDGE BLOCK-1RB-LOW_offset




HIGH BAND EDGE BLOCK-1RB-HIGH_offset



LOW BAND EDGE BLOCK-10MHz+20MHz-100%RB




HIGH BAND EDGE BLOCK-10MHz+20MHz-100%RB




LTE band 66@CA 12A-66A


OBW: 1RB-LOW_offset




LOW BAND EDGE BLOCK-1RB-LOW_offset




OBW: 1RB-HIGH_offset




HIGH BAND EDGE BLOCK-1RB-HIGH_offset



LOW BAND EDGE BLOCK-10MHz+20MHz-100%RB



HIGH BAND EDGE BLOCK-10MHz+20MHz-100%RB



Note: Expanded measurement uncertainty is $U = 0.622 \text{ dB}$, $k = 2$.

A.7 Conducted Spurious Emission

A.7.1 Measurement Method

The following steps outline the procedure used to measure the conducted emissions from the EUT.

1. In measuring unwanted emissions, the spectrum shall be investigated from 30 MHz or the lowest radio frequency signal generated in the equipment, whichever is lower, without going below 9 kHz, up to at least the frequency given below:
 - (a) If the equipment operates below 10 GHz: to the tenth harmonic of the highest fundamental frequency or to 40 GHz, whichever is lower.
 - (b) If the equipment operates at or above 10 GHz: to the fifth harmonic of the highest fundamental frequency or to 100 GHz, whichever is lower.
2. Determine EUT transmit frequencies: below outlines the band edge frequencies pertinent to conducted emissions testing.
3. The number of sweep points of spectrum analyzer is greater than $2 \times \text{span/RBW}$.

A. 7.2 Measurement Limit

Part 22.917, Part 24.238 and Part 27.53(h) specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Part 27.53(m) specifies for mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Part 27.53(c) states for operations in the 746-758 MHz band and the 776-788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following: (1) On any frequency outside the 746-758 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB; (2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB; (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $65 + 10 \log(P)$ dB in a 6.25 kHz band segment, for mobile and portable stations.

Part 27.53(f) states for operations in the 746–758 MHz, 775–788 MHz, and 805–806 MHz bands, emissions in the band 1559–1610 MHz shall be limited to -70dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals.

Part 27.53(g) states for operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the

transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log (P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

Part 27.53(a) states for mobile and portable stations operating in the 2305–2315 MHz and 2350–2360 MHz bands: By a factor of not less than: $43 + 10 \log (P)$ dB on all frequencies between 2305 and 2320 MHz and on all frequencies between 2345 and 2360 MHz that are outside the licensed band(s) of operation, not less than $55 + 10 \log (P)$ dB on all frequencies between 2320 and 2324 MHz and on all frequencies between 2341 and 2345 MHz, not less than $61 + 10 \log (P)$ dB on all frequencies between 2324 and 2328 MHz and on all frequencies between 2337 and 2341 MHz, and not less than $67 + 10 \log (P)$ dB on all frequencies between 2328 and 2337MHz; By a factor of not less than $43 + 10 \log (P)$ dB on all frequencies between 2300 and 2305 MHz, $55 + 10 \log (P)$ dB on all frequencies between 2296 and 2300MHz, $61 + 10 \log (P)$ dB on all frequencies between 2292 and 2296 MHz, $67 + 10 \log (P)$ dB on all frequencies between 2288 and 2292 MHz, and $70 + 10 \log (P)$ dB below 2288 MHz; By a factor of not less than $43 + 10 \log (P)$ dB on all frequencies between 2360 and 2365 MHz, and not less than $70 + 10 \log (P)$ dB above 2365 MHz.

Part 90.691 states that out-of-band emission requirement shall apply only to the “outer” channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows: For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $116 \log_{10}(f/6.1)$ decibels or $50 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz. For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.



A. 7.3 Measurement result

Only the worst case result is given below

Measurement Results from UT10a:



LTE CA band 66B

NOTE: peak above the limit line is the carrier frequency.



LTE CA band 66C


NOTE: peak above the limit line is the carrier frequency.






LTE band 13: 30MHz – 7.87GHz

NOTE: peak above the limit line is the carrier frequency.



Date: 18.NOV.2024 10:24:02


LTE band 13: 1559MHz – 1610MHz



Date: 18.NOV.2024 10:24:38

LTE band 25: 30MHz – 19.15GHz


NOTE: peak above the limit line is the carrier frequency.



Date: 18.NOV.2024 15:21:39

LTE band 26(814MHz~824MHz): 30MHz – 8.24GHz


NOTE: peak above the limit line is the carrier frequency.



Date: 18.NOV.2024 10:29:07

LTE band 26(824MHz~849MHz): 30MHz – 8.49GHz


NOTE: peak above the limit line is the carrier frequency.



Date: 18.NOV.2024 10:28:16

LTE band 30: 30MHz – 23.15GHz


NOTE: peak above the limit line is the carrier frequency.



Date: 18.NOV.2024 09:25:19

LTE band 41: 30MHz – 26.5GHz


NOTE: peak above the limit line is the carrier frequency.



Date: 18.NOV.2024 12:26:34

LTE band 66: 30MHz – 17.8GHz


NOTE: peak above the limit line is the carrier frequency.



Date: 18.NOV.2024 15:22:32

LTE band 71: 30MHz – 6.98GHz

NOTE: peak above the limit line is the carrier frequency.



Date: 18.NOV.2024 10:19:47

Note: Expanded measurement uncertainty is $U = 0.622 \text{ dB}$, $k = 2$.

A.8 Peak-to-Average Power Ratio

The peak-to-average ratio (PAR) of the transmission may not exceed 13 dB

- Refer to instrument's analyzer instruction manual for details on how to use the power statistics/CCDF function;
- Set resolution/measurement bandwidth $\geq$ signal's occupied bandwidth;
- Set the number of counts to a value that stabilizes the measured CCDF curve;
- Record the maximum PAPR level associated with a probability of 0.1%.

Measurement Results from UT10a:

LTE CA band 66B, 10MHz+10MHz

Frequency(MHz)	PAPR(dB)			
1755.0	QPSK	16QAM	64QAM	256QAM
	6.41	6.93	7.01	7.36

LTE CA band 66C, 20MHz+20MHz

Frequency(MHz)	PAPR(dB)			
1755.0	QPSK	16QAM	64QAM	256QAM
	6.29	6.93	7.16	7.33

Reference Measurement Results from basic model:

LTE band 7, 20MHz

Frequency(MHz)	PAPR(dB)			
2535.0	QPSK	16QAM	64QAM	256QAM
	6.92	7.31	7.53	7.69

LTE band 12, 10MHz

Frequency(MHz)	PAPR(dB)			
707.5	QPSK	16QAM	64QAM	256QAM
	5.16	6.12	6.47	6.70

LTE band 13, 10MHz

Frequency(MHz)	PAPR(dB)			
782.0	QPSK	16QAM	64QAM	256QAM
	6.51	6.47	6.44	6.86

LTE band 25, 20MHz

Frequency(MHz)	PAPR(dB)			
1882.5	QPSK	16QAM	64QAM	256QAM
	6.70	7.34	7.47	7.56

LTE band 30, 10MHz

Frequency(MHz)	PAPR(dB)			
2310.0	QPSK	16QAM	64QAM	256QAM
	5.67	6.47	6.86	7.08

LTE band 41, 20MHz

Frequency (MHz)	PAPR (dB)			
2593.0	QPSK	16QAM	64QAM	256QAM
	8.91	9.04	9.04	9.13

LTE band 66, 20MHz

Frequency(MHz)	PAPR(dB)			
1745.0	QPSK	16QAM	64QAM	256QAM
	7.40	7.47	7.40	7.50

LTE band 71, 20MHz

Frequency(MHz)	PAPR(dB)			
680.5	QPSK	16QAM	64QAM	256QAM
	6.44	7.24	7.31	7.37

Note: Expanded measurement uncertainty is $U = 0.578 \text{ dB}$, $k = 2$.

Annex B: Accreditation Certificate



END OF REPORT