


n48


n48,50MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
3624.99	48.400	48.400	48.400


n48,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n48,50MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n48


n48,60MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
3624.99	60.780	60.600	60.600


n48,60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)





n48,60MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n48
n48,70MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
3624.99	67.130	67.340	66.920

n48,70MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n48,70MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n48,70MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n48


n48,80MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
3624.99	82.240	82.240	82.240


n48,80MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,80MHz Bandwidth,DFT-s-QPSK (-26dBc BW)





n48,80MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n48
n48,90MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
3624.99	91.980	92.250	91.710

n48,90MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n48,90MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n48,90MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n48


n48,100MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
3624.99	101.600	101.600	101.600


n48,100MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n48,100MHz Bandwidth,DFT-s-QPSK (-26dBc BW)





n48,100MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n66
n66,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
1745	4.930	4.900	4.960

n66,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n66,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n66,5MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n66


n66,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
1745	9.590	9.590	9.560

n66,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)





n66,10MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n66
n66,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
1745	14.296	14.296	14.251

n66,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n66,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n66,15MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n66


n66,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
1745	19.181	19.181	19.181


n66,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66,20MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n66


n66,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
1745	24.201	24.201	24.201


n66,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66,25MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n66


n66,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
1745	30.030	30.030	30.030


n66,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66,30MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n66


n66,35MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
1745	33.670	33.780	33.670


n66,35MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,35MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66,35MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n66


n66,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
1745	41.240	41.240	41.240


n66,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66,40MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n66


n66,45MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
1745	45.450	45.580	45.450


n66,45MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,45MHz Bandwidth,DFT-s-QPSK (-26dBc BW)





n66,45MHz Bandwidth,DFT-s-16QAM (-26dBc BW)



n71
n71,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
680.5	4.945	4.930	4.930

n71,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n71,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n71,5MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n71


n71,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
680.5	9.560	9.590	9.590


n71,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n71,10MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n71


n71,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
680.5	14.206	14.296	14.296


n71,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n71,15MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n71
n71,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
680.5	19.181	19.181	19.181

n71,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n71,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n71,20MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n71
n71,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
680.5	24.201	24.201	24.201

n71,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n71,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n71,25MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n71


n71,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
680.5	30.030	30.030	30.030


n71,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n71,30MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n71

n71,35MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
680.5	33.670	33.670	33.670

n71,35MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,35MHz Bandwidth,DFT-s-QPSK (-26dBc BW)





n71,35MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n78L
n78L,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
3500.01	9.471	9.471	9.381



n78L,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n78L,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n78L,10MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n78L
n78L,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
3500.01	13.846	13.981	13.891



n78L,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n78L,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n78L,15MHz Bandwidth,DFT-s-16QAM (-26dBc BW)



n78L
n78L,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
3500.01	19.241	19.241	19.181

n78L,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n78L,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n78L,20MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n78L


n78L,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
3500.01	24.201	24.276	24.276


n78L,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n78L,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)





n78L,25MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n78L
n78L,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
3500.01	28.232	28.322	28.412

n78L,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n78L,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n78L,30MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n78L


n78L,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
3500.01	38.240	38.480	38.480


n78L,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n78L,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n78L,40MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n78L
n78L,50MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
3500.01	48.400	48.700	48.400

n78L,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)


n78L,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n78L,50MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n78L
n78L,60MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
3500.01	60.600	60.600	60.600



n78L,60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n78L,60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n78L,60MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n78L
n78L,70MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
3500.01	67.340	67.340	66.920

n78L,70MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n78L,70MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n78L,70MHz Bandwidth,DFT-s-16QAM (-26dBc BW)



n78L
n78L,80MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
3500.01	82.240	82.240	82.240

n78L,80MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n78L,80MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n78L,80MHz Bandwidth,DFT-s-16QAM (-26dBc BW)



n78L
n78L,90MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
3500.01	92.250	92.250	91.980

n78L,90MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n78L,90MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n78L,90MHz Bandwidth,DFT-s-16QAM (-26dBc BW)




n78L
n78L,100MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
3500.01	101.900	101.900	101.600

n78L,100MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n78L,100MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n78L,100MHz Bandwidth,DFT-s-16QAM (-26dBc BW)



A.6 Band Edge Compliance

A.6.1 Measurement limit

Part 22.917, Part 24.238 and Part 27.53(h) specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Part 27.53(m) specifies for mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Part 27.53(g) states for operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

Part 27.53(n) states for mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed -13 dBm/MHz. Compliance with this paragraph (n)(2) is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed, but limited to a maximum of 200 kHz. In the bands between 1 and 5 MHz removed from the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be 500 kHz.

Part 96.41(e) states for channel and frequency assignments made by a CBSD to End User Devices, the conducted power of any End User Device emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed -13 dBm/MHz within 0 to B megahertz (where B is the bandwidth in megahertz of the assigned channel or multiple contiguous channels of the End User Device) above the upper CBSD-assigned channel edge and within 0 to B megahertz below the lower CBSD-assigned channel edge. At all frequencies greater than B megahertz above the upper CBSD assigned channel edge and less than B megahertz below the lower CBSD-assigned channel edge, the conducted power of any End User Device emission shall not exceed -25 dBm/MHz. Notwithstanding the emission limits in this paragraph, the Adjacent Channel Leakage Ratio for End User Devices shall be at least 30 dB. The conducted


power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz.

The spectrum analyzer readings are corrected by [10 log (1/duty cycle)] for the non-continuous transmitting scenario.


A.6.2 Measurement result

NR n2


OBW: 1RB-LOW_offset




LOW BAND EDGE BLOCK-1RB-LOW_offset




OBW: 1RB-HIGH_offset




HIGH BAND EDGE BLOCK-1RB-HIGH_offset




LOW BAND EDGE BLOCK-40MHz-100%RB




HIGH BAND EDGE BLOCK-40MHz-100%RB




NR n5
OBW: 1RB-LOW_offset

LOW BAND EDGE BLOCK-1RB-LOW_offset



OBW: 1RB-HIGH_offset




HIGH BAND EDGE BLOCK-1RB-HIGH_offset



LOW BAND EDGE BLOCK-25MHz-100%RB




HIGH BAND EDGE BLOCK-25MHz-100%RB




NR n7


OBW: 1RB-LOW_offset



LOW BAND EDGE BLOCK-1RB-LOW_offset




LOW BAND EDGE BLOCK-1RB-LOW_offset




Channel power




OBW: 1RB-HIGH_offset



HIGH BAND EDGE BLOCK-1RB-HIGH_offset





HIGH BAND EDGE BLOCK-1RB-HIGH_offset




Channel power




LOW BAND EDGE BLOCK-50MHz-100%RB

Channel power


LOW BAND EDGE BLOCK-50MHz-100%RB




HIGH BAND EDGE BLOCK-50MHz-100%RB




16:32:37 16.05.2025

Channel power




16:33:16 16.05.2025


HIGH BAND EDGE BLOCK-50MHz-100%RB

NR n12


LOW BAND EDGE BLOCK-1RB-LOW_offset




HIGH BAND EDGE BLOCK-1RB-HIGH_offset



LOW BAND EDGE BLOCK-15MHz-100%RB



HIGH BAND EDGE BLOCK-15MHz-100%RB




NR n38

OBW: 1RB-LOW_offset



LOW BAND EDGE BLOCK-1RB-LOW_offset



LOW BAND EDGE BLOCK-1RB-LOW_offset

