

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100008505

Page: 269 of 282

			50	3.91	5699.940	5470 to 5725	Pass
5745		20	3.60	5745.020	5725 to 5850	Pass	
			3.91	5745.020	5725 to 5850	Pass	
			4.50	5745.000	5725 to 5850	Pass	
			-30	3.91	5745.020	5725 to 5850	Pass
		-20	3.91	5744.940	5725 to 5850	Pass	
		-10	3.91	5745.000	5725 to 5850	Pass	
		0	3.91	5745.040	5725 to 5850	Pass	
		10	3.91	5745.000	5725 to 5850	Pass	
		30	3.91	5744.940	5725 to 5850	Pass	
		40	3.91	5744.980	5725 to 5850	Pass	
		50	3.91	5744.940	5725 to 5850	Pass	
5785		20	3.60	5784.940	5725 to 5850	Pass	
			3.91	5784.940	5725 to 5850	Pass	
			4.50	5784.940	5725 to 5850	Pass	
			-30	3.91	5784.940	5725 to 5850	Pass
		-20	3.91	5785.040	5725 to 5850	Pass	
		-10	3.91	5784.940	5725 to 5850	Pass	
		0	3.91	5784.900	5725 to 5850	Pass	
		10	3.91	5784.980	5725 to 5850	Pass	
		30	3.91	5785.000	5725 to 5850	Pass	
		40	3.91	5785.040	5725 to 5850	Pass	
		50	3.91	5785.000	5725 to 5850	Pass	
5825		20	3.60	5824.960	5725 to 5850	Pass	
			3.91	5824.960	5725 to 5850	Pass	
			4.50	5824.940	5725 to 5850	Pass	
			-30	3.91	5825.000	5725 to 5850	Pass
		-20	3.91	5824.960	5725 to 5850	Pass	
		-10	3.91	5824.980	5725 to 5850	Pass	
		0	3.91	5825.000	5725 to 5850	Pass	
		10	3.91	5825.060	5725 to 5850	Pass	
		30	3.91	5825.000	5725 to 5850	Pass	
		40	3.91	5824.940	5725 to 5850	Pass	
		50	3.91	5824.980	5725 to 5850	Pass	
802.11n (HT40)	SISO	5190	20	3.60	5190.040	5150 to 5250	Pass
				3.91	5190.000	5150 to 5250	Pass
				4.50	5189.960	5150 to 5250	Pass
			-30	3.91	5190.000	5150 to 5250	Pass
			-20	3.91	5190.000	5150 to 5250	Pass
			-10	3.91	5190.000	5150 to 5250	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch No.1 Workshop, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100008505

Page: 270 of 282

		0	3.91	5190.000	5150 to 5250	Pass
		10	3.91	5190.000	5150 to 5250	Pass
		30	3.91	5189.960	5150 to 5250	Pass
		40	3.91	5189.960	5150 to 5250	Pass
		50	3.91	5189.920	5150 to 5250	Pass
	5230	20	3.60	5229.960	5150 to 5250	Pass
			3.91	5230.000	5150 to 5250	Pass
			4.50	5230.000	5150 to 5250	Pass
			-30	5230.000	5150 to 5250	Pass
		-20	3.91	5230.000	5150 to 5250	Pass
			-10	5230.040	5150 to 5250	Pass
			0	5230.000	5150 to 5250	Pass
			10	5230.000	5150 to 5250	Pass
		30	3.91	5229.960	5150 to 5250	Pass
			40	5229.960	5150 to 5250	Pass
			50	5229.960	5150 to 5250	Pass
			3.60	5270.000	5250 to 5350	Pass
	5270	20	3.91	5270.040	5250 to 5350	Pass
			4.50	5270.040	5250 to 5350	Pass
			-30	5270.000	5250 to 5350	Pass
			-20	5270.000	5250 to 5350	Pass
		-10	3.91	5270.000	5250 to 5350	Pass
			0	5270.000	5250 to 5350	Pass
			10	5269.960	5250 to 5350	Pass
			30	5270.000	5250 to 5350	Pass
		40	3.91	5270.000	5250 to 5350	Pass
			50	5270.000	5250 to 5350	Pass
			3.60	5310.000	5250 to 5350	Pass
			3.91	5309.960	5250 to 5350	Pass
	5310	20	4.50	5310.000	5250 to 5350	Pass
			-30	5309.920	5250 to 5350	Pass
			-20	5309.960	5250 to 5350	Pass
			-10	5310.000	5250 to 5350	Pass
		0	3.91	5310.000	5250 to 5350	Pass
			10	5310.000	5250 to 5350	Pass
			30	5310.000	5250 to 5350	Pass
			40	5309.960	5250 to 5350	Pass
		50	3.91	5309.960	5250 to 5350	Pass
			3.60	5509.960	5470 to 5725	Pass
			3.91	5509.960	5470 to 5725	Pass
			20			

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100008505

Page: 271 of 282

		4.50	5510.000	5470 to 5725	Pass	
	-30	3.91	5510.000	5470 to 5725	Pass	
	-20	3.91	5510.000	5470 to 5725	Pass	
	-10	3.91	5510.000	5470 to 5725	Pass	
	0	3.91	5509.960	5470 to 5725	Pass	
	10	3.91	5510.000	5470 to 5725	Pass	
	30	3.91	5509.960	5470 to 5725	Pass	
	40	3.91	5509.960	5470 to 5725	Pass	
	50	3.91	5509.960	5470 to 5725	Pass	
		3.60	5550.000	5470 to 5725	Pass	
		20	5550.000	5470 to 5725	Pass	
		4.50	5550.000	5470 to 5725	Pass	
		-30	3.91	5550.000	5470 to 5725	Pass
		-20	3.91	5549.960	5470 to 5725	Pass
		-10	3.91	5550.000	5470 to 5725	Pass
		0	3.91	5550.000	5470 to 5725	Pass
		10	3.91	5549.960	5470 to 5725	Pass
		30	3.91	5550.000	5470 to 5725	Pass
		40	3.91	5549.960	5470 to 5725	Pass
		50	3.91	5549.960	5470 to 5725	Pass
		3.60	5669.960	5470 to 5725	Pass	
		20	5670.000	5470 to 5725	Pass	
		4.50	5670.040	5470 to 5725	Pass	
		-30	3.91	5670.000	5470 to 5725	Pass
		-20	3.91	5670.000	5470 to 5725	Pass
		-10	3.91	5670.000	5470 to 5725	Pass
		0	3.91	5670.000	5470 to 5725	Pass
		10	3.91	5670.000	5470 to 5725	Pass
		30	3.91	5670.040	5470 to 5725	Pass
		40	3.91	5669.960	5470 to 5725	Pass
		50	3.91	5670.000	5470 to 5725	Pass
		3.60	5755.000	5725 to 5850	Pass	
		20	5754.960	5725 to 5850	Pass	
		4.50	5754.960	5725 to 5850	Pass	
		-30	3.91	5755.040	5725 to 5850	Pass
		-20	3.91	5755.000	5725 to 5850	Pass
		-10	3.91	5754.920	5725 to 5850	Pass
		0	3.91	5755.000	5725 to 5850	Pass
		10	3.91	5754.960	5725 to 5850	Pass
		30	3.91	5755.000	5725 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch SGS-CSTC Standards Technical Services Co., Ltd. Laboratory

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100008505

Page: 272 of 282

		5795	40	3.91	5755.000	5725 to 5850	Pass	
			50	3.91	5754.960	5725 to 5850	Pass	
			20	3.60	5794.960	5725 to 5850	Pass	
				3.91	5795.000	5725 to 5850	Pass	
				4.50	5795.000	5725 to 5850	Pass	
				-30	3.91	5794.960	5725 to 5850	Pass
				-20	3.91	5794.960	5725 to 5850	Pass
				-10	3.91	5794.960	5725 to 5850	Pass
				0	3.91	5794.960	5725 to 5850	Pass
				10	3.91	5794.960	5725 to 5850	Pass
				30	3.91	5794.960	5725 to 5850	Pass
				40	3.91	5794.960	5725 to 5850	Pass
				50	3.91	5794.920	5725 to 5850	Pass
802.11ac (VHT20)	SISO	5180	20	3.60	5179.960	5150 to 5250	Pass	
				3.91	5180.000	5150 to 5250	Pass	
				4.50	5180.000	5150 to 5250	Pass	
			-30	3.91	5179.940	5150 to 5250	Pass	
			-20	3.91	5179.940	5150 to 5250	Pass	
			-10	3.91	5179.940	5150 to 5250	Pass	
			0	3.91	5179.960	5150 to 5250	Pass	
			10	3.91	5179.960	5150 to 5250	Pass	
			30	3.91	5180.020	5150 to 5250	Pass	
			40	3.91	5179.980	5150 to 5250	Pass	
			50	3.91	5179.960	5150 to 5250	Pass	
		5200	20	3.60	5200.020	5150 to 5250	Pass	
				3.91	5200.020	5150 to 5250	Pass	
				4.50	5199.960	5150 to 5250	Pass	
			-30	3.91	5200.040	5150 to 5250	Pass	
			-20	3.91	5200.000	5150 to 5250	Pass	
			-10	3.91	5200.020	5150 to 5250	Pass	
			0	3.91	5199.940	5150 to 5250	Pass	
			10	3.91	5199.980	5150 to 5250	Pass	
			30	3.91	5200.040	5150 to 5250	Pass	
			40	3.91	5200.000	5150 to 5250	Pass	
			50	3.91	5199.940	5150 to 5250	Pass	
		5240	20	3.60	5240.020	5150 to 5250	Pass	
				3.91	5240.000	5150 to 5250	Pass	
				4.50	5240.000	5150 to 5250	Pass	
			-30	3.91	5240.000	5150 to 5250	Pass	
			-20	3.91	5240.000	5150 to 5250	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch SGS Group Company

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100008505

Page: 273 of 282

		-10	3.91	5239.940	5150 to 5250	Pass
		0	3.91	5240.000	5150 to 5250	Pass
		10	3.91	5240.040	5150 to 5250	Pass
		30	3.91	5240.000	5150 to 5250	Pass
		40	3.91	5239.980	5150 to 5250	Pass
		50	3.91	5240.040	5150 to 5250	Pass
	5260	20	3.60	5260.020	5250 to 5350	Pass
			3.91	5260.040	5250 to 5350	Pass
			4.50	5259.980	5250 to 5350	Pass
		-30	3.91	5259.980	5250 to 5350	Pass
		-20	3.91	5260.020	5250 to 5350	Pass
		-10	3.91	5260.020	5250 to 5350	Pass
		0	3.91	5259.980	5250 to 5350	Pass
		10	3.91	5259.940	5250 to 5350	Pass
		30	3.91	5259.980	5250 to 5350	Pass
		40	3.91	5260.040	5250 to 5350	Pass
		50	3.91	5259.940	5250 to 5350	Pass
	5300	20	3.60	5299.900	5250 to 5350	Pass
			3.91	5299.980	5250 to 5350	Pass
			4.50	5299.920	5250 to 5350	Pass
		-30	3.91	5299.920	5250 to 5350	Pass
		-20	3.91	5299.960	5250 to 5350	Pass
		-10	3.91	5300.000	5250 to 5350	Pass
		0	3.91	5299.980	5250 to 5350	Pass
		10	3.91	5300.020	5250 to 5350	Pass
		30	3.91	5299.960	5250 to 5350	Pass
		40	3.91	5300.020	5250 to 5350	Pass
		50	3.91	5300.000	5250 to 5350	Pass
	5320	20	3.60	5320.040	5250 to 5350	Pass
			3.91	5319.960	5250 to 5350	Pass
			4.50	5320.040	5250 to 5350	Pass
		-30	3.91	5319.940	5250 to 5350	Pass
		-20	3.91	5320.020	5250 to 5350	Pass
		-10	3.91	5319.980	5250 to 5350	Pass
		0	3.91	5319.940	5250 to 5350	Pass
		10	3.91	5320.040	5250 to 5350	Pass
		30	3.91	5320.000	5250 to 5350	Pass
		40	3.91	5320.020	5250 to 5350	Pass
		50	3.91	5319.980	5250 to 5350	Pass
	5500	20	3.60	5500.020	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100008505

Page: 274 of 282

			3.91	5499.940	5470 to 5725	Pass
			4.50	5499.980	5470 to 5725	Pass
		-30	3.91	5499.980	5470 to 5725	Pass
		-20	3.91	5499.960	5470 to 5725	Pass
		-10	3.91	5500.000	5470 to 5725	Pass
		0	3.91	5500.000	5470 to 5725	Pass
		10	3.91	5499.960	5470 to 5725	Pass
		30	3.91	5500.000	5470 to 5725	Pass
		40	3.91	5500.020	5470 to 5725	Pass
		50	3.91	5499.980	5470 to 5725	Pass
	5580		3.60	5580.000	5470 to 5725	Pass
		20	3.91	5579.940	5470 to 5725	Pass
			4.50	5579.900	5470 to 5725	Pass
		-30	3.91	5580.020	5470 to 5725	Pass
		-20	3.91	5580.040	5470 to 5725	Pass
		-10	3.91	5580.040	5470 to 5725	Pass
		0	3.91	5579.960	5470 to 5725	Pass
		10	3.91	5579.940	5470 to 5725	Pass
		30	3.91	5579.940	5470 to 5725	Pass
		40	3.91	5580.060	5470 to 5725	Pass
		50	3.91	5580.020	5470 to 5725	Pass
	5700		3.60	5700.020	5470 to 5725	Pass
		20	3.91	5699.940	5470 to 5725	Pass
			4.50	5700.040	5470 to 5725	Pass
		-30	3.91	5699.960	5470 to 5725	Pass
		-20	3.91	5700.000	5470 to 5725	Pass
		-10	3.91	5699.980	5470 to 5725	Pass
		0	3.91	5699.900	5470 to 5725	Pass
		10	3.91	5700.000	5470 to 5725	Pass
		30	3.91	5699.960	5470 to 5725	Pass
		40	3.91	5699.960	5470 to 5725	Pass
		50	3.91	5699.960	5470 to 5725	Pass
	5745		3.60	5744.940	5725 to 5850	Pass
		20	3.91	5745.020	5725 to 5850	Pass
			4.50	5744.960	5725 to 5850	Pass
		-30	3.91	5745.000	5725 to 5850	Pass
		-20	3.91	5744.940	5725 to 5850	Pass
		-10	3.91	5744.980	5725 to 5850	Pass
		0	3.91	5745.000	5725 to 5850	Pass
		10	3.91	5744.940	5725 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100008505

Page: 275 of 282

			30	3.91	5744.980	5725 to 5850	Pass
			40	3.91	5745.000	5725 to 5850	Pass
			50	3.91	5744.980	5725 to 5850	Pass
		5785	20	3.60	5785.020	5725 to 5850	Pass
				3.91	5785.040	5725 to 5850	Pass
				4.50	5785.000	5725 to 5850	Pass
				-30	5784.980	5725 to 5850	Pass
			-20	3.91	5784.960	5725 to 5850	Pass
				-10	5784.920	5725 to 5850	Pass
				0	5784.980	5725 to 5850	Pass
				10	5784.900	5725 to 5850	Pass
		5825	20	3.60	5825.000	5725 to 5850	Pass
				3.91	5824.980	5725 to 5850	Pass
				4.50	5825.060	5725 to 5850	Pass
				-30	5825.000	5725 to 5850	Pass
			-20	3.91	5824.920	5725 to 5850	Pass
				-10	5825.000	5725 to 5850	Pass
				0	5825.000	5725 to 5850	Pass
				10	5824.900	5725 to 5850	Pass
		5190	20	3.60	5189.960	5150 to 5250	Pass
				3.91	5189.960	5150 to 5250	Pass
				4.50	5189.960	5150 to 5250	Pass
				-30	5190.000	5150 to 5250	Pass
			-20	3.91	5190.000	5150 to 5250	Pass
				-10	5189.960	5150 to 5250	Pass
				0	5189.960	5150 to 5250	Pass
				10	5189.960	5150 to 5250	Pass
		5230	20	3.60	5230.040	5150 to 5250	Pass
				3.91	5230.000	5150 to 5250	Pass
				4.50	5230.000	5150 to 5250	Pass
				-30	5229.960	5150 to 5250	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100008505

Page: 276 of 282

		-20	3.91	5230.000	5150 to 5250	Pass
		-10	3.91	5229.960	5150 to 5250	Pass
		0	3.91	5230.000	5150 to 5250	Pass
		10	3.91	5230.000	5150 to 5250	Pass
		30	3.91	5230.040	5150 to 5250	Pass
		40	3.91	5229.920	5150 to 5250	Pass
		50	3.91	5229.960	5150 to 5250	Pass
	5270	20	3.60	5269.960	5250 to 5350	Pass
			3.91	5270.000	5250 to 5350	Pass
			4.50	5270.000	5250 to 5350	Pass
		-30	3.91	5270.040	5250 to 5350	Pass
		-20	3.91	5270.000	5250 to 5350	Pass
		-10	3.91	5270.000	5250 to 5350	Pass
		0	3.91	5270.000	5250 to 5350	Pass
		10	3.91	5270.000	5250 to 5350	Pass
		30	3.91	5270.000	5250 to 5350	Pass
		40	3.91	5270.000	5250 to 5350	Pass
		50	3.91	5270.000	5250 to 5350	Pass
	5310	20	3.60	5309.960	5250 to 5350	Pass
			3.91	5310.000	5250 to 5350	Pass
			4.50	5309.960	5250 to 5350	Pass
		-30	3.91	5310.000	5250 to 5350	Pass
		-20	3.91	5310.000	5250 to 5350	Pass
		-10	3.91	5309.960	5250 to 5350	Pass
		0	3.91	5310.000	5250 to 5350	Pass
		10	3.91	5309.960	5250 to 5350	Pass
		30	3.91	5309.960	5250 to 5350	Pass
		40	3.91	5309.960	5250 to 5350	Pass
		50	3.91	5310.000	5250 to 5350	Pass
	5510	20	3.60	5510.000	5470 to 5725	Pass
			3.91	5510.000	5470 to 5725	Pass
			4.50	5509.960	5470 to 5725	Pass
		-30	3.91	5510.000	5470 to 5725	Pass
		-20	3.91	5510.000	5470 to 5725	Pass
		-10	3.91	5509.960	5470 to 5725	Pass
		0	3.91	5510.000	5470 to 5725	Pass
		10	3.91	5510.000	5470 to 5725	Pass
		30	3.91	5510.000	5470 to 5725	Pass
		40	3.91	5510.000	5470 to 5725	Pass
		50	3.91	5510.000	5470 to 5725	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch SGS-CSTC Standards Technical Services Co., Ltd. Laboratory

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100008505

Page: 277 of 282

5550	5550	20	3.60	5550.000	5470 to 5725	Pass	
			3.91	5550.000	5470 to 5725	Pass	
			4.50	5550.000	5470 to 5725	Pass	
			-30	3.91	5549.960	5470 to 5725	Pass
			-20	3.91	5549.960	5470 to 5725	Pass
			-10	3.91	5550.000	5470 to 5725	Pass
			0	3.91	5549.960	5470 to 5725	Pass
			10	3.91	5549.960	5470 to 5725	Pass
			30	3.91	5549.960	5470 to 5725	Pass
			40	3.91	5550.000	5470 to 5725	Pass
			50	3.91	5550.000	5470 to 5725	Pass
5670	5670	20	3.60	5670.000	5470 to 5725	Pass	
			3.91	5669.960	5470 to 5725	Pass	
			4.50	5670.000	5470 to 5725	Pass	
			-30	3.91	5669.960	5470 to 5725	Pass
			-20	3.91	5669.960	5470 to 5725	Pass
			-10	3.91	5670.000	5470 to 5725	Pass
			0	3.91	5669.960	5470 to 5725	Pass
			10	3.91	5669.960	5470 to 5725	Pass
			30	3.91	5670.000	5470 to 5725	Pass
			40	3.91	5669.960	5470 to 5725	Pass
			50	3.91	5670.000	5470 to 5725	Pass
5755	5755	20	3.60	5754.960	5725 to 5850	Pass	
			3.91	5754.960	5725 to 5850	Pass	
			4.50	5754.960	5725 to 5850	Pass	
			-30	3.91	5754.960	5725 to 5850	Pass
			-20	3.91	5754.960	5725 to 5850	Pass
			-10	3.91	5754.920	5725 to 5850	Pass
			0	3.91	5755.000	5725 to 5850	Pass
			10	3.91	5754.960	5725 to 5850	Pass
			30	3.91	5755.000	5725 to 5850	Pass
			40	3.91	5754.920	5725 to 5850	Pass
			50	3.91	5754.960	5725 to 5850	Pass
5795	5795	20	3.60	5794.960	5725 to 5850	Pass	
			3.91	5794.960	5725 to 5850	Pass	
			4.50	5794.960	5725 to 5850	Pass	
			-30	3.91	5794.960	5725 to 5850	Pass
			-20	3.91	5794.960	5725 to 5850	Pass
			-10	3.91	5794.960	5725 to 5850	Pass
			0	3.91	5794.960	5725 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100008505

Page: 278 of 282

			10	3.91	5794.960	5725 to 5850	Pass	
			30	3.91	5794.920	5725 to 5850	Pass	
			40	3.91	5794.960	5725 to 5850	Pass	
			50	3.91	5794.960	5725 to 5850	Pass	
802.11ac (VHT80)	SISO	5210	20	3.60	5210.000	5150 to 5250	Pass	
				3.91	5210.000	5150 to 5250	Pass	
				4.50	5210.000	5150 to 5250	Pass	
				-30	3.91	5209.925	5150 to 5250	Pass
				-20	3.91	5210.000	5150 to 5250	Pass
			-10	3.91	5209.925	5150 to 5250	Pass	
				0	3.91	5210.000	5150 to 5250	Pass
				10	3.91	5210.000	5150 to 5250	Pass
				30	3.91	5209.925	5150 to 5250	Pass
				40	3.91	5210.000	5150 to 5250	Pass
		5290	20	3.60	5290.000	5250 to 5350	Pass	
				3.91	5289.925	5250 to 5350	Pass	
				4.50	5289.925	5250 to 5350	Pass	
				-30	3.91	5289.925	5250 to 5350	Pass
				-20	3.91	5290.000	5250 to 5350	Pass
			-10	3.91	5290.000	5250 to 5350	Pass	
				0	3.91	5290.000	5250 to 5350	Pass
				10	3.91	5290.000	5250 to 5350	Pass
				30	3.91	5290.000	5250 to 5350	Pass
				40	3.91	5290.000	5250 to 5350	Pass
		5530	20	3.60	5530.000	5470 to 5725	Pass	
				3.91	5529.925	5470 to 5725	Pass	
				4.50	5529.925	5470 to 5725	Pass	
				-30	3.91	5530.000	5470 to 5725	Pass
				-20	3.91	5530.000	5470 to 5725	Pass
			-10	3.91	5529.925	5470 to 5725	Pass	
				0	3.91	5530.000	5470 to 5725	Pass
				10	3.91	5530.000	5470 to 5725	Pass
				30	3.91	5530.000	5470 to 5725	Pass
				40	3.91	5529.925	5470 to 5725	Pass
		5610	20	3.60	5610.000	5470 to 5725	Pass	
				3.91	5610.000	5470 to 5725	Pass	
				4.50	5609.925	5470 to 5725	Pass	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250100008505

Page: 279 of 282

	5775	-30	3.91	5609.925	5470 to 5725	Pass
		-20	3.91	5609.925	5470 to 5725	Pass
		-10	3.91	5609.925	5470 to 5725	Pass
		0	3.91	5609.925	5470 to 5725	Pass
		10	3.91	5610.000	5470 to 5725	Pass
		30	3.91	5609.925	5470 to 5725	Pass
		40	3.91	5610.000	5470 to 5725	Pass
		50	3.91	5609.925	5470 to 5725	Pass
		20	3.60	5774.925	5725 to 5850	Pass
			3.91	5774.925	5725 to 5850	Pass
			4.50	5774.925	5725 to 5850	Pass
		-30	3.91	5774.925	5725 to 5850	Pass
		-20	3.91	5774.925	5725 to 5850	Pass
		-10	3.91	5774.925	5725 to 5850	Pass
		0	3.91	5774.925	5725 to 5850	Pass
		10	3.91	5774.925	5725 to 5850	Pass
		30	3.91	5774.925	5725 to 5850	Pass
		40	3.91	5774.925	5725 to 5850	Pass
		50	3.91	5774.925	5725 to 5850	Pass

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn


中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch SGS-CSTC Standards Technical Services Co., Ltd. Laboratory

6. DFS

6.1 Radar



DC(the Payload is 48.16%)

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch No. 10, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


6.2.1 5290MHz:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

6.2.2 5530MHz:



- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com