



LTE band 66,3MHz(-26dBc)

Frequency(MHz)	Emission Bandwidth (-26dBc)(MHz)	
	QPSK	16QAM
1745	2.904	2.918

LTE band 66 , 3MHz Bandwidth,MID,QPSK (-26dBc BW)




LTE band 66 , 3MHz Bandwidth,MID,16QAM (-26dBc BW)




LTE band 66,5MHz(-26dBc)

Frequency(MHz)	Emission Bandwidth (-26dBc)(MHz)	
	QPSK	16QAM
1745	4.906	4.863

LTE band 66 , 5MHz Bandwidth,MID,QPSK (-26dBc BW)




LTE band 66 , 5MHz Bandwidth,MID,16QAM (-26dBc BW)




LTE band 66,10MHz(-26dBc)

Frequency(MHz)	Emission Bandwidth (-26dBc)(MHz)	
	QPSK	16QAM
1745	9.682	9.595

LTE band 66 , 10MHz Bandwidth,MID,QPSK (-26dBc BW)




LTE band 66 , 10MHz Bandwidth,MID,16QAM (-26dBc BW)




LTE band 66,15MHz(-26dBc)

Frequency(MHz)	Emission Bandwidth (-26dBc)(MHz)	
	QPSK	16QAM
1745	14.457	14.522

LTE band 66 , 15MHz Bandwidth,MID,QPSK (-26dBc BW)




LTE band 66 , 15MHz Bandwidth,MID,16QAM (-26dBc BW)




LTE band 66,20MHz(-26dBc)

Frequency(MHz)	Emission Bandwidth (-26dBc)(MHz)	
	QPSK	16QAM
1745	19.016	19.103

LTE band 66 , 20MHz Bandwidth,MID,QPSK (-26dBc BW)




LTE band 66 , 20MHz Bandwidth,MID,16QAM (-26dBc BW)




LTE band 71, 5MHz(-26dBc)

Frequency(MHz)	Emission Bandwidth (-26dBc)(MHz)	
	QPSK	16QAM
680.5	4.884	4.863

LTE band 71 , 5MHz Bandwidth,MID,QPSK (-26dBc BW)




LTE band 71 , 5MHz Bandwidth,MID,16QAM (-26dBc BW)




LTE band 71, 10MHz(-26dBc)

Frequency(MHz)	Emission Bandwidth (-26dBc)(MHz)	
	QPSK	16QAM
680.5	9.725	9.551

LTE band 71 , 10MHz Bandwidth,MID,QPSK (-26dBc BW)




LTE band 71 , 10MHz Bandwidth,MID,16QAM (-26dBc BW)




LTE band 71, 15MHz(-26dBc)

Frequency(MHz)	Emission Bandwidth (-26dBc)(MHz)	
	QPSK	16QAM
680.5	14.392	14.457

LTE band 71 , 15MHz Bandwidth,MID,QPSK (-26dBc BW)




LTE band 71 , 15MHz Bandwidth,MID,16QAM (-26dBc BW)




LTE band 71, 20MHz(-26dBc)

Frequency(MHz)	Emission Bandwidth (-26dBc)(MHz)	
	QPSK	16QAM
683	19.103	19.016

LTE band 71 , 20MHz Bandwidth,MID,QPSK (-26dBc BW)




LTE band 71 , 20MHz Bandwidth,MID,16QAM (-26dBc BW)




LTE CA band 41C, 5MHz+20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
2593.0	24.100	24.200

LTE CA band 41C , 5MHz+20MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 41C , 5MHz+20MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 41C, 10MHz+15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
2593.0	24.530	24.640

LTE CA band 41C , 10MHz+15MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 41C , 10MHz+15MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 41C, 10MHz+20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
2593.0	29.440	29.180

LTE CA band 41C , 10MHz+20MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 41C , 10MHz+20MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 41C, 15MHz+10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
2593.0	24.530	24.640

LTE CA band 41C , 15MHz+10MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 41C , 15MHz+10MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 41C, 15MHz+15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
2593.0	29.830	29.830

LTE CA band 41C , 15MHz+15MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 41C , 15MHz+15MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 41C, 15MHz+20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
2593.0	34.340	34.340

LTE CA band 41C , 15MHz+20MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 41C , 15MHz+20MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 41C, 20MHz+5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
2593.0	24.100	23.990

LTE CA band 41C , 20MHz+5MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 41C , 20MHz+5MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 41C, 20MHz+10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
2593.0	29.570	29.180

LTE CA band 41C , 20MHz+10MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 41C , 20MHz+10MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 41C, 20MHz+15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
2593.0	34.040	34.490

LTE CA band 41C , 20MHz+15MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 41C , 20MHz+15MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 41C, 20MHz+20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
2593.0	39.250	39.250

LTE CA band 41C , 20MHz+20MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 41C , 20MHz+20MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 48C, 5MHz+20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
3625.0	24.310	24.200

LTE CA band 48C , 5MHz+20MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 48C , 5MHz+20MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 48C, 10MHz+20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
3625.0	29.310	29.180

LTE CA band 48C , 10MHz+20MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 48C , 10MHz+20MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 48C, 15MHz+20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
3625.0	34.340	34.340

LTE CA band 48C , 15MHz+20MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 48C , 15MHz+20MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 48C, 20MHz+5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
3625.0	24.200	24.100

LTE CA band 48C , 20MHz+5MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 48C , 20MHz+5MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 48C, 20MHz+10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
3625.0	29.180	29.310

LTE CA band 48C , 20MHz+10MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 48C , 20MHz+10MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 48C, 20MHz+15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
3625.0	34.650	34.340

LTE CA band 48C , 20MHz+15MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 48C , 20MHz+15MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 48C, 20MHz+20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
3625.0	39.420	39.070

LTE CA band 48C , 20MHz+20MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 48C , 20MHz+20MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 66B, 5MHz+5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755.0	9.812	9.768

LTE CA band 66B , 5MHz+5MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 66B , 5MHz+5MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 66B, 5MHz+10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755.0	14.653	14.588

LTE CA band 66B , 5MHz+10MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 66B , 5MHz+10MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 66B, 5MHz+15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755.0	19.190	18.929

LTE CA band 66B , 5MHz+15MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 66B , 5MHz+15MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 66B, 10MHz+5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755.0	14.718	14.522

LTE CA band 66B , 10MHz+5MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 66B , 10MHz+5MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 66B, 10MHz+10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755.0	19.797	19.711

LTE CA band 66B , 10MHz+10MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 66B , 10MHz+10MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 66B, 15MHz+5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755.0	19.103	19.103

LTE CA band 66B , 15MHz+5MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 66B , 15MHz+5MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 66C, 5MHz+20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755.0	24.200	24.200

LTE CA band 66C , 5MHz+20MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 66C , 5MHz+20MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 66C, 10MHz+15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755.0	24.530	24.640

LTE CA band 66C , 10MHz+15MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 66C , 10MHz+15MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 66C, 10MHz+20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755.0	29.180	29.310

LTE CA band 66C , 10MHz+20MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 66C , 10MHz+20MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 66C, 15MHz+10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755.0	24.860	24.640

LTE CA band 66C , 15MHz+10MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 66C , 15MHz+10MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 66C, 15MHz+15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755.0	29.960	29.960

LTE CA band 66C , 15MHz+15MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 66C , 15MHz+15MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 66C, 15MHz+20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755.0	34.340	34.340

LTE CA band 66C , 15MHz+20MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 66C , 15MHz+20MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 66C, 20MHz+5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755.0	24.100	24.100

LTE CA band 66C , 20MHz+5MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 66C , 20MHz+5MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 66C, 20MHz+10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755.0	29.310	29.180

LTE CA band 66C , 20MHz+10MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 66C , 20MHz+10MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 66C, 20MHz+15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755.0	34.490	34.340

LTE CA band 66C , 20MHz+15MHz Bandwidth,QPSK (-26dBc BW)




LTE CA band 66C , 20MHz+15MHz Bandwidth,16QAM (-26dBc BW)




LTE CA band 66C, 20MHz+20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	QPSK	16QAM
1755.0	39.250	39.250

LTE CA band 66C , 20MHz+20MHz Bandwidth,QPSK (-26dBc BW)



LTE CA band 66C , 20MHz+20MHz Bandwidth,16QAM (-26dBc BW)



A.6 Band Edge Compliance

A.6.1 Measurement limit

Part 22.917, Part 24.238 and Part 27.53(h) specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Part 27.53(m) specifies for mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Part 27.53(c) states for operations in the 746-758 MHz band and the 776-788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following: (1) On any frequency outside the 746-758 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB; (2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log(P)$ dB; (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $65 + 10 \log(P)$ dB in a 6.25 kHz band segment, for mobile and portable stations.

Part 27.53(g) states for operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

Part 27.53(a) states for mobile and portable stations operating in the 2305–2315 MHz and 2350–2360 MHz bands: By a factor of not less than: $43 + 10 \log(P)$ dB on all frequencies between 2305 and 2320 MHz and on all frequencies between 2345 and 2360 MHz that are outside the licensed band(s) of operation, not less than $55 + 10 \log(P)$ dB on all frequencies between 2320 and 2324 MHz and on all frequencies between 2341 and 2345 MHz, not less than $61 + 10 \log(P)$ dB on all frequencies between 2324 and 2328 MHz and on all frequencies between 2337 and 2341 MHz, and not less than $67 + 10 \log(P)$ dB on all frequencies between 2328 and 2337 MHz; By a factor of not less than $43 + 10 \log(P)$ dB on all frequencies between 2300 and 2305 MHz, $55 + 10 \log(P)$ dB on all frequencies between 2296 and 2300 MHz, $61 + 10 \log(P)$ dB on all frequencies between 2292 and 2296 MHz, $67 + 10 \log(P)$ dB on all frequencies between 2288 and 2292 MHz, and $70 +$

10 log (P) dB below 2288 MHz; By a factor of not less than $43 + 10 \log (P)$ dB on all frequencies between 2360 and 2365 MHz, and not less than $70 + 10 \log (P)$ dB above 2365 MHz.

Part 90.543 states that for operations in the 758–768 MHz and the 788–798 MHz bands, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following: (1) On all frequencies between 769–775 MHz and 799–805 MHz, by a factor not less than $76 + 10 \log (P)$ dB in a 6.25 kHz band segment, for base and fixed stations. (2) On all frequencies between 769–775 MHz and 799–805 MHz, by a factor not less than $65 + 10 \log (P)$ dB in a 6.25 kHz band segment, for mobile and portable stations. (3) On any frequency between 775–788 MHz, above 805 MHz, and below 758 MHz, by at least $43 + 10 \log (P)$ dB. (4) Compliance with the provisions of paragraphs (e)(1) and (2) of this section is based on the use of measurement instrumentation such that the reading taken with any resolution bandwidth setting should be adjusted to indicate spectral energy in a 6.25 kHz segment. (5) Compliance with the provisions of paragraph (e)(3) of this section is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater. However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of 30 kHz may be employed.

Part 90.691 states that out-of-band emission requirement shall apply only to the "outer" channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows: For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $116 \log_{10}(f/6.1)$ decibels or $50 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz. For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.


Part 96.41(e) states for channel and frequency assignments made by a CBSD to End User Devices, the conducted power of any End User Device emission outside the fundamental emission (whether in or outside of the authorized band) shall not exceed -13 dBm/MHz within 0 to B megahertz (where B is the bandwidth in megahertz of the assigned channel or multiple contiguous channels of the End User Device) above the upper CBSD-assigned channel edge and within 0 to B megahertz below the lower CBSD-assigned channel edge. At all frequencies greater than B megahertz above the upper CBSD assigned channel edge and less than B megahertz below the lower CBSD-assigned channel edge, the conducted power of any End User Device emission shall not exceed -25 dBm/MHz. Notwithstanding the emission limits in this paragraph, the Adjacent Channel Leakage Ratio for End User Devices shall be at least 30 dB. The conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40 dBm/MHz.

The spectrum analyzer readings are corrected by $[10 \log (1/\text{duty cycle})]$ for the non-continuous transmitting scenario.


A.6.2 Measurement result

LTE band 2


OBW: 1RB-LOW_offset




LOW BAND EDGE BLOCK-1RB-LOW_offset




OBW: 1RB-HIGH_offset




HIGH BAND EDGE BLOCK-1RB-HIGH_offset



LOW BAND EDGE BLOCK-20MHz-100%RB




HIGH BAND EDGE BLOCK-20MHz-100%RB




LTE band 4


OBW: 1RB-LOW_offset



LOW BAND EDGE BLOCK-1RB-LOW_offset



OBW: 1RB-HIGH_offset



HIGH BAND EDGE BLOCK-1RB-HIGH_offset

