SD
81EL202001L4

T1PRO-HT-A4
19/48
DIV
5G WIFI
BJ0203.NFC.A1S
3.85 V 锂离子聚合物电池
型号：TLp043D7
典型容量：4500mAh/17.32Wh
额定容量：4360mAh/16.78Wh
充电限制电压：4.4V
执行标准：GB 31241-2014
制造商：宁波维科电池有限公司
1ICP6/61/75 Made in China
3.85 V Li-ion Polymer Battery/Batterie
Model:TLp043D7
Typical Capacity:4500mAh/17.32Wh
Rated Capacity:4360mAh/16.78Wh
Limited Charge Voltage:4.4V
Made by Ningbo Veken Battery
Company Limited
Rechargeable Battery/Batterie
Do not disassemble.
Do not short circuit.
Do not dispose of in fire.
Do not expose to high
temperature(60°C /140 °F).
Ne pas désassembler.
Ne pas pas court-circuiter.
Ne pas jeter au feu.
Ne pas exposer à une
température
supérieure à 60°C /140°F.
Não desmonte.
Não provoque curto-circuito.
Não coloque no fogo.
Não exponha a altas
temperaturas (60°C/140°F).
防止电池短路；勿在高温区使用或
存放，勿自行拆开电池，无记忆效
应，充电前不需放电；使用专用充
电器进行充电。
警告：投入火中或严重冲撞可能爆
炸！电池浸水后禁止使用！
MANUFACTURED
DATE:2019-11-28 ICS01
S/N:C4360000C7313A0001IS20191128


SD

SIM 1
THIS SIDE UP

SD
B1EL202001 14

5G WIFI
T1PRO-HT-A4
19/48
DIV
BJ0203.NFC.A1S
3.85 V 锂离子聚合物电池
型号：TLp043D7
典型容量：4500mAh/17.32Wh
额定容量：4360mAh/16.78Wh
充电限制电压：4.4V
执行标准：GB 31241-2014
制造商：宁波维科电池有限公司
1ICP6/61/75 Made in China
3.85 V Li-ion Polymer Battery/Batterie
Model:TLp043D7
Typical Capacity:4500mAh/17.32Wh
Rated Capacity:4360mAh/16.78Wh
Limited Charge Voltage:4.4V
Made by Ningbo Veken Battery Company Limited
Rechargeable Battery/Batterie
Do not disassemble.
Do not short circuit.
Do not dispose of in fire.
Do not expose to high temperature(60°C /140 °F).
Ne pas désassembler.
Ne pas court-circuiter.
Ne pas jeter au feu.
Ne pas exposer à une température supérieure à 60°C /140°F.
Não desmonte.
Não provoque curto-circuito.
Não coloque no fogo.
Não exponha a altas temperaturas (60ºC/140ºF).
防止电池短路；勿在高温区使用或存放，勿自行拆开电池；无记忆效应，充电前不需放电；使用专用充电器进行充电。
警告：投入火中或严重冲撞可能爆炸！电池浸水后禁止使用！
MANUFACTURED
DATE:2019-11-28 ICS01
S/N:C4360000C7313A00011S20191128

MAIN
MAIN
T1 PRO SUB FPC
T1 PRO USB FPC
SUB
SUB

MAIN
T1 PRO SUB FPC SBF66B00000C A 1947
T1 PRO USB FPC SBF66B00001B
AKM 1947
MAIN
SUB
SUB

MAIN
SUB


MAIN
MAIN
T1 PRO SUB FPC
T1 PRO USB FPC
SUB
SUB




A 1945
T1_PRO
9A524B
V0


A 1945
T1_PRO
9A524B
V0



MAIN
MAIN
T1 PRO SUB FPC
T1 PRO USB FPC
SUB