Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China
Tel: +86-10-62304633-2117
E-mail: emf@caict.ac.cn http://www.caict.ac.cn

10625	AAC	IEEE 802.11ac WiFi (40MHz, MCS9, 90pc dc)	WLAN	8.96	± 9.6 %
10626	AAC	IEEE 802.11ac WiFi (80MHz, MCS0, 90pc dc)	WLAN	8.83	± 9.6 %
10627	AAC	IEEE 802.11ac WiFi (80MHz, MCS1, 90pc dc)	WLAN	8.88	± 9.6 %
10628	AAC	IEEE 802.11ac WiFi (80MHz, MCS2, 90pc dc)	WLAN	8.71	± 9.6 %
10629	AAC	IEEE 802.11ac WiFi (80MHz, MCS3, 90pc dc)	WLAN	8.85	± 9.6 %
10630	AAC	IEEE 802.11ac WiFi (80MHz, MCS4, 90pc dc)	WLAN	8.72	± 9.6 %
10631	AAC	IEEE 802.11ac WiFi (80MHz, MCS5, 90pc dc)	WLAN	8.81	± 9.6 %
10632	AAC	IEEE 802.11ac WiFi (80MHz, MCS6, 90pc dc)	WLAN	8.74	± 9.6 %
10633	AAC	IEEE 802.11ac WiFi (80MHz, MCS7, 90pc dc)	WLAN	8.83	± 9.6 %
10634	AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc dc)	WLAN	8.80	± 9.6 %
10635	AAC	IEEE 802.11ac WiFi (80MHz, MCS9, 90pc dc)	WLAN	8.81	± 9.6 %
10636	AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 90pc dc)	WLAN	8.83	± 9.6 %
10637	AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 90pc dc)	WLAN	8.79	± 9.6 %
10638	AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 90pc dc)	WLAN	8.86	± 9.6 %
10639	AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 90pc dc)	WLAN	8.85	± 9.6 %
10640	AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 90pc dc)	WLAN	8.98	± 9.6 %
10641	AAC	IEEE 802.11ac WiFi (160MHz, MCS5, 90pc dc)	WLAN	9.06	± 9.6 %
10642	AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 90pc dc)	WLAN	9.06	± 9.6 %
10643	AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 90pc dc)	WLAN	8.89	± 9.6 %
10644	AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 90pc dc)	WLAN	9.05	± 9.6 %
10645	AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 90pc dc)	WLAN	9.11	± 9.6 %
10646	AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Sub=2,7)	LTE-TDD	11.96	± 9.6 %
10647	AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Sub=2,7)	LTE-TDD	11.96	± 9.6 %
10648	AAC	CDMA2000 (1x Advanced)	CDMA2000	3.45	± 9.6 %
10652	AAC	LTE-TDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	6.91	± 9.6 %
10653	AAC	LTE-TDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.42	± 9.6 %
10654	AAC	LTE-TDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	6.96	± 9.6 %
10655	AAC	LTE-TDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-TDD	7.21	± 9.6 %
10658	AAC	Pulse Waveform (200Hz, 10%)	Test	10.00	± 9.6 %
10659	AAC	Pulse Waveform (200Hz, 20%)	Test	6.99	± 9.6 %
10660	AAC	Pulse Waveform (200Hz, 40%)	Test	3.98	± 9.6 %
10661	AAC	Pulse Waveform (200Hz, 60%)	Test	2.22	± 9.6 %
10662	AAC	Pulse Waveform (200Hz, 80%)	Test	0.97	± 9.6 %
10670	AAC	Bluetooth Low Energy	Bluetooth	2.19	± 9.6 %
10671	AAD	IEEE 802.11ax (20MHz, MCS0, 90pc dc)	WLAN	9.09	± 9.6 %
10672	AAD	IEEE 802.11ax (20MHz, MCS1, 90pc dc)	WLAN	8.57	± 9.6 %
10673	AAD	IEEE 802.11ax (20MHz, MCS2, 90pc dc)	WLAN	8.78	± 9.6 %
10674	AAD	IEEE 802.11ax (20MHz, MCS3, 90pc dc)	WLAN	8.74	± 9.6 %
10675	AAD	IEEE 802.11ax (20MHz, MCS4, 90pc dc)	WLAN	8.90	± 9.6 %
10676	AAD	IEEE 802.11ax (20MHz, MCS5, 90pc dc)	WLAN	8.77	± 9.6 %
10677	AAD	IEEE 802.11ax (20MHz, MCS6, 90pc dc)	WLAN	8.73	± 9.6 %
10678	AAD	IEEE 802.11ax (20MHz, MCS7, 90pc dc)	WLAN	8.78	± 9.6 %
10679	AAD	IEEE 802.11ax (20MHz, MCS8, 90pc dc)	WLAN	8.89	± 9.6 %
10680	AAD	IEEE 802.11ax (20MHz, MCS9, 90pc dc)	WLAN	8.80	± 9.6 %
10681	AAG	IEEE 802.11ax (20MHz, MCS10, 90pc dc)	WLAN	8.62	± 9.6 %
10682	AAF	IEEE 802.11ax (20MHz, MCS11, 90pc dc)	WLAN	8.83	± 9.6 %
10683	AAA	IEEE 802.11ax (20MHz, MCS0, 99pc dc)	WLAN	8.42	± 9.6 %
10684	AAC	IEEE 802.11ax (20MHz, MCS1, 99pc dc)	WLAN	8.26	± 9.6 %
10685	AAC	IEEE 802.11ax (20MHz, MCS2, 99pc dc)	WLAN	8.33	± 9.6 %
10686	AAC	IEEE 802.11ax (20MHz, MCS3, 99pc dc)	WLAN	8.28	± 9.6 %
10687	AAE	IEEE 802.11ax (20MHz, MCS4, 99pc dc)	WLAN	8.45	± 9.6 %
10688	AAE	IEEE 802.11ax (20MHz, MCS5, 99pc dc)	WLAN	8.29	± 9.6 %
10689	AAD	IEEE 802.11ax (20MHz, MCS6, 99pc dc)	WLAN	8.55	± 9.6 %
10690	AAE	IEEE 802.11ax (20MHz, MCS7, 99pc dc)	WLAN	8.29	± 9.6 %
10691	AAB	IEEE 802.11ax (20MHz, MCS8, 99pc dc)	WLAN	8.25	± 9.6 %
10692	AAA	IEEE 802.11ax (20MHz, MCS9, 99pc dc)	WLAN	8.29	± 9.6 %
10693	AAA	IEEE 802.11ax (20MHz, MCS10, 99pc dc)	WLAN	8.25	± 9.6 %
10694	AAA	IEEE 802.11ax (20MHz, MCS11, 99pc dc)	WLAN	8.57	± 9.6 %
10695	AAA	IEEE 802.11ax (40MHz, MCS0, 90pc dc)	WLAN	8.78	± 9.6 %

Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China
Tel: +86-10-62304633-2117
E-mail: emf@caict.ac.cn http://www.caict.ac.cn

10696	AAA	IEEE 802.11ax (40MHz, MCS1, 90pc dc)	WLAN	8.91	± 9.6 %
10697	AAA	IEEE 802.11ax (40MHz, MCS2, 90pc dc)	WLAN	8.61	± 9.6 %
10698	AAA	IEEE 802.11ax (40MHz, MCS3, 90pc dc)	WLAN	8.89	± 9.6 %
10699	AAA	IEEE 802.11ax (40MHz, MCS4, 90pc dc)	WLAN	8.82	± 9.6 %
10700	AAA	IEEE 802.11ax (40MHz, MCS5, 90pc dc)	WLAN	8.73	± 9.6 %
10701	AAA	IEEE 802.11ax (40MHz, MCS6, 90pc dc)	WLAN	8.86	± 9.6 %
10702	AAA	IEEE 802.11ax (40MHz, MCS7, 90pc dc)	WLAN	8.70	± 9.6 %
10703	AAA	IEEE 802.11ax (40MHz, MCS8, 90pc dc)	WLAN	8.82	± 9.6 %
10704	AAA	IEEE 802.11ax (40MHz, MCS9, 90pc dc)	WLAN	8.56	± 9.6 %
10705	AAA	IEEE 802.11ax (40MHz, MCS10, 90pc dc)	WLAN	8.69	± 9.6 %
10706	AAC	IEEE 802.11ax (40MHz, MCS11, 90pc dc)	WLAN	8.66	± 9.6 %
10707	AAC	IEEE 802.11ax (40MHz, MCS0, 99pc dc)	WLAN	8.32	± 9.6 %
10708	AAC	IEEE 802.11ax (40MHz, MCS1, 99pc dc)	WLAN	8.55	± 9.6 %
10709	AAC	IEEE 802.11ax (40MHz, MCS2, 99pc dc)	WLAN	8.33	± 9.6 %
10710	AAC	IEEE 802.11ax (40MHz, MCS3, 99pc dc)	WLAN	8.29	± 9.6 %
10711	AAC	IEEE 802.11ax (40MHz, MCS4, 99pc dc)	WLAN	8.39	± 9.6 %
10712	AAC	IEEE 802.11ax (40MHz, MCS5, 99pc dc)	WLAN	8.67	± 9.6 %
10713	AAC	IEEE 802.11ax (40MHz, MCS6, 99pc dc)	WLAN	8.33	± 9.6 %
10714	AAC	IEEE 802.11ax (40MHz, MCS7, 99pc dc)	WLAN	8.26	± 9.6 %
10715	AAC	IEEE 802.11ax (40MHz, MCS8, 99pc dc)	WLAN	8.45	± 9.6 %
10716	AAC	IEEE 802.11ax (40MHz, MCS9, 99pc dc)	WLAN	8.30	± 9.6 %
10717	AAC	IEEE 802.11ax (40MHz, MCS10, 99pc dc)	WLAN	8.48	± 9.6 %
10718	AAC	IEEE 802.11ax (40MHz, MCS11, 99pc dc)	WLAN	8.24	± 9.6 %
10719	AAC	IEEE 802.11ax (80MHz, MCS0, 90pc dc)	WLAN	8.81	± 9.6 %
10720	AAC	IEEE 802.11ax (80MHz, MCS1, 90pc dc)	WLAN	8.87	± 9.6 %
10721	AAC	IEEE 802.11ax (80MHz, MCS2, 90pc dc)	WLAN	8.76	± 9.6 %
10722	AAC	IEEE 802.11ax (80MHz, MCS3, 90pc dc)	WLAN	8.55	± 9.6 %
10723	AAC	IEEE 802.11ax (80MHz, MCS4, 90pc dc)	WLAN	8.70	± 9.6 %
10724	AAC	IEEE 802.11ax (80MHz, MCS5, 90pc dc)	WLAN	8.90	± 9.6 %
10725	AAC	IEEE 802.11ax (80MHz, MCS6, 90pc dc)	WLAN	8.74	± 9.6 %
10726	AAC	IEEE 802.11ax (80MHz, MCS7, 90pc dc)	WLAN	8.72	± 9.6 %
10727	AAC	IEEE 802.11ax (80MHz, MCS8, 90pc dc)	WLAN	8.66	± 9.6 %
10728	AAC	IEEE 802.11ax (80MHz, MCS9, 90pc dc)	WLAN	8.65	± 9.6 %
10729	AAC	IEEE 802.11ax (80MHz, MCS10, 90pc dc)	WLAN	8.64	± 9.6 %
10730	AAC	IEEE 802.11ax (80MHz, MCS11, 90pc dc)	WLAN	8.67	± 9.6 %
10731	AAC	IEEE 802.11ax (80MHz, MCS0, 99pc dc)	WLAN	8.42	± 9.6 %
10732	AAC	IEEE 802.11ax (80MHz, MCS1, 99pc dc)	WLAN	8.46	± 9.6 %
10733	AAC	IEEE 802.11ax (80MHz, MCS2, 99pc dc)	WLAN	8.40	± 9.6 %
10734	AAC	IEEE 802.11ax (80MHz, MCS3, 99pc dc)	WLAN	8.25	± 9.6 %
10735	AAC	IEEE 802.11ax (80MHz, MCS4, 99pc dc)	WLAN	8.33	± 9.6 %
10736	AAC	IEEE 802.11ax (80MHz, MCS5, 99pc dc)	WLAN	8.27	± 9.6 %
10737	AAC	IEEE 802.11ax (80MHz, MCS6, 99pc dc)	WLAN	8.36	± 9.6 %
10738	AAC	IEEE 802.11ax (80MHz, MCS7, 99pc dc)	WLAN	8.42	± 9.6 %
10739	AAC	IEEE 802.11ax (80MHz, MCS8, 99pc dc)	WLAN	8.29	± 9.6 %
10740	AAC	IEEE 802.11ax (80MHz, MCS9, 99pc dc)	WLAN	8.48	± 9.6 %
10741	AAC	IEEE 802.11ax (80MHz, MCS10, 99pc dc)	WLAN	8.40	± 9.6 %
10742	AAC	IEEE 802.11ax (80MHz, MCS11, 99pc dc)	WLAN	8.43	± 9.6 %
10743	AAC	IEEE 802.11ax (160MHz, MCS0, 90pc dc)	WLAN	8.94	± 9.6 %
10744	AAC	IEEE 802.11ax (160MHz, MCS1, 90pc dc)	WLAN	9.16	± 9.6 %
10745	AAC	IEEE 802.11ax (160MHz, MCS2, 90pc dc)	WLAN	8.93	± 9.6 %
10746	AAC	IEEE 802.11ax (160MHz, MCS3, 90pc dc)	WLAN	9.11	± 9.6 %
10747	AAC	IEEE 802.11ax (160MHz, MCS4, 90pc dc)	WLAN	9.04	± 9.6 %
10748	AAC	IEEE 802.11ax (160MHz, MCS5, 90pc dc)	WLAN	8.93	± 9.6 %
10749	AAC	IEEE 802.11ax (160MHz, MCS6, 90pc dc)	WLAN	8.90	± 9.6 %
10750	AAC	IEEE 802.11ax (160MHz, MCS7, 90pc dc)	WLAN	8.79	± 9.6 %
10751	AAC	IEEE 802.11ax (160MHz, MCS8, 90pc dc)	WLAN	8.82	± 9.6 %
10752	AAC	IEEE 802.11ax (160MHz, MCS9, 90pc dc)	WLAN	8.81	± 9.6 %
10753	AAC	IEEE 802.11ax (160MHz, MCS10, 90pc dc)	WLAN	9.00	± 9.6 %
10754	AAC	IEEE 802.11ax (160MHz, MCS11, 90pc dc)	WLAN	8.94	± 9.6 %

Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China
Tel: +86-10-62304633-2117
E-mail: emf@caict.ac.cn http://www.caict.ac.cn

10755	AAC	IEEE 802.11ax (160MHz, MCS0, 99pc dc)	WLAN	8.64	± 9.6 %
10756	AAC	IEEE 802.11ax (160MHz, MCS1, 99pc dc)	WLAN	8.77	± 9.6 %
10757	AAC	IEEE 802.11ax (160MHz, MCS2, 99pc dc)	WLAN	8.77	± 9.6 %
10758	AAC	IEEE 802.11ax (160MHz, MCS3, 99pc dc)	WLAN	8.69	± 9.6 %
10759	AAC	IEEE 802.11ax (160MHz, MCS4, 99pc dc)	WLAN	8.58	± 9.6 %
10760	AAC	IEEE 802.11ax (160MHz, MCS5, 99pc dc)	WLAN	8.49	± 9.6 %
10761	AAC	IEEE 802.11ax (160MHz, MCS6, 99pc dc)	WLAN	8.58	± 9.6 %
10762	AAC	IEEE 802.11ax (160MHz, MCS7, 99pc dc)	WLAN	8.49	± 9.6 %
10763	AAC	IEEE 802.11ax (160MHz, MCS8, 99pc dc)	WLAN	8.53	± 9.6 %
10764	AAC	IEEE 802.11ax (160MHz, MCS9, 99pc dc)	WLAN	8.54	± 9.6 %
10765	AAC	IEEE 802.11ax (160MHz, MCS10, 99pc dc)	WLAN	8.54	± 9.6 %
10766	AAC	IEEE 802.11ax (160MHz, MCS11, 99pc dc)	WLAN	8.51	± 9.6 %
10767	AAC	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	7.99	± 9.6 %
10768	AAC	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10769	AAC	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10770	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10771	AAC	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10772	AAC	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.23	± 9.6 %
10773	AAC	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.03	± 9.6 %
10774	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	± 9.6 %
10775	AAC	5G NR (CP-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.31	± 9.6 %
10776	AAC	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10777	AAC	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10778	AAC	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10779	AAC	5G NR (CP-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.42	± 9.6 %
10780	AAC	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	± 9.6 %
10781	AAC	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.38	± 9.6 %
10782	AAC	5G NR (CP-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
10783	AAC	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.31	± 9.6 %
10784	AAC	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.29	± 9.6 %
10785	AAC	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10786	AAC	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10787	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.44	± 9.6 %
10788	AAC	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10789	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10790	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10791	AAC	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.83	± 9.6 %
10792	AAC	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.92	± 9.6 %
10793	AAC	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.95	± 9.6 %
10794	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 %
10795	AAC	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.84	± 9.6 %
10796	AAC	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 %
10797	AAC	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10798	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10799	AAC	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %
10801	AAC	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10802	AAC	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.87	± 9.6 %
10803	AAE	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %
10805	AAD	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10806	AAD	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10809	AAD	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10810	AAD	5G NR (CP-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10812	AAD	5G NR (CP-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10817	AAD	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10818	AAD	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10819	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.33	± 9.6 %
10820	AAD	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.30	± 9.6 %
10821	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10822	AAD	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %

Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China
Tel: +86-10-62304633-2117
E-mail: emf@caict.ac.cn http://www.caict.ac.cn

10823	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10824	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10825	AAD	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10827	AAD	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.42	± 9.6 %
10828	AAE	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.43	± 9.6 %
10829	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10830	AAD	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.63	± 9.6 %
10831	AAD	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.73	± 9.6 %
10832	AAD	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.74	± 9.6 %
10833	AAD	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10834	AAD	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.75	± 9.6 %
10835	AAD	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10836	AAE	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.66	± 9.6 %
10837	AAD	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.68	± 9.6 %
10839	AAD	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6 %
10840	AAD	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.67	± 9.6 %
10841	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.71	± 9.6 %
10843	AAD	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.49	± 9.6 %
10844	AAD	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10846	AAD	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10854	AAD	5G NR (CP-OFDM, 100% RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10855	AAD	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10856	AAD	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10857	AAD	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.35	± 9.6 %
10858	AAD	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.36	± 9.6 %
10859	AAD	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9.6 %
10860	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10861	AAD	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.40	± 9.6 %
10863	AAD	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10864	AAE	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.37	± 9.6 %
10865	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 %
10866	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10868	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.89	± 9.6 %
10869	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10870	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.86	± 9.6 %
10871	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10872	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.52	± 9.6 %
10873	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %
10874	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10875	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10876	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.39	± 9.6 %
10877	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	7.95	± 9.6 %
10878	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %
10879	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.12	± 9.6 %
10880	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.38	± 9.6 %
10881	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 %
10882	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.96	± 9.6 %
10883	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.57	± 9.6 %
10884	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.53	± 9.6 %
10885	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	± 9.6 %
10886	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	± 9.6 %
10887	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6 %
10888	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.35	± 9.6 %
10889	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.02	± 9.6 %
10890	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.40	± 9.6 %
10891	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.13	± 9.6 %
10892	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6 %
10897	AAD	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.66	± 9.6 %
10898	AAD	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6 %

Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China
Tel: +86-10-62304633-2117
E-mail: emf@caict.ac.cn http://www.caict.ac.cn

10899	AAD	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6 %
10900	AAD	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10901	AAD	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10902	AAD	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10903	AAD	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10904	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10905	AAD	5G NR (DFT-s-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10906	AAD	5G NR (DFT-s-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6 %
10907	AAD	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.78	± 9.6 %
10908	AAD	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6 %
10909	AAD	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.96	± 9.6 %
10910	AAD	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6 %
10911	AAD	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6 %
10912	AAD	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10913	AAD	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10914	AAD	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.85	± 9.6 %
10915	AAD	5G NR (DFT-s-OFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6 %
10916	AAD	5G NR (DFT-s-OFDM, 50% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6 %
10917	AAD	5G NR (DFT-s-OFDM, 50% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10918	AAD	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6 %
10919	AAD	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6 %
10920	AAD	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6 %
10921	AAD	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10922	AAD	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.82	± 9.6 %
10923	AAD	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10924	AAD	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10925	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.95	± 9.6 %
10926	AAD	5G NR (DFT-s-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6 %
10927	AAD	5G NR (DFT-s-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	± 9.6 %
10928	AAD	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10929	AAD	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10930	AAD	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.52	± 9.6 %
10931	AAD	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10932	AAB	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10933	AAA	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10934	AAA	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10935	AAA	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.51	± 9.6 %
10936	AAC	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10937	AAB	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.77	± 9.6 %
10938	AAB	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.90	± 9.6 %
10939	AAB	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.82	± 9.6 %
10940	AAB	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.89	± 9.6 %
10941	AAB	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10942	AAB	5G NR (DFT-s-OFDM, 50% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10943	AAB	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.95	± 9.6 %
10944	AAB	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.81	± 9.6 %
10945	AAB	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.85	± 9.6 %
10946	AAC	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.83	± 9.6 %
10947	AAB	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10948	AAB	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10949	AAB	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.87	± 9.6 %
10950	AAB	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.94	± 9.6 %
10951	AAB	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 FDD	5.92	± 9.6 %
10952	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.25	± 9.6 %
10953	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.15	± 9.6 %
10954	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.23	± 9.6 %
10955	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.42	± 9.6 %
10956	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.14	± 9.6 %
10957	AAC	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.31	± 9.6 %

Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China
Tel: +86-10-62304633-2117
E-mail: emf@caict.ac.cn http://www.caict.ac.cn

10958	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.61	± 9.6 %
10959	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.33	± 9.6 %
10960	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.32	± 9.6 %
10961	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.36	± 9.6 %
10962	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.40	± 9.6 %
10963	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10964	AAB	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.29	± 9.6 %
10965	AAB	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.37	± 9.6 %
10966	AAB	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.55	± 9.6 %
10967	AAB	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.42	± 9.6 %
10968	AAB	5G NR DL (CP-OFDM, TM 3.1, 100 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.49	± 9.6 %
10972	AAB	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	11.59	± 9.6 %
10973	AAB	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	9.06	± 9.6 %
10974	AAB	5G NR (CP-OFDM, 100% RB, 100 MHz, 256-QAM, 30 kHz)	5G NR FR1 TDD	10.28	± 9.6 %
10978	AAA	ULLA BDR	ULLA	1.16	± 9.6 %
10979	AAA	ULLA HDR4	ULLA	8.58	± 9.6 %
10980	AAA	ULLA HDR8	ULLA	10.32	± 9.6 %
10981	AAA	ULLA HDRp4	ULLA	3.19	± 9.6 %
10982	AAA	ULLA HDRp8	ULLA	3.43	± 9.6 %
10983	AAC	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.31	± 9.6 %
10984	AAB	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	9.42	± 9.6 %
10985	AAC	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.54	± 9.6 %
10986	AAB	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.50	± 9.6 %
10987	AAC	5G NR DL (CP-OFDM, TM 3.1, 60 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.53	± 9.6 %
10988	AAB	5G NR DL (CP-OFDM, TM 3.1, 70 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.38	± 9.6 %
10989	AAC	5G NR DL (CP-OFDM, TM 3.1, 80 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.33	± 9.6 %
10990	AAB	5G NR DL (CP-OFDM, TM 3.1, 90 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	9.52	± 9.6 %
11003	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 15 kHz)	5G NR FR1 TDD	10.24	± 9.6 %
11004	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 30 kHz)	5G NR FR1 TDD	10.73	± 9.6 %
11005	AAA	5G NR DL (CP-OFDM, TM 3.1, 25 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.70	± 9.6 %
11006	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.55	± 9.6 %
11007	AAA	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.46	± 9.6 %
11008	AAA	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 15 kHz)	5G NR FR1 FDD	8.51	± 9.6 %
11009	AAA	5G NR DL (CP-OFDM, TM 3.1, 25 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.76	± 9.6 %
11010	AAA	5G NR DL (CP-OFDM, TM 3.1, 30 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.95	± 9.6 %
11011	AAA	5G NR DL (CP-OFDM, TM 3.1, 40 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.96	± 9.6 %
11012	AAA	5G NR DL (CP-OFDM, TM 3.1, 50 MHz, 64-QAM, 30 kHz)	5G NR FR1 FDD	8.68	± 9.6 %
11013	AAB	IEEE 802.11be (320MHz, MCS1, 99pc duty cycle)	WLAN	8.47	± 9.6 %
11014	AAB	IEEE 802.11be (320MHz, MCS2, 99pc duty cycle)	WLAN	8.45	± 9.6 %
11015	AAB	IEEE 802.11be (320MHz, MCS3, 99pc duty cycle)	WLAN	8.44	± 9.6 %
11016	AAB	IEEE 802.11be (320MHz, MCS4, 99pc duty cycle)	WLAN	8.44	± 9.6 %
11017	AAB	IEEE 802.11be (320MHz, MCS5, 99pc duty cycle)	WLAN	8.41	± 9.6 %
11018	AAB	IEEE 802.11be (320MHz, MCS6, 99pc duty cycle)	WLAN	8.40	± 9.6 %
11019	AAB	IEEE 802.11be (320MHz, MCS7, 99pc duty cycle)	WLAN	8.29	± 9.6 %
11020	AAB	IEEE 802.11be (320MHz, MCS8, 99pc duty cycle)	WLAN	8.27	± 9.6 %
11021	AAB	IEEE 802.11be (320MHz, MCS9, 99pc duty cycle)	WLAN	8.46	± 9.6 %
11022	AAB	IEEE 802.11be (320MHz, MCS10, 99pc duty cycle)	WLAN	8.36	± 9.6 %
11023	AAB	IEEE 802.11be (320MHz, MCS11, 99pc duty cycle)	WLAN	8.09	± 9.6 %
11024	AAB	IEEE 802.11be (320MHz, MCS12, 99pc duty cycle)	WLAN	8.42	± 9.6 %
11025	AAB	IEEE 802.11be (320MHz, MCS13, 99pc duty cycle)	WLAN	8.37	± 9.6 %
11026	AAB	IEEE 802.11be (320MHz, MCS0, 99pc duty cycle)	WLAN	8.39	± 9.6 %

[E] Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

In Collaboration with
CTTL speag
CALIBRATION LABORATORY

Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China
Tel: +86-10-62304633-2117
E-mail: emf@caict.ac.cn http://www.caict.ac.cn

ilac-MRA CNAS 中国认可 国际互认 校准 CALIBRATION CNAS L0570 CAICT

Client : **7layers** **Certificate No: 24J02Z000385**

CALIBRATION CERTIFICATE

Object	DAE4 - SN: 755
Calibration Procedure(s)	FF-Z11-002-01 Calibration Procedure for the Data Acquisition Electronics (DAEx)
Calibration date:	July 05, 2024

This calibration Certificate documents the traceability to national standards, which realize the physical units of measurements(SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature(22±3)℃ and humidity<70%.

Calibration Equipment used (M&TE critical for calibration)

Primary Standards	ID #	Cal Date(Calibrated by, Certificate No.)	Scheduled Calibration
Process Calibrator 753	1971018	11-Jun-24 (CTTL, No.24J02X005147)	Jun-25

	Name	Function	Signature
Calibrated by:	Yu Zongying	SAR Test Engineer	
Reviewed by:	Lin Jun	SAR Test Engineer	
Approved by:	Qi Dianyuan	SAR Project Leader	

Issued: July 07, 2024

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.

Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China
Tel: +86-10-62304633-2117
E-mail: emf@caict.ac.cn http://www.caict.ac.cn

Glossary:

DAE	data acquisition electronics
Connector angle	information used in DASY system to align probe sensor X to the robot coordinate system.

Methods Applied and Interpretation of Parameters:

- *DC Voltage Measurement*: Calibration Factor assessed for use in DASY system by comparison with a calibrated instrument traceable to national standards. The figure given corresponds to the full scale range of the voltmeter in the respective range.

- *Connector angle*: The angle of the connector is assessed measuring the angle mechanically by a tool inserted. Uncertainty is not required.

- The report provide only calibration results for DAE, it does not contain other performance test results.

Add: No.52 HuaYuanBei Road, Haidian District, Beijing, 100191, China
Tel: +86-10-62304633-2117
E-mail: emf@caict.ac.cn http://www.caict.ac.cn

DC Voltage Measurement

A/D - Converter Resolution nominal

High Range: 1LSB = 6.1μV , full range = -100…+300 mV
Low Range: 1LSB = 61nV , full range = -1…….+3mV

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

Calibration Factors	X	Y	Z
High Range	405.325 ± 0.15% (k=2)	404.544 ± 0.15% (k=2)	405.090 ± 0.15% (k=2)
Low Range	3.93382 ± 0.7% (k=2)	3.95511 ± 0.7% (k=2)	3.93494 ± 0.7% (k=2)

Connector Angle

Connector Angle to be used in DASY system	332° ± 1 °

Appendix D. Conducted RF Output Power Table

The detailed power table are shown as follows.

<Full Power For LTE Mode>

LTE Band 2

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		18700	18900	19100		
		Frequency (MHz)		1860	1880	1900		
20	QPSK	1	0	**22.71**	**22.68**	**22.64**	0	24
		1	50	22.70	22.65	22.58	0	24
		1	99	22.59	22.47	22.43	0	24
		50	0	21.64	21.59	21.53	1	23
		50	25	**21.72**	**21.67**	**21.62**	1	23
		50	50	21.55	21.54	21.48	1	23
		100	0	**21.56**	21.45	21.42	1	23
	16QAM	1	0	21.57	21.65	21.69	1	23
		1	50	21.54	21.64	21.60	1	23
		1	99	21.66	21.73	21.51	1	23
		50	0	20.50	20.57	20.56	2	22
		50	25	20.42	20.56	20.58	2	22
		50	50	20.56	20.42	20.42	2	22
		100	0	20.41	20.59	20.60	2	22
	64QAM	1	0	20.66	20.64	20.79	2	22
		1	50	20.63	20.79	20.70	2	22
		1	99	20.67	20.75	20.80	2	22
		50	0	19.50	19.51	19.45	3	21
		50	25	19.49	19.54	19.49	3	21
		50	50	19.62	19.67	19.49	3	21
		100	0	19.51	19.55	19.54	3	21
	256QAM	1	0	17.40	17.57	17.39	5	19
		1	50	17.49	17.52	17.45	5	19
		1	99	17.42	17.46	17.54	5	19
		50	0	17.54	17.53	17.57	5	19
		50	25	17.59	17.48	17.43	5	19
		50	50	17.50	17.43	17.55	5	19
		100	0	17.50	17.59	17.50	5	19
BW [MHz]	Modulation	Channel		18675	18900	19125	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1857.5	1880	1902.5		
15	QPSK	1	0	22.68	22.48	22.43	0	24
		1	37	22.60	22.66	22.43	0	24
		1	74	22.60	22.34	22.43	0	24
		36	0	21.60	21.40	21.49	1	23
		36	19	21.62	21.63	21.61	1	23
		36	39	21.38	21.36	21.29	1	23
		75	0	21.50	21.42	21.21	1	23
	16QAM	1	0	21.53	21.51	21.51	1	23
		1	37	21.37	21.44	21.47	1	23
		1	74	21.51	21.69	21.33	1	23
		36	0	20.51	20.49	20.37	2	22
		36	19	20.24	20.41	20.43	2	22
		36	39	20.44	20.31	20.38	2	22
		75	0	20.22	20.57	20.45	2	22
	64QAM	1	0	20.48	20.57	20.76	2	22
		1	37	20.57	20.69	20.51	2	22
		1	74	20.52	20.68	20.78	2	22
		36	0	19.46	19.39	19.40	3	21
		36	19	19.50	19.47	19.43	3	21
		36	39	19.62	19.57	19.28	3	21
		75	0	19.50	19.49	19.41	3	21
	256QAM	1	0	17.25	17.41	17.22	5	19
		1	37	17.37	17.45	17.33	5	19
		1	74	17.21	17.29	17.51	5	19
		36	0	17.39	17.32	17.53	5	19
		36	19	17.53	17.40	17.31	5	19
		36	39	17.48	17.44	17.43	5	19
		75	0	17.44	17.53	17.39	5	19
BW [MHz]	Modulation	Channel		18650	18900	19150	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1855	1880	1905		
10	QPSK	1	0	22.60	22.68	22.45	0	24
		1	24	22.70	22.53	22.49	0	24
		1	49	22.52	22.46	22.44	0	24
		25	0	21.64	21.46	21.45	1	23
		25	12	21.69	21.57	21.46	1	23
		25	25	21.41	21.53	21.34	1	23
		50	0	21.53	21.43	21.32	1	23
	16QAM	1	0	21.58	21.45	21.64	1	23
		1	24	21.34	21.48	21.40	1	23
		1	49	21.56	21.65	21.38	1	23
		25	0	20.42	20.51	20.42	2	22
		25	12	20.42	20.49	20.42	2	22
		25	25	20.57	20.32	20.28	2	22
		50	0	20.39	20.53	20.48	2	22
	64QAM	1	0	20.52	20.51	20.64	2	22
		1	24	20.48	20.73	20.52	2	22
		1	49	20.47	20.66	20.69	2	22
		25	0	19.47	19.50	19.40	3	21
		25	12	19.47	19.41	19.29	3	21
		25	25	19.56	19.65	19.44	3	21
		50	0	19.42	19.56	19.46	3	21
	256QAM	1	0	17.29	17.36	17.20	5	19
		1	24	17.49	17.39	17.39	5	19
		1	49	17.30	17.28	17.46	5	19
		25	0	17.41	17.46	17.57	5	19
		25	12	17.56	17.27	17.29	5	19
		25	25	17.46	17.23	17.43	5	19
		50	0	17.39	17.53	17.50	5	19
BW [MHz]	Modulation	Channel		18625	18900	19175	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1852.5	1880	1907.5		
5	QPSK	1	0	22.61	22.64	22.57	0	24
		1	12	22.62	22.57	22.54	0	24
		1	24	22.40	22.31	22.40	0	24
		12	0	21.54	21.44	21.47	1	23
		12	6	21.57	21.49	21.45	1	23
		12	13	21.51	21.35	21.46	1	23
		25	0	21.39	21.30	21.28	1	23
	16QAM	1	0	21.51	21.49	21.68	1	23
		1	12	21.55	21.43	21.61	1	23
		1	24	21.58	21.68	21.44	1	23
		12	0	20.34	20.51	20.40	2	22
		12	6	20.25	20.41	20.56	2	22
		12	13	20.53	20.37	20.31	2	22
		25	0	20.31	20.58	20.58	2	22
	64QAM	1	0	20.54	20.56	20.69	2	22
		1	12	20.60	20.71	20.65	2	22
		1	24	20.56	20.59	20.79	2	22
		12	0	19.34	19.48	19.27	3	21
		12	6	19.34	19.54	19.47	3	21
		12	13	19.47	19.54	19.32	3	21
		25	0	19.38	19.49	19.53	3	21
	256QAM	1	0	17.20	17.55	17.22	5	19
		1	12	17.43	17.42	17.27	5	19
		1	24	17.24	17.42	17.41	5	19
		12	0	17.55	17.39	17.57	5	19
		12	6	17.53	17.33	17.42	5	19
		12	13	17.30	17.35	17.45	5	19
		25	0	17.49	17.56	17.46	5	19
BW [MHz]	Modulation	Channel		18615	18900	19185	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1851.5	1880	1908.5		
3	QPSK	1	0	22.59	22.69	22.45	0	24
		1	7	22.60	22.63	22.38	0	24
		1	14	22.48	22.41	22.22	0	24
		8	0	21.54	21.51	21.34	1	23
		8	3	21.61	21.47	21.59	1	23
		8	7	21.56	21.52	21.37	1	23
		15	0	21.38	21.45	21.41	1	23
	16QAM	1	0	21.58	21.44	21.61	1	23
		1	7	21.39	21.61	21.54	1	23
		1	14	21.63	21.55	21.36	1	23
		8	0	20.51	20.58	20.43	2	22
		8	3	20.21	20.37	20.41	2	22
		8	7	20.41	20.25	20.21	2	22
		15	0	20.22	20.46	20.58	2	22
	64QAM	1	0	20.49	20.62	20.73	2	22
		1	7	20.57	20.60	20.58	2	22
		1	14	20.52	20.72	20.69	2	22
		8	0	19.33	19.32	19.42	3	21
		8	3	19.31	19.39	19.35	3	21
		8	7	19.59	19.56	19.45	3	21
		15	0	19.50	19.56	19.42	3	21
	256QAM	1	0	17.19	17.50	17.27	5	19
		1	7	17.32	17.42	17.26	5	19
		1	14	17.21	17.45	17.45	5	19
		8	0	17.45	17.54	17.58	5	19
		8	3	17.60	17.35	17.22	5	19
		8	7	17.35	17.24	17.37	5	19
		15	0	17.44	17.47	17.32	5	19
BW [MHz]	Modulation	Channel		18607	18900	19193	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1850.7	1880	1909.3		
1.4	QPSK	1	0	22.50	22.61	22.41	0	24
		1	2	22.61	22.62	22.57	0	24
		1	5	22.55	22.42	22.32	0	24
		3	0	22.50	22.36	22.47	0	24
		3	1	22.57	22.59	22.47	0	24
		3	3	22.54	22.38	22.38	0	24
		6	0	21.48	21.34	21.38	1	23
	16QAM	1	0	21.54	21.64	21.61	1	23
		1	2	21.47	21.57	21.59	1	23
		1	5	21.44	21.68	21.50	1	23
		3	0	21.36	21.48	21.35	1	23
		3	1	21.35	21.52	21.49	1	23
		3	3	21.45	21.24	21.40	1	23
		6	0	20.28	20.43	20.39	2	22
	64QAM	1	0	20.47	20.44	20.75	2	22
		1	2	20.54	20.56	20.65	2	22
		1	5	20.53	20.55	20.72	2	22
		3	0	20.37	20.35	20.22	2	22
		3	1	20.28	20.33	20.38	2	22
		3	3	20.48	20.51	20.43	2	22
		6	0	19.45	19.49	19.51	3	21
	256QAM	1	0	17.18	17.35	17.19	5	19
		1	2	17.42	17.51	17.32	5	19
		1	5	17.32	17.28	17.36	5	19
		3	0	17.29	17.28	17.14	5	19
		3	1	17.31	17.37	17.26	5	19
		3	3	17.17	17.28	17.28	5	19
		6	0	17.41	17.40	17.46	5	19

LTE Band 4

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		20050	20175	20300		
		Frequency (MHz)		1720	1732.5	1745		
20	QPSK	1	0	22.29	22.51	22.55	0	24
		1	50	22.36	22.39	22.59	0	24
		1	99	**22.48**	**22.51**	**22.73**	0	24
		50	0	21.41	21.43	21.60	1	23
		50	25	21.44	21.45	21.62	1	23
		50	50	**21.52**	**21.54**	**21.71**	1	23
		100	0	21.36	21.39	**21.59**	1	23
	16QAM	1	0	21.38	21.50	21.60	1	23
		1	50	21.48	21.51	21.67	1	23
		1	99	21.49	21.69	21.92	1	23
		50	0	20.40	20.39	20.55	2	22
		50	25	20.34	20.53	20.65	2	22
		50	50	20.51	20.58	20.80	2	22
		100	0	20.22	20.42	20.58	2	22
	64QAM	1	0	20.34	20.55	20.68	2	22
		1	50	20.69	20.68	20.81	2	22
		1	99	20.44	20.54	20.80	2	22
		50	0	19.36	19.48	19.59	3	21
		50	25	19.50	19.53	19.79	3	21
		50	50	19.33	19.51	19.74	3	21
		100	0	19.28	19.49	19.56	3	21
	256QAM	1	0	17.29	17.40	17.58	5	19
		1	50	17.39	17.44	17.50	5	19
		1	99	17.20	17.40	17.54	5	19
		50	0	17.45	17.44	17.64	5	19
		50	25	17.55	17.59	17.78	5	19
		50	50	17.41	17.54	17.71	5	19
		100	0	17.36	17.55	17.64	5	19
BW [MHz]	Modulation	Channel		20025	20175	20325	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1717.5	1732.5	1747.5		
15	QPSK	1	0	22.27	22.20	22.52	0	24
		1	37	22.20	22.39	22.44	0	24
		1	74	22.48	22.32	22.67	0	24
		36	0	21.33	21.28	21.48	1	23
		36	19	21.36	21.37	21.48	1	23
		36	39	21.45	21.45	21.50	1	23
		75	0	21.27	21.33	21.59	1	23
	16QAM	1	0	21.38	21.36	21.45	1	23
		1	37	21.34	21.39	21.63	1	23
		1	74	21.33	21.54	21.89	1	23
		36	0	20.31	20.28	20.42	2	22
		36	19	20.17	20.32	20.46	2	22
		36	39	20.39	20.51	20.63	2	22
		75	0	20.12	20.24	20.40	2	22
	64QAM	1	0	20.22	20.40	20.66	2	22
		1	37	20.70	20.62	20.67	2	22
		1	74	20.32	20.42	20.69	2	22
		36	0	19.32	19.37	19.44	3	21
		36	19	19.43	19.39	19.80	3	21
		36	39	19.34	19.37	19.68	3	21
		75	0	19.21	19.48	19.42	3	21
	256QAM	1	0	17.30	17.37	17.45	5	19
		1	37	17.35	17.40	17.46	5	19
		1	74	17.18	17.28	17.43	5	19
		36	0	17.29	17.35	17.48	5	19
		36	19	17.41	17.38	17.66	5	19
		36	39	17.21	17.38	17.53	5	19
		75	0	17.36	17.54	17.46	5	19
BW [MHz]	Modulation	Channel		20000	20175	20350	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1715	1732.5	1750		
10	QPSK	1	0	22.17	22.19	22.49	0	24
		1	24	22.27	22.24	22.52	0	24
		1	49	22.47	22.46	22.72	0	24
		25	0	21.26	21.42	21.58	1	23
		25	12	21.39	21.33	21.51	1	23
		25	25	21.51	21.42	21.69	1	23
		50	0	21.24	21.29	21.55	1	23
	16QAM	1	0	21.34	21.48	21.46	1	23
		1	24	21.34	21.35	21.65	1	23
		1	49	21.41	21.69	21.86	1	23
		25	0	20.33	20.30	20.40	2	22
		25	12	20.18	20.40	20.54	2	22
		25	25	20.45	20.44	20.77	2	22
		50	0	20.23	20.28	20.54	2	22
	64QAM	1	0	20.33	20.42	20.59	2	22
		1	24	20.52	20.61	20.75	2	22
		1	49	20.34	20.54	20.71	2	22
		25	0	19.19	19.36	19.54	3	21
		25	12	19.32	19.37	19.61	3	21
		25	25	19.20	19.36	19.72	3	21
		50	0	19.16	19.42	19.37	3	21
	256QAM	1	0	17.20	17.39	17.37	5	19
		1	24	17.22	17.34	17.50	5	19
		1	49	17.49	17.32	17.35	5	19
		25	0	17.45	17.28	17.65	5	19
		25	12	17.39	17.38	17.76	5	19
		25	25	17.26	17.44	17.57	5	19
		50	0	17.28	17.47	17.50	5	19
BW [MHz]	Modulation	Channel		19975	20175	20375	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1712.5	1732.5	1752.5		
5	QPSK	1	0	22.21	22.15	22.43	0	24
		1	12	22.21	22.23	22.46	0	24
		1	24	22.31	22.41	22.72	0	24
		12	0	21.25	21.44	21.52	1	23
		12	6	21.44	21.32	21.57	1	23
		12	13	21.41	21.36	21.64	1	23
		25	0	21.25	21.31	21.39	1	23
	16QAM	1	0	21.36	21.42	21.46	1	23
		1	12	21.30	21.49	21.47	1	23
		1	24	21.45	21.70	21.77	1	23
		12	0	20.26	20.33	20.49	2	22
		12	6	20.31	20.34	20.48	2	22
		12	13	20.41	20.42	20.63	2	22
		25	0	20.35	20.27	20.39	2	22
	64QAM	1	0	20.14	20.43	20.68	2	22
		1	12	20.70	20.46	20.74	2	22
		1	24	20.26	20.42	20.77	2	22
		12	0	19.24	19.46	19.46	3	21
		12	6	19.37	19.35	19.68	3	21
		12	13	19.29	19.46	19.55	3	21
		25	0	19.23	19.50	19.57	3	21
	256QAM	1	0	17.17	17.30	17.59	5	19
		1	12	17.22	17.42	17.31	5	19
		1	24	17.15	17.29	17.51	5	19
		12	0	17.24	17.39	17.59	5	19
		12	6	17.49	17.49	17.68	5	19
		12	13	17.39	17.47	17.63	5	19
		25	0	17.31	17.56	17.48	5	19
BW [MHz]	Modulation	Channel		19965	20175	20385	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1711.5	1732.5	1753.5		
3	QPSK	1	0	22.16	22.26	22.36	0	24
		1	7	22.32	22.34	22.53	0	24
		1	14	22.44	22.51	22.71	0	24
		8	0	21.20	21.27	21.46	1	23
		8	3	21.28	21.39	21.49	1	23
		8	7	21.49	21.46	21.62	1	23
		15	0	21.23	21.32	21.43	1	23
	16QAM	1	0	21.32	21.29	21.55	1	23
		1	7	21.36	21.34	21.54	1	23
		1	14	21.49	21.54	21.87	1	23
		8	0	20.38	20.23	20.39	2	22
		8	3	20.18	20.34	20.46	2	22
		8	7	20.52	20.44	20.64	2	22
		15	0	20.23	20.29	20.50	2	22
	64QAM	1	0	20.18	20.42	20.57	2	22
		1	7	20.58	20.58	20.78	2	22
		1	14	20.45	20.49	20.61	2	22
		8	0	19.30	19.38	19.46	3	21
		8	3	19.35	19.35	19.72	3	21
		8	7	19.20	19.52	19.73	3	21
		15	0	19.11	19.38	19.52	3	21
	256QAM	1	0	17.21	17.41	17.58	5	19
		1	7	17.37	17.28	17.46	5	19
		1	14	17.50	17.39	17.49	5	19
		8	0	17.27	17.27	17.63	5	19
		8	3	17.34	17.46	17.79	5	19
		8	7	17.41	17.44	17.59	5	19
		15	0	17.24	17.55	17.44	5	19
BW [MHz]	Modulation	Channel		19957	20175	20393	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1710.7	1732.5	1754.3		
1.4	QPSK	1	0	22.15	22.19	22.48	0	24
		1	2	22.14	22.34	22.37	0	24
		1	5	22.41	22.49	22.64	0	24
		3	0	22.34	22.30	22.47	0	24
		3	1	22.30	22.36	22.59	0	24
		3	3	22.51	22.39	22.61	0	24
		6	0	21.26	21.19	21.39	1	23
	16QAM	1	0	21.30	21.27	21.40	1	23
		1	2	21.33	21.45	21.47	1	23
		1	5	21.46	21.55	21.91	1	23
		3	0	21.21	21.28	21.32	1	23
		3	1	21.24	21.41	21.43	1	23
		3	3	21.48	21.44	21.60	1	23
		6	0	20.11	20.28	20.54	2	22
	64QAM	1	0	20.23	20.54	20.55	2	22
		1	2	20.62	20.56	20.78	2	22
		1	5	20.25	20.40	20.77	2	22
		3	0	20.18	20.37	20.36	2	22
		3	1	20.42	20.30	20.75	2	22
		3	3	20.30	20.40	20.72	2	22
		6	0	19.17	19.46	19.55	3	21
	256QAM	1	0	17.13	17.27	17.39	5	19
		1	2	17.28	17.42	17.35	5	19
		1	5	17.55	17.23	17.43	5	19
		3	0	17.03	17.17	17.21	5	19
		3	1	17.17	17.26	17.29	5	19
		3	3	17.53	17.09	17.38	5	19
		6	0	17.28	17.47	17.46	5	19

LTE Band 5

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		20450	20525	20600		
		Frequency (MHz)		829	836.5	844		
10	QPSK	1	0	**23.33**	**23.44**	**23.30**	0	24
		1	24	23.26	23.41	23.28	0	24
		1	49	23.27	23.37	23.20	0	24
		25	0	22.31	22.38	22.20	1	23
		25	12	**22.33**	**22.40**	**22.30**	1	23
		25	25	22.27	22.39	22.25	1	23
		50	0	22.35	**22.42**	22.32	1	23
	16QAM	1	0	22.34	22.47	22.31	1	23
		1	24	22.23	22.41	22.29	1	23
		1	49	22.27	22.40	22.37	1	23
		25	0	21.30	21.36	21.23	2	22
		25	12	21.21	21.31	21.16	2	22
		25	25	21.46	21.46	21.26	2	22
		50	0	21.33	21.40	21.33	2	22
	64QAM	1	0	21.30	21.42	21.26	2	22
		1	24	21.31	21.49	21.49	2	22
		1	49	21.31	21.31	21.12	2	22
		25	0	20.17	20.29	20.09	3	21
		25	12	20.19	20.31	20.19	3	21
		25	25	20.15	20.22	20.03	3	21
		50	0	20.43	20.50	20.32	3	21
	256QAM	1	0	18.44	18.55	18.55	5	19
		1	24	18.41	18.44	18.29	5	19
		1	49	18.35	18.51	18.34	5	19
		25	0	18.39	18.52	18.49	5	19
		25	12	18.45	18.47	18.26	5	19
		25	25	18.42	18.45	18.24	5	19
		50	0	18.37	18.51	18.51	5	19
BW [MHz]	Modulation	Channel		20425	20525	20625	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		826.5	836.5	846.5		
5	QPSK	1	0	23.31	23.37	23.27	0	24
		1	12	23.12	23.24	23.10	0	24
		1	24	23.17	23.38	23.07	0	24
		12	0	22.19	22.33	22.03	1	23
		12	6	22.23	22.23	22.15	1	23
		12	13	22.15	22.26	22.17	1	23
		25	0	22.22	22.33	22.26	1	23
	16QAM	1	0	22.17	22.46	22.32	1	23
		1

LTE Band 7

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		20850	21100	21350		
		Frequency (MHz)		2510	2535	2560		
20	QPSK	1	0	**22.63**	**22.70**	**22.68**	0	24
		1	50	22.62	22.68	22.67	0	24
		1	99	22.58	22.63	22.57	0	24
		50	0	21.50	21.63	21.60	1	23
		50	25	**21.65**	**21.72**	**21.69**	1	23
		50	50	21.58	21.67	21.58	1	23
		100	0	21.62	**21.68**	21.66	1	23
	16QAM	1	0	21.90	21.86	21.76	1	23
		1	50	21.85	21.84	21.76	1	23
		1	99	21.75	21.77	21.84	1	23
		50	0	20.48	20.65	20.58	2	22
		50	25	20.75	20.75	20.74	2	22
		50	50	20.55	20.59	20.68	2	22
		100	0	20.67	20.64	20.56	2	22
	64QAM	1	0	20.64	20.73	20.66	2	22
		1	50	20.71	20.78	20.74	2	22
		1	99	20.63	20.62	20.65	2	22
		50	0	19.53	19.63	19.70	3	21
		50	25	19.48	19.53	19.60	3	21
		50	50	19.57	19.61	19.70	3	21
		100	0	19.55	19.65	19.66	3	21
	256QAM	1	0	17.68	17.63	17.63	5	19
		1	50	17.58	17.74	17.69	5	19
		1	99	17.68	17.73	17.67	5	19
		50	0	17.61	17.59	17.60	5	19
		50	25	17.70	17.68	17.63	5	19
		50	50	17.52	17.53	17.43	5	19
		100	5	17.70	17.73	17.75	5	19
BW [MHz]	Modulation	Channel		20825	21100	21375	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2507.5	2535	2562.5		
15	QPSK	1	0	22.44	22.69	22.47	0	24
		1	37	22.46	22.63	22.50	0	24
		1	74	22.43	22.47	22.56	0	24
		36	0	21.48	21.53	21.59	1	23
		36	19	21.51	21.68	21.56	1	23
		36	39	21.54	21.67	21.38	1	23
		75	0	21.59	21.58	21.63	1	23
	16QAM	1	0	21.91	21.68	21.69	1	23
		1	37	21.76	21.76	21.76	1	23
		1	74	21.59	21.68	21.71	1	23
		36	0	20.36	20.60	20.46	2	22
		36	19	20.60	20.64	20.63	2	22
		36	39	20.56	20.38	20.55	2	22
		75	0	20.48	20.44	20.40	2	22
	64QAM	1	0	20.57	20.61	20.53	2	22
		1	37	20.56	20.65	20.70	2	22
		1	74	20.44	20.42	20.62	2	22
		36	0	19.39	19.45	19.49	3	21
		36	19	19.39	19.44	19.42	3	21
		36	39	19.43	19.50	19.66	3	21
		75	0	19.44	19.61	19.46	3	21
	256QAM	1	0	17.54	17.60	17.57	5	19
		1	37	17.57	17.74	17.59	5	19
		1	74	17.47	17.72	17.51	5	19
		36	0	17.49	17.38	17.48	5	19
		36	19	17.70	17.56	17.43	5	19
		36	39	17.33	17.32	17.35	5	19
		75	0	17.61	17.71	17.64	5	19
BW [MHz]	Modulation	Channel		20800	21100	21400	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2505	2535	2565		
10	QPSK	1	0	22.61	22.66	22.52	0	24
		1	24	22.58	22.55	22.54	0	24
		1	49	22.46	22.49	22.42	0	24
		25	0	21.30	21.53	21.56	1	23
		25	12	21.56	21.66	21.57	1	23
		25	25	21.52	21.68	21.45	1	23
		50	0	21.60	21.66	21.61	1	23
	16QAM	1	0	21.73	21.75	21.61	1	23
		1	24	21.86	21.74	21.70	1	23
		1	49	21.64	21.60	21.65	1	23
		25	0	20.34	20.52	20.55	2	22
		25	12	20.57	20.73	20.69	2	22
		25	25	20.39	20.48	20.50	2	22
		50	0	20.81	20.63	20.42	2	22
	64QAM	1	0	20.45	20.73	20.50	2	22
		1	24	20.67	20.79	20.75	2	22
		1	49	20.55	20.52	20.66	2	22
		25	0	19.39	19.64	19.62	3	21
		25	12	19.47	19.54	19.56	3	21
		25	25	19.57	19.48	19.59	3	21
		50	0	19.35	19.45	19.45	3	21
	256QAM	1	0	17.60	17.60	17.52	5	19
		1	24	17.43	17.59	17.58	5	19
		1	49	17.61	17.60	17.66	5	19
		25	0	17.54	17.52	17.40	5	19
		25	12	17.51	17.52	17.46	5	19
		25	25	17.33	17.39	17.31	5	19
		50	0	17.63	17.59	17.56	5	19
BW [MHz]	Modulation	Channel		20775	21100	21425	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2502.5	2535	2567.5		
5	QPSK	1	0	22.50	22.58	22.68	0	24
		1	12	22.58	22.68	22.55	0	24
		1	24	22.46	22.48	22.36	0	24
		12	0	21.30	21.61	21.56	1	23
		12	6	21.55	21.64	21.55	1	23
		12	13	21.54	21.52	21.49	1	23
		25	0	21.43	21.68	21.52	1	23
	16QAM	1	0	21.70	21.71	21.64	1	23
		1	12	21.83	21.65	21.55	1	23
		1	24	21.59	21.66	21.82	1	23
		12	0	20.39	20.49	20.51	2	22
		12	6	20.71	20.71	20.64	2	22
		12	13	20.43	20.43	20.60	2	22
		25	0	20.67	20.53	20.42	2	22
	64QAM	1	0	20.54	20.72	20.61	2	22
		1	12	20.51	20.69	20.56	2	22
		1	24	20.43	20.48	20.59	2	22
		12	0	19.52	19.64	19.51	3	21
		12	6	19.45	19.34	19.58	3	21
		12	13	19.36	19.43	19.57	3	21
		25	0	19.36	19.53	19.49	3	21
	256QAM	1	0	17.60	17.59	17.44	5	19
		1	12	17.38	17.53	17.48	5	19
		1	24	17.48	17.57	17.47	5	19
		12	0	17.57	17.46	17.58	5	19
		12	6	17.57	17.64	17.61	5	19
		12	13	17.31	17.44	17.27	5	19
		25	0	17.66	17.68	17.58	5	19

LTE Band 12

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		23060	23095	23130		
		Frequency (MHz)		704	707.5	711		
10	QPSK	1	0	**22.86**	**22.91**	**22.88**	0	24
		1	24	22.70	22.86	22.87	0	24
		1	49	22.72	22.82	22.88	0	24
		25	0	21.80	21.87	21.80	1	23
		25	12	**21.84**	**21.90**	**21.87**	1	23
		25	25	21.76	21.86	21.83	1	23
		50	0	21.82	**21.88**	21.85	1	23
	16QAM	1	0	21.93	21.90	21.83	1	23
		1	24	21.92	21.91	21.87	1	23
		1	49	21.86	22.01	22.05	1	23
		25	0	20.73	20.88	20.93	2	22
		25	12	20.97	20.92	21.00	2	22
		25	25	20.74	20.81	20.67	2	22
		50	0	20.72	20.85	20.93	2	22
	64QAM	1	0	20.92	20.89	20.83	2	22
		1	24	20.92	20.94	20.87	2	22
		1	49	20.74	20.78	20.70	2	22
		25	0	19.88	19.92	20.00	3	21
		25	12	19.93	19.93	19.82	3	21
		25	25	19.81	19.97	19.96	3	21
		50	0	19.75	19.84	19.88	3	21
	256QAM	1	0	17.86	17.98	18.03	5	19
		1	24	17.80	17.91	17.77	5	19
		1	49	17.88	17.92	17.88	5	19
		25	0	17.91	17.95	17.81	5	19
		25	12	18.08	18.03	18.08	5	19
		25	25	18.02	18.05	18.11	5	19
		50	0	17.87	17.93	17.93	5	19
BW [MHz]	Modulation	Channel		23035	23095	23155	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		701.5	707.5	713.5		
5	QPSK	1	0	22.81	22.78	22.68	0	24
		1	12	22.69	22.66	22.81	0	24
		1	24	22.63	22.67	22.77	0	24
		12	0	21.81	21.82	21.68	1	23
		12	6	21.71	21.71	21.77	1	23
		12	13	21.57	21.72	21.78	1	23
		25	0	21.68	21.82	21.85	1	23
	16QAM	1	0	21.86	21.69	21.76	1	23
		1	12	21.89	21.92	21.74	1	23
		1	24	21.82	21.92	21.88	1	23
		12	0	20.68	20.85	20.88	2	22
		12	6	20.95	20.83	21.00	2	22
		12	13	20.59	20.72	20.66	2	22
		25	0	20.63	20.72	20.87	2	22
	64QAM	1	0	20.72	20.69	20.70	2	22
		1	12	20.83	20.80	20.88	2	22
		1	24	20.60	20.75	20.49	2	22
		12	0	19.70	19.87	19.93	3	21
		12	6	19.81	19.91	19.70	3	21
		12	13	19.63	19.78	19.90	3	21
		25	0	19.71	19.65	19.74	3	21
	256QAM	1	0	17.68	17.88	17.96	5	19
		1	12	17.75	17.84	17.71	5	19
		1	24	17.70	17.75	17.81	5	19
		12	0	17.79	17.83	17.66	5	19
		12	6	17.89	17.98	17.90	5	19
		12	13	17.84	17.95	18.09	5	19
		25	0	17.83	17.92	17.74	5	19
BW [MHz]	Modulation	Channel		23025	23095	23165	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		700.5	707.5	714.5		
3	QPSK	1	0	22.71	22.73	22.76	0	24
		1	7	22.60	22.79	22.84	0	24
		1	14	22.52	22.76	22.77	0	24
		8	0	21.81	21.78	21.67	1	23
		8	3	21.85	21.71	21.68	1	23
		8	7	21.73	21.86	21.68	1	23
		15	0	21.65	21.69	21.79	1	23
	16QAM	1	0	21.73	21.78	21.70	1	23
		1	7	21.85	21.88	21.73	1	23
		1	14	21.85	21.89	21.87	1	23
		8	0	20.74	20.85	20.78	2	22
		8	3	20.95	20.91	20.91	2	22
		8	7	20.56	20.75	20.54	2	22
		15	0	20.55	20.69	20.74	2	22
	64QAM	1	0	20.75	20.84	20.71	2	22
		1	7	20.91	20.92	20.80	2	22
		1	14	20.60	20.68	20.67	2	22
		8	0	19.75	19.90	19.86	3	21
		8	3	19.82	19.84	19.66	3	21
		8	7	19.80	19.81	19.90	3	21
		15	0	19.65	19.77	19.73	3	21
	256QAM	1	0	17.83	17.78	18.03	5	19
		1	7	17.60	17.91	17.77	5	19
		1	14	17.77	17.71	17.88	5	19
		8	0	17.81	17.75	17.62	5	19
		8	3	18.09	17.94	18.02	5	19
		8	7	17.95	18.04	17.91	5	19
		15	0	17.75	17.77	17.80	5	19
BW [MHz]	Modulation	Channel		23017	23095	23173	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		699.7	707.5	715.3		
1.4	QPSK	1	0	22.68	22.87	22.70	0	24
		1	2	22.68	22.85	22.76	0	24
		1	5	22.61	22.67	22.80	0	24
		3	0	22.79	22.82	22.66	0	24
		3	1	22.65	22.68	22.67	0	24
		3	3	22.68	22.72	22.68	0	24
		6	0	21.63	21.67	21.62	1	23
	16QAM	1	0	21.85	21.69	21.76	1	23
		1	2	21.81	21.70	21.64	1	23
		1	5	21.76	21.97	21.98	1	23
		3	0	21.65	21.86	21.81	1	23
		3	1	21.78	21.71	21.84	1	23
		3	3	21.68	21.71	21.57	1	23
		6	0	20.51	20.81	20.71	2	22
	64QAM	1	0	20.87	20.73	20.73	2	22
		1	2	20.81	20.76	20.85	2	22
		1	5	20.73	20.68	20.66	2	22
		3	0	20.77	20.71	20.87	2	22
		3	1	20.78	20.82	20.60	2	22
		3	3	20.78	20.70	20.86	2	22
		6	0	19.72	19.73	19.70	3	21
	256QAM	1	0	17.79	17.95	17.98	5	19
		1	2	17.59	17.79	17.65	5	19
		1	5	17.79	17.79	17.70	5	19
		3	0	17.79	17.93	17.72	5	19
		3	1	18.00	17.81	18.02	5	19
		3	3	17.95	17.82	17.95	5	19
		6	0	17.77	17.71	17.90	5	19

LTE Band 13

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel			23230			
		Frequency (MHz)			782			
10	QPSK	1	0		21.30		0	24
		1	24		23.19		0	24
		1	49		**23.32**		0	24
		25	0		22.28		1	23
		25	12		22.35		1	23
		25	25		**22.36**		1	23
		50	0		**22.33**		1	23
	16QAM	1	0		22.44		1	23
		1	24		22.51		1	23
		1	49		22.38		1	23
		25	0		21.20		2	22
		25	12		21.23		2	22
		25	25		21.19		2	22
		50	0		21.47		2	22
	64QAM	1	0		21.40		2	22
		1	24		21.29		2	22
		1	49		21.32		2	22
		25	0		20.32		3	21
		25	12		20.26		3	21
		25	25		20.27		3	21
		50	0		20.37		3	21
	256QAM	1	0		18.35		5	19
		1	24		18.34		5	19
		1	49		18.34		5	19
		25	0		18.45		5	19
		25	12		18.36		5	19
		25	25		18.25		5	19
		50	0		18.39		5	19
BW [MHz]	Modulation	Channel		23205	23230	23255	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		779.5	782	784.5		
5	QPSK	1	0	23.16	23.30	23.27	0	24
		1	12	23.19	23.11	23.19	0	24
		1	24	23.18	23.30	23.29	0	24
		12	0	22.20	22.15	22.10	1	23
		12	6	22.29	22.32	22.25	1	23
		12	13	22.34	22.29	22.22	1	23
		25	0	22.24	22.19	22.18	1	23
	16QAM	1	0	22.29	22.45	22.35	1	23
		1	12	22.37	22.48	22.44	1	23
		1	24	22.32	22.19	22.33	1	23
		12	0	21.15	21.00	21.08	2	22
		12	6	21.05	21.19	21.11	2	22
		12	13	21.00	21.08	20.99	2	22
		25	0	21.40	21.34	21.33	2	22
	64QAM	1	0	21.33	21.21	21.33	2	22
		1	12	21.28	21.24	21.18	2	22
		1	24	21.13	21.24	21.33	2	22
		12	0	20.33	20.31	20.17	3	21
		12	6	20.09	20.26	20.18	3	21
		12	13	20.23	20.06	20.21	3	21
		25	0	20.34	20.29	20.17	3	21
	256QAM	1	0	18.27	18.27	18.35	5	19
		1	12	18.22	18.22	18.31	5	19
		1	24	18.32	18.18	18.30	5	19
		12	0	18.40	18.44	18.31	5	19
		12	6	18.24	18.33	18.21	5	19
		12	13	18.18	18.08	18.26	5	19
		25	0	18.27	18.28	18.21	5	19

LTE Band 14

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel			23330			
		Frequency (MHz)			793			
10	QPSK	1	0		23.17		0	24
		1	24		23.37		0	24
		1	49		**23.44**		0	24
		25	0		22.33		1	23
		25	12		22.39		1	23
		25	25		**22.45**		1	23
		50	0		**22.41**		1	23
	16QAM	1	0		22.28		1	23
		1	24		22.17		1	23
		1	49		22.28		1	23
		25	0		21.34		2	22
		25	12		21.25		2	22
		25	25		21.33		2	22
		50	0		21.42		2	22
	64QAM	1	0		21.47		2	22
		1	24		21.30		2	22
		1	49		21.48		2	22
		25	0		20.36		3	21
		25	12		20.20		3	21
		25	25		20.22		3	21
		50	0		20.37		3	21
	256QAM	1	0		18.50		5	19
		1	24		18.30		5	19
		1	49		18.50		5	19
		25	0		18.29		5	19
		25	12		18.50		5	19
		25	25		18.40		5	19
		50	0		18.43		5	19
BW [MHz]	Modulation	Channel		23305	23330	23355	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		790.5	793	795.5		
5	QPSK	1	0	23.02	23.06	23.00	0	24
		1	12	23.21	23.35	23.20	0	24
		1	24	23.29	23.40	23.29	0	24
		12	0	22.31	22.12	22.29	1	23
		12	6	22.20	22.21	22.31	1	23
		12	13	22.29	22.39	22.34	1	23
		25	0	22.20	22.27	22.24	1	23
	16QAM	1	0	22.10	22.17	22.15	1	23
		1	12	21.96	22.12	22.18	1	23
		1	24	22.27	22.15	22.29	1	23
		12	0	21.18	21.21	21.32	2	22
		12	6	21.10	21.12	21.09	2	22
		12	13	21.12	21.20	21.27	2	22
		25	0	21.30	21.32	21.38	2	22
	64QAM	1	0	21.27	21.30	21.27	2	22
		1	12	21.13	21.16	21.14	2	22
		1	24	21.48	21.34	21.44	2	22
		12	0	20.37	20.35	20.16	3	21
		12	6	20.02	20.15	20.13	3	21
		12	13	20.08	20.06	20.11	3	21
		25	0	20.24	20.22	20.32	3	21
	256QAM	1	0	18.50	18.47	18.39	5	19
		1	12	18.26	18.17	18.21	5	19
		1	24	18.51	18.33	18.38	5	19
		12	0	18.09	18.28	18.19	5	19
		12	6	18.43	18.49	18.31	5	19
		12	13	18.31	18.39	18.36	5	19
		25	0	18.29	18.41	18.31	5	19

LTE Band 17

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		23780	23790	23800		
		Frequency (MHz)		709	710	711		
10	QPSK	1	0	22.84	22.76	22.87	0	24
		1	24	**23.00**	**22.92**	**23.04**	0	24
		1	49	22.90	22.88	22.96	0	24
		25	0	21.98	21.85	21.85	1	23
		25	12	**22.01**	**21.93**	**22.05**	1	23
		25	25	22.00	21.87	22.04	1	23
		50	0	21.86	21.83	**21.92**	1	23
	16QAM	1	0	22.18	21.99	22.08	1	23
		1	24	21.98	21.85	21.98	1	23
		1	49	21.99	21.89	21.98	1	23
		25	0	20.88	20.85	20.93	2	22
		25	12	20.88	20.74	20.90	2	22
		25	25	20.78	20.68	20.70	2	22
		50	0	21.05	20.87	21.06	2	22
	64QAM	1	0	21.06	20.98	21.02	2	22
		1	24	20.92	20.77	20.78	2	22
		1	49	20.99	20.98	21.05	2	22
		25	0	20.12	19.97	20.02	3	21
		25	12	20.07	19.91	19.97	3	21
		25	25	20.02	19.87	20.01	3	21
		50	0	19.98	19.89	19.98	3	21
	256QAM	1	0	18.12	17.98	18.11	5	19
		1	24	17.91	17.86	17.99	5	19
		1	49	17.80	17.79	17.79	5	19
		25	0	18.08	17.87	18.04	5	19
		25	12	18.04	17.86	18.01	5	19
		25	25	18.01	17.93	17.98	5	19
		50	0	17.92	17.76	17.81	5	19
BW [MHz]	Modulation	Channel		23755	23790	23825	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		706.5	710	713.5		
5	QPSK	1	0	22.65	22.72	22.88	0	24
		1	12	22.80	22.91	22.85	0	24
		1	24	22.88	22.80	22.85	0	24
		12	0	21.94	21.84	21.86	1	23
		12	6	21.80	21.88	21.89	1	23
		12	13	21.80	21.80	21.86	1	23
		25	0	21.86	21.84	21.85	1	23
	16QAM	1	0	22.15	21.81	22.06	1	23
		1	12	21.99	21.72	21.84	1	23
		1	24	21.96	21.78	21.81	1	23
		12	0	20.79	20.81	20.85	2	22
		12	6	20.89	20.71	20.73	2	22
		12	13	20.60	20.67	20.52	2	22
		25	0	20.95	20.77	20.98	2	22
	64QAM	1	0	20.86	20.84	20.90	2	22
		1	12	20.62	20.59	20.63	2	22
		1	24	20.91	20.95	20.94	2	22
		12	0	20.03	19.82	20.00	3	21
		12	6	19.98	19.77	19.85	3	21
		12	13	19.94	19.72	19.98	3	21
		25	0	19.90	19.85	19.80	3	21
	256QAM	1	0	18.11	17.85	17.93	5	19
		1	12	17.77	17.81	17.85	5	19
		1	24	17.60	17.61	17.74	5	19
		12	0	18.01	17.81	17.87	5	19
		12	6	17.86	17.66	17.96	5	19
		12	13	17.88	17.86	17.91	5	19
		25	0	17.71	17.64	17.74	5	19

LTE Band 25

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		26140	26340	26590		
		Frequency (MHz)		1850	1880	1905		
20	QPSK	1	0	**22.88**	**22.75**	**22.61**	0	24
		1	50	22.87	22.68	22.52	0	24
		1	99	22.58	22.54	22.32	0	24
		50	0	21.77	21.69	21.62	1	23
		50	25	**21.90**	**21.77**	**21.66**	1	23
		50	50	21.89	21.74	21.61	1	23
		100	0	**21.87**	21.73	21.63	1	23
	16QAM	1	0	21.95	21.84	21.75	1	23
		1	50	21.80	21.73	21.63	1	23
		1	99	21.80	21.63	21.44	1	23
		50	0	20.67	20.64	20.43	2	22
		50	25	20.73	20.64	20.50	2	22
		50	50	20.64	20.59	20.41	2	22
		100	0	20.97	20.76	20.66	2	22
	64QAM	1	0	20.95	20.88	20.67	2	22
		1	50	20.94	20.80	20.78	2	22
		1	99	20.80	20.74	20.66	2	22
		50	0	19.99	19.75	19.72	3	21
		50	25	19.76	19.69	19.64	3	21
		50	50	19.85	19.66	19.57	3	21
		100	0	19.85	19.76	19.66	3	21
	256QAM	1	0	18.02	17.79	17.71	5	19
		1	50	17.86	17.71	17.64	5	19
		1	99	17.78	17.64	17.44	5	19
		50	0	17.76	17.74	17.55	5	19
		50	25	17.68	17.62	17.40	5	19
		50	50	17.92	17.80	17.72	5	19
		100	0	17.79	17.67	17.65	5	19
BW [MHz]	Modulation	Channel		26115	26340	26565	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1857.5	1880	1907.5		
15	QPSK	1	0	22.83	22.54	22.53	0	24
		1	37	22.88	22.48	22.49	0	24
		1	74	22.53	22.44	22.28	0	24
		36	0	21.63	21.51	21.55	1	23
		36	19	21.73	21.58	21.52	1	23
		36	39	21.89	21.74	21.51	1	23
		75	0	21.70	21.73	21.42	1	23
	16QAM	1	0	21.96	21.70	21.67	1	23
		1	37	21.68	21.63	21.47	1	23
		1	74	21.75	21.58	21.32	1	23
		36	0	20.61	20.64	20.42	2	22
		36	19	20.58	20.46	20.48	2	22
		36	39	20.50	20.45	20.39	2	22
		75	0	20.85	20.75	20.48	2	22
	64QAM	1	0	20.76	20.79	20.60	2	22
		1	37	20.73	20.72	20.75	2	22
		1	74	20.72	20.68	20.66	2	22
		36	0	19.88	19.74	19.59	3	21
		36	19	19.59	19.59	19.51	3	21
		36	39	19.66	19.63	19.47	3	21
		75	0	19.72	19.60	19.64	3	21
	256QAM	1	0	17.90	17.64	17.70	5	19
		1	37	17.86	17.53	17.64	5	19
		1	74	17.60	17.57	17.33	5	19
		36	0	17.74	17.59	17.54	5	19
		36	19	17.53	17.45	17.38	5	19
		36	39	17.86	17.67	17.60	5	19
		75	0	17.78	17.54	17.54	5	19
BW [MHz]	Modulation	Channel		26090	26340	26640	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1855	1880	1910		
10	QPSK	1	0	22.83	22.55	22.45	0	24
		1	24	22.70	22.61	22.42	0	24
		1	49	22.41	22.35	22.13	0	24
		25	0	21.66	21.59	21.46	1	23
		25	12	21.73	21.75	21.55	1	23
		25	25	21.84	21.65	21.56	1	23
		50	0	21.75	21.60	21.49	1	23
	16QAM	1	0	21.91	21.80	21.58	1	23
		1	24	21.61	21.66	21.62	1	23
		1	49	21.70	21.52	21.27	1	23
		25	0	20.48	20.48	20.41	2	22
		25	12	20.59	20.44	20.49	2	22
		25	25	20.56	20.45	20.26	2	22
		50	0	20.98	20.63	20.53	2	22
	64QAM	1	0	20.91	20.83	20.61	2	22
		1	24	20.93	20.68	20.58	2	22
		1	49	20.81	20.68	20.51	2	22
		25	0	19.85	19.55	19.61	3	21
		25	12	19.70	19.49	19.61	3	21
		25	25	19.71	19.56	19.48	3	21
		50	0	19.85	19.65	19.47	3	21
	256QAM	1	0	17.97	17.65	17.63	5	19
		1	24	17.70	17.56	17.57	5	19
		1	49	17.73	17.46	17.32	5	19
		25	0	17.70	17.74	17.46	5	19
		25	12	17.54	17.60	17.26	5	19
		25	25	17.73	17.59	17.68	5	19
		50	0	17.74	17.59	17.59	5	19
BW [MHz]	Modulation	Channel		26065	26340	26665	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1852.5	1880	1912.5		
5	QPSK	1	0	22.86	22.59	22.59	0	24
		1	12	22.74	22.59	22.49	0	24
		1	24	22.46	22.42	22.29	0	24
		12	0	21.68	21.56	21.44	1	23
		12	6	21.84	21.68	21.55	1	23
		12	13	21.80	21.71	21.40	1	23
		25	0	21.82	21.61	21.59	1	23
	16QAM	1	0	21.78	21.77	21.65	1	23
		1	12	21.76	21.72	21.60	1	23
		1	24	21.81	21.52	21.24	1	23
		12	0	20.58	20.44	20.27	2	22
		12	6	20.67	20.61	20.36	2	22
		12	13	20.52	20.40	20.42	2	22
		25	0	20.85	20.77	20.55	2	22
	64QAM	1	0	20.83	20.73	20.66	2	22
		1	12	20.80	20.73	20.67	2	22
		1	24	20.67	20.55	20.60	2	22
		12	0	19.96	19.61	19.59	3	21
		12	6	19.58	19.62	19.80	3	21
		12	13	19.76	19.57	19.43	3	21
		25	0	19.66	19.56	19.49	3	21
	256QAM	1	0	17.98	17.68	17.62	5	19
		1	12	17.86	17.60	17.54	5	19
		1	24	17.78	17.59	17.24	5	19
		12	0	17.56	17.64	17.45	5	19
		12	6	17.68	17.51	17.32	5	19
		12	13	17.88	17.76	17.68	5	19
		25	0	17.64	17.56	17.60	5	19
BW [MHz]	Modulation	Channel		26055	26340	26675	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1851.5	1880	1913.5		
3	QPSK	1	0	22.71	22.56	22.42	0	24
		1	7	22.71	22.65	22.38	0	24
		1	14	22.40	22.45	22.30	0	24
		8	0	21.71	21.57	21.47	1	23
		8	3	21.78	21.74	21.65	1	23
		8	7	21.90	21.71	21.48	1	23
		15	0	21.82	21.58	21.51	1	23
	16QAM	1	0	21.96	21.78	21.71	1	23
		1	7	21.80	21.65	21.58	1	23
		1	14	21.64	21.46	21.27	1	23
		8	0	20.52	20.55	20.34	2	22
		8	3	20.68	20.47	20.34	2	22
		8	7	20.45	20.55	20.31	2	22
		15	0	20.79	20.62	20.59	2	22
	64QAM	1	0	20.76	20.71	20.62	2	22
		1	7	20.77	20.60	20.59	2	22
		1	14	20.77	20.61	20.57	2	22
		8	0	19.90	19.67	19.65	3	21
		8	3	19.66	19.67	19.56	3	21
		8	7	19.73	19.51	19.56	3	21
		15	0	19.67	19.64	19.52	3	21
	256QAM	1	0	17.91	17.73	17.60	5	19
		1	7	17.66	17.62	17.61	5	19
		1	14	17.60	17.53	17.34	5	19
		8	0	17.61	17.58	17.46	5	19
		8	3	17.66	17.44	17.37	5	19
		8	7	17.79	17.61	17.73	5	19
		15	0	17.79	17.47	17.55	5	19
BW [MHz]	Modulation	Channel		26047	26340	26683	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1850.7	1880	1914.3		
1.4	QPSK	1	0	22.78	22.66	22.49	0	24
		1	2	22.85	22.57	22.45	0	24
		1	5	22.50	22.36	22.13	0	24
		3	0	22.71	22.68	22.48	0	24
		3	1	22.74	22.60	22.53	0	24
		3	3	22.82	22.61	22.38	0	24
		6	0	21.79	21.51	21.47	1	23
	16QAM	1	0	21.92	21.77	21.66	1	23
		1	2	21.67	21.52	21.47	1	23
		1	5	21.70	21.46	21.22	1	23
		3	0	21.52	21.56	21.24	1	23
		3	1	21.60	21.42	21.39	1	23
		3	3	21.58	21.55	21.34	1	23
		6	0	20.87	20.65	20.43	2	22
	64QAM	1	0	20.90	20.87	20.58	2	22
		1	2	20.73	20.61	20.58	2	22
		1	5	20.71	20.57	20.52	2	22
		3	0	20.85	20.66	20.62	2	22
		3	1	20.59	20.60	20.56	2	22
		3	3	20.77	20.55	20.45	2	22
		6	0	19.67	19.56	19.56	3	21
	256QAM	1	0	17.84	17.74	17.52	5	19
		1	2	17.79	17.68	17.61	5	19
		1	5	17.76	17.58	17.21	5	19
		3	0	17.61	17.66	17.52	5	19
		3	1	17.60	17.61	17.21	5	19
		3	3	17.70	17.58	17.68	5	19
		6	0	17.63	17.53	17.47	5	19

LTE Band 26

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		26705	26865	26965		
		Frequency (MHz)		821.5	831.5	841.5		
15	QPSK	1	0	**21.29**	**21.45**	**21.39**	0	24
		1	37	23.24	23.40	23.35	0	24
		1	74	23.23	23.31	23.27	0	24
		36	0	22.12	22.37	22.20	1	23
		36	19	**22.20**	**22.40**	**22.28**	1	23
		36	39	22.09	22.35	22.26	1	23
		75	0	22.27	**22.45**	22.36	1	23
	16QAM	1	0	22.20	22.42	22.34	1	23
		1	37	22.16	22.40	22.35	1	23
		1	74	22.31	22.41	22.33	1	23
		36	0	21.26	21.35	21.33	2	22
		36	19	21.24	21.43	21.47	2	22
		36	39	21.38	21.45	21.31	2	22
		75	0	21.29	21.44	21.45	2	22
	64QAM	1	0	21.08	21.32	21.31	2	22
		1	37	21.11	21.29	21.20	2	22
		1	74	21.24	21.29	21.13	2	22
		36	0	20.21	20.43	20.30	3	21
		36	19	20.24	20.45	20.46	3	21
		36	39	20.33	20.48	20.45	3	21
		75	0	20.17	20.35	20.23	3	21
	256QAM	1	0	18.36	18.47	18.34	5	19
		1	37	18.31	18.41	18.31	5	19
		1	74	18.41	18.49	18.42	5	19
		36	0	18.46	18.58	18.54	5	19
		36	19	18.20	18.45	18.37	5	19
		36	39	18.17	18.44	18.37	5	19
		75	0	18.27	18.53	18.51	5	19
BW [MHz]	Modulation	Channel		26740	26865	26990	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		819	831.5	844		
10	QPSK	1	0	23.35	23.28	23.32	0	24
		1	24	23.22	23.21	23.21	0	24
		1	49	23.13	23.21	23.28	0	24
		25	0	22.05	22.30	22.03	1	23
		25	12	22.08	22.39	22.10	1	23
		25	25	22.07	22.24	22.06	1	23
		50	0	22.10	22.35	22.29	1	23
	16QAM	1	0	22.21	22.30	22.31	1	23
		1	24	22.06	22.40	22.16	1	23
		1	49	22.28	22.31	22.26	1	23
		25	0	21.10	21.31	21.16	2	22
		25	12	21.25	21.42	21.27	2	22
		25	25	21.37	21.24	21.18	2	22
		50	0	21.10	21.29	21.38	2	22
	64QAM	1	0	20.93	21.14	21.29	2	22
		1	24	21.09	21.10	21.02	2	22
		1	49	21.25	21.20	21.03	2	22
		25	0	20.17	20.29	20.12	3	21
		25	12	20.07	20.45	20.36	3	21
		25	25	20.30	20.33	20.27	3	21
		50	0	20.04	20.22	20.16	3	21
	256QAM	1	0	18.23	18.42	18.35	5	19
		1	24	18.16	18.30	18.16	5	19
		1	49	18.40	18.32	18.33	5	19
		25	0	18.39	18.57	18.52	5	19
		25	12	18.11	18.37	18.27	5	19
		25	25	17.97	18.32	18.38	5	19
		50	0	18.06	18.32	18.33	5	19
BW [MHz]	Modulation	Channel		26715	26865	27015	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		816.5	831.5	846.5		
5	QPSK	1	0	23.26	23.27	23.40	0	24
		1	12	23.20	23.32	23.22	0	24
		1	24	23.22	23.15	23.12	0	24
		12	0	21.96	22.30	22.17	1	23
		12	6	22.10	22.23	22.11	1	23
		12	13	22.01	22.14	22.06	1	23
		25	0	22.25	22.42	22.27	1	23
	16QAM	1	0	22.02	22.23	22.21	1	23
		1	12	22.02	22.20	22.20	1	23
		1	24	22.25	22.40	22.26	1	23
		12	0	21.13	21.29	21.13	2	22
		12	6	21.17	21.41	21.30	2	22
		12	13	21.29	21.43	21.23	2	22
		25	0	21.16	21.38	21.45	2	22
	64QAM	1	0	20.94	21.14	21.26	2	22
		1	12	21.03	21.24	21.20	2	22
		1	24	21.23	21.12	21.12	2	22
		12	0	20.04	20.36	20.17	3	21
		12	6	20.12	20.38	20.38	3	21
		12	13	20.18	20.36	20.31	3	21
		25	0	20.13	20.17	20.11	3	21
	256QAM	1	0	18.19	18.29	18.27	5	19
		1	12	18.32	18.25	18.31	5	19
		1	24	18.41	18.41	18.35	5	19
		12	0	18.32	18.59	18.46	5	19
		12	6	18.18	18.36	18.32	5	19
		12	13	18.06	18.24	18.38	5	19
		25	0	18.06	18.49	18.34	5	19
BW [MHz]	Modulation	Channel		26705	26865	27025	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		815.5	831.5	847.5		
3	QPSK	1	0	23.30	23.43	23.29	0	24
		1	7	23.08	23.39	23.35	0	24
		1	14	23.02	23.18	23.07	0	24
		8	0	21.95	22.17	22.21	1	23
		8	3	22.15	22.41	22.26	1	23
		8	7	21.89	22.24	22.22	1	23
		15	0	22.20	22.28	22.17	1	23
	16QAM	1	0	22.20	22.38	22.24	1	23
		1	7	22.12	22.32	22.26	1	23
		1	14	22.22	22.37	22.34	1	23
		8	0	21.20	21.18	21.29	2	22
		8	3	21.16	21.30	21.46	2	22
		8	7	21.35	21.34	21.15	2	22
		15	0	21.19	21.28	21.33	2	22
	64QAM	1	0	21.00	21.22	21.12	2	22
		1	7	21.04	21.08	21.14	2	22
		1	14	21.17	21.09	21.11	2	22
		8	0	20.00	20.30	20.15	3	21
		8	3	20.04	20.38	20.40	3	21
		8	7	20.29	20.38	20.42	3	21
		15	0	20.00	20.18	20.11	3	21
	256QAM	1	0	18.21	18.47	18.29	5	19
		1	7	18.32	18.34	18.13	5	19
		1	14	18.40	18.31	18.27	5	19
		8	0	18.35	18.55	18.51	5	19
		8	3	18.07	18.27	18.18	5	19
		8	7	18.02	18.41	18.26	5	19
		15	0	18.21	18.32	18.51	5	19
BW [MHz]	Modulation	Channel		26697	26865	27033	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		814.7	831.5	848.3		
1.4	QPSK	1	0	23.18	23.39	23.38	0	24
		1	2	23.15	23.25	23.22	0	24
		1	5	23.04	23.08	23.24	0	24
		3	0	23.10	23.31	23.09	0	24
		3	1	23.12	23.22	23.17	0	24
		3	3	22.94	23.25	23.16	0	24
		6	0	22.26	22.26	22.14	1	23
	16QAM	1	0	22.11	22.29	22.12	1	23
		1	2	21.98	22.18	22.29	1	23
		1	5	22.13	22.23	22.18	1	23
		3	0	22.16	22.27	22.22	1	23
		3	1	22.14	22.32	22.25	1	23
		3	3	22.18	22.38	22.08	1	23
		6	0	21.17	21.26	21.23	2	22
	64QAM	1	0	20.91	21.31	21.23	2	22
		1	2	21.00	21.19	20.99	2	22
		1	5	21.16	21.26	20.93	2	22
		3	0	21.20	21.22	21.20	2	22
		3	1	21.01	21.30	21.42	2	22
		3	3	21.22	21.43	21.36	2	22
		6	0	20.03	20.15	20.02	3	21
	256QAM	1	0	18.27	18.42	18.25	5	19
		1	2	18.11	18.32	18.13	5	19
		1	5	18.20	18.28	18.20	5	19
		3	0	18.44	18.51	18.33	5	19
		3	1	18.09	18.29	18.34	5	19
		3	3	18.03	18.41	18.30	5	19
		6	0	18.13	18.32	18.43	5	19

LTE Band 30

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel			27710			
		Frequency (MHz)			2310			
10	QPSK	1	0		21.02		0	22
		1	24		**21.10**		0	22
		1	49		21.03		0	22
		25	0		20.07		1	21
		25	12		**20.08**		1	21
		25	25		20.04		1	21
		50	0		**20.02**		1	21
	16QAM	1	0		20.19		1	21
		1	24		20.15		1	21
		1	49		20.11		1	21
		25	0		19.10		2	20
		25	12		19.10		2	20
		25	25		19.18		2	20
		50	0		18.99		2	20
	64QAM	1	0		19.26		2	20
		1	24		19.05		2	20
		1	49		19.20		2	20
		25	0		18.13		3	19
		25	12		18.21		3	19
		25	25		18.06		3	19
		50	0		18.06		3	19
	256QAM	1	0		16.14		5	17
		1	24		16.05		5	17
		1	49		16.09		5	17
		25	0		16.15		5	17
		25	12		16.05		5	17
		25	25		16.09		5	17
		50	0		16.11		5	17
BW [MHz]	Modulation	Channel		27685	27710	27735	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2307.5	2310	2312.5		
5	QPSK	1	0	20.81	21.03	20.89	0	22
		1	12	21.01	20.95	20.93	0	22
		1	24	20.89	20.89	20.91	0	22
		12	0	19.88	20.07	19.95	1	21
		12	6	20.03	20.04	20.03	1	21
		12	13	19.93	19.93	19.97	1	21
		25	0	19.88	20.02	19.85	1	21
	16QAM	1	0	20.01	20.15	19.99	1	21
		1	12	20.01	19.97	20.11	1	21
		1	24	20.02	20.03	19.90	1	21
		12	0	18.90	19.08	19.00	2	20
		12	6	19.09	18.96	18.91	2	20
		12	13	19.19	19.10	19.05	2	20
		25	0	18.84	19.00	18.79	2	20
	64QAM	1	0	19.19	19.17	19.16	2	20
		1	12	18.93	18.96	19.03	2	20
		1	24	19.07	19.07	19.05	2	20
		12	0	17.97	18.05	18.02	3	19
		12	6	18.15	18.04	18.19	3	19
		12	13	17.88	17.85	18.02	3	19
		25	0	18.05	18.04	17.85	3	19
	256QAM	1	0	16.04	16.10	16.14	5	17
		1	12	15.89	16.00	15.84	5	17
		1	24	16.07	15.98	15.92	5	17
		12	0	16.00	16.11	16.02	5	17
		12	6	15.97	16.06	15.88	5	17
		12	13	15.94	16.05	15.97	5	17
		25	0	16.05	16.09	16.05	5	17

LTE Band 38

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		37850	38000	38150		
		Frequency (MHz)		2580	2595	2610		
20	QPSK	1	0	22.78	22.75	22.73	0	24
		1	50	**22.82**	**22.78**	**22.75**	0	24
		1	99	22.61	22.64	22.71	0	24
		50	0	21.72	21.71	21.67	1	23
		50	25	21.69	21.70	21.72	1	23
		50	50	**21.82**	**21.80**	**21.74**	1	23
		100	0	**21.80**	21.77	21.70	1	23
	16QAM	1	0	21.85	21.93	21.91	1	23
		1	50	21.79	21.86	21.85	1	23
		1	99	21.77	21.85	21.80	1	23
		50	0	20.66	20.71	20.60	2	22
		50	25	20.85	20.75	20.80	2	22
		50	50	20.70	20.81	20.79	2	22
		100	0	20.72	20.69	20.58	2	22
	64QAM	1	0	21.20	21.11	21.08	2	22
		1	50	21.22	21.21	21.20	2	22
		1	99	21.01	21.03	20.98	2	22
		50	0	19.81	19.79	19.76	3	21
		50	25	19.82	19.81	19.81	3	21
		50	50	19.79	19.71	19.78	3	21
		100	0	19.77	19.73	19.81	3	21
	256QAM	1	0	17.69	17.74	17.75	5	19
		1	50	17.66	17.73	17.67	5	19
		1	99	17.66	17.72	17.64	5	19
		50	0	17.59	17.63	17.64	5	19
		50	25	17.84	17.85	17.83	5	19
		50	50	17.80	17.73	17.75	5	19
		100	0	17.84	17.80	17.77	5	19
BW [MHz]	Modulation	Channel		37825	38000	38175	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2577.5	2595	2612.5		
15	QPSK	1	0	22.74	22.65	22.58	0	24
		1	37	22.68	22.72	22.55	0	24
		1	74	22.61	22.51	22.72	0	24
		36	0	21.65	21.69	21.64	1	23
		36	19	21.67	21.66	21.59	1	23
		36	39	21.65	21.68	21.73	1	23
		75	0	21.69	21.78	21.57	1	23
	16QAM	1	0	21.75	21.90	21.81	1	23
		1	37	21.76	21.83	21.73	1	23
		1	74	21.70	21.66	21.70	1	23
		36	0	20.65	20.53	20.46	2	22
		36	19	20.85	20.57	20.61	2	22
		36	39	20.61	20.62	20.73	2	22
		75	0	20.67	20.67	20.49	2	22
	64QAM	1	0	21.12	21.11	21.04	2	22
		1	37	21.11	21.22	21.09	2	22
		1	74	20.90	20.96	20.95	2	22
		36	0	19.66	19.59	19.75	3	21
		36	19	19.77	19.67	19.73	3	21
		36	39	19.72	19.62	19.72	3	21
		75	0	19.65	19.64	19.62	3	21
	256QAM	1	0	17.57	17.61	17.67	5	19
		1	37	17.46	17.57	17.67	5	19
		1	74	17.63	17.55	17.62	5	19
		36	0	17.47	17.53	17.49	5	19
		36	19	17.85	17.73	17.77	5	19
		36	39	17.81	17.62	17.72	5	19
		75	0	17.83	17.75	17.65	5	19
BW [MHz]	Modulation	Channel		37800	38000	38200	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2575	2595	2615		
10	QPSK	1	0	22.63	22.55	22.72	0	24
		1	24	22.75	22.60	22.54	0	24
		1	49	22.62	22.60	22.61	0	24
		25	0	21.67	21.63	21.55	1	23
		25	12	21.53	21.56	21.69	1	23
		25	25	21.82	21.69	21.68	1	23
		50	0	21.66	21.73	21.63	1	23
	16QAM	1	0	21.85	21.89	21.89	1	23
		1	24	21.58	21.67	21.82	1	23
		1	49	21.63	21.67	21.74	1	23
		25	0	20.47	20.71	20.48	2	22
		25	12	20.85	20.73	20.64	2	22
		25	25	20.53	20.77	20.79	2	22
		50	0	20.53	20.57	20.53	2	22
	64QAM	1	0	21.11	20.98	20.87	2	22
		1	24	21.04	21.11	21.13	2	22
		1	49	20.99	21.02	20.86	2	22
		25	0	19.61	19.62	19.65	3	21
		25	12	19.65	19.68	19.62	3	21
		25	25	19.73	19.51	19.60	3	21
		50	0	19.60	19.65	19.80	3	21
	256QAM	1	0	17.68	17.62	17.72	5	19
		1	24	17.49	17.72	17.56	5	19
		1	49	17.56	17.59	17.51	5	19
		25	0	17.51	17.61	17.52	5	19
		25	12	17.84	17.83	17.63	5	19
		25	25	17.63	17.57	17.65	5	19
		50	0	17.69	17.79	17.59	5	19
BW [MHz]	Modulation	Channel		37775	38000	38225	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2572.5	2595	2617.5		
5	QPSK	1	0	22.73	22.62	22.66	0	24
		1	12	22.61	22.68	22.71	0	24
		1	24	22.51	22.45	22.52	0	24
		12	0	21.55	21.53	21.57	1	23
		12	6	21.67	21.53	21.53	1	23
		12	13	21.74	21.74	21.71	1	23
		25	0	21.72	21.70	21.49	1	23
	16QAM	1	0	21.77	21.78	21.91	1	23
		1	12	21.72	21.80	21.75	1	23
		1	24	21.67	21.75	21.77	1	23
		12	0	20.45	20.56	20.50	2	22
		12	6	20.83	20.73	20.69	2	22
		12	13	20.63	20.72	20.64	2	22
		25	0	20.60	20.50	20.53	2	22
	64QAM	1	0	21.02	21.12	21.00	2	22
		1	12	21.11	21.22	21.07	2	22
		1	24	20.81	21.00	20.89	2	22
		12	0	19.68	19.75	19.71	3	21
		12	6	19.82	19.77	19.71	3	21
		12	13	19.75	19.53	19.68	3	21
		25	0	19.59	19.52	19.78	3	21
	256QAM	1	0	17.64	17.54	17.62	5	19
		1	12	17.65	17.69	17.51	5	19
		1	24	17.49	17.59	17.54	5	19
		12	0	17.49	17.59	17.45	5	19
		12	6	17.63	17.84	17.72	5	19
		12	13	17.60	17.62	17.58	5	19
		25	0	17.70	17.78	17.70	5	19

LTE Band 41

BW [MHz]	Modulation	RB Size	RB Offset	Low	Low Mid	Mid	High Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		39750	40185	40620	41055	41490		
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680		
20	QPSK	1	0	22.61	22.66	22.80	22.67	22.73	0	24
		1	50	**22.69**	**22.73**	**22.84**	**22.68**	**22.78**	0	24
		1	99	22.61	22.55	22.78	22.64	22.72	0	24
		50	0	21.53	21.53	21.78	21.67	21.67	1	23
		50	25	21.64	21.65	21.83	21.67	21.68	1	23
		50	50	**21.72**	**21.76**	**21.86**	**21.72**	**21.80**	1	23
		100	0	21.68	21.73	**21.82**	21.68	21.75	1	23
	16QAM	1	0	21.74	21.92	22.05	21.90	21.97	1	23
		1	50	21.95	22.03	22.15	21.94	21.94	1	23
		1	99	21.79	21.85	22.01	21.79	21.77	1	23
		50	0	20.59	20.58	20.92	20.58	20.56	2	22
		50	25	20.78	20.73	20.91	20.86	20.86	2	22
		50	50	20.62	20.80	20.89	20.81	20.73	2	22
		100	0	20.74	20.65	20.85	20.66	20.67	2	22
	64QAM	1	0	20.93	20.86	21.19	21.15	21.13	2	22
		1	50	21.01	21.06	21.26	21.10	21.03	2	22
		1	99	20.94	20.96	21.20	20.96	21.13	2	22
		50	0	19.61	19.64	19.86	19.71	19.65	3	21
		50	25	19.63	19.73	19.86	19.72	19.73	3	21
		50	50	19.66	19.57	19.77	19.58	19.53	3	21
		100	0	19.67	19.54	19.78	19.60	19.54	3	21
	256QAM	1	0	17.59	17.73	17.78	17.58	17.63	5	19
		1	50	17.49	17.56	17.76	17.64	17.59	5	19
		1	99	17.61	17.55	17.75	17.52	17.64	5	19
		50	0	17.40	17.56	17.71	17.66	17.58	5	19
		50	25	17.61	17.66	17.83	17.78	17.72	5	19
		50	50	17.59	17.50	17.72	17.48	17.50	5	19
		100	0	17.60	17.58	17.79	17.55	17.53	5	19
BW [MHz]	Modulation	Channel		39725	40173	40620	41068	41515	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5		
15	QPSK	1	0	22.52	22.56	22.74	22.66	22.64	0	24
		1	37	22.49	22.63	22.79	22.52	22.74	0	24
		1	74	22.60	22.37	22.57	22.44	22.67	0	24
		36	0	21.37	21.35	21.73	21.64	21.48	1	23
		36	19	21.55	21.52	21.80	21.55	21.69	1	23
		36	39	21.53	21.71	21.76	21.63	21.64	1	23
		75	0	21.57	21.72	21.61	21.47	21.59	1	23
	16QAM	1	0	21.61	21.71	22.00	21.78	21.85	1	23
		1	37	21.78	21.84	22.15	21.75	21.81	1	23
		1	74	21.67	21.73	22.02	21.77	21.65	1	23
		36	0	20.57	20.46	20.70	20.49	20.49	2	22
		36	19	20.67	20.74	20.89	20.84	20.73	2	22
		36	39	20.55	20.81	20.74	20.76	20.73	2	22
		75	0	20.69	20.54	20.78	20.57	20.52	2	22
	64QAM	1	0	20.83	20.85	21.14	21.03	20.93	2	22
		1	37	20.91	20.97	21.25	21.00	20.88	2	22
		1	74	20.94	20.95	20.99	20.85	20.92	2	22
		36	0	19.52	19.53	19.84	19.51	19.49	3	21
		36	19	19.53	19.55	19.85	19.69	19.74	3	21
		36	39	19.45	19.54	19.73	19.56	19.33	3	21
		75	0	19.50	19.38	19.62	19.47	19.52	3	21
	256QAM	1	0	17.42	17.64	17.74	17.46	17.60	5	19
		1	37	17.36	17.45	17.75	17.51	17.41	5	19
		1	74	17.41	17.44	17.64	17.38	17.64	5	19
		36	0	17.23	17.55	17.57	17.51	17.59	5	19
		36	19	17.52	17.59	17.76	17.78	17.62	5	19
		36	39	17.41	17.29	17.62	17.45	17.50	5	19
		75	0	17.61	17.55	17.78	17.37	17.34	5	19
BW [MHz]	Modulation	Channel		39700	40160	40620	41080	41540	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2501	2547	2593	2639	2685		
10	QPSK	1	0	22.44	22.57	22.63	22.47	22.68	0	24
		1	24	22.51	22.73	22.68	22.56	22.71	0	24
		1	49	22.42	22.38	22.64	22.47	22.72	0	24
		25	0	21.51	21.35	21.60	21.55	21.51	1	23
		25	12	21.53	21.52	21.69	21.56	21.54	1	23
		25	25	21.51	21.67	21.70	21.60	21.78	1	23
		50	0	21.68	21.53	21.83	21.59	21.74	1	23
	16QAM	1	0	21.60	21.85	21.86	21.81	21.87	1	23
		1	24	21.79	22.00	22.08	21.74	21.88	1	23
		1	49	21.67	21.64	21.89	21.80	21.75	1	23
		25	0	20.51	20.59	20.68	20.46	20.49	2	22
		25	12	20.79	20.63	20.77	20.70	20.70	2	22
		25	25	20.61	20.62	20.87	20.73	20.65	2	22
		50	0	20.61	20.58	20.66	20.65	20.59	2	22
	64QAM	1	0	20.88	20.75	21.05	21.07	21.07	2	22
		1	24	21.02	20.89	21.10	21.05	20.99	2	22
		1	49	20.86	20.93	21.04	20.77	21.00	2	22
		25	0	19.47	19.50	19.75	19.51	19.64	3	21
		25	12	19.47	19.69	19.82	19.73	19.65	3	21
		25	25	19.59	19.52	19.74	19.43	19.53	3	21
		50	0	19.47	19.34	19.58	19.48	19.44	3	21
	256QAM	1	0	17.45	17.56	17.76	17.50	17.44	5	19
		1	24	17.29	17.54	17.61	17.45	17.42	5	19
		1	49	17.56	17.35	17.59	17.31	17.48	5	19
		25	0	17.21	17.48	17.70	17.54	17.58	5	19
		25	12	17.56	17.52	17.66	17.72	17.61	5	19
		25	25	17.58	17.30	17.70	17.30	17.43	5	19
		50	0	17.48	17.55	17.70	17.43	17.52	5	19
BW [MHz]	Modulation	Channel		39675	40148	40620	41093	41565	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2498.5	2545.8	2593	2640.3	2687.5		
5	QPSK	1	0	22.53	22.50	22.70	22.66	22.64	0	24
		1	12	22.55	22.54	22.80	22.55	22.63	0	24
		1	24	22.59	22.47	22.78	22.49	22.62	0	24
		12	0	21.32	21.46	21.67	21.50	21.51	1	23
		12	6	21.52	21.62	21.65	21.61	21.69	1	23
		12	13	21.73	21.55	21.86	21.63	21.68	1	23
		25	0	21.55	21.55	21.80	21.54	21.69	1	23
	16QAM	1	0	21.67	21.83	21.88	21.86	21.83	1	23
		1	12	21.89	21.93	22.05	21.91	21.78	1	23
		1	24	21.72	21.78	21.97	21.66	21.71	1	23
		12	0	20.46	20.45	20.73	20.56	20.48	2	22
		12	6	20.61	20.56	20.76	20.66	20.66	2	22
		12	13	20.43	20.75	20.74	20.78	20.52	2	22
		25	0	20.69	20.44	20.81	20.53	20.46	2	22
	64QAM	1	0	20.87	20.97	21.07	21.12	20.97	2	22
		1	12	20.84	21.03	21.20	20.95	20.84	2	22
		1	24	20.92	20.95	21.14	20.88	20.93	2	22
		12	0	19.60	19.63	19.74	19.55	19.44	3	21
		12	6	19.51	19.72	19.81	19.53	19.57	3	21
		12	13	19.62	19.45	19.75	19.55	19.38	3	21
		25	0	19.67	19.45	19.67	19.57	19.49	3	21
	256QAM	1	0	17.49	17.60	17.75	17.43	17.62	5	19
		1	12	17.44	17.50	17.74	17.60	17.59	5	19
		1	24	17.45	17.34	17.56	17.45	17.50	5	19
		12	0	17.27	17.40	17.72	17.66	17.56	5	19
		12	6	17.59	17.63	17.65	17.65	17.70	5	19
		12	13	17.44	17.30	17.66	17.37	17.48	5	19
		25	0	17.59	17.38	17.70	17.54	17.53	5	19

Part27() LTE Band 42

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		42190	42590	42990		
		Frequence (MHz)		3460	3500	3540		
20	QPSK	1	0	**21.48**	**21.20**	**21.07**	0	22.5
		1	50	21.34	21.10	20.97	0	22.5
		1	99	21.27	21.00	21.01	0	22.5
		50	0	20.43	20.16	20.01	1	21.5
		50	25	**20.55**	**20.25**	**20.16**	1	21.5
		50	50	20.26	20.11	19.96	1	21.5
		100	0	**20.48**	20.14	20.08	1	21.5
	16QAM	1	0	20.71	20.45	20.37	1	21.5
		1	50	20.74	20.51	20.39	1	21.5
		1	99	20.78	20.44	20.33	1	21.5
		50	0	19.55	19.24	19.07	2	20.5
		50	25	19.36	19.19	18.98	2	20.5
		50	50	19.64	19.29	19.25	2	20.5
		100	0	19.35	19.18	19.05	2	20.5
	64QAM	1	0	19.75	19.50	19.45	2	20.5
		1	50	19.89	19.54	19.53	2	20.5
		1	99	19.79	19.53	19.32	2	20.5
		50	0	18.58	18.23	18.16	3	19.5
		50	25	18.45	18.20	18.16	3	19.5
		50	50	18.42	18.17	18.12	3	19.5
		100	0	18.41	18.17	18.06	3	19.5
	256QAM	1	0	16.58	16.39	16.31	5	17.5
		1	50	16.63	16.32	16.31	5	17.5
		1	99	16.71	16.48	16.47	5	17.5
		50	0	16.69	16.46	16.26	5	17.5
		50	25	16.48	16.32	16.15	5	17.5
		50	50	16.64	16.49	16.32	5	17.5
		100	0	16.61	16.46	16.33	5	17.5
BW [MHz]	Modulation	Channel		42165	42590	43015	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequence (MHz)		3457.5	3500	3542.5		
15	QPSK	1	0	21.37	20.99	20.98	0	22.5
		1	37	21.34	21.02	20.83	0	22.5
		1	74	21.15	20.89	20.88	0	22.5
		36	0	20.37	19.95	19.97	1	21.5
		36	19	20.52	20.26	20.11	1	21.5
		36	39	20.09	19.96	19.79	1	21.5
		75	0	20.36	20.06	19.96	1	21.5
	16QAM	1	0	20.61	20.41	20.35	1	21.5
		1	37	20.57	20.30	20.31	1	21.5
		1	74	20.66	20.28	20.18	1	21.5
		36	0	19.42	19.04	19.02	2	20.5
		36	19	19.29	19.00	18.84	2	20.5
		36	39	19.44	19.09	19.21	2	20.5
		75	0	19.21	19.11	18.90	2	20.5
	64QAM	1	0	19.54	19.41	19.33	2	20.5
		1	37	19.69	19.40	19.47	2	20.5
		1	74	19.72	19.45	19.23	2	20.5
		36	0	18.51	18.03	18.11	3	19.5
		36	19	18.36	18.19	18.00	3	19.5
		36	39	18.40	18.06	18.01	3	19.5
		75	0	18.23	18.04	17.87	3	19.5
	256QAM	1	0	16.54	16.36	16.32	5	17.5
		1	37	16.54	16.29	16.23	5	17.5
		1	74	16.50	16.46	16.35	5	17.5
		36	0	16.64	16.38	16.13	5	17.5
		36	19	16.47	16.15	16.07	5	17.5
		36	39	16.48	16.36	16.19	5	17.5
		75	0	16.55	16.47	16.17	5	17.5
BW [MHz]	Modulation	Channel		42140	42590	43040	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequence (MHz)		3455	3500	3545		
10	QPSK	1	0	21.36	20.99	21.02	0	22.5
		1	24	21.32	21.17	20.98	0	22.5
		1	49	21.21	20.88	20.82	0	22.5
		25	0	20.26	20.09	19.89	1	21.5
		25	12	20.41	20.06	19.98	1	21.5
		25	25	20.13	20.01	19.90	1	21.5
		50	0	20.29	19.95	20.08	1	21.5
	16QAM	1	0	20.67	20.37	20.31	1	21.5
		1	24	20.60	20.34	20.19	1	21.5
		1	49	20.73	20.24	20.33	1	21.5
		25	0	19.41	19.18	18.88	2	20.5
		25	12	19.36	19.16	18.77	2	20.5
		25	25	19.52	19.24	19.15	2	20.5
		50	0	19.23	19.03	18.95	2	20.5
	64QAM	1	0	19.68	19.49	19.39	2	20.5
		1	24	19.80	19.40	19.33	2	20.5
		1	49	19.77	19.48	19.24	2	20.5
		25	0	18.42	18.06	18.15	3	19.5
		25	12	18.42	18.21	18.07	3	19.5
		25	25	18.29	18.10	17.91	3	19.5
		50	0	18.28	18.00	17.96	3	19.5
	256QAM	1	0	16.52	16.29	16.21	5	17.5
		1	24	16.63	16.18	16.23	5	17.5
		1	49	16.51	16.45	16.27	5	17.5
		25	0	16.58	16.38	16.14	5	17.5
		25	12	16.40	16.20	16.02	5	17.5
		25	25	16.45	16.42	16.30	5	17.5
		50	0	16.44	16.43	16.32	5	17.5
BW [MHz]	Modulation	Channel		42115	42590	43065	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequence (MHz)		3452.5	3500	3547.5		
5	QPSK	1	0	21.45	21.18	20.90	0	22.5
		1	12	21.22	21.02	20.89	0	22.5
		1	24	21.12	21.01	20.88	0	22.5
		12	0	20.42	20.15	19.82	1	21.5
		12	6	20.40	20.20	20.17	1	21.5
		12	13	20.08	20.00	19.75	1	21.5
		25	0	20.48	20.06	20.08	1	21.5
	16QAM	1	0	20.67	20.42	20.32	1	21.5
		1	12	20.70	20.34	20.34	1	21.5
		1	24	20.74	20.23	20.17	1	21.5
		12	0	19.36	19.11	18.97	2	20.5
		12	6	19.37	19.15	18.85	2	20.5
		12	13	19.48	19.24	19.08	2	20.5
		25	0	19.27	19.07	18.95	2	20.5
	64QAM	1	0	19.66	19.40	19.28	2	20.5
		1	12	19.69	19.40	19.37	2	20.5
		1	24	19.65	19.35	19.24	2	20.5
		12	0	18.56	18.13	18.09	3	19.5
		12	6	18.38	18.11	18.15	3	19.5
		12	13	18.33	18.17	18.09	3	19.5
		25	0	18.23	18.04	17.91	3	19.5
	256QAM	1	0	16.46	16.38	16.27	5	17.5
		1	12	16.45	16.26	16.28	5	17.5
		1	24	16.51	16.40	16.28	5	17.5
		12	0	16.49	16.45	16.18	5	17.5
		12	6	16.37	16.29	16.12	5	17.5
		12	13	16.63	16.30	16.25	5	17.5
		25	0	16.43	16.30	16.25	5	17.5

Part96_LTE Band 42

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		43190	43340	43490		
		Frequence (MHz)		3560	3575	3590		
20	QPSK	1	0	**20.95**	**20.98**	**20.97**	0	22.5
		1	50	20.92	20.97	20.94	0	22.5
		1	99	20.79	20.84	20.82	0	22.5
		50	0	19.94	20.00	20.02	1	21.5
		50	25	**19.99**	**20.05**	**20.04**	1	21.5
		50	50	19.85	19.89	19.80	1	21.5
		100	0	19.91	**20.00**	19.97	1	21.5
	16QAM	1	0	20.20	20.31	20.22	1	21.5
		1	50	20.35	20.34	20.26	1	21.5
		1	99	20.25	20.24	20.25	1	21.5
		50	0	18.88	19.02	19.02	2	20.5
		50	25	19.03	18.89	18.94	2	20.5
		50	50	18.92	19.08	19.08	2	20.5
		100	0	18.90	18.89	18.91	2	20.5
	64QAM	1	0	19.26	19.23	19.32	2	20.5
		1	50	19.38	19.26	19.38	2	20.5
		1	99	19.18	19.23	19.27	2	20.5
		50	0	17.90	17.94	18.01	3	19.5
		50	25	17.96	17.92	17.95	3	19.5
		50	50	17.91	17.87	17.91	3	19.5
		100	0	17.95	17.94	18.03	3	19.5
	256QAM	1	0	16.18	16.29	16.24	5	17.5
		1	50	16.05	16.21	16.06	5	17.5
		1	99	16.28	16.18	16.16	5	17.5
		50	0	16.13	16.23	16.20	5	17.5
		50	25	16.14	16.16	16.14	5	17.5
		50	50	16.27	16.27	16.31	5	17.5
		100	0	16.19	16.33	16.12	5	17.5
BW [MHz]	Modulation	Channel		43165	43340	43515	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequence (MHz)		3557.5	3575	3592.5		
15	QPSK	1	0	20.91	20.95	20.79	0	22.5
		1	37	20.92	20.84	20.89	0	22.5
		1	74	20.61	20.77	20.70	0	22.5
		36	0	19.80	19.96	19.93	1	21.5
		36	19	19.82	19.86	20.03	1	21.5
		36	39	19.80	19.85	19.74	1	21.5
		75	0	19.79	19.80	19.79	1	21.5
	16QAM	1	0	20.10	20.19	20.05	1	21.5
		1	37	20.30	20.20	20.14	1	21.5
		1	74	20.22	20.03	20.19	1	21.5
		36	0	18.79	18.82	18.97	2	20.5
		36	19	18.87	18.76	18.83	2	20.5
		36	39	18.86	18.93	19.01	2	20.5
		75	0	18.72	18.80	18.88	2	20.5
	64QAM	1	0	19.06	19.15	19.16	2	20.5
		1	37	19.27	19.25	19.34	2	20.5
		1	74	19.00	19.05	19.26	2	20.5
		36	0	17.81	17.87	17.86	3	19.5
		36	19	17.75	17.93	17.95	3	19.5
		36	39	17.85	17.78	17.76	3	19.5
		75	0	17.75	17.89	18.01	3	19.5
	256QAM	1	0	16.15	16.25	16.18	5	17.5
		1	37	16.05	16.20	15.98	5	17.5
		1	74	16.25	16.03	16.06	5	17.5
		36	0	15.92	16.03	16.05	5	17.5
		36	19	16.13	15.96	16.14	5	17.5
		36	39	16.17	16.10	16.16	5	17.5
		75	0	16.15	16.13	16.09	5	17.5
BW [MHz]	Modulation	Channel		43140	43340	43540	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequence (MHz)		3555	3575	3595		
10	QPSK	1	0	20.80	20.90	20.96	0	22.5
		1	24	20.77	20.94	20.85	0	22.5
		1	49	20.78	20.64	20.81	0	22.5
		25	0	19.75	19.82	20.00	1	21.5
		25	12	19.84	19.91	19.88	1	21.5
		25	25	19.74	19.71	19.80	1	21.5
		50	0	19.89	19.87	19.93	1	21.5
	16QAM	1	0	20.07	20.19	20.10	1	21.5
		1	24	20.18	20.35	20.11	1	21.5
		1	49	20.11	20.21	20.15	1	21.5
		25	0	18.69	18.89	18.83	2	20.5
		25	12	18.91	18.70	18.82	2	20.5
		25	25	18.86	19.01	18.90	2	20.5
		50	0	18.81	18.74	18.70	2	20.5
	64QAM	1	0	19.00	19.21	19.23	2	20.5
		1	24	19.37	19.20	19.39	2	20.5
		1	49	19.10	19.19	19.24	2	20.5
		25	0	17.71	17.88	18.00	3	19.5
		25	12	17.81	17.89	17.95	3	19.5
		25	25	17.70	17.85	17.71	3	19.5
		50	0	17.96	17.88	17.90	3	19.5
	256QAM	1	0	16.09	16.15	16.20	5	17.5
		1	24	16.03	16.03	16.05	5	17.5
		1	49	16.07	16.19	16.09	5	17.5
		25	0	15.96	16.11	16.17	5	17.5
		25	12	16.11	16.09	16.14	5	17.5
		25	25	16.12	16.16	16.30	5	17.5
		50	0	16.05	16.33	16.04	5	17.5
BW [MHz]	Modulation	Channel		43115	43340	43565	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequence (MHz)		3552.5	3575	3597.5		
5	QPSK	1	0	20.76	20.80	20.80	0	22.5
		1	12	20.89	20.89	20.73	0	22.5
		1	24	20.68	20.76	20.79	0	22.5
		12	0	19.85	19.90	19.99	1	21.5
		12	6	19.82	20.03	19.95	1	21.5
		12	13	19.84	19.78	19.74	1	21.5
		25	0	19.82	19.95	19.83	1	21.5
	16QAM	1	0	20.02	20.12	20.17	1	21.5
		1	12	20.23	20.27	20.17	1	21.5
		1	24	20.06	20.04	20.07	1	21.5
		12	0	18.70	18.81	18.95	2	20.5
		12	6	18.90	18.74	18.85	2	20.5
		12	13	18.79	18.96	19.02	2	20.5
		25	0	18.78	18.80	18.77	2	20.5
	64QAM	1	0	19.18	19.12	19.12	2	20.5
		1	12	19.30	19.19	19.21	2	20.5
		1	24	19.01	19.11	19.26	2	20.5
		12	0	17.69	17.85	17.99	3	19.5
		12	6	17.83	17.92	17.81	3	19.5
		12	13	17.85	17.69	17.86	3	19.5
		25	0	17.88	17.81	17.90	3	19.5
	256QAM	1	0

Part 96_LTE Band 48

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid-Low	Mid-High	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		55340	55830	56150	56640		
		Frequency (MHz)		3560	3609	3641	3690		
20	QPSK	1	0	20.47	20.59	20.57	20.49	0	22
		1	50	20.45	20.53	20.50	20.44	0	22
		1	99	20.34	20.42	20.31	20.49	0	22
		50	0	19.49	19.44	19.56	19.47	1	21
		50	25	19.53	19.64	19.63	19.56	1	21
		50	50	19.39	19.52	19.34	19.46	1	21
		100	0	19.48	19.60	19.59	19.51	1	21
	16QAM	1	0	19.68	19.70	19.61	19.74	1	21
		1	50	19.63	19.56	19.66	19.54	1	21
		1	99	19.76	19.72	19.68	19.65	1	21
		50	0	18.49	18.40	18.54	18.44	2	20
		50	25	18.35	18.41	18.38	18.41	2	20
		50	50	18.46	18.48	18.56	18.42	2	20
		100	0	18.65	18.47	18.64	18.63	2	20
	64QAM	1	0	18.69	18.88	18.91	18.87	2	20
		1	50	18.80	18.88	18.80	18.80	2	20
		1	99	18.99	19.06	19.05	19.03	2	20
		50	0	17.50	17.54	17.46	17.44	3	19
		50	25	17.41	17.44	17.43	17.34	3	19
		50	50	17.62	17.64	17.66	17.68	3	19
		100	0	17.60	17.52	17.45	17.59	3	19
	256QAM	1	0	15.51	15.61	15.67	15.57	5	17
		1	50	15.71	15.81	15.73	15.65	5	17
		1	99	15.65	15.61	15.67	15.77	5	17
		50	0	15.56	15.61	15.70	15.60	5	17
		50	25	15.61	15.53	15.61	15.71	5	17
		50	50	15.67	15.68	15.72	15.55	5	17
		100	0	15.50	15.45	15.60	15.55	5	17
BW [MHz]	Modulation	Channel		55315	55820	56140	56665	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		3557.5	3608	3642	3692.5		
15	QPSK	1	0	20.27	20.52	20.52	20.40	0	22
		1	37	20.46	20.40	20.51	20.24	0	22
		1	74	20.33	20.31	20.30	20.48	0	22
		36	0	19.29	19.25	19.51	19.32	1	21
		36	19	19.33	19.49	19.54	19.35	1	21
		36	39	19.21	19.52	19.33	19.37	1	21
		75	0	19.37	19.40	19.50	19.39	1	21
	16QAM	1	0	19.68	19.55	19.59	19.57	1	21
		1	37	19.44	19.43	19.65	19.55	1	21
		1	74	19.73	19.53	19.56	19.62	1	21
		36	0	18.46	18.23	18.39	18.31	2	20
		36	19	18.27	18.29	18.26	18.32	2	20
		36	39	18.44	18.28	18.45	18.25	2	20
		75	0	18.51	18.47	18.56	18.46	2	20
	64QAM	1	0	18.82	18.73	18.71	18.69	2	20
		1	37	18.59	18.77	18.67	18.71	2	20
		1	74	18.92	18.98	19.01	18.94	2	20
		36	0	17.46	17.39	17.29	17.42	3	19
		36	19	17.40	17.32	17.44	17.18	3	19
		36	39	17.63	17.64	17.45	17.64	3	19
		75	0	17.41	17.35	17.40	17.50	3	19
	256QAM	1	0	15.30	15.48	15.64	15.52	5	17
		1	37	15.54	15.79	15.73	15.47	5	17
		1	74	15.66	15.46	15.57	15.58	5	17
		36	0	15.35	15.42	15.52	15.57	5	17
		36	19	15.43	15.36	15.60	15.58	5	17
		36	39	15.63	15.52	15.71	15.55	5	17
		75	0	15.35	15.33	15.55	15.41	5	17
BW [MHz]	Modulation	Channel		55290	55815	56165	56690	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		3555	3607.5	3642.5	3695		
10	QPSK	1	0	20.31	20.39	20.45	20.39	0	22
		1	24	20.32	20.35	20.38	20.44	0	22
		1	49	20.14	20.35	20.13	20.45	0	22
		25	0	19.39	19.37	19.39	19.39	1	21
		25	12	19.46	19.60	19.53	19.54	1	21
		25	25	19.26	19.37	19.16	19.37	1	21
		50	0	19.45	19.49	19.54	19.38	1	21
	16QAM	1	0	19.52	19.61	19.40	19.68	1	21
		1	24	19.45	19.42	19.47	19.41	1	21
		1	49	19.74	19.56	19.63	19.49	1	21
		25	0	18.32	18.19	18.34	18.39	2	20
		25	12	18.29	18.31	18.24	18.23	2	20
		25	25	18.43	18.42	18.37	18.23	2	20
		50	0	18.57	18.46	18.56	18.53	2	20
	64QAM	1	0	18.89	18.82	18.75	18.67	2	20
		1	24	18.79	18.68	18.76	18.76	2	20
		1	49	18.89	18.97	18.92	19.02	2	20
		25	0	17.49	17.51	17.42	17.37	3	19
		25	12	17.30	17.42	17.33	17.23	3	19
		25	25	17.58	17.53	17.51	17.53	3	19
		50	0	17.44	17.31	17.39	17.56	3	19
	256QAM	1	0	15.38	15.43	15.59	15.43	5	17
		1	24	15.65	15.68	15.56	15.64	5	17
		1	49	15.65	15.56	15.68	15.60	5	17
		25	0	15.41	15.57	15.52	15.56	5	17
		25	12	15.46	15.50	15.58	15.66	5	17
		25	25	15.55	15.61	15.61	15.56	5	17
		50	0	15.50	15.42	15.56	15.43	5	17
BW [MHz]	Modulation	Channel		55265	55810	56170	56715	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		3552.5	3607	3643	3697.5		
5	QPSK	1	0	20.39	20.44	20.49	20.36	0	22
		1	12	20.32	20.40	20.31	20.28	0	22
		1	24	20.31	20.37	20.22	20.37	0	22
		12	0	19.30	19.25	19.53	19.34	1	21
		12	6	19.53	19.56	19.56	19.53	1	21
		12	13	19.37	19.40	19.28	19.46	1	21
		25	0	19.47	19.56	19.39	19.52	1	21
	16QAM	1	0	19.52	19.51	19.61	19.68	1	21
		1	12	19.59	19.51	19.60	19.50	1	21
		1	24	19.56	19.51	19.69	19.64	1	21
		12	0	18.30	18.41	18.40	18.38	2	20
		12	6	18.17	18.29	18.26	18.27	2	20
		12	13	18.29	18.35	18.37	18.43	2	20
		25	0	18.44	18.27	18.58	18.43	2	20
	64QAM	1	0	18.87	18.69	18.80	18.67	2	20
		1	12	18.69	18.89	18.79	18.80	2	20
		1	24	18.97	19.07	18.92	18.91	2	20
		12	0	17.30	17.39	17.38	17.45	3	19
		12	6	17.29	17.24	17.35	17.18	3	19
		12	13	17.43	17.47	17.48	17.67	3	19
		25	0	17.60	17.38	17.29	17.39	3	19
	256QAM	1	0	15.48	15.58	15.54	15.51	5	17
		1	12	15.63	15.63	15.55	15.66	5	17
		1	24	15.62	15.55	15.59	15.75	5	17
		12	0	15.38	15.51	15.62	15.42	5	17
		12	6	15.43	15.51	15.41	15.52	5	17
		12	13	15.68	15.51	15.64	15.34	5	17
		25	0	15.51	15.35	15.59	15.47	5	17

LTE Band 66

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		132072	132322	132572		
		Frequency (MHz)		1720	1745	1770		
20	QPSK	1	0	22.36	22.49	22.50	0	24
		1	50	22.49	22.64	22.75	0	24
		1	99	22.38	22.58	22.72	0	24
		50	0	21.41	21.52	21.65	1	23
		50	25	21.51	21.65	21.78	1	23
		50	50	21.47	21.59	21.73	1	23
		100	0	21.53	21.68	21.81	1	23
	16QAM	1	0	21.62	21.63	21.65	1	23
		1	50	21.58	21.63	21.73	1	23
		1	99	21.33	21.54	21.57	1	23
		50	0	20.43	20.57	20.70	2	22
		50	25	20.49	20.67	20.86	2	22
		50	50	20.46	20.58	20.79	2	22
		100	0	20.55	20.64	20.82	2	22
	64QAM	1	0	20.55	20.74	20.70	2	22
		1	50	20.63	20.80	20.82	2	22
		1	99	20.51	20.66	20.84	2	22
		50	0	19.52	19.53	19.71	3	21
		50	25	19.45	19.62	19.64	3	21
		50	50	19.51	19.52	19.70	3	21
		100	0	19.52	19.56	19.71	3	21
	256QAM	1	0	17.48	17.52	17.69	5	19
		1	50	17.37	17.43	17.55	5	19
		1	99	17.49	17.60	17.77	5	19
		50	0	17.47	17.58	17.72	5	19
		50	25	17.42	17.52	17.62	5	19
		50	50	17.52	17.55	17.69	5	19
		100	0	17.31	17.45	17.47	5	19
BW [MHz]	Modulation	Channel		132047	132322	132597	3GPP MPR	Max. Tune-up
		Frequency (MHz)		1717.5	1745	1772.5		
15	QPSK	1	0	22.23	22.39	22.47	0	24
		1	37	22.50	22.65	22.69	0	24
		1	74	22.25	22.38	22.67	0	24
		36	0	21.23	21.33	21.44	1	23
		36	19	21.51	21.62	21.72	1	23
		36	39	21.44	21.47	21.52	1	23
		75	0	21.32	21.66	21.72	1	23
	16QAM	1	0	21.61	21.59	21.45	1	23
		1	37	21.40	21.43	21.71	1	23
		1	74	21.23	21.53	21.40	1	23
		36	0	20.38	20.43	20.53	2	22
		36	19	20.32	20.64	20.65	2	22
		36	39	20.36	20.56	20.75	2	22
		75	0	20.46	20.56	20.64	2	22
	64QAM	1	0	20.56	20.59	20.58	2	22
		1	37	20.63	20.67	20.78	2	22
		1	74	20.36	20.58	20.76	2	22
		36	0	19.49	19.41	19.60	3	21
		36	19	19.37	19.58	19.64	3	21
		36	39	19.51	19.46	19.66	3	21
		75	0	19.32	19.54	19.66	3	21
	256QAM	1	0	17.48	17.39	17.50	5	19
		1	37	17.29	17.36	17.42	5	19
		1	74	17.28	17.44	17.73	5	19
		36	0	17.26	17.38	17.51	5	19
		36	19	17.42	17.53	17.51	5	19
		36	39	17.44	17.36	17.69	5	19
		75	0	17.17	17.32	17.30	5	19
BW [MHz]	Modulation	Channel		132022	132322	132622	3GPP MPR	Max. Tune-up
		Frequency (MHz)		1715	1745	1775		
10	QPSK	1	0	22.24	22.42	22.46	0	24
		1	24	22.46	22.65	22.63	0	24
		1	49	22.24	22.53	22.73	0	24
		25	0	21.25	21.45	21.50	1	23
		25	12	21.44	21.62	21.77	1	23
		25	25	21.42	21.50	21.67	1	23
		50	0	21.52	21.48	21.80	1	23
	16QAM	1	0	21.63	21.48	21.46	1	23
		1	24	21.59	21.52	21.61	1	23
		1	49	21.27	21.45	21.54	1	23
		25	0	20.31	20.36	20.55	2	22
		25	12	20.38	20.55	20.71	2	22
		25	25	20.36	20.56	20.70	2	22
		50	0	20.53	20.60	20.81	2	22
	64QAM	1	0	20.45	20.60	20.69	2	22
		1	24	20.48	20.68	20.75	2	22
		1	49	20.40	20.63	20.83	2	22
		25	0	19.47	19.36	19.52	3	21
		25	12	19.40	19.51	19.57	3	21
		25	25	19.39	19.49	19.49	3	21
		50	0	19.53	19.40	19.66	3	21
	256QAM	1	0	17.34	17.35	17.64	5	19
		1	24	17.26	17.30	17.53	5	19
		1	49	17.34	17.39	17.73	5	19
		25	0	17.40	17.50	17.57	5	19
		25	12	17.21	17.33	17.57	5	19
		25	25	17.35	17.35	17.56	5	19
		50	0	17.11	17.30	17.34	5	19
BW [MHz]	Modulation	Channel		131997	132322	132647	3GPP MPR	Max. Tune-up
		Frequency (MHz)		1712.5	1745	1777.5		
5	QPSK	1	0	22.24	22.32	22.46	0	24
		1	12	22.33	22.43	22.66	0	24
		1	24	22.23	22.45	22.55	0	24
		12	0	21.27	21.35	21.49	1	23
		12	6	21.39	21.65	21.60	1	23
		12	13	21.40	21.48	21.70	1	23
		25	0	21.50	21.69	21.81	1	23
	16QAM	1	0	21.50	21.51	21.48	1	23
		1	12	21.52	21.51	21.61	1	23
		1	24	21.31	21.35	21.47	1	23
		12	0	20.44	20.56	20.62	2	22
		12	6	20.42	20.51	20.80	2	22
		12	13	20.47	20.37	20.65	2	22
		25	0	20.47	20.46	20.77	2	22
	64QAM	1	0	20.54	20.67	20.65	2	22
		1	12	20.48	20.78	20.76	2	22
		1	24	20.30	20.64	20.83	2	22
		12	0	19.53	19.48	19.61	3	21
		12	6	19.31	19.50	19.65	3	21
		12	13	19.36	19.37	19.61	3	21
		25	0	19.33	19.48	19.70	3	21
	256QAM	1	0	17.32	17.38	17.61	5	19
		1	12	17.17	17.40	17.34	5	19
		1	24	17.44	17.42	17.64	5	19
		12	0	17.27	17.45	17.53	5	19
		12	6	17.32	17.44	17.52	5	19
		12	13	17.49	17.38	17.61	5	19
		25	0	17.19	17.31	17.28	5	19
BW [MHz]	Modulation	Channel		131987	132322	132657	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1711.5	1745	1778.5		
3	QPSK	1	0	22.21	22.43	22.49	0	24
		1	7	22.33	22.54	22.61	0	24
		1	14	22.37	22.43	22.67	0	24
		8	0	21.31	21.46	21.65	1	23
		8	3	21.31	21.65	21.75	1	23
		8	7	21.46	21.39	21.70	1	23
		15	0	21.38	21.53	21.67	1	23
	16QAM	1	0	21.61	21.62	21.57	1	23
		1	7	21.48	21.59	21.73	1	23
		1	14	21.18	21.45	21.50	1	23
		8	0	20.41	20.43	20.56	2	22
		8	3	20.50	20.53	20.70	2	22
		8	7	20.36	20.42	20.60	2	22
		15	0	20.54	20.56	20.77	2	22
	64QAM	1	0	20.42	20.63	20.58	2	22
		1	7	20.52	20.62	20.79	2	22
		1	14	20.47	20.55	20.83	2	22
		8	0	19.35	19.50	19.67	3	21
		8	3	19.39	19.50	19.46	3	21
		8	7	19.30	19.41	19.68	3	21
		15	0	19.45	19.45	19.63	3	21
	256QAM	1	0	17.49	17.53	17.49	5	19
		1	7	17.33	17.44	17.53	5	19
		1	14	17.46	17.58	17.67	5	19
		8	0	17.32	17.38	17.53	5	19
		8	3	17.42	17.32	17.41	5	19
		8	7	17.33	17.37	17.69	5	19
		15	0	17.19	17.31	17.27	5	19
BW [MHz]	Modulation	Channel		131979	132322	132665	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1710.7	1745	1779.3		
1.4	QPSK	1	0	22.33	22.26	22.39	0	24
		1	2	22.44	22.54	22.73	0	24
		1	5	22.34	22.49	22.60	0	24
		3	0	22.18	22.29	22.55	0	24
		3	1	22.33	22.59	22.75	0	24
		3	3	22.38	22.51	22.50	0	24
		6	0	21.39	21.51	21.70	1	23
	16QAM	1	0	21.45	21.59	21.61	1	23
		1	2	21.57	21.52	21.69	1	23
		1	5	21.10	21.44	21.54	1	23
		3	0	21.41	21.44	21.49	1	23
		3	1	21.37	21.55	21.67	1	23
		3	3	21.30	21.52	21.75	1	23
		6	0	20.40	20.46	20.70	2	22
	64QAM	1	0	20.41	20.57	20.69	2	22
		1	2	20.51	20.61	20.73	2	22
		1	5	20.45	20.49	20.68	2	22
		3	0	20.49	20.49	20.50	2	22
		3	1	20.34	20.53	20.63	2	22
		3	3	20.41	20.45	20.57	2	22
		6	0	19.43	19.51	19.55	3	21
	256QAM	1	0	17.46	17.38	17.49	5	19
		1	2	17.16	17.23	17.41	5	19
		1	5	17.48	17.37	17.58	5	19
		3	0	17.40	17.43	17.67	5	19
		3	1	17.40	17.35	17.43	5	19
		3	3	17.37	17.43	17.51	5	19
		6	0	17.22	17.44	17.46	5	19

LTE Band 71

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		133222	133222	133222		
		Frequency (MHz)		673	683	688		
20	QPSK	1	0	23.18	22.88	23.09	0	24
		1	50	23.05	22.69	22.90	0	24
		1	99	22.87	22.57	22.82	0	24
		50	0	21.79	21.50	21.80	1	23
		50	25	21.99	21.63	21.81	1	23
		50	50	21.94	21.61	21.78	1	23
		100	0	21.95	21.60	21.79	1	23
	16QAM	1	0	22.08	21.68	21.94	1	23
		1	50	22.11	21.77	21.92	1	23
		1	99	21.90	21.58	21.86	1	23
		50	0	20.91	20.53	20.82	2	22
		50	25	20.87	20.55	20.75	2	22
		50	50	20.90	20.52	20.79	2	22
		100	0	20.91	20.69	20.88	2	22
	64QAM	1	0	21.13	20.79	20.99	2	22
		1	50	21.11	20.72	20.91	2	22
		1	99	21.05	20.74	20.94	2	22
		50	0	19.86	19.75	19.86	3	21
		50	25	20.11	19.83	19.95	3	21
		50	50	20.02	19.52	19.81	3	21
		100	0	19.90	19.56	19.81	3	21
	256QAM	1	0	18.14	17.81	18.01	5	19
		1	50	18.17	17.87	18.03	5	19
		1	99	18.07	17.79	17.96	5	19
		50	0	18.18	17.85	18.10	5	19
		50	25	18.04	17.80	17.98	5	19
		50	50	18.02	17.81	17.97	5	19
		100	0	18.14	17.76	18.07	5	19
BW [MHz]	Modulation	Channel		133197	133297	133397	3GPP MPR	Max. Tune-up
		Frequency (MHz)		675.5	685.5	695.5		
15	QPSK	1	0	22.98	22.71	22.95	0	24
		1	37	23.04	22.48	22.77	0	24
		1	74	22.82	22.39	22.70	0	24
		36	0	21.78	21.37	21.67	1	23
		36	19	21.95	21.53	21.75	1	23
		36	39	21.76	21.62	21.60	1	23
		75	0	21.75	21.49	21.78	1	23
	16QAM	1	0	21.91	21.64	21.95	1	23
		1	37	22.11	21.70	21.89	1	23
		1	74	21.98	21.59	21.65	1	23
		36	0	20.92	20.46	20.76	2	22
		36	19	20.81	20.43	20.56	2	22
		36	39	20.69	20.38	20.74	2	22
		75	0	20.74	20.70	20.70	2	22
	64QAM	1	0	20.97	20.59	20.94	2	22
		1	37	21.11	20.53	20.73	2	22
		1	74	20.91	20.65	20.91	2	22
		36	0	19.81	19.66	19.80	3	21
		36	19	20.03	19.83	19.88	3	21
		36	39	19.96	19.52	19.72	3	21
		75	0	19.83	19.39	19.68	3	21
	256QAM	1	0	18.00	17.76	17.97	5	19
		1	37	18.00	17.67	17.96	5	19
		1	74	18.05	17.79	17.84	5	19
		36	0	18.08	17.66	17.95	5	19
		36	19	17.92	17.79	17.79	5	19
		36	39	18.01	17.62	17.91	5	19
		75	0	18.03	17.70	17.91	5	19
BW [MHz]	Modulation	Channel		133172	133297	133422	3GPP MPR	Max. Tune-up
		Frequency (MHz)		668	680.5	693		
10	QPSK	1	0	22.98	22.76	23.07	0	24
		1	24	23.00	22.63	22.81	0	24
		1	49	22.69	22.48	22.78	0	24
		25	0	21.79	21.37	21.79	1	23
		25	12	22.00	21.63	21.82	1	23
		25	25	21.89	21.62	21.61	1	23
		50	0	21.85	21.40	21.65	1	23
	16QAM	1	0	21.98	21.51	21.83	1	23
		1	24	21.91	21.78	21.79	1	23
		1	49	21.71	21.54	21.82	1	23
		25	0	20.87	20.41	20.64	2	22
		25	12	20.81	20.53	20.55	2	22
		25	25	20.78	20.35	20.78	2	22
		50	0	20.74	20.64	20.77	2	22
	64QAM	1	0	21.03	20.68	20.92	2	22
		1	24	20.99	20.58	20.85	2	22
		1	49	21.00	20.67	20.78	2	22
		25	0	19.82	19.54	19.83	3	21
		25	12	19.92	19.66	19.91	3	21
		25	25	19.96	19.34	19.67	3	21
		50	0	19.76	19.56	19.76	3	21
	256QAM	1	0	18.11	17.75	17.85	5	19

<Full Power For NR Normal Mode>

n2 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		372000	376000	380000		
		Frequence (MHz)		1860	1880	1900		
20	PI/2 BPSK	1	1	23.00	23.07	23.05	0	24.0
		1	53	22.95	23.04	22.83	0	24.0
		1	104	22.99	23.01	22.83	0	24.0
		50	0	22.88	23.02	23.02	0	24.0
		50	28	22.86	23.00	22.82	0	24.0
		50	56	22.99	22.98	22.90	0	24.0
		100	0	22.85	22.95	22.77	0	24.0
	QPSK	1	1	**23.02**	**23.08**	**23.06**	0	24.0
		1	53	23.00	23.06	23.05	0	24.0
		1	104	23.01	23.07	22.98	0	24.0
		50	0	22.99	23.02	22.82	0	24.0
		50	28	**23.00**	**23.06**	**23.03**	0	24.0
		50	56	22.98	23.00	22.90	0	24.0
		100	0	22.95	**23.02**	22.98	0	24.0
	16QAM	1	1	22.97	23.00	22.90	0	24.0
	64QAM	1	1	21.64	21.68	21.52	1.5	22.5
	256QAM	1	1	19.26	19.34	19.14	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		371500	376000	380500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1857.5	1880	1902.5		
15	QPSK	1	1	22.82	22.90	22.95	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		371000	376000	381000	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1855	1880	1905		
10	QPSK	1	1	22.93	22.99	22.85	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		370500	376000	381500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1852.5	1880	1907.5		
5	QPSK	1	1	22.81	22.97	22.88	0	24.0

n5 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		166800	167300	167800		
		Frequence (MHz)		834	836.5	839		
20	PI/2 BPSK	1	1	23.32	23.32	23.29	0	24.0
		1	53	23.17	23.28	23.21	0	24.0
		1	104	23.19	23.31	23.19	0	24.0
		50	0	23.01	23.18	23.00	0	24.0
		50	28	23.16	23.32	23.19	0	24.0
		50	56	22.97	23.14	23.03	0	24.0
		100	0	23.29	23.32	23.14	0	24.0
	QPSK	1	1	**23.35**	**23.37**	**23.32**	0	24.0
		1	53	23.17	23.18	23.22	0	24.0
		1	104	23.28	23.27	23.20	0	24.0
		50	0	23.24	23.33	23.23	0	24.0
		50	28	**23.32**	**23.35**	**23.30**	0	24.0
		50	56	23.16	23.19	23.15	0	24.0
		100	0	23.30	**23.33**	23.26	0	24.0
	16QAM	1	1	23.20	23.24	23.03	0	24.0
	64QAM	1	1	21.58	21.79	21.69	1.5	22.5
	256QAM	1	1	19.79	19.82	19.68	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		166300	167300	168300	MPR (dB)	Max. Tune-up
		Frequence (MHz)		831.5	836.5	841.5		
15	QPSK	1	1	23.30	23.30	23.31	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		165800	167300	168800	MPR (dB)	Max. Tune-up
		Frequence (MHz)		829	836.5	844		
10	QPSK	1	1	23.28	23.18	23.24	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		166300	167300	168300	MPR (dB)	Max. Tune-up
		Frequence (MHz)		831.5	836.5	841.5		
15	QPSK	1	1	23.22	23.28	23.30	0	24.0

n12 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		141300	141500	141700		
		Frequence (MHz)		706.5	707.5	708.5		
15	PI/2 BPSK	1	1	23.20	23.25	23.21	0	24.0
		1	40	23.14	23.18	23.17	0	24.0
		1	77	23.09	23.15	23.04	0	24.0
		36	0	23.16	23.16	23.09	0	24.0
		36	22	23.17	23.22	23.18	0	24.0
		36	43	23.14	23.13	23.10	0	24.0
		75	0	23.15	23.17	23.08	0	24.0
	QPSK	1	1	**23.22**	**23.27**	**23.24**	0	24.0
		1	40	23.17	23.20	23.20	0	24.0
		1	77	23.12	23.24	23.22	0	24.0
		36	0	23.07	23.21	23.14	0	24.0
		36	22	**23.20**	**23.24**	**23.22**	0	24.0
		36	43	23.18	23.20	23.13	0	24.0
		75	0	23.17	**23.22**	23.20	0	24.0
	16QAM	1	1	23.22	23.18	23.22	0	24.0
	64QAM	1	1	21.42	21.56	21.46	1.5	22.5
	256QAM	1	1	19.69	19.74	19.75	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		140800	141500	142200	MPR (dB)	Max. Tune-up
		Frequence (MHz)		704	707.5	711		
10	QPSK	1	1	23.21	23.13	23.11	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		140300	141500	142700	MPR (dB)	Max. Tune-up
		Frequence (MHz)		701.5	707.5	713.5		
5	QPSK	1	1	23.22	23.25	23.21	0	24.0

n14 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel			158600			
		Frequence (MHz)			793			
10	PI/2 BPSK	1	1		23.32		0	24.0
		1	26		23.17		0	24.0
		1	50		23.18		0	24.0
		25	0		23.27		0	24.0
		25	14		23.30		0	24.0
		25	27		23.13		0	24.0
		50	0		23.29		0	24.0
	QPSK	1	1		**23.35**		0	24.0
		1	26		23.28		0	24.0
		1	50		23.34		0	24.0
		25	0		23.27		0	24.0
		25	14		**23.33**		0	24.0
		25	27		23.28		0	24.0
		50	0		**23.30**		0	24.0
	16QAM	1	1		23.33		0	24.0
	64QAM	1	1		21.84		1.5	22.5
	256QAM	1	1		19.79		3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		158100	158600	159100	MPR (dB)	Max. Tune-up
		Frequence (MHz)		790.5	793	795.5		
5	QPSK	1	1	23.29	23.33	23.32	0	24.0

n25 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		372000	376500	381000		
		Frequence (MHz)		1860	1882.5	1905		
20	PI/2 BPSK	1	1	23.12	23.17	23.15	0	24.0
		1	53	22.94	23.11	23.00	0	24.0
		1	104	23.00	23.04	23.03	0	24.0
		50	0	23.06	23.04	23.05	0	24.0
		50	28	23.09	23.11	23.10	0	24.0
		50	56	22.92	22.89	22.93	0	24.0
		100	0	22.93	23.10	22.96	0	24.0
	QPSK	1	1	**23.15**	**23.20**	**23.17**	0	24.0
		1	53	23.04	23.14	23.07	0	24.0
		1	104	23.13	23.16	23.14	0	24.0
		50	0	23.10	23.08	23.11	0	24.0
		50	28	**23.12**	**23.18**	**23.14**	0	24.0
		50	56	22.95	23.04	23.00	0	24.0
		100	0	23.08	**23.15**	23.10	0	24.0
	16QAM	1	1	23.09	23.15	23.11	0	24.0
	64QAM	1	1	21.82	21.87	21.90	1.5	22.5
	256QAM	1	1	19.62	19.56	19.58	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		371500	376500	381500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1857.5	1882.5	1907.5		
15	QPSK	1	1	23.14	23.16	23.19	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		371000	376500	382000	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1855	1882.5	1910		
10	QPSK	1	1	23.11	23.16	23.15	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		370500	376500	382500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1852.5	1882.5	1912.5		
5	QPSK	1	1	23.05	23.08	23.17	0	24.0

n30 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel			462000			
		Frequence (MHz)			2310			
10	PI/2 BPSK	1	1		21.27		0	22.0
		1	26		21.25		0	22.0
		1	50		21.20		0	22.0
		25	0		20.73		0.5	21.5
		25	14		21.24		0	22.0
		25	27		20.71		0.5	21.5
		50	0		20.75		0.5	21.5
	QPSK	1	1		**21.30**		0	22.0
		1	26		21.28		0	22.0
		1	50		21.23		0	22.0
		25	0		20.27		1	21.0
		25	14		**21.28**		0	22.0
		25	27		20.30		1	21.0
		50	0		**20.27**		1	21.0
	16QAM	1	1		20.34		1	21.0
	64QAM	1	1		18.82		2.5	19.5
	256QAM	1	1		16.77		4.5	17.5
BW [MHz]	DFT-s-OFDM	Channel		461500	462000	462500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		2307.5	2310	2312.5		
5	QPSK	1	1	21.13	21.25	21.20	0	22.0

n66 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		344000	349000	354000		
		Frequence (MHz)		1720	1745	1770		
20	PI/2 BPSK	1	1	22.75	22.80	22.94	0	24.0
		1	53	22.66	22.46	22.73	0	24.0
		1	104	22.54	22.65	22.77	0	24.0
		50	0	22.57	22.61	22.78	0	24.0
		50	28	22.68	22.79	22.90	0	24.0
		50	56	22.65	22.76	22.71	0	24.0
		100	0	22.59	22.65	22.87	0	24.0
	QPSK	1	1	**22.78**	**22.83**	**22.98**	0	24.0
		1	53	22.66	22.62	22.94	0	24.0
		1	104	22.57	22.73	22.90	0	24.0
		50	0	22.69	22.63	22.92	0	24.0
		50	28	**22.76**	**22.79**	**22.95**	0	24.0
		50	56	22.70	22.78	22.87	0	24.0
		100	0	22.72	22.76	**22.93**	0	24.0
	16QAM	1	1	22.78	22.80	22.95	0	24.0
	64QAM	1	1	21.48	21.56	21.47	1.5	22.5
	256QAM	1	1	19.16	19.26	19.15	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		343500	349000	354500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1717.5	1745	1772.5		
15	QPSK	1	1	22.71	22.71	22.85	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		343000	349000	355000	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1715	1745	1775		
10	QPSK	1	1	22.62	22.81	22.94	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		342500	349000	355500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1712.5	1745	1777.5		
5	QPSK	1	1	22.73	22.69	22.92	0	24.0

n71 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		134600	136100	137600		
		Frequence (MHz)		673	680.5	688		
20	PI/2 BPSK	1	1	23.09	23.18	23.15	0	24.0
		1	53	22.98	23.10	22.99	0	24.0
		1	104	23.05	23.01	23.04	0	24.0
		50	0	23.06	23.15	23.06	0	24.0
		50	28	23.07	23.17	23.11	0	24.0
		50	56	23.02	23.04	22.99	0	24.0
		100	0	23.00	23.12	23.05	0	24.0
	QPSK	1	1	**23.14**	**23.20**	**23.18**	0	24.0
		1	53	23.08	23.12	23.10	0	24.0
		1	104	23.12	23.15	23.11	0	24.0
		50	0	23.05	23.12	23.04	0	24.0
		50	28	**23.10**	**23.17**	**23.15**	0	24.0
		50	56	23.03	23.13	23.12	0	24.0
		100	0	23.07	**23.13**	23.10	0	24.0
	16QAM	1	1	22.60	22.65	22.50	0	24.0
	64QAM	1	1	20.93	21.02	21.03	1.5	22.5
	256QAM	1	1	18.95	18.91	18.95	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		134100	136100	138100	MPR (dB)	Max. Tune-up
		Frequence (MHz)		670.5	680.5	690.5		
15	QPSK	1	1	23.15	23.05	23.12	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		133600	136100	138600	MPR (dB)	Max. Tune-up
		Frequence (MHz)		668	680.5	693		
10	QPSK	1	1	23.08	23.14	23.05	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		133100	136100	139100	MPR (dB)	Max. Tune-up
		Frequence (MHz)		665.5	680.5	695.5		
5	QPSK	1	1	23.14	23.13	23.10	0	24.0

<Full Power For NR Redcap Mode>

n2 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		372000	376000	380000		
		Frequence (MHz)		1860	1880	1900		
20	PI/2 BPSK	1	1	22.93	22.88	22.97	0	24.0
		1	53	22.83	22.95	22.64	0	24.0
		1	104	22.92	22.84	22.84	0	24.0
		50	0	22.70	22.99	23.02	0	24.0
		50	28	22.86	22.96	22.73	0	24.0
		50	56	22.81	22.84	22.88	0	24.0
		100	0	22.81	22.82	22.62	0	24.0
	QPSK	1	1	**22.98**	**23.06**	**23.03**	0	24.0
		1	53	22.85	22.90	22.88	0	24.0
		1	104	22.81	22.95	22.81	0	24.0
		50	0	22.92	22.96	22.72	0	24.0
		50	28	**22.96**	**23.03**	**22.99**	0	24.0
		50	56	22.94	22.79	22.82	0	24.0
		100	0	22.94	**23.00**	22.96	0	24.0
	16QAM	1	1	22.77	22.81	22.74	0	24.0
	64QAM	1	1	21.61	21.66	21.38	1.5	22.5
	256QAM	1	1	19.07	19.31	19.12	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		371500	376000	380500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1857.5	1880	1902.5		
15	QPSK	1	1	22.89	23.03	22.99	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		371000	376000	381000	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1855	1880	1905		
10	QPSK	1	1	22.90	22.90	22.90	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		370500	376000	381500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1852.5	1880	1907.5		
5	QPSK	1	1	22.91	22.88	22.95	0	24.0

n5 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		166800	167300	167800		
		Frequence (MHz)		834	836.5	839		
20	PI/2 BPSK	1	1	23.29	23.27	23.19	0	24.0
		1	53	22.99	23.25	23.02	0	24.0
		1	104	23.15	23.15	23.19	0	24.0
		50	0	22.82	23.16	22.82	0	24.0
		50	28	23.00	23.23	23.08	0	24.0
		50	56	22.81	23.09	22.83	0	24.0
		100	0	23.20	23.25	22.98	0	24.0
	QPSK	1	1	**23.25**	**23.35**	**23.20**	0	24.0
		1	53	23.02	23.10	23.01	0	24.0
		1	104	23.19	23.18	23.11	0	24.0
		50	0	23.13	23.29	23.08	0	24.0
		50	28	**23.22**	**23.33**	**23.18**	0	24.0
		50	56	23.02	23.15	23.04	0	24.0
		100	0	23.20	**23.30**	23.11	0	24.0
	16QAM	1	1	23.12	23.19	23.02	0	24.0
	64QAM	1	1	21.42	21.75	21.49	1.5	22.5
	256QAM	1	1	19.61	19.67	19.53	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		166300	167300	168300	MPR (dB)	Max. Tune-up
		Frequence (MHz)		831.5	836.5	841.5		
15	QPSK	1	1	23.30	23.21	23.09	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		165800	167300	168800	MPR (dB)	Max. Tune-up
		Frequence (MHz)		829	836.5	844		
10	QPSK	1	1	23.18	23.17	23.18	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		166300	167300	168300	MPR (dB)	Max. Tune-up
		Frequence (MHz)		831.5	836.5	841.5		
15	QPSK	1	1	23.12	23.12	23.29	0	24.0

n12 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		141300	141500	141700		
		Frequence (MHz)		706.5	707.5	708.5		
15	PI/2 BPSK	1	1	23.04	23.11	23.19	0	24.0
		1	40	23.09	23.11	23.07	0	24.0
		1	77	23.06	22.96	22.83	0	24.0
		36	0	23.02	23.02	23.05	0	24.0
		36	22	23.13	23.01	22.98	0	24.0
		36	43	22.96	23.03	23.01	0	24.0
		75	0	23.00	23.17	23.06	0	24.0
	QPSK	1	1	**23.13**	**23.24**	**23.16**	0	24.0
		1	40	23.10	23.04	23.02	0	24.0
		1	77	22.94	23.19	23.11	0	24.0
		36	0	22.89	23.20	23.03	0	24.0
		36	22	**23.11**	**23.21**	**23.15**	0	24.0
		36	43	23.10	23.18	23.11	0	24.0
		75	0	23.17	**23.20**	23.12	0	24.0
	16QAM	1	1	23.05	23.13	23.11	0	24.0
	64QAM	1	1	21.28	21.37	21.36	1.5	22.5
	256QAM	1	1	19.69	19.65	19.61	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		140800	141500	142200	MPR (dB)	Max. Tune-up
		Frequence (MHz)		704	707.5	711		
10	QPSK	1	1	23.05	23.10	23.12	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		140300	141500	142700	MPR (dB)	Max. Tune-up
		Frequence (MHz)		701.5	707.5	713.5		
5	QPSK	1	1	23.19	23.07	23.22	0	24.0

n14 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel			158600			
		Frequence (MHz)			793			
10	PI/2 BPSK	1	1		23.11		0	24.0
		1	26		23.00		0	24.0
		1	50		23.19		0	24.0
		25	0		23.07		0	24.0
		25	14		23.11		0	24.0
		25	27		23.07		0	24.0
		50	0		23.20		0	24.0
	QPSK	1	1		**23.33**		0	24.0
		1	26		23.13		0	24.0
		1	50		23.17		0	24.0
		25	0		23.07		0	24.0
		25	14		**23.30**		0	24.0
		25	27		23.29		0	24.0
		50	0		**23.26**		0	24.0
	16QAM	1	1		23.21		0	24.0
	64QAM	1	1		21.68		1.5	22.5
	256QAM	1	1		19.76		3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		158100	158600	159100	MPR (dB)	Max. Tune-up
		Frequence (MHz)		790.5	793	795.5		
5	QPSK	1	1	23.18	23.23	23.29	0	24.0

n25 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		372000	376500	381000		
		Frequence (MHz)		1860	1882.5	1905		
20	PI/2 BPSK	1	1	23.09	23.12	23.04	0	24.0
		1	53	22.81	23.06	22.82	0	24.0
		1	104	22.99	22.99	22.86	0	24.0
		50	0	23.02	23.04	22.95	0	24.0
		50	28	23.03	23.01	22.93	0	24.0
		50	56	22.92	22.75	22.82	0	24.0
		100	0	22.81	22.90	22.96	0	24.0
	QPSK	1	1	**23.16**	**23.18**	**23.11**	0	24.0
		1	53	22.89	23.02	22.86	0	24.0
		1	104	22.95	23.07	22.98	0	24.0
		50	0	23.11	23.05	22.99	0	24.0
		50	28	**23.14**	**23.15**	**23.08**	0	24.0
		50	56	22.96	22.92	22.93	0	24.0
		100	0	22.92	**23.11**	23.01	0	24.0
	16QAM	1	1	22.92	23.08	23.03	0	24.0
	64QAM	1	1	21.63	21.77	21.73	1.5	22.5
	256QAM	1	1	19.53	19.47	19.37	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		371500	376500	381500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1857.5	1882.5	1907.5		
15	QPSK	1	1	22.95	22.99	23.14	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		371000	376500	382000	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1855	1882.5	1910		
10	QPSK	1	1	23.08	22.96	23.15	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		370500	376500	382500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1852.5	1882.5	1912.5		
5	QPSK	1	1	23.10	22.98	23.05	0	24.0

n30 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel			462000			
		Frequence (MHz)			2310			
10	PI/2 BPSK	1	1		21.18		0	22.0
		1	26		21.09		0	22.0
		1	50		21.09		0	22.0
		25	0		20.74		0.5	21.5
		25	14		21.22		0	22.0
		25	27		20.64		0.5	21.5
		50	0		20.74		0.5	21.5
	QPSK	1	1		**21.26**		0	22.0
		1	26		21.22		0	22.0
		1	50		21.24		0	22.0
		25	0		20.27		1	21.0
		25	14		**21.23**		0	22.0
		25	27		20.30		1	21.0
		50	0		**20.22**		1	21.0
	16QAM	1	1		20.14		1	21.0
	64QAM	1	1		18.78		2.5	19.5
	256QAM	1	1		16.63		4.5	17.5
BW [MHz]	DFT-s-OFDM	Channel		461500	462000	462500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		2307.5	2310	2312.5		
5	QPSK	1	1	21.06	21.16	21.21	0	22.0

n38 (SCS 30kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		516000	519000	522000		
		Frequence (MHz)		2580	2595	2610		
20	PI/2 BPSK	1	1	22.88	22.90	22.98	0	24.0
		1	26	22.78	22.83	22.77	0	24.0
		1	49	22.87	22.82	22.78	0	24.0
		25	0	22.63	22.73	22.93	0	24.0
		25	13	22.78	22.86	22.95	0	24.0
		25	26	22.77	22.74	22.75	0	24.0
		50	0	22.73	22.82	22.91	0	24.0
	QPSK	1	1	**22.90**	**22.94**	**23.02**	0	24.0
		1	26	22.82	22.83	22.90	0	24.0
		1	49	22.88	22.92	22.90	0	24.0
		25	0	22.76	22.83	22.97	0	24.0
		25	13	**22.87**	**22.92**	**23.00**	0	24.0
		25	26	22.85	22.79	22.92	0	24.0
		50	0	22.84	22.90	**22.96**	0	24.0
	16QAM	1	1	22.83	22.90	23.00	0	24.0
	64QAM	1	1	21.29	21.36	21.45	1.5	22.5
	256QAM	1	1	19.11	19.15	19.23	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		515500	519000	522500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		2577.5	2595	2612.5		
15	QPSK	1	1	22.79	22.73	22.97	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		515000	519000	523000	MPR (dB)	Max. Tune-up
		Frequence (MHz)		2575	2595	2615		
10	QPSK	1	1	22.89	22.77	22.89	0	24.0

n41 (SCS 30kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		501204	518598	535998		
		Frequence (MHz)		2506.02	2592.99	2679.99		
20	PI/2 BPSK	1	1	23.12	23.17	23.15	0	24.0
		1	26	23.10	23.16	23.09	0	24.0
		1	49	23.06	23.06	22.98	0	24.0
		25	0	23.02	22.95	22.94	0	24.0
		25	13	23.10	23.14	23.11	0	24.0
		25	26	22.88	23.07	22.91	0	24.0
		50	0	23.07	23.11	23.09	0	24.0
	QPSK	1	1	**23.15**	**23.20**	**23.17**	0	24.0
		1	26	23.08	23.18	23.09	0	24.0
		1	49	23.00	23.10	22.92	0	24.0
		25	0	23.07	23.06	22.99	0	24.0
		25	13	**23.12**	**23.18**	**23.14**	0	24.0
		25	26	23.00	23.12	22.93	0	24.0
		50	0	23.10	**23.15**	23.11	0	24.0
	16QAM	1	1	22.87	23.01	22.93	0	24.0
	64QAM	1	1	22.97	23.14	22.96	0	24.0
	256QAM	1	1	21.54	21.53	21.37	1.5	22.5
BW [MHz]	DFT-s-OFDM	Channel		500700	518598	536496	MPR (dB)	Max. Tune-up
		Frequence (MHz)		2503.5	2592.99	2682.48		
15	QPSK	1	1	23.13	23.12	23.02	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		500202	518598	537000	MPR (dB)	Max. Tune-up
		Frequence (MHz)		2501.01	2592.99	2685		
10	QPSK	1	1	23.12	23.15	23.13	0	24.0

n66 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		344000	349000	354000		
		Frequence (MHz)		1720	1745	1770		
20	PI/2 BPSK	1	1	22.55	22.80	22.80	0	24.0
		1	53	22.67	22.45	22.61	0	24.0
		1	104	22.54	22.57	22.67	0	24.0
		50	0	22.43	22.52	22.69	0	24.0
		50	28	22.56	22.70	22.84	0	24.0
		50	56	22.53	22.56	22.65	0	24.0
		100	0	22.55	22.62	22.85	0	24.0
	QPSK	1	1	**22.79**	**22.84**	**22.96**	0	24.0
		1	53	22.53	22.57	22.86	0	24.0
		1	104	22.51	22.61	22.89	0	24.0
		50	0	22.59	22.47	22.76	0	24.0
		50	28	**22.73**	**22.80**	**22.95**	0	24.0
		50	56	22.61	22.73	22.66	0	24.0
		100	0	22.71	22.77	**22.92**	0	24.0
	16QAM	1	1	22.72	22.66	22.78	0	24.0
	64QAM	1	1	21.45	21.37	21.45	1.5	22.5
	256QAM	1	1	19.07	19.17	18.97	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		343500	349000	354500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1717.5	1745	1772.5		
15	QPSK	1	1	22.72	22.60	22.86	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		343000	349000	355000	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1715	1745	1775		
10	QPSK	1	1	22.73	22.80	22.93	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		342500	349000	355500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1712.5	1745	1777.5		
5	QPSK	1	1	22.61	22.76	22.75	0	24.0

n71 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		134600	136100	137600		
		Frequence (MHz)		673	680.5	688		
20	PI/2 BPSK	1	1	23.06	23.02	23.08	0	24.0
		1	53	22.77	23.03	22.78	0	24.0
		1	104	23.06	22.96	22.92	0	24.0
		50	0	22.90	23.06	23.04	0	24.0
		50	28	22.98	23.10	22.93	0	24.0
		50	56	22.92	22.98	22.82	0	24.0
		100	0	22.86	22.93	22.99	0	24.0
	QPSK	1	1	**23.05**	**23.18**	**23.09**	0	24.0
		1	53	22.99	23.09	23.00	0	24.0
		1	104	22.96	23.09	23.00	0	24.0
		50	0	22.91	23.10	22.99	0	24.0
		50	28	**23.03**	**23.13**	**23.07**	0	24.0
		50	56	22.95	23.08	22.95	0	24.0
		100	0	23.02	**23.10**	23.02	0	24.0
	16QAM	1	1	22.42	22.51	22.51	0	24.0
	64QAM	1	1	20.94	20.97	20.87	1.5	22.5
	256QAM	1	1	18.93	18.77	18.88	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		134100	136100	138100	MPR (dB)	Max. Tune-up
		Frequence (MHz)		670.5	680.5	690.5		
15	QPSK	1	1	22.96	22.99	22.99	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		133600	136100	138600	MPR (dB)	Max. Tune-up
		Frequence (MHz)		668	680.5	693		
10	QPSK	1	1	22.98	23.07	23.04	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		133100	136100	139100	MPR (dB)	Max. Tune-up
		Frequence (MHz)		665.5	680.5	695.5		
5	QPSK	1	1	23.05	23.08	23.10	0	24.0

Part27Q_n77 (SCS 30kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		630668	633332	636000		
		Frequence (MHz)		3460.02	3499.98	3540		
20	PI/2 BPSK	1	1	23.11	23.13	23.00	0	24.0
		1	26	23.01	22.98	22.98	0	24.0
		1	49	22.94	23.07	22.92	0	24.0
		25	0	23.00	23.04	22.90	0	24.0
		25	13	23.07	23.10	22.95	0	24.0
		25	26	22.89	23.03	22.82	0	24.0
		50	0	23.03	23.06	22.92	0	24.0
	QPSK	1	1	**23.14**	**23.15**	**23.02**	0	24.0
		1	26	23.10	23.13	22.97	0	24.0
		1	49	23.08	23.10	23.00	0	24.0
		25	0	23.07	23.08	22.94	0	24.0
		25	13	**23.12**	**23.13**	**23.00**	0	24.0
		25	26	22.94	23.06	22.96	0	24.0
		50	0	23.08	**23.10**	22.97	0	24.0
	16QAM	1	1	22.96	23.12	22.95	0	24.0
	64QAM	1	1	23.03	23.08	22.98	0	24.0
	256QAM	1	1	21.51	21.59	21.47	1.5	22.5
BW [MHz]	DFT-s-OFDM	Channel		630500	633332	636166	MPR (dB)	Max. Tune-up
		Frequence (MHz)		3457.5	3499.98	3542.49		
15	QPSK	1	1	23.00	23.14	23.00	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		630334	633332	636332	MPR (dB)	Max. Tune-up
		Frequence (MHz)		3455.01	3499.98	3544.98		
10	QPSK	1	1	23.14	23.06	22.94	0	24.0

Part27O_n77 (SCS 30kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		647334	656000	664666		
		Frequence (MHz)		3710.01	3840	3969.99		
20	PI/2 BPSK	1	1	22.83	23.03	22.75	0	24.0
		1	26	22.65	23.00	22.64	0	24.0
		1	49	22.80	22.80	22.53	0	24.0
		25	0	22.62	22.96	22.56	0	24.0
		25	13	22.80	23.01	22.72	0	24.0
		25	26	22.64	22.83	22.68	0	24.0
		50	0	22.78	22.98	22.70	0	24.0
	QPSK	1	1	**22.85**	**23.06**	**22.78**	0	24.0
		1	26	22.76	23.03	22.74	0	24.0
		1	49	22.83	22.95	22.65	0	24.0
		25	0	22.75	22.96	22.69	0	24.0
		25	13	**22.82**	**23.04**	**22.75**	0	24.0
		25	26	22.76	22.98	22.72	0	24.0
		50	0	22.80	**23.02**	22.72	0	24.0
	16QAM	1	1	22.76	22.93	22.79	0	24.0
	64QAM	1	1	22.76	23.01	22.74	0	24.0
	256QAM	1	1	21.42	21.64	21.45	1.5	22.5
BW [MHz]	DFT-s-OFDM	Channel		647168	656000	664832	MPR (dB)	Max. Tune-up
		Frequence (MHz)		3707.52	3840	3972.48		
15	QPSK	1	1	22.73	22.97	22.64	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		647000	656000	665000	MPR (dB)	Max. Tune-up
		Frequence (MHz)		3705	3840	3975		
10	QPSK	1	1	22.84	23.03	22.65	0	24.0

Part27Q_n78 (SCS 30kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		630668	633332	636000		
		Frequence (MHz)		3460.02	3499.98	3540		
20	PI/2 BPSK	1	1	23.09	23.12	23.00	0	24.0
		1	26	22.90	23.05	22.87	0	24.0
		1	49	22.78	22.92	22.98	0	24.0
		25	0	22.89	22.94	22.72	0	24.0
		25	13	23.06	23.10	22.98	0	24.0
		25	26	22.83	22.92	22.80	0	24.0
		50	0	23.03	23.08	22.95	0	24.0
	QPSK	1	1	**23.12**	**23.14**	**23.03**	0	24.0
		1	26	23.10	23.09	23.01	0	24.0
		1	49	22.98	23.11	23.00	0	24.0
		25	0	23.04	23.08	22.92	0	24.0
		25	13	**23.10**	**23.12**	**23.00**	0	24.0
		25	26	23.02	23.07	22.95	0	24.0
		50	0	23.07	**23.10**	22.97	0	24.0
	16QAM	1	1	22.99	23.06	22.90	0	24.0
	64QAM	1	1	23.10	23.04	22.83	0	24.0
	256QAM	1	1	21.52	21.55	21.50	1.5	22.5
BW [MHz]	DFT-s-OFDM	Channel		630500	633332	636166	MPR (dB)	Max. Tune-up
		Frequence (MHz)		3457.5	3499.98	3542.49		
15	QPSK	1	1	23.06	23.11	22.89	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		630334	633332	636332	MPR (dB)	Max. Tune-up
		Frequence (MHz)		3455.01	3499.98	3544.98		
10	QPSK	1	1	23.03	23.09	22.98	0	24.0

<Sensor on Power For LTE Mode>

LTE Band 2

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		18700	18900	19100		
		Frequency (MHz)		1860	1880	1900		
20	QPSK	1	0	**17.81**	**17.75**	**17.72**	0	19
		1	50	17.77	17.73	17.69	0	19
		1	99	17.77	17.64	17.42	0	19
		50	0	16.63	16.79	16.68	1	18
		50	25	**16.87**	**16.83**	**16.78**	1	18
		50	50	16.63	16.56	16.55	1	18
		100	0	**16.77**	16.72	16.69	1	18
	16QAM	1	0	16.62	16.75	16.71	1	18
		1	50	16.67	16.81	16.78	1	18
		1	99	16.65	16.84	16.62	1	18
		50	0	15.69	15.58	15.58	2	17
		50	25	15.58	15.66	15.62	2	17
		50	50	15.68	15.56	15.51	2	17
		100	0	15.47	15.59	15.59	2	17
	64QAM	1	0	15.72	15.72	15.86	2	17
		1	50	15.62	15.94	15.73	2	17
		1	99	15.76	15.92	15.94	2	17
		50	0	14.55	14.72	14.58	3	16
		50	25	14.65	14.56	14.58	3	16
		50	50	14.62	14.77	14.53	3	16
		100	0	14.58	14.56	14.65	3	16
	256QAM	1	0	12.43	12.65	12.55	5	14
		1	50	12.54	12.54	12.65	5	14
		1	99	12.51	12.57	12.72	5	14
		50	0	12.58	12.53	12.70	5	14
		50	25	12.74	12.68	12.55	5	14
		50	50	12.63	12.50	12.56	5	14
		100	0	12.55	12.76	12.53	5	14
BW [MHz]	Modulation	Channel		18675	18900	19125	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1857.5	1880	1902.5		
15	QPSK	1	0	17.68	17.73	17.55	0	19
		1	37	17.67	17.73	17.56	0	19
		1	74	17.67	17.52	17.43	0	19
		36	0	16.59	16.70	16.62	1	18
		36	19	16.85	16.80	16.57	1	18
		36	39	16.53	16.46	16.43	1	18
		75	0	16.78	16.67	16.52	1	18
	16QAM	1	0	16.42	16.73	16.72	1	18
		1	37	16.50	16.60	16.63	1	18
		1	74	16.45	16.76	16.59	1	18
		36	0	15.60	15.48	15.47	2	17
		36	19	15.56	15.55	15.44	2	17
		36	39	15.62	15.40	15.35	2	17
		75	0	15.38	15.46	15.38	2	17
	64QAM	1	0	15.58	15.57	15.83	2	17
		1	37	15.50	15.83	15.52	2	17
		1	74	15.74	15.74	15.92	2	17
		36	0	14.55	14.64	14.51	3	16
		36	19	14.55	14.48	14.48	3	16
		36	39	14.48	14.60	14.45	3	16
		75	0	14.50	14.50	14.58	3	16
	256QAM	1	0	12.37	12.49	12.43	5	14
		1	37	12.38	12.44	12.53	5	14
		1	74	12.49	12.52	12.69	5	14
		36	0	12.51	12.42	12.70	5	14
		36	19	12.72	12.59	12.37	5	14
		36	39	12.45	12.34	12.37	5	14
		75	0	12.53	12.76	12.54	5	14
BW [MHz]	Modulation	Channel		18650	18900	19150	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1855	1880	1905		
10	QPSK	1	0	17.65	17.67	17.52	0	19
		1	24	17.75	17.55	17.54	0	19
		1	49	17.70	17.65	17.35	0	19
		25	0	16.49	16.75	16.52	1	18
		25	12	16.77	16.76	16.57	1	18
		25	25	16.63	16.36	16.40	1	18
		50	0	16.74	16.66	16.51	1	18
	16QAM	1	0	16.61	16.67	16.68	1	18
		1	24	16.67	16.69	16.76	1	18
		1	49	16.63	16.65	16.42	1	18
		25	0	15.51	15.59	15.50	2	17
		25	12	15.37	15.59	15.61	2	17
		25	25	15.50	15.50	15.46	2	17
		50	0	15.39	15.43	15.60	2	17
	64QAM	1	0	15.70	15.68	15.70	2	17
		1	24	15.55	15.95	15.56	2	17
		1	49	15.70	15.87	15.76	2	17
		25	0	14.56	14.73	14.51	3	16
		25	12	14.53	14.48	14.47	3	16
		25	25	14.55	14.76	14.32	3	16
		50	0	14.37	14.55	14.55	3	16
	256QAM	1	0	12.27	12.66	12.42	5	14
		1	24	12.55	12.34	12.49	5	14
		1	49	12.42	12.37	12.66	5	14
		25	0	12.42	12.42	12.59	5	14
		25	12	12.58	12.58	12.45	5	14
		25	25	12.53	12.47	12.46	5	14
		50	0	12.49	12.72	12.36	5	14
BW [MHz]	Modulation	Channel		18625	18900	19175	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1852.5	1880	1907.5		
5	QPSK	1	0	17.69	17.68	17.59	0	19
		1	12	17.72	17.72	17.66	0	19
		1	24	17.77	17.46	17.31	0	19
		12	0	16.59	16.64	16.57	1	18
		12	6	16.80	16.66	16.69	1	18
		12	13	16.58	16.50	16.52	1	18
		25	0	16.69	16.65	16.64	1	18
	16QAM	1	0	16.62	16.70	16.70	1	18
		1	12	16.48	16.72	16.73	1	18
		1	24	16.62	16.78	16.51	1	18
		12	0	15.52	15.50	15.53	2	17
		12	6	15.38	15.55	15.57	2	17
		12	13	15.62	15.57	15.39	2	17
		25	0	15.41	15.45	15.54	2	17
	64QAM	1	0	15.58	15.68	15.67	2	17
		1	12	15.45	15.76	15.57	2	17
		1	24	15.72	15.81	15.75	2	17
		12	0	14.49	14.55	14.59	3	16
		12	6	14.47	14.35	14.39	3	16
		12	13	14.50	14.70	14.49	3	16
		25	0	14.44	14.54	14.65	3	16
	256QAM	1	0	12.22	12.50	12.41	5	14
		1	12	12.41	12.45	12.64	5	14
		1	24	12.38	12.55	12.65	5	14
		12	0	12.57	12.51	12.66	5	14
		12	6	12.64	12.51	12.47	5	14
		12	13	12.49	12.30	12.42	5	14
		25	0	12.42	12.68	12.39	5	14
BW [MHz]	Modulation	Channel		18615	18900	19185	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1851.5	1880	1908.5		
3	QPSK	1	0	17.58	17.61	17.58	0	19
		1	7	17.75	17.53	17.69	0	19
		1	14	17.73	17.53	17.36	0	19
		8	0	16.50	16.71	16.50	1	18
		8	3	16.87	16.78	16.58	1	18
		8	7	16.62	16.42	16.35	1	18
		15	0	16.67	16.53	16.60	1	18
	16QAM	1	0	16.57	16.62	16.56	1	18
		1	7	16.51	16.65	16.73	1	18
		1	14	16.47	16.68	16.44	1	18
		8	0	15.52	15.37	15.46	2	17
		8	3	15.51	15.50	15.54	2	17
		8	7	15.62	15.55	15.39	2	17
		15	0	15.40	15.38	15.46	2	17
	64QAM	1	0	15.62	15.63	15.75	2	17
		1	7	15.61	15.89	15.71	2	17
		1	14	15.56	15.75	15.77	2	17
		8	0	14.49	14.68	14.46	3	16
		8	3	14.64	14.43	14.51	3	16
		8	7	14.43	14.78	14.37	3	16
		15	0	14.56	14.47	14.47	3	16
	256QAM	1	0	12.25	12.44	12.42	5	14
		1	7	12.46	12.54	12.63	5	14
		1	14	12.49	12.58	12.57	5	14
		8	0	12.46	12.51	12.61	5	14
		8	3	12.67	12.59	12.42	5	14
		8	7	12.44	12.44	12.36	5	14
		15	0	12.47	12.72	12.39	5	14
BW [MHz]	Modulation	Channel		18607	18900	19193	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1850.7	1880	1909.3		
1.4	QPSK	1	0	17.72	17.53	17.71	0	19
		1	2	17.69	17.58	17.65	0	19
		1	5	17.72	17.56	17.24	0	19
		3	0	17.51	17.70	17.66	0	19
		3	1	17.67	17.64	17.73	0	19
		3	3	17.49	17.42	17.44	0	19
		6	0	16.54	16.49	16.68	1	18
	16QAM	1	0	16.53	16.60	16.62	1	18
		1	2	16.50	16.76	16.77	1	18
		1	5	16.55	16.81	16.57	1	18
		3	0	16.55	16.44	16.42	1	18
		3	1	16.57	16.63	16.48	1	18
		3	3	16.54	16.42	16.28	1	18
		6	0	15.28	15.42	15.38	2	17
	64QAM	1	0	15.50	15.55	15.79	2	17
		1	2	15.54	15.89	15.58	2	17
		1	5	15.53	15.89	15.73	2	17
		3	0	15.52	15.49	15.39	2	17
		3	1	15.46	15.37	15.48	2	17
		3	3	15.42	15.64	15.32	2	17
		6	0	14.53	14.41	14.54	3	16
	256QAM	1	0	12.21	12.62	12.35	5	14
		1	2	12.38	12.35	12.52	5	14
		1	5	12.47	12.51	12.49	5	14
		3	0	12.47	12.43	12.56	5	14
		3	1	12.57	12.47	12.43	5	14
		3	3	12.43	12.30	12.55	5	14
		6	0	12.43	12.53	12.32	5	14

LTE Band 4

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		20050	20175	20300		
		Frequency (MHz)		1720	1732.5	1745		
20	QPSK	1	0	16.35	16.43	16.52	0	18
		1	50	16.54	16.58	16.65	0	18
		1	99	**16.55**	**16.60**	**16.73**	0	18
		50	0	15.34	15.37	15.40	1	17
		50	25	15.42	15.48	15.57	1	17
		50	50	**15.53**	**15.58**	**15.68**	1	17
		100	0	15.41	15.45	**15.59**	1	17
	16QAM	1	0	15.45	15.44	15.66	1	17
		1	50	15.34	15.55	15.72	1	17
		1	99	15.59	15.64	15.77	1	17
		50	0	14.28	14.34	14.36	2	16
		50	25	14.28	14.47	14.69	2	16
		50	50	14.40	14.54	14.71	2	16
		100	0	14.29	14.47	14.61	2	16
	64QAM	1	0	14.60	14.69	14.86	2	16
		1	50	14.41	14.53	14.68	2	16
		1	99	14.68	14.78	14.81	2	16
		50	0	13.22	13.43	13.49	3	15
		50	25	13.51	13.51	13.54	3	15
		50	50	13.41	13.49	13.52	3	15
		100	0	13.24	13.37	13.54	3	15
	256QAM	1	0	11.18	11.29	11.34	5	13
		1	50	11.39	11.46	11.60	5	13
		1	99	11.22	11.30	11.48	5	13
		50	0	11.32	11.34	11.57	5	13
		50	25	11.20	11.36	11.41	5	13
		50	50	11.24	11.42	11.51	5	13
		100	0	11.20	11.38	11.41	5	13
BW [MHz]	Modulation	Channel		20025	20175	20325	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1717.5	1732.5	1747.5		
15	QPSK	1	0	16.34	16.39	16.34	0	18
		1	37	16.35	16.59	16.48	0	18
		1	74	16.49	16.51	16.58	0	18
		36	0	15.24	15.35	15.34	1	17
		36	19	15.24	15.40	15.50	1	17
		36	39	15.50	15.45	15.47	1	17
		75	0	15.27	15.30	15.47	1	17
	16QAM	1	0	15.44	15.23	15.59	1	17
		1	37	15.35	15.44	15.67	1	17
		1	74	15.60	15.63	15.69	1	17
		36	0	14.25	14.16	14.32	2	16
		36	19	14.26	14.27	14.64	2	16
		36	39	14.25	14.55	14.60	2	16
		75	0	14.15	14.42	14.42	2	16
	64QAM	1	0	14.50	14.67	14.69	2	16
		1	37	14.37	14.33	14.67	2	16
		1	74	14.60	14.62	14.66	2	16
		36	0	13.01	13.43	13.42	3	15
		36	19	13.40	13.47	13.43	3	15
		36	39	13.27	13.42	13.52	3	15
		75	0	13.15	13.30	13.41	3	15
	256QAM	1	0	11.10	11.24	11.31	5	13
		1	37	11.26	11.24	11.50	5	13
		1	74	11.12	11.26	11.43	5	13
		36	0	11.19	11.28	11.58	5	13
		36	19	11.19	11.35	11.34	5	13
		36	39	11.21	11.30	11.44	5	13
		75	0	11.08	11.35	11.39	5	13
BW [MHz]	Modulation	Channel		20000	20175	20350	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1715	1732.5	1750		
10	QPSK	1	0	16.34	16.22	16.51	0	18
		1	24	16.54	16.38	16.58	0	18
		1	49	16.44	16.55	16.69	0	18
		25	0	15.16	15.19	15.24	1	17
		25	12	15.43	15.27	15.53	1	17
		25	25	15.45	15.39	15.56	1	17
		50	0	15.39	15.29	15.46	1	17
	16QAM	1	0	15.43	15.40	15.61	1	17
		1	24	15.20	15.55	15.69	1	17
		1	49	15.56	15.59	15.64	1	17
		25	0	14.19	14.23	14.16	2	16
		25	12	14.13	14.29	14.67	2	16
		25	25	14.23	14.52	14.55	2	16
		50	0	14.22	14.46	14.49	2	16
	64QAM	1	0	14.54	14.82	14.87	2	16
		1	24	14.42	14.46	14.47	2	16
		1	49	14.48	14.70	14.66	2	16
		25	0	13.08	13.32	13.41	3	15
		25	12	13.50	13.41	13.51	3	15
		25	25	13.29	13.34	13.31	3	15
		50	0	13.30	13.32	13.47	3	15
	256QAM	1	0	11.17	11.21	11.33	5	13
		1	24	11.22	11.37	11.42	5	13
		1	49	11.08	11.11	11.49	5	13
		25	0	11.24	11.15	11.50	5	13
		25	12	11.16	11.25	11.33	5	13
		25	25	11.12	11.33	11.31	5	13
		50	0	11.02	11.22	11.22	5	13
BW [MHz]	Modulation	Channel		19975	20175	20375	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1712.5	1732.5	1752.5		
5	QPSK	1	0	16.20	16.33	16.47	0	18
		1	12	16.35	16.40	16.63	0	18
		1	24	16.53	16.41	16.63	0	18
		12	0	15.15	15.23	15.21	1	17
		12	6	15.36	15.38	15.42	1	17
		12	13	15.37	15.53	15.57	1	17
		25	0	15.40	15.29	15.38	1	17
	16QAM	1	0	15.28	15.45	15.47	1	17
		1	12	15.31	15.47	15.59	1	17
		1	24	15.40	15.62	15.71	1	17
		12	0	14.22	14.31	14.23	2	16
		12	6	14.26	14.30	14.64	2	16
		12	13	14.35	14.40	14.63	2	16
		25	0	14.17	14.47	14.53	2	16
	64QAM	1	0	14.54	14.54	14.84	2	16
		1	12	14.21	14.46	14.58	2	16
		1	24	14.57	14.66	14.64	2	16
		12	0	13.13	13.40	13.30	3	15
		12	6	13.30	13.52	13.47	3	15
		12	13	13.38	13.37	13.49	3	15
		25	0	13.23	13.37	13.48	3	15
	256QAM	1	0	11.05	11.25	11.14	5	13
		1	12	11.39	11.45	11.56	5	13
		1	24	11.05	11.24	11.41	5	13
		12	0	11.22	11.29	11.51	5	13
		12	6	11.19	11.24	11.42	5	13
		12	13	11.08	11.41	11.49	5	13
		25	0	11.19	11.34	11.31	5	13
BW [MHz]	Modulation	Channel		19965	20175	20385	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1711.5	1732.5	1753.5		
3	QPSK	1	0	16.22	16.23	16.53	0	18
		1	7	16.35	16.50	16.59	0	18
		1	14	16.44	16.49	16.60	0	18
		8	0	15.18	15.24	15.24	1	17
		8	3	15.37	15.36	15.36	1	17
		8	7	15.37	15.46	15.52	1	17
		15	0	15.25	15.38	15.57	1	17
	16QAM	1	0	15.24	15.24	15.65	1	17
		1	7	15.35	15.45	15.71	1	17
		1	14	15.49	15.52	15.78	1	17
		8	0	14.26	14.21	14.29	2	16
		8	3	14.29	14.45	14.58	2	16
		8	7	14.25	14.39	14.50	2	16
		15	0	14.09	14.40	14.53	2	16
	64QAM	1	0	14.61	14.67	14.74	2	16
		1	7	14.25	14.49	14.67	2	16
		1	14	14.60	14.75	14.72	2	16
		8	0	13.22	13.24	13.31	3	15
		8	3	13.30	13.50	13.51	3	15
		8	7	13.34	13.49	13.52	3	15
		15	0	13.06	13.28	13.51	3	15
	256QAM	1	0	11.08	11.11	11.18	5	13
		1	7	11.35	11.35	11.48	5	13
		1	14	11.07	11.18	11.44	5	13
		8	0	11.27	11.22	11.39	5	13
		8	3	11.21	11.29	11.25	5	13
		8	7	11.06	11.23	11.50	5	13
		15	0	11.19	11.18	11.42	5	13
BW [MHz]	Modulation	Channel		19957	20175	20393	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1710.7	1732.5	1754.3		
1.4	QPSK	1	0	16.34	16.32	16.48	0	18
		1	2	16.40	16.38	16.59	0	18
		1	5	16.33	16.46	16.57	0	18
		3	0	16.16	16.31	16.27	0	18
		3	1	16.19	16.33	16.44	0	18
		3	3	16.40	16.41	16.46	0	18
		6	0	15.34	15.32	15.36	1	17
	16QAM	1	0	15.31	15.43	15.59	1	17
		1	2	15.12	15.36	15.50	1	17
		1	5	15.57	15.52	15.63	1	17
		3	0	15.26	15.12	15.34	1	17
		3	1	15.23	15.31	15.47	1	17
		3	3	15.29	15.34	15.53	1	17
		6	0	14.09	14.35	14.46	2	16
	64QAM	1	0	14.54	14.52	14.82	2	16
		1	2	14.39	14.35	14.47	2	16
		1	5	14.60	14.76	14.66	2	16
		3	0	14.04	14.30	14.38	2	16
		3	1	14.41	14.39	14.35	2	16
		3	3	14.23	14.35	14.45	2	16
		6	0	13.01	13.14	13.36	3	15
	256QAM	1	0	11.16	11.26	11.31	5	13
		1	2	11.23	11.31	11.42	5	13
		1	5	11.10	11.27	11.25	5	13
		3	0	11.22	11.16	11.51	5	13
		3	1	11.15	11.35	11.30	5	13
		3	3	11.11	11.32	11.28	5	13
		6	0	11.18	11.30	11.19	5	13

LTE Band 5

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		20450	20525	20600		
		Frequency (MHz)		829	836.5	844		
10	QPSK	1	0	**23.33**	**23.44**	**23.30**	0	24
		1	24	23.26	23.41	23.28	0	24
		1	49	23.27	23.37	23.20	0	24
		25	0	22.31	22.38	22.20	1	23
		25	12	**22.33**	**22.40**	**22.30**	1	23
		25	25	22.27	22.39	22.25	1	23
		50	0	22.35	**22.42**	22.32	1	23
	16QAM	1	0	22.34	22.47	22.31	1	23
		1	24	22.23	22.41	22.29	1	23
		1	49	22.27	22.40	22.37	1	23
		25	0	21.30	21.36	21.23	2	22
		25	12	21.21	21.31	21.16	2	22
		25	25	21.46	21.46	21.26	2	22
		50	0	21.33	21.40	21.33	2	22
	64QAM	1	0	21.30	21.42	21.26	2	22
		1	24	21.31	21.49	21.49	2	22
		1	49	21.31	21.31	21.12	2	22
		25	0	20.17	20.29	20.09	3	21
		25	12	20.19	20.31	20.19	3	21
		25	25	20.15	20.22	20.03	3	21
		50	0	20.43	20.50	20.32	3	21
	256QAM	1	0	18.44	18.55	18.55	5	19
		1	24	18.41	18.44	18.29	5	19
		1	49	18.35	18.51	18.34	5	19
		25	0	18.39	18.52	18.49	5	19
		25	12	18.45	18.47	18.26	5	19
		25	25	18.42	18.45	18.24	5	19
		50	0	18.37	18.51	18.51	5	19
BW [MHz]	Modulation	Channel		20425	20525	20625	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		826.5	836.5	846.5		
5	QPSK	1	0	23.31	23.37	23.27	0	24
		1	12	23.12	23.24	23.10	0	24
		1	24	23.17	23.38	23.07	0	24
		12	0	22.19	22.33	22.03	1	23
		12	6	22.23	22.23	22.15	1	23
		12	13	22.15	22.26	22.17	1	23
		25	0	22.22	22.33	22.26	1	23
	16QAM	1	0	22.17	22.46	22.32	1	23
		1

LTE Band 7

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		20850	21100	21350		
		Frequency (MHz)		2510	2535	2560		
20	QPSK	1	0	**14.75**	**14.81**	**14.76**	0	16
		1	50	14.64	14.75	14.72	0	16
		1	99	14.69	14.74	14.71	0	16
		50	0	13.68	13.70	13.72	1	15
		50	25	**13.73**	**13.80**	**13.75**	1	15
		50	50	13.61	13.67	13.60	1	15
		100	0	13.70	**13.77**	13.71	1	15
	16QAM	1	0	14.10	13.97	13.88	1	15
		1	50	14.05	14.01	13.94	1	15
		1	99	13.78	13.97	13.96	1	15
		50	0	12.54	12.79	12.57	2	14
		50	25	12.93	12.82	12.79	2	14
		50	50	12.71	12.71	12.83	2	14
		100	0	12.80	12.72	12.77	2	14
	64QAM	1	0	12.72	12.82	12.73	2	14
		1	50	12.76	12.80	12.82	2	14
		1	99	12.77	12.73	12.84	2	14
		50	0	11.70	11.72	11.85	3	13
		50	25	11.58	11.59	11.69	3	13
		50	50	11.75	11.67	11.73	3	13
		100	0	11.60	11.69	11.88	3	13
	256QAM	1	0	9.67	9.64	9.63	5	11
		1	50	9.64	9.82	9.77	5	11
		1	99	9.86	9.77	9.84	5	11
		50	0	9.82	9.58	9.68	5	11
		50	25	9.74	9.70	9.64	5	11
		50	50	9.53	9.74	9.47	5	11
		100	5	9.90	9.91	9.92	5	11
BW [MHz]	Modulation	Channel		20825	21100	21375	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2507.5	2535	2562.5		
15	QPSK	1	0	14.56	14.69	14.69	0	16
		1	37	14.53	14.63	14.60	0	16
		1	74	14.65	14.74	14.53	0	16
		36	0	13.48	13.64	13.72	1	15
		36	19	13.66	13.78	13.62	1	15
		36	39	13.57	13.52	13.49	1	15
		75	0	13.68	13.65	13.60	1	15
	16QAM	1	0	13.96	13.88	13.76	1	15
		1	37	13.86	13.94	13.85	1	15
		1	74	13.60	13.81	13.92	1	15
		36	0	12.51	12.59	12.43	2	14
		36	19	12.93	12.83	12.64	2	14
		36	39	12.68	12.61	12.65	2	14
		75	0	12.77	12.54	12.60	2	14
	64QAM	1	0	12.56	12.82	12.73	2	14
		1	37	12.62	12.65	12.72	2	14
		1	74	12.59	12.66	12.69	2	14
		36	0	11.49	11.58	11.77	3	13
		36	19	11.52	11.42	11.64	3	13
		36	39	11.75	11.47	11.67	3	13
		75	0	11.54	11.66	11.50	3	13
	256QAM	1	0	9.54	9.64	9.62	5	11
		1	37	9.53	9.73	9.62	5	11
		1	74	9.85	9.57	9.76	5	11
		36	0	9.68	9.46	9.48	5	11
		36	19	9.58	9.50	9.52	5	11
		36	39	9.41	9.60	9.36	5	11
		75	0	9.84	9.72	9.86	5	11
BW [MHz]	Modulation	Channel		20800	21100	21400	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2505	2535	2565		
10	QPSK	1	0	14.74	14.74	14.64	0	16
		1	24	14.64	14.73	14.67	0	16
		1	49	14.59	14.74	14.61	0	16
		25	0	13.69	13.58	13.64	1	15
		25	12	13.58	13.70	13.66	1	15
		25	25	13.59	13.65	13.59	1	15
		50	0	13.65	13.57	13.64	1	15
	16QAM	1	0	13.92	13.94	13.69	1	15
		1	24	13.93	13.91	13.73	1	15
		1	49	13.60	13.81	13.75	1	15
		25	0	12.37	12.78	12.58	2	14
		25	12	12.75	12.70	12.63	2	14
		25	25	12.72	12.51	12.80	2	14
		50	0	12.69	12.64	12.65	2	14
	64QAM	1	0	12.73	12.78	12.65	2	14
		1	24	12.72	12.59	12.69	2	14
		1	49	12.69	12.60	12.80	2	14
		25	0	11.55	11.59	11.69	3	13
		25	12	11.53	11.47	11.55	3	13
		25	25	11.67	11.54	11.61	3	13
		50	0	11.46	11.67	11.63	3	13
	256QAM	1	0	9.65	9.49	9.44	5	11
		1	24	9.55	9.74	9.78	5	11
		1	49	9.67	9.76	9.80	5	11
		25	0	9.62	9.51	9.55	5	11
		25	12	9.56	9.67	9.50	5	11
		25	25	9.35	9.68	9.40	5	11
		50	0	9.77	9.75	9.75	5	11
BW [MHz]	Modulation	Channel		20775	21100	21425	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2502.5	2535	2567.5		
5	QPSK	1	0	14.76	14.74	14.70	0	16
		1	12	14.53	14.65	14.73	0	16
		1	24	14.61	14.59	14.55	0	16
		12	0	13.57	13.69	13.58	1	15
		12	6	13.69	13.66	13.72	1	15
		12	13	13.60	13.53	13.40	1	15
		25	0	13.69	13.63	13.66	1	15
	16QAM	1	0	14.03	13.80	13.77	1	15
		1	12	14.06	13.83	13.80	1	15
		1	24	13.79	13.76	13.80	1	15
		12	0	12.55	12.79	12.57	2	14
		12	6	12.81	12.75	12.78	2	14
		12	13	12.70	12.68	12.67	2	14
		25	0	12.66	12.64	12.65	2	14
	64QAM	1	0	12.61	12.63	12.58	2	14
		1	12	12.63	12.75	12.65	2	14
		1	24	12.57	12.63	12.64	2	14
		12	0	11.51	11.66	11.78	3	13
		12	6	11.54	11.55	11.50	3	13
		12	13	11.62	11.50	11.54	3	13
		25	0	11.54	11.48	11.47	3	13
	256QAM	1	0	9.47	9.82	9.45	5	11
		1	12	9.45	9.78	9.76	5	11
		1	24	9.67	9.63	9.73	5	11
		12	0	9.76	9.48	9.53	5	11
		12	6	9.60	9.49	9.51	5	11
		12	13	9.34	9.53	9.28	5	11
		25	0	9.82	9.81	9.90	5	11

LTE Band 12

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		23060	23095	23130		
		Frequency (MHz)		704	707.5	711		
10	QPSK	1	0	**22.86**	**22.91**	**22.88**	0	24
		1	24	22.70	22.86	22.87	0	24
		1	49	22.72	22.82	22.88	0	24
		25	0	21.80	21.87	21.80	1	23
		25	12	**21.84**	**21.90**	**21.87**	1	23
		25	25	21.76	21.86	21.83	1	23
		50	0	21.82	**21.88**	21.85	1	23
	16QAM	1	0	21.93	21.90	21.83	1	23
		1	24	21.92	21.91	21.87	1	23
		1	49	21.86	22.01	22.05	1	23
		25	0	20.73	20.88	20.93	2	22
		25	12	20.97	20.92	21.00	2	22
		25	25	20.74	20.81	20.67	2	22
		50	0	20.72	20.85	20.93	2	22
	64QAM	1	0	20.92	20.89	20.83	2	22
		1	24	20.92	20.94	20.87	2	22
		1	49	20.74	20.78	20.70	2	22
		25	0	19.88	19.92	20.00	3	21
		25	12	19.93	19.93	19.82	3	21
		25	25	19.81	19.97	19.96	3	21
		50	0	19.75	19.84	19.88	3	21
	256QAM	1	0	17.86	17.98	18.03	5	19
		1	24	17.80	17.91	17.77	5	19
		1	49	17.88	17.92	17.88	5	19
		25	0	17.91	17.95	17.81	5	19
		25	12	18.08	18.03	18.08	5	19
		25	25	18.02	18.05	18.11	5	19
		50	0	17.87	17.93	17.93	5	19
BW [MHz]	Modulation	Channel		23035	23095	23155	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		701.5	707.5	713.5		
5	QPSK	1	0	22.81	22.78	22.68	0	24
		1	12	22.69	22.66	22.81	0	24
		1	24	22.63	22.67	22.77	0	24
		12	0	21.81	21.82	21.68	1	23
		12	6	21.71	21.71	21.77	1	23
		12	13	21.57	21.72	21.78	1	23
		25	0	21.68	21.82	21.85	1	23
	16QAM	1	0	21.86	21.69	21.76	1	23
		1	12	21.89	21.92	21.74	1	23
		1	24	21.82	21.92	21.88	1	23
		12	0	20.68	20.85	20.88	2	22
		12	6	20.95	20.83	21.00	2	22
		12	13	20.59	20.72	20.66	2	22
		25	0	20.63	20.72	20.87	2	22
	64QAM	1	0	20.72	20.69	20.70	2	22
		1	12	20.83	20.80	20.88	2	22
		1	24	20.60	20.75	20.49	2	22
		12	0	19.70	19.87	19.93	3	21
		12	6	19.81	19.91	19.70	3	21
		12	13	19.63	19.78	19.90	3	21
		25	0	19.71	19.65	19.74	3	21
	256QAM	1	0	17.68	17.88	17.96	5	19
		1	12	17.75	17.84	17.71	5	19
		1	24	17.70	17.75	17.81	5	19
		12	0	17.79	17.83	17.66	5	19
		12	6	17.89	17.98	17.90	5	19
		12	13	17.84	17.95	18.09	5	19
		25	0	17.83	17.92	17.74	5	19
BW [MHz]	Modulation	Channel		23025	23095	23165	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		700.5	707.5	714.5		
3	QPSK	1	0	22.71	22.73	22.76	0	24
		1	7	22.60	22.79	22.84	0	24
		1	14	22.52	22.76	22.77	0	24
		8	0	21.81	21.78	21.67	1	23
		8	3	21.85	21.71	21.68	1	23
		8	7	21.73	21.86	21.68	1	23
		15	0	21.65	21.69	21.79	1	23
	16QAM	1	0	21.73	21.78	21.70	1	23
		1	7	21.85	21.88	21.73	1	23
		1	14	21.85	21.89	21.87	1	23
		8	0	20.74	20.85	20.78	2	22
		8	3	20.95	20.91	20.91	2	22
		8	7	20.56	20.75	20.54	2	22
		15	0	20.55	20.69	20.74	2	22
	64QAM	1	0	20.75	20.84	20.71	2	22
		1	7	20.91	20.92	20.80	2	22
		1	14	20.60	20.68	20.67	2	22
		8	0	19.75	19.90	19.86	3	21
		8	3	19.82	19.84	19.66	3	21
		8	7	19.80	19.81	19.90	3	21
		15	0	19.65	19.77	19.73	3	21
	256QAM	1	0	17.83	17.78	18.03	5	19
		1	7	17.60	17.91	17.77	5	19
		1	14	17.77	17.71	17.88	5	19
		8	0	17.81	17.75	17.62	5	19
		8	3	18.09	17.94	18.02	5	19
		8	7	17.95	18.04	17.91	5	19
		15	0	17.75	17.77	17.80	5	19
BW [MHz]	Modulation	Channel		23017	23095	23173	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		699.7	707.5	715.3		
1.4	QPSK	1	0	22.68	22.87	22.70	0	24
		1	2	22.68	22.85	22.76	0	24
		1	5	22.61	22.67	22.80	0	24
		3	0	22.79	22.82	22.66	0	24
		3	1	22.65	22.68	22.67	0	24
		3	3	22.68	22.72	22.68	0	24
		6	0	21.63	21.67	21.62	1	23
	16QAM	1	0	21.85	21.69	21.76	1	23
		1	2	21.81	21.70	21.64	1	23
		1	5	21.76	21.97	21.98	1	23
		3	0	21.65	21.86	21.81	1	23
		3	1	21.78	21.71	21.84	1	23
		3	3	21.68	21.71	21.57	1	23
		6	0	20.51	20.81	20.71	2	22
	64QAM	1	0	20.87	20.73	20.73	2	22
		1	2	20.81	20.76	20.85	2	22
		1	5	20.73	20.68	20.66	2	22
		3	0	20.77	20.71	20.87	2	22
		3	1	20.78	20.82	20.60	2	22
		3	3	20.78	20.70	20.86	2	22
		6	0	19.72	19.73	19.70	3	21
	256QAM	1	0	17.79	17.95	17.98	5	19
		1	2	17.59	17.79	17.65	5	19
		1	5	17.79	17.79	17.70	5	19
		3	0	17.79	17.93	17.72	5	19
		3	1	18.00	17.81	18.02	5	19
		3	3	17.95	17.82	17.95	5	19
		6	0	17.77	17.71	17.90	5	19

LTE Band 13

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel			23230			
		Frequency (MHz)			782			
10	QPSK	1	0		23.30		0	24
		1	24		23.19		0	24
		1	49		**23.32**		0	24
		25	0		22.28		1	23
		25	12		22.35		1	23
		25	25		**22.36**		1	23
		50	0		**22.33**		1	23
	16QAM	1	0		22.44		1	23
		1	24		22.51		1	23
		1	49		22.38		1	23
		25	0		21.20		2	22
		25	12		21.23		2	22
		25	25		21.19		2	22
		50	0		21.47		2	22
	64QAM	1	0		21.40		2	22
		1	24		21.29		2	22
		1	49		21.32		2	22
		25	0		20.32		3	21
		25	12		20.26		3	21
		25	25		20.27		3	21
		50	0		20.37		3	21
	256QAM	1	0		18.35		5	19
		1	24		18.34		5	19
		1	49		18.34		5	19
		25	0		18.45		5	19
		25	12		18.36		5	19
		25	25		18.25		5	19
		50	0		18.39		5	19
BW [MHz]	Modulation	Channel		23205	23230	23255	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		779.5	782	784.5		
5	QPSK	1	0	23.16	23.30	23.27	0	24
		1	12	23.19	23.11	23.19	0	24
		1	24	23.18	23.30	23.29	0	24
		12	0	22.20	22.15	22.10	1	23
		12	6	22.29	22.32	22.25	1	23
		12	13	22.34	22.29	22.22	1	23
		25	0	22.24	22.19	22.18	1	23
	16QAM	1	0	22.29	22.45	22.35	1	23
		1	12	22.37	22.48	22.44	1	23
		1	24	22.32	22.19	22.33	1	23
		12	0	21.15	21.00	21.08	2	22
		12	6	21.05	21.19	21.11	2	22
		12	13	21.00	21.08	20.99	2	22
		25	0	21.40	21.34	21.33	2	22
	64QAM	1	0	21.33	21.21	21.33	2	22
		1	12	21.28	21.24	21.18	2	22
		1	24	21.13	21.24	21.33	2	22
		12	0	20.33	20.31	20.17	3	21
		12	6	20.09	20.26	20.18	3	21
		12	13	20.23	20.06	20.21	3	21
		25	0	20.34	20.29	20.17	3	21
	256QAM	1	0	18.27	18.27	18.35	5	19
		1	12	18.22	18.22	18.31	5	19
		1	24	18.32	18.18	18.30	5	19
		12	0	18.40	18.44	18.31	5	19
		12	6	18.24	18.33	18.21	5	19
		12	13	18.18	18.08	18.26	5	19
		25	0	18.27	18.28	18.21	5	19

LTE Band 14

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel			23330			
		Frequency (MHz)			793			
10	QPSK	1	0		23.17		0	24
		1	24		23.37		0	24
		1	49		23.44		0	24
		25	0		22.33		1	23
		25	12		22.39		1	23
		25	25		22.45		1	23
		50	0		22.41		1	23
	16QAM	1	0		22.28		1	23
		1	24		22.17		1	23
		1	49		22.28		1	23
		25	0		21.34		2	22
		25	12		21.25		2	22
		25	25		21.33		2	22
		50	0		21.42		2	22
	64QAM	1	0		21.47		2	22
		1	24		21.30		2	22
		1	49		21.48		2	22
		25	0		20.36		3	21
		25	12		20.20		3	21
		25	25		20.22		3	21
		50	0		20.37		3	21
	256QAM	1	0		18.50		5	19
		1	24		18.30		5	19
		1	49		18.50		5	19
		25	0		18.29		5	19
		25	12		18.50		5	19
		25	25		18.40		5	19
		50	0		18.43		5	19
BW [MHz]	Modulation	Channel		23305	23330	23355	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		790.5	793	795.5		
5	QPSK	1	0	23.02	23.06	23.00	0	24
		1	12	23.21	23.35	23.20	0	24
		1	24	23.29	23.40	23.29	0	24
		12	0	22.31	22.12	22.29	1	23
		12	6	22.20	22.21	22.31	1	23
		12	13	22.29	22.39	22.34	1	23
		25	0	22.20	22.27	22.24	1	23
	16QAM	1	0	22.10	22.17	22.15	1	23
		1	12	21.96	22.12	22.18	1	23
		1	24	22.27	22.15	22.29	1	23
		12	0	21.18	21.21	21.32	2	22
		12	6	21.10	21.12	21.09	2	22
		12	13	21.12	21.20	21.27	2	22
		25	0	21.30	21.32	21.38	2	22
	64QAM	1	0	21.27	21.30	21.27	2	22
		1	12	21.13	21.16	21.14	2	22
		1	24	21.48	21.34	21.44	2	22
		12	0	20.37	20.35	20.16	3	21
		12	6	20.02	20.15	20.13	3	21
		12	13	20.08	20.06	20.11	3	21
		25	0	20.24	20.22	20.32	3	21
	256QAM	1	0	18.50	18.47	18.39	5	19
		1	12	18.26	18.17	18.21	5	19
		1	24	18.51	18.33	18.38	5	19
		12	0	18.09	18.28	18.19	5	19
		12	6	18.43	18.49	18.31	5	19
		12	13	18.31	18.39	18.36	5	19
		25	0	18.29	18.41	18.31	5	19

LTE Band 17

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		23780	23790	23800		
		Frequency (MHz)		709	710	711		
10	QPSK	1	0	22.84	22.76	22.87	0	24
		1	24	23.00	22.92	23.04	0	24
		1	49	22.90	22.88	22.96	0	24
		25	0	21.98	21.85	21.85	1	23
		25	12	22.01	21.93	22.05	1	23
		25	25	22.00	21.87	22.04	1	23
		50	0	21.86	21.83	21.92	1	23
	16QAM	1	0	22.18	21.99	22.08	1	23
		1	24	21.98	21.85	21.98	1	23
		1	49	21.99	21.89	21.98	1	23
		25	0	20.88	20.85	20.93	2	22
		25	12	20.88	20.74	20.90	2	22
		25	25	20.78	20.68	20.70	2	22
		50	0	21.05	20.87	21.06	2	22
	64QAM	1	0	21.06	20.98	21.02	2	22
		1	24	20.92	20.77	20.78	2	22
		1	49	20.99	20.98	21.05	2	22
		25	0	20.12	19.97	20.02	3	21
		25	12	20.07	19.91	19.97	3	21
		25	25	20.02	19.87	20.01	3	21
		50	0	19.98	19.89	19.98	3	21
	256QAM	1	0	18.12	17.98	18.11	5	19
		1	24	17.91	17.86	17.99	5	19
		1	49	17.80	17.79	17.79	5	19
		25	0	18.08	17.87	18.04	5	19
		25	12	18.04	17.86	18.01	5	19
		25	25	18.01	17.93	17.98	5	19
		50	0	17.92	17.76	17.81	5	19
BW [MHz]	Modulation	Channel		23755	23790	23825	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		706.5	710	713.5		
5	QPSK	1	0	22.65	22.72	22.88	0	24
		1	12	22.80	22.91	22.85	0	24
		1	24	22.88	22.80	22.85	0	24
		12	0	21.94	21.84	21.86	1	23
		12	6	21.80	21.88	21.89	1	23
		12	13	21.80	21.80	21.86	1	23
		25	0	21.86	21.84	21.85	1	23
	16QAM	1	0	22.15	21.81	22.06	1	23
		1	12	21.99	21.72	21.84	1	23
		1	24	21.96	21.78	21.81	1	23
		12	0	20.79	20.81	20.85	2	22
		12	6	20.89	20.71	20.73	2	22
		12	13	20.60	20.67	20.52	2	22
		25	0	20.95	20.77	20.98	2	22
	64QAM	1	0	20.86	20.84	20.90	2	22
		1	12	20.62	20.59	20.63	2	22
		1	24	20.91	20.95	20.94	2	22
		12	0	20.03	19.82	20.00	3	21
		12	6	19.98	19.77	19.85	3	21
		12	13	19.94	19.72	19.98	3	21
		25	0	19.90	19.85	19.80	3	21
	256QAM	1	0	18.11	17.85	17.93	5	19
		1	12	17.77	17.81	17.85	5	19
		1	24	17.60	17.61	17.74	5	19
		12	0	18.01	17.81	17.87	5	19
		12	6	17.86	17.66	17.96	5	19
		12	13	17.88	17.96	17.91	5	19
		25	0	17.71	17.64	17.74	5	19

LTE Band 25

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		26140	26340	26590		
		Frequency (MHz)		1860	1880	1905		
20	QPSK	1	0	17.90	17.80	17.72	0	19
		1	50	17.88	17.76	17.70	0	19
		1	99	17.78	17.74	17.62	0	19
		50	0	16.87	16.72	16.67	1	18
		50	25	16.89	16.78	16.71	1	18
		50	50	16.82	16.76	16.70	1	18
		100	0	16.86	16.77	16.68	1	18
	16QAM	1	0	16.95	16.91	16.74	1	18
		1	50	16.87	16.73	16.83	1	18
		1	99	16.97	16.77	16.50	1	18
		50	0	15.76	15.82	15.46	2	17
		50	25	15.77	15.85	15.61	2	17
		50	50	15.64	15.59	15.46	2	17
		100	0	16.17	15.90	15.82	2	17
	64QAM	1	0	15.96	16.05	15.81	2	17
		1	50	16.11	15.90	15.99	2	17
		1	99	15.88	15.85	15.72	2	17
		50	0	15.11	14.77	14.81	3	16
		50	25	14.87	14.71	14.85	3	16
		50	50	15.04	14.72	14.68	3	16
		100	0	14.99	14.90	14.73	3	16
	256QAM	1	0	13.22	12.95	12.76	5	14
		1	50	12.99	12.78	12.84	5	14
		1	99	12.84	12.71	12.61	5	14
		50	0	12.92	12.83	12.63	5	14
		50	25	12.85	12.70	12.43	5	14
		50	50	12.94	12.98	12.74	5	14
		100	0	13.00	12.86	12.79	5	14
BW [MHz]	Modulation	Channel		26115	26340	26615	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1857.5	1880	1907.5		
15	QPSK	1	0	17.75	17.69	17.55	0	19
		1	37	17.71	17.75	17.57	0	19
		1	74	17.64	17.53	17.60	0	19
		36	0	16.84	16.52	16.55	1	18
		36	19	16.83	16.57	16.66	1	18
		36	39	16.71	16.61	16.65	1	18
		75	0	16.83	16.66	16.66	1	18
	16QAM	1	0	16.93	16.71	16.57	1	18
		1	37	16.76	16.71	16.68	1	18
		1	74	16.86	16.70	16.60	1	18
		36	0	15.64	15.79	15.43	2	17
		36	19	15.56	15.64	15.61	2	17
		36	39	15.47	15.49	15.33	2	17
		75	0	16.03	15.75	15.61	2	17
	64QAM	1	0	15.87	15.98	15.71	2	17
		1	37	16.10	15.83	16.00	2	17
		1	74	15.87	15.73	15.63	2	17
		36	0	14.97	14.72	14.79	3	16
		36	19	14.70	14.53	14.72	3	16
		36	39	15.00	14.59	14.52	3	16
		75	0	14.87	14.90	14.62	3	16
	256QAM	1	0	13.04	12.80	12.71	5	14
		1	37	12.82	12.60	12.64	5	14
		1	74	12.81	12.56	12.48	5	14
		36	0	12.80	12.83	12.53	5	14
		36	19	12.69	12.58	12.32	5	14
		36	39	12.88	12.96	12.71	5	14
		75	0	12.99	12.73	12.70	5	14
BW [MHz]	Modulation	Channel		26090	26340	26640	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1855	1880	1910		
10	QPSK	1	0	17.73	17.75	17.62	0	19
		1	24	17.87	17.56	17.62	0	19
		1	49	17.60	17.61	17.49	0	19
		25	0	16.67	16.69	16.62	1	18
		25	12	16.88	16.79	16.50	1	18
		25	25	16.64	16.76	16.52	1	18
		50	0	16.67	16.56	16.52	1	18
	16QAM	1	0	16.86	16.91	16.62	1	18
		1	24	16.76	16.71	16.69	1	18
		1	49	16.76	16.58	16.41	1	18
		25	0	15.75	15.71	15.37	2	17
		25	12	15.59	15.77	15.56	2	17
		25	25	15.59	15.48	15.26	2	17
		50	0	15.96	15.76	15.73	2	17
	64QAM	1	0	15.91	15.97	15.77	2	17
		1	24	15.97	15.91	15.78	2	17
		1	49	15.82	15.67	15.53	2	17
		25	0	14.90	14.77	14.82	3	16
		25	12	14.72	14.52	14.74	3	16
		25	25	14.95	14.60	14.60	3	16
		50	0	14.96	14.70	14.70	3	16
	256QAM	1	0	13.11	12.85	12.63	5	14
		1	24	12.89	12.68	12.67	5	14
		1	49	12.67	12.53	12.56	5	14
		25	0	12.80	12.84	12.50	5	14
		25	12	12.83	12.49	12.28	5	14
		25	25	12.84	12.77	12.58	5	14
		50	0	13.01	12.65	12.59	5	14
BW [MHz]	Modulation	Channel		26065	26340	26665	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1852.5	1880	1912.5		
5	QPSK	1	0	17.71	17.80	17.51	0	19
		1	12	17.88	17.60	17.71	0	19
		1	24	17.62	17.75	17.55	0	19
		12	0	16.85	16.53	16.61	1	18
		12	6	16.89	16.60	16.58	1	18
		12	13	16.76	16.63	16.71	1	18
		25	0	16.85	16.76	16.67	1	18
	16QAM	1	0	16.93	16.85	16.64	1	18
		1	12	16.77	16.58	16.63	1	18
		1	24	16.78	16.78	16.40	1	18
		12	0	15.60	15.83	15.39	2	17
		12	6	15.78	15.66	15.58	2	17
		12	13	15.46	15.50	15.27	2	17
		25	0	16.13	15.76	15.79	2	17
	64QAM	1	0	15.83	15.92	15.67	2	17
		1	12	16.08	15.81	15.80	2	17
		1	24	15.98	15.82	15.58	2	17
		12	0	14.90	14.63	14.77	3	16
		12	6	14.87	14.58	14.84	3	16
		12	13	14.85	14.52	14.58	3	16
		25	0	14.82	14.71	14.62	3	16
	256QAM	1	0	13.18	12.79	12.74	5	14
		1	12	12.96	12.65	12.70	5	14
		1	24	12.81	12.55	12.52	5	14
		12	0	12.84	12.93	12.56	5	14
		12	6	12.71	12.53	12.35	5	14
		12	13	12.90	12.81	12.65	5	14
		25	0	12.84	12.78	12.73	5	14
BW [MHz]	Modulation	Channel		26055	26340	26675	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1851.5	1880	1913.5		
3	QPSK	1	0	17.75	17.79	17.65	0	19
		1	7	17.82	17.66	17.64	0	19
		1	14	17.79	17.74	17.41	0	19
		8	0	16.88	16.61	16.48	1	18
		8	3	16.82	16.70	16.63	1	18
		8	7	16.82	16.70	16.59	1	18
		15	0	16.70	16.77	16.53	1	18
	16QAM	1	0	16.84	16.81	16.68	1	18
		1	7	16.87	16.61	16.80	1	18
		1	14	16.95	16.76	16.41	1	18
		8	0	15.55	15.69	15.29	2	17
		8	3	15.56	15.66	15.41	2	17
		8	7	15.63	15.42	15.44	2	17
		15	0	16.15	15.80	15.74	2	17
	64QAM	1	0	15.95	16.03	15.63	2	17
		1	7	16.12	15.82	15.98	2	17
		1	14	15.87	15.69	15.62	2	17
		8	0	15.10	14.59	14.66	3	16
		8	3	14.74	14.69	14.64	3	16
		8	7	14.90	14.62	14.54	3	16
		15	0	14.81	14.60	14.62	3	16
	256QAM	1	0	13.02	12.85	12.61	5	14
		1	7	12.81	12.78	12.63	5	14
		1	14	12.77	12.51	12.57	5	14
		8	0	12.75	12.92	12.53	5	14
		8	3	12.82	12.60	12.35	5	14
		8	7	12.79	12.96	12.55	5	14
		15	0	12.82	12.81	12.63	5	14
BW [MHz]	Modulation	Channel		26047	26340	26683	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1850.7	1880	1914.3		
1.4	QPSK	1	0	17.69	17.75	17.71	0	19
		1	2	17.85	17.73	17.48	0	19
		1	5	17.75	17.59	17.48	0	19
		3	0	17.76	17.51	17.57	0	19
		3	1	17.81	17.55	17.58	0	19
		3	3	17.72	17.57	17.67	0	19
		6	0	16.72	16.75	16.66	1	18
	16QAM	1	0	16.93	16.88	16.65	1	18
		1	2	16.76	16.65	16.67	1	18
		1	5	16.78	16.65	16.46	1	18
		3	0	16.66	16.72	16.23	1	18
		3	1	16.55	16.83	16.39	1	18
		3	3	16.44	16.42	16.37	1	18
		6	0	16.08	15.70	15.81	2	17
	64QAM	1	0	15.81	15.85	15.67	2	17
		1	2	16.01	15.87	15.82	2	17
		1	5	15.74	15.64	15.67	2	17
		3	0	16.01	15.67	15.60	2	17
		3	1	15.78	15.55	15.75	2	17
		3	3	16.03	15.69	15.65	2	17
		6	0	14.91	14.81	14.66	3	16
	256QAM	1	0	12.99	12.73	12.73	5	14
		1	2	12.93	12.77	12.76	5	14
		1	5	12.68	12.53	12.59	5	14
		3	0	12.90	12.83	12.45	5	14
		3	1	12.74	12.63	12.22	5	14
		3	3	12.93	12.91	12.61	5	14
		6	0	12.97	12.68	12.77	5	14

LTE Band 26

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		26705	26865	26965		
		Frequency (MHz)		821.5	831.5	841.5		
15	QPSK	1	0	**21.29**	**21.45**	**21.39**	0	24
		1	37	23.24	23.40	23.35	0	24
		1	74	23.23	23.31	23.27	0	24
		36	0	22.12	22.37	22.20	1	23
		36	19	**22.20**	**22.40**	**22.28**	1	23
		36	39	22.09	22.35	22.26	1	23
		75	0	22.27	**22.45**	22.36	1	23
	16QAM	1	0	22.20	22.42	22.34	1	23
		1	37	22.16	22.40	22.35	1	23
		1	74	22.31	22.41	22.33	1	23
		36	0	21.26	21.35	21.33	2	22
		36	19	21.24	21.43	21.47	2	22
		36	39	21.38	21.45	21.31	2	22
		75	0	21.29	21.44	21.45	2	22
	64QAM	1	0	21.08	21.32	21.31	2	22
		1	37	21.11	21.29	21.20	2	22
		1	74	21.24	21.29	21.13	2	22
		36	0	20.21	20.43	20.30	3	21
		36	19	20.24	20.45	20.46	3	21
		36	39	20.33	20.48	20.45	3	21
		75	0	20.17	20.35	20.23	3	21
	256QAM	1	0	18.36	18.47	18.34	5	19
		1	37	18.31	18.41	18.31	5	19
		1	74	18.41	18.49	18.42	5	19
		36	0	18.46	18.58	18.54	5	19
		36	19	18.20	18.45	18.37	5	19
		36	39	18.17	18.44	18.37	5	19
		75	0	18.27	18.53	18.51	5	19
BW [MHz]	Modulation	Channel		26740	26865	26990	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		819	831.5	844		
10	QPSK	1	0	23.35	23.28	23.32	0	24
		1	24	23.22	23.21	23.21	0	24
		1	49	23.13	23.21	23.28	0	24
		25	0	22.05	22.30	22.03	1	23
		25	12	22.08	22.39	22.10	1	23
		25	25	22.07	22.24	22.06	1	23
		50	0	22.10	22.35	22.29	1	23
	16QAM	1	0	22.21	22.30	22.31	1	23
		1	24	22.06	22.40	22.16	1	23
		1	49	22.28	22.31	22.26	1	23
		25	0	21.10	21.31	21.16	2	22
		25	12	21.25	21.42	21.27	2	22
		25	25	21.37	21.24	21.18	2	22
		50	0	21.10	21.29	21.38	2	22
	64QAM	1	0	20.93	21.14	21.29	2	22
		1	24	21.09	21.10	21.02	2	22
		1	49	21.25	21.20	21.03	2	22
		25	0	20.17	20.29	20.12	3	21
		25	12	20.07	20.45	20.36	3	21
		25	25	20.30	20.33	20.27	3	21
		50	0	20.04	20.22	20.16	3	21
	256QAM	1	0	18.23	18.42	18.35	5	19
		1	24	18.16	18.30	18.16	5	19
		1	49	18.40	18.32	18.33	5	19
		25	0	18.39	18.57	18.52	5	19
		25	12	18.11	18.37	18.27	5	19
		25	25	17.97	18.32	18.38	5	19
		50	0	18.06	18.32	18.33	5	19
BW [MHz]	Modulation	Channel		26715	26865	27015	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		816.5	831.5	846.5		
5	QPSK	1	0	23.26	23.27	23.40	0	24
		1	12	23.20	23.32	23.22	0	24
		1	24	23.22	23.15	23.12	0	24
		12	0	21.96	22.30	22.17	1	23
		12	6	22.10	22.23	22.11	1	23
		12	13	22.01	22.14	22.06	1	23
		25	0	22.25	22.42	22.27	1	23
	16QAM	1	0	22.02	22.23	22.21	1	23
		1	12	22.02	22.20	22.20	1	23
		1	24	22.25	22.40	22.26	1	23
		12	0	21.13	21.29	21.13	2	22
		12	6	21.17	21.41	21.30	2	22
		12	13	21.29	21.43	21.23	2	22
		25	0	21.16	21.38	21.45	2	22
	64QAM	1	0	20.94	21.14	21.26	2	22
		1	12	21.03	21.24	21.20	2	22
		1	24	21.23	21.12	21.12	2	22
		12	0	20.04	20.36	20.17	3	21
		12	6	20.12	20.38	20.38	3	21
		12	13	20.18	20.36	20.31	3	21
		25	0	20.13	20.17	20.11	3	21
	256QAM	1	0	18.19	18.29	18.27	5	19
		1	12	18.32	18.25	18.31	5	19
		1	24	18.41	18.41	18.35	5	19
		12	0	18.32	18.59	18.46	5	19
		12	6	18.18	18.36	18.32	5	19
		12	13	18.06	18.24	18.38	5	19
		25	0	18.06	18.49	18.34	5	19
BW [MHz]	Modulation	Channel		26705	26865	27025	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		815.5	831.5	847.5		
3	QPSK	1	0	23.30	23.43	23.29	0	24
		1	7	23.08	23.39	23.35	0	24
		1	14	23.02	23.18	23.07	0	24
		8	0	21.95	22.17	22.21	1	23
		8	3	22.15	22.41	22.26	1	23
		8	7	21.89	22.24	22.22	1	23
		15	0	22.20	22.28	22.17	1	23
	16QAM	1	0	22.20	22.38	22.24	1	23
		1	7	22.12	22.32	22.26	1	23
		1	14	22.22	22.37	22.34	1	23
		8	0	21.20	21.18	21.29	2	22
		8	3	21.16	21.30	21.46	2	22
		8	7	21.35	21.34	21.15	2	22
		15	0	21.19	21.26	21.33	2	22
	64QAM	1	0	21.00	21.22	21.12	2	22
		1	7	21.04	21.08	21.14	2	22
		1	14	21.17	21.09	21.11	2	22
		8	0	20.00	20.30	20.15	3	21
		8	3	20.04	20.38	20.40	3	21
		8	7	20.29	20.38	20.42	3	21
		15	0	20.00	20.18	20.11	3	21
	256QAM	1	0	18.21	18.47	18.29	5	19
		1	7	18.32	18.34	18.13	5	19
		1	14	18.40	18.31	18.27	5	19
		8	0	18.35	18.55	18.51	5	19
		8	3	18.07	18.27	18.18	5	19
		8	7	18.02	18.41	18.26	5	19
		15	0	18.21	18.32	18.51	5	19
BW [MHz]	Modulation	Channel		26697	26865	27033	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		814.7	831.5	848.3		
1.4	QPSK	1	0	23.18	23.39	23.38	0	24
		1	2	23.15	23.25	23.22	0	24
		1	5	23.04	23.08	23.24	0	24
		3	0	23.10	23.31	23.09	0	24
		3	1	23.12	23.22	23.17	0	24
		3	3	22.94	23.25	23.16	0	24
		6	0	22.26	22.26	22.14	1	23
	16QAM	1	0	22.11	22.29	22.12	1	23
		1	2	21.98	22.18	22.29	1	23
		1	5	22.13	22.23	22.18	1	23
		3	0	22.16	22.27	22.22	1	23
		3	1	22.14	22.32	22.25	1	23
		3	3	22.18	22.38	22.08	1	23
		6	0	21.17	21.26	21.23	2	22
	64QAM	1	0	20.91	21.31	21.23	2	22
		1	2	21.00	21.19	20.99	2	22
		1	5	21.16	21.26	20.93	2	22
		3	0	21.20	21.22	21.20	2	22
		3	1	21.01	21.30	21.42	2	22
		3	3	21.22	21.43	21.36	2	22
		6	0	20.03	20.15	20.02	3	21
	256QAM	1	0	18.27	18.42	18.25	5	19
		1	2	18.11	18.32	18.13	5	19
		1	5	18.20	18.28	18.20	5	19
		3	0	18.44	18.51	18.33	5	19
		3	1	18.09	18.29	18.34	5	19
		3	3	18.03	18.41	18.30	5	19
		6	0	18.13	18.32	18.43	5	19

LTE Band 30

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel			27710			
		Frequency (MHz)			2310			
10	QPSK	1	0		15.22		0	16.5
		1	24		**15.42**		0	16.5
		1	49		15.31		0	16.5
		25	0		14.30		1	15.5
		25	12		**14.42**		1	15.5
		25	25		14.26		1	15.5
		50	0		**14.32**		1	15.5
	16QAM	1	0		14.42		1	15.5
		1	24		14.55		1	15.5
		1	49		14.59		1	15.5
		25	0		13.54		2	14.5
		25	12		13.52		2	14.5
		25	25		13.45		2	14.5
		50	0		13.33		2	14.5
	64QAM	1	0		13.53		2	14.5
		1	24		13.40		2	14.5
		1	49		13.51		2	14.5
		25	0		12.35		3	13.5
		25	12		12.37		3	13.5
		25	25		12.16		3	13.5
		50	0		12.46		3	13.5
	256QAM	1	0		10.26		5	11.5
		1	24		10.53		5	11.5
		1	49		10.37		5	11.5
		25	0		10.67		5	11.5
		25	12		10.41		5	11.5
		25	25		10.29		5	11.5
		50	0		10.26		5	11.5
BW [MHz]	Modulation	Channel		27685	27710	27735	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2307.5	2310	2312.5		
5	QPSK	1	0	15.14	15.16	15.15	0	16.5
		1	12	15.29	15.40	15.41	0	16.5
		1	24	15.04	15.18	15.25	0	16.5
		12	0	14.27	14.22	14.35	1	15.5
		12	6	14.21	14.30	14.31	1	15.5
		12	13	14.17	14.22	14.16	1	15.5
		25	0	14.33	14.25	14.28	1	15.5
	16QAM	1	0	14.44	14.30	14.30	1	15.5
		1	12	14.50	14.32	14.39	1	15.5
		1	24	14.40	14.56	14.40	1	15.5
		12	0	13.31	13.32	13.41	2	14.5
		12	6	13.43	13.59	13.50	2	14.5
		12	13	13.49	13.40	13.38	2	14.5
		25	0	13.28	13.26	13.27	2	14.5
	64QAM	1	0	13.50	13.53	13.48	2	14.5
		1	12	13.18	13.40	13.31	2	14.5
		1	24	13.54	13.52	13.52	2	14.5
		12	0	12.38	12.39	12.29	3	13.5
		12	6	12.39	12.26	12.36	3	13.5
		12	13	12.23	12.15	12.17	3	13.5
		25	0	12.50	12.41	12.40	3	13.5
	256QAM	1	0	10.30	10.27	10.24	5	11.5
		1	12	10.42	10.41	10.33	5	11.5
		1	24	10.37	10.25	10.44	5	11.5
		12	0	10.66	10.61	10.64	5	11.5
		12	6	10.26	10.37	10.37	5	11.5
		12	13	10.24	10.35	10.31	5	11.5
		25	0	10.29	10.10	10.07	5	11.5

LTE Band 38

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		37850	38000	38150		
		Frequency (MHz)		2595	2595	2610		
20	QPSK	1	0	14.82	14.68	14.72	0	16
		1	50	**14.85**	**14.83**	**14.80**	0	16
		1	99	14.75	14.78	14.75	0	16
		50	0	13.74	13.76	13.61	1	15
		50	25	13.77	13.75	13.67	1	15
		50	50	**13.82**	**13.79**	**13.76**	1	15
		100	0	**13.80**	13.76	13.72	1	15
	16QAM	1	0	13.91	13.90	14.01	1	15
		1	50	13.85	13.83	13.90	1	15
		1	99	13.73	13.85	13.90	1	15
		50	0	12.77	12.78	12.56	2	14
		50	25	12.81	12.65	12.71	2	14
		50	50	12.68	12.90	12.77	2	14
		100	0	12.64	12.58	12.61	2	14
	64QAM	1	0	13.13	13.20	13.09	2	14
		1	50	13.19	13.16	13.25	2	14
		1	99	12.92	13.05	13.06	2	14
		50	0	11.85	11.82	11.73	3	13
		50	25	11.92	11.82	11.87	3	13
		50	50	11.74	11.67	11.73	3	13
		100	0	11.73	11.84	11.81	3	13
	256QAM	1	0	9.74	9.79	9.74	5	11
		1	50	9.69	9.80	9.58	5	11
		1	99	9.76	9.73	9.58	5	11
		50	0	9.55	9.52	9.62	5	11
		50	25	9.87	9.92	9.92	5	11
		50	50	9.79	9.80	9.64	5	11
		100	0	9.84	9.88	9.75	5	11
BW [MHz]	Modulation	Channel		37825	38000	38175	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2577.5	2595	2612.5		
15	QPSK	1	0	14.68	14.69	14.52	0	16
		1	37	14.75	14.75	14.64	0	16
		1	74	14.60	14.59	14.59	0	16
		36	0	13.70	13.74	13.40	1	15
		36	19	13.62	13.60	13.50	1	15
		36	39	13.77	13.57	13.57	1	15
		75	0	13.61	13.71	13.61	1	15
	16QAM	1	0	13.80	13.90	13.81	1	15
		1	37	13.86	13.72	13.72	1	15
		1	74	13.62	13.71	13.79	1	15
		36	0	12.69	12.70	12.41	2	14
		36	19	12.81	12.46	12.56	2	14
		36	39	12.57	12.82	12.61	2	14
		75	0	12.57	12.47	12.61	2	14
	64QAM	1	0	13.00	13.12	12.99	2	14
		1	37	13.03	13.02	13.08	2	14
		1	74	12.80	12.98	13.02	2	14
		36	0	11.75	11.81	11.65	3	13
		36	19	11.77	11.76	11.73	3	13
		36	39	11.69	11.55	11.61	3	13
		75	0	11.59	11.66	11.73	3	13
	256QAM	1	0	9.61	9.66	9.59	5	11
		1	37	9.48	9.74	9.52	5	11
		1	74	9.77	9.69	9.41	5	11
		36	0	9.50	9.36	9.52	5	11
		36	19	9.85	9.73	9.84	5	11
		36	39	9.76	9.78	9.57	5	11
		75	0	9.71	9.86	9.57	5	11
BW [MHz]	Modulation	Channel		37800	38000	38200	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2575	2595	2615		
10	QPSK	1	0	14.71	14.68	14.69	0	16
		1	24	14.81	14.75	14.68	0	16
		1	49	14.74	14.68	14.72	0	16
		25	0	13.73	13.63	13.53	1	15
		25	12	13.83	13.69	13.72	1	15
		25	25	13.76	13.55	13.66	1	15
		50	0	13.79	13.55	13.56	1	15
	16QAM	1	0	13.82	13.86	13.91	1	15
		1	24	13.77	13.68	13.71	1	15
		1	49	13.62	13.66	13.83	1	15
		25	0	12.78	12.72	12.52	2	14
		25	12	12.64	12.50	12.50	2	14
		25	25	12.49	12.81	12.70	2	14
		50	0	12.49	12.37	12.47	2	14
	64QAM	1	0	12.93	13.18	12.91	2	14
		1	24	13.16	13.16	13.12	2	14
		1	49	12.76	12.91	12.92	2	14
		25	0	11.85	11.64	11.53	3	13
		25	12	11.81	11.83	11.67	3	13
		25	25	11.62	11.60	11.57	3	13
		50	0	11.69	11.78	11.75	3	13
	256QAM	1	0	9.74	9.68	9.63	5	11
		1	24	9.64	9.74	9.43	5	11
		1	49	9.56	9.74	9.50	5	11
		25	0	9.54	9.53	9.60	5	11
		25	12	9.84	9.90	9.78	5	11
		25	25	9.66	9.65	9.63	5	11
		50	0	9.84	9.85	9.57	5	11
BW [MHz]	Modulation	Channel		37775	38000	38225	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2572.5	2595	2617.5		
5	QPSK	1	0	14.77	14.50	14.65	0	16
		1	12	14.82	14.64	14.59	0	16
		1	24	14.57	14.78	14.70	0	16
		12	0	13.71	13.64	13.61	1	15
		12	6	13.77	13.70	13.73	1	15
		12	13	13.71	13.56	13.58	1	15
		25	0	13.71	13.76	13.56	1	15
	16QAM	1	0	13.72	13.84	13.93	1	15
		1	12	13.70	13.84	13.73	1	15
		1	24	13.65	13.69	13.76	1	15
		12	0	12.57	12.73	12.41	2	14
		12	6	12.60	12.46	12.57	2	14
		12	13	12.51	12.87	12.60	2	14
		25	0	12.65	12.47	12.49	2	14
	64QAM	1	0	12.93	13.06	12.93	2	14
		1	12	13.01	13.16	13.19	2	14
		1	24	12.98	13.04	12.95	2	14
		12	0	11.82	11.64	11.65	3	13
		12	6	11.92	11.83	11.86	3	13
		12	13	11.55	11.54	11.54	3	13
		25	0	11.55	11.85	11.74	3	13
	256QAM	1	0	9.61	9.74	9.75	5	11
		1	12	9.69	9.74	9.44	5	11
		1	24	9.69	9.59	9.38	5	11
		12	0	9.43	9.46	9.49	5	11
		12	6	9.82	9.72	9.83	5	11
		12	13	9.69	9.61	9.56	5	11
		25	0	9.72	9.88	9.57	5	11

LTE Band 41

BW [MHz]	Modulation	RB Size	RB Offset	Low	Low Mid	Mid	High Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		39750	40185	40620	41055	41490		
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680		
20	QPSK	1	0	14.88	14.92	15.08	14.86	15.05	0	16
		1	50	**14.92**	**14.96**	**15.11**	**14.90**	**15.07**	0	16
		1	99	14.82	14.83	15.06	14.79	15.00	0	16
		50	0	13.76	13.59	13.88	13.55	13.72	1	15
		50	25	13.73	13.67	13.91	13.65	13.86	1	15
		50	50	**13.81**	**13.85**	**14.04**	**13.80**	**14.00**	1	15
		100	0	13.74	13.77	**13.99**	13.72	13.94	1	15
	16QAM	1	0	13.86	13.76	14.02	13.73	14.08	1	15
		1	50	14.12	14.18	14.27	14.00	14.27	1	15
		1	99	13.68	13.70	14.01	13.70	13.87	1	15
		50	0	12.67	12.69	12.86	12.71	12.77	2	14
		50	25	12.73	12.86	12.95	12.68	12.93	2	14
		50	50	12.79	12.75	12.93	12.72	12.83	2	14
		100	0	12.66	12.53	12.80	12.55	12.73	2	14
	64QAM	1	0	13.05	13.17	13.27	12.94	13.33	2	14
		1	50	12.93	13.08	13.25	13.01	13.25	2	14
		1	99	13.06	13.08	13.21	13.08	13.18	2	14
		50	0	11.60	11.59	11.84	11.50	11.83	3	13
		50	25	11.60	11.73	11.89	11.57	11.79	3	13
		50	50	11.65	11.75	11.88	11.72	11.89	3	13
		100	0	11.65	11.56	11.84	11.61	11.90	3	13
	256QAM	1	0	9.78	9.81	9.94	9.64	9.99	5	11
		1	50	9.88	9.88	10.07	9.92	10.10	5	11
		1	99	9.67	9.69	9.85	9.72	9.78	5	11
		50	0	9.48	9.48	9.76	9.57	9.69	5	11
		50	25	9.59	9.64	9.85	9.62	9.88	5	11
		50	50	9.61	9.72	9.92	9.74	9.81	5	11
		100	0	9.64	9.70	9.87	9.70	9.93	5	11
BW [MHz]	Modulation	Channel		39725	40173	40620	41068	41515	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2503.5	2548.3	2593	2637.8	2682.5		
15	QPSK	1	0	14.81	14.88	14.96	14.74	14.98	0	16
		1	37	14.81	14.87	14.95	14.84	15.08	0	16
		1	74	14.81	14.64	14.92	14.61	14.92	0	16
		36	0	13.65	13.47	13.69	13.56	13.63	1	15
		36	19	13.61	13.64	13.88	13.67	13.83	1	15
		36	39	13.52	13.57	13.84	13.63	13.79	1	15
		75	0	13.56	13.67	13.98	13.51	13.74	1	15
	16QAM	1	0	13.83	13.60	13.99	13.62	13.90	1	15
		1	37	14.09	14.03	14.16	13.93	14.19	1	15
		1	74	13.60	13.67	13.86	13.53	13.75	1	15
		36	0	12.57	12.52	12.75	12.52	12.73	2	14
		36	19	12.66	12.83	12.78	12.58	12.77	2	14
		36	39	12.72	12.59	12.85	12.60	12.79	2	14
		75	0	12.45	12.39	12.76	12.48	12.69	2	14
	64QAM	1	0	12.88	13.00	13.13	12.82	13.13	2	14
		1	37	12.90	13.04	13.10	12.81	13.09	2	14
		1	74	12.86	12.98	13.06	13.03	13.10	2	14
		36	0	11.58	11.54	11.81	11.48	11.80	3	13
		36	19	11.55	11.71	11.88	11.53	11.82	3	13
		36	39	11.63	11.65	11.82	11.51	11.81	3	13
		75	0	11.60	11.37	11.66	11.42	11.74	3	13
	256QAM	1	0	9.64	9.70	9.76	9.43	9.94	5	11
		1	37	9.82	9.71	9.98	9.83	10.04	5	11
		1	74	9.50	9.69	9.68	9.73	9.78	5	11
		36	0	9.30	9.34	9.69	9.40	9.54	5	11
		36	19	9.46	9.47	9.79	9.50	9.79	5	11
		36	39	9.53	9.59	9.88	9.68	9.77	5	11
		75	0	9.51	9.70	9.80	9.52	9.83	5	11
BW [MHz]	Modulation	Channel		39700	40160	40620	41080	41540	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2501	2547	2593	2639	2685		
10	QPSK	1	0	14.75	14.85	14.98	14.78	14.93	0	16
		1	24	14.87	14.93	14.94	14.79	14.95	0	16
		1	49	14.75	14.84	15.05	14.79	14.89	0	16
		25	0	13.60	13.38	13.81	13.55	13.66	1	15
		25	12	13.81	13.71	13.86	13.70	13.89	1	15
		25	25	13.70	13.66	13.71	13.44	13.80	1	15
		50	0	13.74	13.67	13.99	13.71	13.85	1	15
	16QAM	1	0	13.80	13.65	13.86	13.65	14.03	1	15
		1	24	13.95	14.02	14.11	13.81	14.22	1	15
		1	49	13.62	13.60	13.99	13.49	13.85	1	15
		25	0	12.66	12.48	12.70	12.52	12.71	2	14
		25	12	12.62	12.78	12.94	12.50	12.81	2	14
		25	25	12.75	12.76	12.89	12.68	12.77	2	14
		50	0	12.64	12.45	12.66	12.49	12.64	2	14
	64QAM	1	0	12.94	12.86	13.25	12.88	13.31	2	14
		1	24	12.78	12.89	13.07	12.98	13.24	2	14
		1	49	12.91	13.05	13.00	13.03	13.01	2	14
		25	0	11.58	11.46	11.73	11.53	11.65	3	13
		25	12	11.41	11.59	11.68	11.37	11.77	3	13
		25	25	11.66	11.68	11.89	11.69	11.86	3	13
		50	0	11.63	11.56	11.84	11.55	11.79	3	13
	256QAM	1	0	9.78	9.60	9.77	9.53	9.94	5	11
		1	24	9.72	9.77	9.91	9.80	9.97	5	11
		1	49	9.58	9.62	9.73	9.69	9.77	5	11
		25	0	9.35	9.41	9.61	9.49	9.62	5	11
		25	12	9.38	9.61	9.78	9.59	9.68	5	11
		25	25	9.51	9.56	9.76	9.72	9.68	5	11
		50	0	9.61	9.52	9.84	9.60	9.83	5	11
BW [MHz]	Modulation	Channel		39675	40148	40620	41093	41565	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		2498.5	2545.8	2593	2640.3	2687.5		
5	QPSK	1	0	14.70	14.82	15.00	14.86	14.89	0	16
		1	12	14.86	14.83	15.02	14.73	14.86	0	16
		1	24	14.63	14.84	14.98	14.58	14.91	0	16
		12	0	13.56	13.45	13.86	13.52	13.51	1	15
		12	6	13.68	13.68	13.99	13.68	14.00	1	15
		12	13	13.61	13.59	13.88	13.66	13.69	1	15
		25	0	13.61	13.66	13.81	13.52	13.67	1	15
	16QAM	1	0	13.75	13.74	13.89	13.52	13.98	1	15
		1	12	14.06	14.09	14.20	13.72	14.08	1	15
		1	24	13.57	13.63	13.81	13.64	13.69	1	15
		12	0	12.63	12.60	12.79	12.70	12.64	2	14
		12	6	12.67	12.72	12.80	12.47	12.80	2	14
		12	13	12.71	12.69	12.94	12.55	12.69	2	14
		25	0	12.65	12.33	12.67	12.56	12.62	2	14
	64QAM	1	0	12.92	13.08	13.12	12.84	13.13	2	14
		1	12	12.78	12.90	13.08	12.81	13.08	2	14
		1	24	13.00	13.02	13.11	12.93	13.03	2	14
		12	0	11.50	11.54	11.69	11.50	11.76	3	13
		12	6	11.55	11.61	11.71	11.50	11.60	3	13
		12	13	11.65	11.68	11.70	11.56	11.86	3	13
		25	0	11.48	11.42	11.77	11.40	11.83	3	13
	256QAM	1	0	9.75	9.80	9.84	9.65	9.99	5	11
		1	12	9.89	9.77	9.99	9.79	9.94	5	11
		1	24	9.54	9.57	9.67	9.64	9.78	5	11
		12	0	9.39	9.44	9.72	9.45	9.69	5	11
		12	6	9.55	9.51	9.74	9.55	9.73	5	11
		12	13	9.42	9.66	9.83	9.65	9.63	5	11
		25	0	9.56	9.55	9.72	9.51	9.74	5	11

Part27Q_LTE Band 42

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		42190	42590	42990		
		Frequence (MHz)		3460	3500	3540		
20	QPSK	1	0	**17.04**	**16.70**	**16.61**	0	18
		1	50	16.91	16.67	16.59	0	18
		1	99	17.03	16.66	16.58	0	18
		50	0	16.00	15.66	15.56	1	17
		50	25	**16.05**	**15.71**	**15.60**	1	17
		50	50	15.81	15.62	15.49	1	17
		100	0	**16.02**	15.70	15.58	1	17
	16QAM	1	0	16.20	15.96	15.72	1	17
		1	50	16.21	15.91	15.77	1	17
		1	99	16.26	15.96	15.97	1	17
		50	0	15.12	14.91	14.72	2	16
		50	25	15.26	14.83	14.79	2	16
		50	50	14.99	14.82	14.55	2	16
		100	0	15.02	14.76	14.57	2	16
	64QAM	1	0	15.29	15.08	14.96	2	16
		1	50	15.43	14.97	14.97	2	16
		1	99	15.39	15.05	15.00	2	16
		50	0	14.02	13.71	13.45	3	15
		50	25	14.20	13.84	13.84	3	15
		50	50	14.27	13.87	13.62	3	15
		100	0	13.97	13.83	13.58	3	15
	256QAM	1	0	12.26	11.74	11.66	5	13
		1	50	12.00	11.79	11.40	5	13
		1	99	12.10	11.62	11.46	5	13
		50	0	12.12	11.82	11.80	5	13
		50	25	12.07	11.83	11.59	5	13
		50	50	12.21	11.85	11.53	5	13
		100	0	12.09	11.67	11.73	5	13
BW [MHz]	Modulation	Channel		42165	42590	43015	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequence (MHz)		3457.5	3500	3542.5		
15	QPSK	1	0	16.93	16.62	16.50	0	18
		1	37	16.92	16.50	16.45	0	18
		1	74	16.95	16.62	16.46	0	18
		36	0	15.93	15.47	15.37	1	17
		36	19	16.00	15.62	15.44	1	17
		36	39	15.72	15.61	15.29	1	17
		75	0	16.01	15.61	15.49	1	17
	16QAM	1	0	16.02	15.89	15.55	1	17
		1	37	16.11	15.72	15.62	1	17
		1	74	16.09	15.93	15.93	1	17
		36	0	15.00	14.88	14.63	2	16
		36	19	15.13	14.67	14.59	2	16
		36	39	14.92	14.61	14.34	2	16
		75	0	14.82	14.76	14.36	2	16
	64QAM	1	0	15.17	15.06	14.89	2	16
		1	37	15.41	14.93	14.95	2	16
		1	74	15.25	14.91	14.83	2	16
		36	0	13.95	13.52	13.45	3	15
		36	19	14.14	13.74	13.73	3	15
		36	39	14.15	13.83	13.55	3	15
		75	0	13.89	13.71	13.52	3	15
	256QAM	1	0	12.23	11.57	11.61	5	13
		1	37	11.90	11.63	11.30	5	13
		1	74	12.10	11.59	11.36	5	13
		36	0	12.06	11.83	11.62	5	13
		36	19	11.92	11.80	11.42	5	13
		36	39	12.15	11.81	11.49	5	13
		75	0	12.07	11.67	11.54	5	13
BW [MHz]	Modulation	Channel		42140	42590	43040	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequence (MHz)		3455	3500	3545		
10	QPSK	1	0	17.02	16.64	16.40	0	18
		1	24	16.76	16.53	16.44	0	18
		1	49	17.02	16.50	16.38	0	18
		25	0	16.06	15.65	15.36	1	17
		25	12	15.91	15.50	15.60	1	17
		25	25	15.69	15.62	15.42	1	17
		50	0	16.07	15.66	15.53	1	17
	16QAM	1	0	16.05	15.87	15.54	1	17
		1	24	16.06	15.72	15.73	1	17
		1	49	16.11	15.77	15.92	1	17
		25	0	14.91	14.83	14.61	2	16
		25	12	15.26	14.66	14.74	2	16
		25	25	14.89	14.63	14.46	2	16
		50	0	15.00	14.55	14.58	2	16
	64QAM	1	0	15.08	14.89	14.88	2	16
		1	24	15.40	14.79	14.76	2	16
		1	49	15.28	15.00	14.94	2	16
		25	0	13.98	13.56	13.33	3	15
		25	12	14.00	13.70	13.80	3	15
		25	25	14.16	13.66	13.47	3	15
		50	0	13.96	13.76	13.38	3	15
	256QAM	1	0	12.22	11.57	11.62	5	13
		1	24	11.84	11.79	11.20	5	13
		1	49	12.03	11.47	11.41	5	13
		25	0	11.95	11.66	11.74	5	13
		25	12	11.93	11.73	11.56	5	13
		25	25	12.04	11.82	11.32	5	13
		50	0	11.98	11.66	11.65	5	13
BW [MHz]	Modulation	Channel		42115	42590	43065	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequence (MHz)		3452.5	3500	3547.5		
5	QPSK	1	0	17.02	16.55	16.46	0	18
		1	12	16.83	16.68	16.53	0	18
		1	24	17.00	16.58	16.43	0	18
		12	0	15.96	15.47	15.52	1	17
		12	6	16.05	15.53	15.58	1	17
		12	13	15.79	15.44	15.30	1	17
		25	0	15.89	15.53	15.43	1	17
	16QAM	1	0	16.10	15.93	15.63	1	17
		1	12	16.22	15.71	15.75	1	17
		1	24	16.25	15.88	15.91	1	17
		12	0	15.11	14.89	14.63	2	16
		12	6	15.07	14.62	14.63	2	16
		12	13	14.83	14.72	14.49	2	16
		25	0	14.99	14.65	14.40	2	16
	64QAM	1	0	15.17	14.92	14.75	2	16
		1	12	15.28	14.81	14.89	2	16
		1	24	15.25	15.04	14.95	2	16
		12	0	13.86	13.58	13.43	3	15
		12	6	14.16	13.66	13.69	3	15
		12	13	14.08	13.75	13.63	3	15
		25	0	13.89	13.68	13.52	3	15
	256QAM	1	0	12.06	11.68	11.67	5	13
		1	12	11.79	11.66	11.21	5	13
		1	24	12.10	11.49	11.39	5	13
		12	0	11.99	11.77	11.75	5	13
		12	6	12.07	11.77	11.45	5	13
		12	13	12.00	11.71	11.51	5	13
		25	0	11.99	11.63	11.69	5	13

Part96_LTE Band 42

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		43190	43490	43790		
		Frequence (MHz)		3560	3590	3620		
20	QPSK	1	0	**16.54**	**16.56**	**16.52**	0	18
		1	50	16.40	16.47	16.51	0	18
		1	99	16.40	16.46	16.50	0	18
		50	0	15.52	15.56	15.54	1	17
		50	25	**15.59**	**15.60**	**15.55**	1	17
		50	50	15.50	15.54	15.48	1	17
		100	0	15.55	**15.59**	15.53	1	17
	16QAM	1	0	15.96	15.70	15.73	1	17
		1	50	15.90	15.78	15.86	1	17
		1	99	15.87	15.95	15.82	1	17
		50	0	14.86	14.82	14.58	2	16
		50	25	14.74	14.75	14.56	2	16
		50	50	14.67	14.55	14.62	2	16
		100	0	14.77	14.64	14.83	2	16
	64QAM	1	0	14.69	14.93	14.84	2	16
		1	50	14.83	14.76	14.94	2	16
		1	99	14.73	14.90	14.71	2	16
		50	0	13.85	13.82	13.74	3	15
		50	25	13.60	13.68	13.67	3	15
		50	50	13.44	13.61	13.46	3	15
		100	0	13.90	13.78	13.74	3	15
	256QAM	1	0	11.64	11.75	11.65	5	13
		1	50	11.58	11.77	11.64	5	13
		1	99	11.85	11.80	11.75	5	13
		50	0	11.76	11.86	11.84	5	13
		50	25	11.87	11.87	11.70	5	13
		50	50	11.80	11.69	11.58	5	13
		100	0	11.68	11.72	11.70	5	13
BW [MHz]	Modulation	Channel		43165	43490	43815	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequence (MHz)		3557.5	3575	3592.5		
15	QPSK	1	0	16.49	16.39	16.37	0	18
		1	37	16.38	16.40	16.43	0	18
		1	74	16.38	16.27	16.45	0	18
		36	0	15.33	15.47	15.43	1	17
		36	19	15.60	15.49	15.43	1	17
		36	39	15.31	15.42	15.28	1	17
		75	0	15.56	15.50	15.40	1	17
	16QAM	1	0	15.81	15.50	15.67	1	17
		1	37	15.82	15.77	15.84	1	17
		1	74	15.85	15.86	15.66	1	17
		36	0	14.70	14.69	14.49	2	16
		36	19	14.67	14.55	14.41	2	16
		36	39	14.49	14.48	14.51	2	16
		75	0	14.56	14.58	14.70	2	16
	64QAM	1	0	14.55	14.74	14.69	2	16
		1	37	14.77	14.72	14.85	2	16
		1	74	14.69	15.00	14.68	2	16
		36	0	13.64	13.76	13.73	3	15
		36	19	13.54	13.47	13.51	3	15
		36	39	13.33	13.58	13.37	3	15
		75	0	13.71	13.60	13.56	3	15
	256QAM	1	0	11.65	11.69	11.54	5	13
		1	37	11.49	11.58	11.46	5	13
		1	74	11.68	11.70	11.57	5	13
		36	0	11.73	11.76	11.83	5	13
		36	19	11.72	11.82	11.67	5	13
		36	39	11.60	11.60	11.47	5	13
		75	0	11.59	11.53	11.66	5	13
BW [MHz]	Modulation	Channel		43140	43340	43540	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequence (MHz)		3555	3575	3595		
10	QPSK	1	0	16.37	16.36	16.47	0	18
		1	24	16.21	16.40	16.48	0	18
		1	49	16.23	16.45	16.35	0	18
		25	0	15.40	15.48	15.53	1	17
		25	12	15.43	15.50	15.49	1	17
		25	25	15.43	15.51	15.42	1	17
		50	0	15.46	15.58	15.54	1	17
	16QAM	1	0	15.69	15.52	15.59	1	17
		1	24	15.83	15.64	15.78	1	17
		1	49	15.88	15.77	15.65	1	17
		25	0	14.72	14.61	14.53	2	16
		25	12	14.67	14.73	14.50	2	16
		25	25	14.65	14.47	14.58	2	16
		50	0	14.65	14.62	14.69	2	16
	64QAM	1	0	14.68	14.85	14.84	2	16
		1	24	14.82	14.58	14.85	2	16
		1	49	14.55	14.80	14.85	2	16
		25	0	13.81	13.80	13.71	3	15
		25	12	13.40	13.59	13.65	3	15
		25	25	13.31	13.46	13.31	3	15
		50	0	13.82	13.70	13.53	3	15
	256QAM	1	0	11.63	11.58	11.55	5	13
		1	24	11.55	11.70	11.45	5	13
		1	49	11.79	11.79	11.67	5	13
		25	0	11.71	11.77	11.84	5	13
		25	12	11.88	11.74	11.52	5	13
		25	25	11.70	11.67	11.52	5	13
		50	0	11.55	11.70	11.54	5	13
BW [MHz]	Modulation	Channel		43115	43340	43565	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequence (MHz)		3552.5	3575	3597.5		
5	QPSK	1	0	16.43	16.47	16.49	0	18
		1	12	16.38	16.41	16.38	0	18
		1	24	16.37	16.41	16.51	0	18
		12	0	15.48	15.39	15.38	1	17
		12	6	15.40	15.51	15.43	1	17
		12	13	15.30	15.33	15.39	1	17
		25	0	15.49	15.60	15.44	1	17
	16QAM	1	0	15.80	15.52	15.55	1	17
		1	12	15.78	15.70	15.68	1	17
		1	24	15.86	15.80	15.66	1	17
		12	0	14.82	14.66	14.50	2	16
		12	6	14.61	14.56	14.48	2	16
		12	13	14.63	14.42	14.43	2	16
		25	0	14.58	14.57	14.70	2	16
	64QAM	1	0	14.66	14.88	14.77	2	16
		1	12	14.65	14.76	14.79	2	16
		1	24	14.67	14.95	14.72	2	16
		12	0	13.75	13.83	13.54	3	15
		12	6	13.47	13.52	13.58	3	15
		12	13	13.41	13.61	13.36	3	15
		25	0	13.75	13.72	13.56	3	15
	256QAM	1	0	11.57	11.60	11.62	5	13
		1	12	11.48	11.73	11.48	5	13
		1	24	11.80	11.59	11.76	5	13
		12	0	11.69	11.73	11.77	5	13
		12	6	11.71	11.75	11.67	5	13
		12	13	11.63	11.54	11.54	5	13
		25	0	11.69	11.53	11.57	5	13

Part 96_LTE Band 48

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid-Low	Mid-High	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		55340	55830	56150	56640		
		Frequency (MHz)		3560	3609	3641	3690		
20	QPSK	1	0	**15.56**	**16.74**	**16.72**	**16.66**	0	18
		1	50	16.53	16.71	16.70	16.55	0	18
		1	99	16.43	16.60	16.65	16.65	0	18
		50	0	15.56	15.70	15.81	15.73	1	17
		50	25	**15.65**	**15.84**	**15.82**	**15.75**	1	17
		50	50	15.52	15.67	15.64	15.73	1	17
		100	0	15.62	**15.80**	15.78	15.71	1	17
	16QAM	1	0	15.94	15.96	15.84	16.07	1	17
		1	50	15.90	16.11	15.88	16.02	1	17
		1	99	15.67	16.02	16.03	15.94	1	17
		50	0	14.57	14.80	14.91	14.52	2	16
		50	25	14.74	14.88	14.66	14.84	2	16
		50	50	14.60	14.83	14.90	14.84	2	16
		100	0	14.43	14.65	14.64	14.75	2	16
	64QAM	1	0	15.12	15.32	15.05	15.06	2	16
		1	50	14.95	15.06	15.17	14.88	2	16
		1	99	15.03	14.95	15.08	15.03	2	16
		50	0	13.58	13.83	13.67	13.66	3	15
		50	25	13.82	13.81	13.87	13.72	3	15
		50	50	13.77	13.93	13.96	13.88	3	15
		100	0	13.48	13.62	13.86	13.59	3	15
	256QAM	1	0	11.64	11.92	11.72	11.57	5	13
		1	50	11.53	11.82	11.59	11.71	5	13
		1	99	11.47	11.63	11.82	11.55	5	13
		50	0	11.58	11.75	11.70	11.66	5	13
		50	25	11.73	11.73	11.74	11.61	5	13
		50	50	11.74	11.96	11.70	11.61	5	13
		100	0	11.64	11.85	11.65	11.49	5	13
BW [MHz]	Modulation	Channel		55335	55820	56140	56645	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		3557.5	3608	3642	3692.5		
15	QPSK	1	0	16.37	16.60	16.51	16.54	0	18
		1	37	16.51	16.62	16.51	16.54	0	18
		1	74	16.41	16.48	16.60	16.45	0	18
		36	0	15.43	15.53	15.80	15.71	1	17
		36	19	15.51	15.68	15.79	15.83	1	17
		36	39	15.33	15.48	15.50	15.57	1	17
		75	0	15.53	15.74	15.70	15.56	1	17
	16QAM	1	0	15.81	15.97	15.70	16.08	1	17
		1	37	15.72	16.05	15.82	16.03	1	17
		1	74	15.47	16.01	15.93	15.81	1	17
		36	0	14.46	14.70	14.70	14.46	2	16
		36	19	14.65	14.84	14.62	14.85	2	16
		36	39	14.49	14.80	14.87	14.76	2	16
		75	0	14.33	14.65	14.55	14.76	2	16
	64QAM	1	0	15.01	15.33	14.87	14.95	2	16
		1	37	14.75	15.05	14.99	14.88	2	16
		1	74	14.98	14.88	15.07	14.95	2	16
		36	0	13.49	13.66	13.52	13.49	3	15
		36	19	13.77	13.76	13.66	13.51	3	15
		36	39	13.76	13.87	13.95	13.69	3	15
		75	0	13.42	13.88	13.67	13.43	3	15
	256QAM	1	0	11.46	11.86	11.54	11.57	5	13
		1	37	11.53	11.81	11.45	11.55	5	13
		1	74	11.44	11.56	11.65	11.49	5	13
		36	0	11.38	11.55	11.60	11.45	5	13
		36	19	11.70	11.69	11.71	11.55	5	13
		36	39	11.53	11.80	11.61	11.41	5	13
		75	0	11.52	11.69	11.56	11.43	5	13
BW [MHz]	Modulation	Channel		55290	55815	56165	56690	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		3555	3607.5	3642.5	3695		
10	QPSK	1	0	16.36	16.59	16.57	16.62	0	18
		1	24	16.46	16.62	16.65	16.47	0	18
		1	49	16.33	16.61	16.63	16.59	0	18
		25	0	15.54	15.54	15.73	15.61	1	17
		25	12	15.59	15.81	15.68	15.76	1	17
		25	25	15.51	15.62	15.60	15.66	1	17
		50	0	15.57	15.74	15.66	15.57	1	17
	16QAM	1	0	15.85	15.77	15.63	16.05	1	17
		1	24	15.82	15.93	15.76	15.99	1	17
		1	49	15.56	15.88	16.00	15.95	1	17
		25	0	14.47	14.77	14.83	14.49	2	16
		25	12	14.71	14.82	14.45	14.78	2	16
		25	25	14.49	14.82	14.76	14.65	2	16
		50	0	14.26	14.52	14.56	14.54	2	16
	64QAM	1	0	14.95	15.12	14.92	15.04	2	16
		1	24	14.78	14.97	15.10	14.74	2	16
		1	49	15.01	14.85	14.91	14.88	2	16
		25	0	13.44	13.72	13.61	13.46	3	15
		25	12	13.83	13.62	13.74	13.65	3	15
		25	25	13.64	13.80	13.87	13.75	3	15
		50	0	13.37	13.91	13.74	13.59	3	15
	256QAM	1	0	11.43	11.72	11.60	11.57	5	13
		1	24	11.46	11.62	11.50	11.66	5	13
		1	49	11.31	11.57	11.63	11.34	5	13
		25	0	11.39	11.74	11.54	11.54	5	13
		25	12	11.61	11.69	11.65	11.46	5	13
		25	25	11.68	11.97	11.64	11.57	5	13
		50	0	11.49	11.82	11.60	11.38	5	13
BW [MHz]	Modulation	Channel		55265	55810	56170	56715	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		3552.5	3607	3643	3697.5		
5	QPSK	1	0	16.52	16.55	16.69	16.46	0	18
		1	12	16.52	16.55	16.56	16.43	0	18
		1	24	16.24	16.44	16.45	16.49	0	18
		12	0	15.43	15.57	15.76	15.67	1	17
		12	6	15.65	15.75	15.68	15.59	1	17
		12	13	15.44	15.48	15.44	15.70	1	17
		25	0	15.57	15.66	15.68	15.57	1	17
	16QAM	1	0	15.76	15.96	15.79	15.91	1	17
		1	12	15.76	16.12	15.82	15.89	1	17
		1	24	15.51	15.86	15.93	15.85	1	17
		12	0	14.55	14.61	14.82	14.50	2	16
		12	6	14.59	14.84	14.53	14.71	2	16
		12	13	14.46	14.70	14.77	14.73	2	16
		25	0	14.22	14.50	14.54	14.76	2	16
	64QAM	1	0	15.01	15.32	15.00	15.07	2	16
		1	12	14.82	15.06	15.14	14.78	2	16
		1	24	14.94	14.75	14.94	14.95	2	16
		12	0	13.51	13.68	13.66	13.46	3	15
		12	6	13.67	13.65	13.71	13.57	3	15
		12	13	13.64	13.84	13.76	13.72	3	15
		25	0	13.33	13.84	13.85	13.60	3	15
	256QAM	1	0	11.59	11.92	11.52	11.52	5	13
		1	12	11.54	11.69	11.47	11.72	5	13
		1	24	11.39	11.48	11.75	11.48	5	13
		12	0	11.44	11.72	11.51	11.53	5	13
		12	6	11.74	11.71	11.63	11.50	5	13
		12	13	11.71	11.79	11.52	11.56	5	13
		25	0	11.47	11.67	11.65	11.40	5	13

LTE Band 66

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		132072	132322	132572		
		Frequency (MHz)		1720	1745	1770		
20	QPSK	1	0	16.29	16.41	16.57	0	18
		1	50	**16.54**	**16.66**	**16.84**	0	18
		1	99	16.48	16.59	16.64	0	18
		50	0	15.50	15.52	15.59	1	17
		50	25	**15.51**	**15.62**	**15.80**	1	17
		50	50	15.41	15.57	15.67	1	17
		100	0	15.47	15.58	**15.78**	1	17
	16QAM	1	0	15.69	15.52	15.70	1	17
		1	50	15.62	15.61	15.73	1	17
		1	99	15.42	15.58	15.48	1	17
		50	0	14.39	14.62	14.68	2	16
		50	25	14.54	14.61	14.85	2	16
		50	50	14.47	14.60	14.75	2	16
		100	0	14.51	14.59	14.80	2	16
	64QAM	1	0	14.57	14.81	14.69	2	16
		1	50	14.59	14.75	14.86	2	16
		1	99	14.58	14.76	14.92	2	16
		50	0	13.56	13.62	13.74	3	15
		50	25	13.40	13.69	13.70	3	15
		50	50	13.41	13.61	13.62	3	15
		100	0	13.46	13.45	13.60	3	15
	256QAM	1	0	11.52	11.43	11.75	5	13
		1	50	11.32	11.52	11.56	5	13
		1	99	11.60	11.68	11.76	5	13
		50	0	11.55	11.67	11.77	5	13
		50	25	11.53	11.53	11.60	5	13
		50	50	11.54	11.54	11.62	5	13
		100	0	11.30	11.34	11.50	5	13
BW [MHz]	Modulation	Channel		132047	132322	132597	3GPP MPR	Max. Tune-up
		Frequency (MHz)		1717.5	1745	1772.5		
15	QPSK	1	0	16.26	16.20	16.44	0	18
		1	37	16.45	16.66	16.77	0	18
		1	74	16.38	16.59	16.55	0	18
		36	0	15.46	15.50	15.48	1	17
		36	19	15.41	15.57	15.69	1	17
		36	39	15.35	15.49	15.51	1	17
		75	0	15.31	15.44	15.59	1	17
	16QAM	1	0	15.70	15.62	15.53	1	17
		1	37	15.59	15.58	15.67	1	17
		1	74	15.38	15.57	15.34	1	17
		36	0	14.26	14.49	14.68	2	16
		36	19	14.39	14.44	14.84	2	16
		36	39	14.31	14.56	14.71	2	16
		75	0	14.44	14.46	14.60	2	16
	64QAM	1	0	14.49	14.77	14.52	2	16
		1	37	14.51	14.75	14.80	2	16
		1	74	14.51	14.66	14.93	2	16
		36	0	13.36	13.62	13.70	3	15
		36	19	13.33	13.68	13.56	3	15
		36	39	13.25	13.61	13.54	3	15
		75	0	13.45	13.27	13.66	3	15
	256QAM	1	0	11.47	11.30	11.66	5	13
		1	37	11.17	11.52	11.36	5	13
		1	74	11.50	11.66	11.73	5	13
		36	0	11.35	11.65	11.65	5	13
		36	19	11.40	11.51	11.62	5	13
		36	39	11.50	11.48	11.62	5	13
		75	0	11.09	11.20	11.34	5	13
BW [MHz]	Modulation	Channel		132022	132322	132622	3GPP MPR	Max. Tune-up
		Frequency (MHz)		1715	1745	1775		
10	QPSK	1	0	16.18	16.22	16.40	0	18
		1	24	16.44	16.56	16.67	0	18
		1	49	16.27	16.53	16.55	0	18
		25	0	15.33	15.37	15.43	1	17
		25	12	15.48	15.41	15.69	1	17
		25	25	15.29	15.49	15.62	1	17
		50	0	15.28	15.44	15.63	1	17
	16QAM	1	0	15.49	15.45	15.49	1	17
		1	24	15.51	15.42	15.65	1	17
		1	49	15.42	15.47	15.35	1	17
		25	0	14.19	14.48	14.58	2	16
		25	12	14.55	14.62	14.64	2	16
		25	25	14.42	14.60	14.61	2	16
		50	0	14.40	14.45	14.59	2	16
	64QAM	1	0	14.40	14.71	14.54	2	16
		1	24	14.49	14.66	14.85	2	16
		1	49	14.59	14.60	14.83	2	16
		25	0	13.56	13.50	13.73	3	15
		25	12	13.26	13.56	13.62	3	15
		25	25	13.37	13.46	13.60	3	15
		50	0	13.30	13.28	13.79	3	15
	256QAM	1	0	11.39	11.34	11.54	5	13
		1	24	11.23	11.47	11.55	5	13
		1	49	11.45	11.61	11.63	5	13
		25	0	11.40	11.66	11.60	5	13
		25	12	11.38	11.49	11.59	5	13
		25	25	11.45	11.53	11.62	5	13
		50	0	11.10	11.22	11.46	5	13
BW [MHz]	Modulation	Channel		131997	132322	132647	3GPP MPR	Max. Tune-up
		Frequency (MHz)		1712.5	1745	1777.5		
5	QPSK	1	0	16.29	16.41	16.45	0	18
		1	12	16.51	16.56	16.81	0	18
		1	24	16.39	16.58	16.65	0	18
		12	0	15.37	15.46	15.41	1	17
		12	6	15.32	15.55	15.75	1	17
		12	13	15.29	15.54	15.53	1	17
		25	0	15.37	15.57	15.59	1	17
	16QAM	1	0	15.55	15.54	15.50	1	17
		1	12	15.58	15.61	15.70	1	17
		1	24	15.26	15.51	15.37	1	17
		12	0	14.22	14.61	14.57	2	16
		12	6	14.33	14.55	14.73	2	16
		12	13	14.46	14.40	14.57	2	16
		25	0	14.42	14.46	14.65	2	16
	64QAM	1	0	14.48	14.79	14.69	2	16
		1	12	14.46	14.68	14.76	2	16
		1	24	14.47	14.66	14.90	2	16
		12	0	13.55	13.61	13.68	3	15
		12	6	13.24	13.62	13.57	3	15
		12	13	13.41	13.42	13.51	3	15
		25	0	13.41	13.29	13.61	3	15
	256QAM	1	0	11.45	11.33	11.68	5	13
		1	12	11.14	11.36	11.52	5	13
		1	24	11.45	11.60	11.76	5	13
		12	0	11.45	11.52	11.59	5	13
		12	6	11.50	11.34	11.48	5	13
		12	13	11.41	11.43	11.62	5	13
		25	0	11.16	11.25	11.34	5	13
BW [MHz]	Modulation	Channel		131987	132322	132657	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1711.5	1745	1778.5		
3	QPSK	1	0	16.11	16.36	16.49	0	18
		1	7	16.43	16.63	16.63	0	18
		1	14	16.46	16.39	16.60	0	18
		8	0	15.49	15.49	15.55	1	17
		8	3	15.48	15.42	15.61	1	17
		8	7	15.22	15.55	15.59	1	17
		15	0	15.32	15.57	15.67	1	17
	16QAM	1	0	15.70	15.58	15.51	1	17
		1	7	15.51	15.58	15.59	1	17
		1	14	15.27	15.37	15.49	1	17
		8	0	14.30	14.50	14.58	2	16
		8	3	14.54	14.55	14.85	2	16
		8	7	14.30	14.51	14.63	2	16
		15	0	14.35	14.40	14.81	2	16
	64QAM	1	0	14.37	14.80	14.65	2	16
		1	7	14.45	14.64	14.65	2	16
		1	14	14.45	14.65	14.79	2	16
		8	0	13.45	13.58	13.54	3	15
		8	3	13.23	13.57	13.50	3	15
		8	7	13.34	13.59	13.53	3	15
		15	0	13.41	13.34	13.63	3	15
	256QAM	1	0	11.37	11.32	11.72	5	13
		1	7	11.13	11.46	11.36	5	13
		1	14	11.59	11.48	11.75	5	13
		8	0	11.37	11.56	11.56	5	13
		8	3	11.33	11.34	11.59	5	13
		8	7	11.50	11.45	11.57	5	13
		15	0	11.29	11.33	11.46	5	13
BW [MHz]	Modulation	Channel		131979	132322	132665	3GPP MPR (dB)	Max. Tune-up (dBm)
		Frequency (MHz)		1710.7	1745	1779.3		
1.4	QPSK	1	0	16.28	16.19	16.55	0	18
		1	2	16.48	16.52	16.80	0	18
		1	5	16.29	16.40	16.42	0	18
		3	0	16.39	16.51	16.50	0	18
		3	1	16.50	16.46	16.66	0	18
		3	3	16.29	16.35	16.62	0	18
		6	0	15.31	15.36	15.61	1	17
	16QAM	1	0	15.65	15.55	15.47	1	17
		1	2	15.46	15.46	15.69	1	17
		1	5	15.38	15.53	15.44	1	17
		3	0	15.37	15.55	15.49	1	17
		3	1	15.44	15.52	15.74	1	17
		3	3	15.35	15.37	15.66	1	17
		6	0	14.50	14.48	14.57	2	16
	64QAM	1	0	14.37	14.64	14.49	2	16
		1	2	14.48	14.64	14.76	2	16
		1	5	14.54	14.66	14.72	2	16
		3	0	14.45	14.41	14.64	2	16
		3	1	14.19	14.52	14.50	2	16
		3	3	14.29	14.55	14.46	2	16
		6	0	13.31	13.26	13.64	3	15
	256QAM	1	0	11.40	11.20	11.74	5	13
		1	2	11.26	11.34	11.46	5	13
		1	5	11.49	11.59	11.68	5	13
		3	0	11.52	11.50	11.65	5	13
		3	1	11.43	11.37	11.50	5	13
		3	3	11.42	11.43	11.51	5	13
		6	0	11.27	11.25	11.41	5	13

LTE Band 71

BW [MHz]	Modulation	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	Max. Tune-up (dBm)
		Channel		133222	133322	133372		
		Frequency (MHz)		673	683	688		
20	QPSK	1	0	**23.18**	**22.88**	**23.09**	0	24
		1	50	23.05	22.69	22.90	0	24
		1	99	22.87	22.57	22.82	0	24
		50	0	21.79	21.50	21.80	1	23
		50	25	**21.99**	**21.63**	**21.81**	1	23
		50	50	21.94	21.61	21.78	1	23
		100	0	**21.95**	21.60	21.79	1	23
	16QAM	1	0	22.08	21.68	21.94	1	23
		1	50	22.11	21.77	21.92	1	23
		1	99	21.90	21.58	21.86	1	23
		50	0	20.91	20.53	20.82	2	22
		50	25	20.87	20.55	20.75	2	22
		50	50	20.90	20.52	20.79	2	22
		100	0	20.91	20.69	20.88	2	22
	64QAM	1	0	21.13	20.79	20.99	2	22
		1	50	21.11	20.72	20.91	2	22
		1	99	21.05	20.74	20.94	2	22
		50	0	19.86	19.75	19.86	3	21
		50	25	20.11	19.83	19.95	3	21
		50	50	20.02	19.52	19.81	3	21
		100	0	19.90	19.56	19.81	3	21
	256QAM	1	0	18.14	17.81	18.01	5	19
		1	50	18.17	17.87	18.03	5	19
		1	99	18.07	17.79	17.96	5	19
		50	0	18.18	17.85	18.10	5	19
		50	25	18.04	17.80	17.98	5	19
		50	50	18.02	17.81	17.97	5	19
		100	0	18.14	17.76	18.07	5	19
BW [MHz]	Modulation	Channel		133197	133297	133397	3GPP MPR	Max. Tune-up
		Frequency (MHz)		675.5	685.5	695.5		
15	QPSK	1	0	22.98	22.71	22.95	0	24
		1	37	23.04	22.48	22.77	0	24
		1	74	22.82	22.39	22.70	0	24
		36	0	21.78	21.37	21.67	1	23
		36	19	21.95	21.53	21.75	1	23
		36	39	21.76	21.62	21.60	1	23
		75	0	21.75	21.49	21.78	1	23
	16QAM	1	0	21.91	21.64	21.95	1	23
		1	37	22.11	21.70	21.89	1	23
		1	74	21.98	21.59	21.65	1	23
		36	0	20.92	20.46	20.76	2	22
		36	19	20.81	20.43	20.56	2	22
		36	39	20.69	20.38	20.74	2	22
		75	0	20.74	20.70	20.70	2	22
	64QAM	1	0	20.97	20.59	20.94	2	22
		1	37	21.11	20.53	20.73	2	22
		1	74	20.91	20.65	20.91	2	22
		36	0	19.81	19.66	19.80	3	21
		36	19	20.03	19.83	19.88	3	21
		36	39	19.96	19.52	19.72	3	21
		75	0	19.83	19.39	19.68	3	21
	256QAM	1	0	18.00	17.76	17.97	5	19
		1	37	18.00	17.67	17.96	5	19
		1	74	18.05	17.79	17.84	5	19
		36	0	18.08	17.66	17.95	5	19
		36	19	17.92	17.79	17.79	5	19
		36	39	18.01	17.62	17.91	5	19
		75	0	18.03	17.70	17.91	5	19
BW [MHz]	Modulation	Channel		133172	133297	133422	3GPP MPR	Max. Tune-up
		Frequency (MHz)		668	680.5	693		
10	QPSK	1	0	22.98	22.76	23.07	0	24
		1	24	23.00	22.63	22.81	0	24
		1	49	22.69	22.48	22.78	0	24
		25	0	21.79	21.37	21.79	1	23
		25	12	22.00	21.63	21.82	1	23
		25	25	21.89	21.62	21.61	1	23
		50	0	21.85	21.40	21.65	1	23
	16QAM	1	0	21.98	21.51	21.83	1	23
		1	24	21.91	21.78	21.79	1	23
		1	49	21.71	21.54	21.82	1	23
		25	0	20.87	20.41	20.64	2	22
		25	12	20.81	20.53	20.55	2	22
		25	25	20.78	20.35	20.78	2	22
		50	0	20.74	20.64	20.77	2	22
	64QAM	1	0	21.03	20.68	20.92	2	22
		1	24	20.99	20.58	20.85	2	22
		1	49	21.00	20.67	20.78	2	22
		25	0	19.82	19.54	19.83	3	21
		25	12	19.92	19.66	19.91	3	21
		25	25	19.96	19.34	19.67	3	21
		50	0	19.76	19.56	19.76	3	21
	256QAM	1	0	18.11	17.75	17.85	5	19

<Sensor on Power For NR Normal Mode>

n2 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		372000	376000	380000		
		Frequence (MHz)		1860	1880	1900		
20	PI/2 BPSK	1	1	18.08	18.15	18.11	0	19.0
		1	53	18.07	18.12	18.10	0	19.0
		1	104	18.04	18.11	18.03	0	19.0
		50	0	17.61	17.64	17.65	0.5	18.5
		50	28	18.04	18.13	18.10	0	19.0
		50	56	17.51	17.61	17.60	0.5	18.5
		100	0	17.43	17.58	17.54	0.5	18.5
	QPSK	1	1	**18.10**	**18.16**	**18.13**	0	19.0
		1	53	18.02	18.10	18.07	0	19.0
		1	104	18.08	18.11	18.10	0	19.0
		50	0	17.00	17.08	17.09	1	18.0
		50	28	**18.06**	**18.12**	**18.08**	0	19.0
		50	56	17.05	17.09	17.15	1	18.0
		100	0	17.08	**17.13**	17.05	1	18.0
	16QAM	1	1	17.20	17.31	17.33	1	18.0
	64QAM	1	1	15.81	15.83	15.88	2.5	16.5
	256QAM	1	1	13.18	13.35	13.29	4.5	14.5
BW [MHz]	DFT-s-OFDM	Channel		371500	376000	380500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1857.5	1880	1902.5		
15	QPSK	1	1	18.00	18.06	18.10	0	19.0
BW [MHz]	DFT-s-OFDM	Channel		371000	376000	381000	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1855	1880	1905		
10	QPSK	1	1	18.01	18.13	17.96	0	19.0
BW [MHz]	DFT-s-OFDM	Channel		370500	376000	381500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1852.5	1880	1907.5		
5	QPSK	1	1	18.15	18.12	17.96	0	19.0

n5 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		166800	167300	167800		
		Frequence (MHz)		834	836.5	839		
20	PI/2 BPSK	1	1	23.32	23.32	23.29	0	24.0
		1	53	23.17	23.28	23.21	0	24.0
		1	104	23.19	23.31	23.19	0	24.0
		50	0	23.01	23.18	23.00	0	24.0
		50	28	23.16	23.32	23.19	0	24.0
		50	56	22.97	23.14	23.03	0	24.0
		100	0	23.29	23.32	23.14	0	24.0
	QPSK	1	1	**23.35**	**23.37**	**23.32**	0	24.0
		1	53	23.17	23.18	23.22	0	24.0
		1	104	23.28	23.27	23.20	0	24.0
		50	0	23.24	23.33	23.23	0	24.0
		50	28	**23.32**	**23.35**	**23.30**	0	24.0
		50	56	23.16	23.19	23.15	0	24.0
		100	0	23.30	**23.33**	23.26	0	24.0
	16QAM	1	1	23.20	23.24	23.03	0	24.0
	64QAM	1	1	21.58	21.79	21.69	1.5	22.5
	256QAM	1	1	19.79	19.82	19.68	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		166300	167300	168300	MPR (dB)	Max. Tune-up
		Frequence (MHz)		831.5	836.5	841.5		
15	QPSK	1	1	23.30	23.30	23.31	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		165800	167300	168800	MPR (dB)	Max. Tune-up
		Frequence (MHz)		829	836.5	844		
10	QPSK	1	1	23.28	23.18	23.24	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		166300	167300	168300	MPR (dB)	Max. Tune-up
		Frequence (MHz)		831.5	836.5	841.5		
15	QPSK	1	1	23.22	23.28	23.30	0	24.0

n12 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		141300	141500	141700		
		Frequence (MHz)		706.5	707.5	708.5		
15	PI/2 BPSK	1	1	23.20	23.25	23.21	0	24.0
		1	40	23.14	23.18	23.17	0	24.0
		1	77	23.09	23.15	23.04	0	24.0
		36	0	23.16	23.16	23.09	0	24.0
		36	22	23.17	23.22	23.18	0	24.0
		36	43	23.14	23.13	23.10	0	24.0
		75	0	23.15	23.17	23.08	0	24.0
	QPSK	1	1	**23.22**	**23.27**	**23.24**	0	24.0
		1	40	23.17	23.20	23.20	0	24.0
		1	77	23.12	23.24	23.22	0	24.0
		36	0	23.07	23.21	23.14	0	24.0
		36	22	**23.20**	**23.24**	**23.22**	0	24.0
		36	43	23.18	23.20	23.13	0	24.0
		75	0	23.17	**23.22**	23.20	0	24.0
	16QAM	1	1	23.22	23.18	23.22	0	24.0
	64QAM	1	1	21.42	21.56	21.46	1.5	22.5
	256QAM	1	1	19.69	19.74	19.75	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		140800	141500	142200	MPR (dB)	Max. Tune-up
		Frequence (MHz)		704	707.5	711		
10	QPSK	1	1	23.21	23.13	23.11	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		140300	141500	142700	MPR (dB)	Max. Tune-up
		Frequence (MHz)		701.5	707.5	713.5		
5	QPSK	1	1	23.22	23.25	23.21	0	24.0

n14 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel			158600			
		Frequence (MHz)			793			
10	PI/2 BPSK	1	1		23.32		0	24.0
		1	26		23.17		0	24.0
		1	50		23.18		0	24.0
		25	0		23.27		0	24.0
		25	14		23.30		0	24.0
		25	27		23.13		0	24.0
		50	0		23.29		0	24.0
	QPSK	1	1		**23.35**		0	24.0
		1	26		23.28		0	24.0
		1	50		23.34		0	24.0
		25	0		23.27		0	24.0
		25	14		**23.33**		0	24.0
		25	27		23.28		0	24.0
		50	0		**23.30**		0	24.0
	16QAM	1	1		23.33		0	24.0
	64QAM	1	1		21.84		1.5	22.5
	256QAM	1	1		19.79		3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		158100	158600	159100	MPR (dB)	Max. Tune-up
		Frequence (MHz)		790.5	793	795.5		
5	QPSK	1	1	23.29	23.33	23.32	0	24.0

n25 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		372000	376500	381000		
		Frequence (MHz)		1860	1882.5	1905		
20	PI/2 BPSK	1	1	18.13	18.18	18.16	0	19.0
		1	53	18.06	18.15	18.01	0	19.0
		1	104	18.10	18.11	18.02	0	19.0
		50	0	17.66	17.55	17.63	0.5	18.5
		50	28	18.11	18.15	18.14	0	19.0
		50	56	17.63	17.49	17.45	0.5	18.5
		100	0	17.42	17.51	17.49	0.5	18.5
	QPSK	1	1	**18.15**	**18.20**	**18.18**	0	19.0
		1	53	18.12	18.19	18.11	0	19.0
		1	104	18.13	18.16	18.14	0	19.0
		50	0	17.24	17.14	17.20	1	18.0
		50	28	**18.11**	**18.17**	**18.16**	0	19.0
		50	56	17.07	17.15	17.19	1	18.0
		100	0	17.14	**17.20**	17.13	1	18.0
	16QAM	1	1	17.17	17.27	17.12	1	18.0
	64QAM	1	1	15.62	15.87	15.79	2.5	16.5
	256QAM	1	1	13.53	13.61	13.52	4.5	14.5
BW [MHz]	DFT-s-OFDM	Channel		371500	376500	381500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1857.5	1882.5	1907.5		
15	QPSK	1	1	18.13	18.14	18.07	0	19.0
BW [MHz]	DFT-s-OFDM	Channel		371000	376500	382000	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1855	1882.5	1910		
10	QPSK	1	1	18.10	18.16	18.19	0	19.0
BW [MHz]	DFT-s-OFDM	Channel		370500	376500	382500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1852.5	1882.5	1912.5		
5	QPSK	1	1	18.16	18.10	18.11	0	19.0

n30 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel			462000			
		Frequence (MHz)			2310			
10	PI/2 BPSK	1	1		15.76		0	16.5
		1	26		15.70		0	16.5
		1	50		15.69		0	16.5
		25	0		15.30		0.5	16.0
		25	14		15.70		0	16.5
		25	27		15.29		0.5	16.0
		50	0		15.19		0.5	16.0
	QPSK	1	1		**15.80**		0	16.5
		1	26		15.79		0	16.5
		1	50		15.71		0	16.5
		25	0		14.80		1	15.5
		25	14		**15.78**		0	16.5
		25	27		14.80		1	15.5
		50	0		**14.75**		1	15.5
	16QAM	1	1		14.83		1	15.5
	64QAM	1	1		13.17		2.5	14.0
	256QAM	1	1		11.35		4.5	12.0
BW [MHz]	DFT-s-OFDM	Channel		461500	462000	462500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		2307.5	2310	2312.5		
5	QPSK	1	1	15.74	15.59	15.71	0	16.5

n66 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		344000	349000	354000		
		Frequence (MHz)		1720	1745	1770		
20	PI/2 BPSK	1	1	16.82	16.79	16.90	0	18.0
		1	53	16.80	16.68	16.85	0	18.0
		1	104	16.68	16.75	16.86	0	18.0
		50	0	16.32	16.22	16.33	0.5	17.5
		50	28	16.80	16.76	16.88	0	18.0
		50	56	16.28	16.29	16.38	0.5	17.5
		100	0	16.30	16.24	16.41	0.5	17.5
	QPSK	1	1	**16.86**	**16.80**	**16.93**	0	18.0
		1	53	16.78	16.74	16.90	0	18.0
		1	104	16.69	16.69	16.89	0	18.0
		50	0	15.90	15.94	16.05	1	17.0
		50	28	**16.83**	**16.78**	**16.90**	0	18.0
		50	56	15.89	16.02	16.07	1	17.0
		100	0	15.85	15.81	**15.92**	1	17.0
	16QAM	1	1	15.86	15.97	16.02	1	17.0
	64QAM	1	1	14.35	14.27	14.48	2.5	15.5
	256QAM	1	1	12.39	12.38	12.42	4.5	13.5
BW [MHz]	DFT-s-OFDM	Channel		343500	349000	354500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1717.5	1745	1772.5		
15	QPSK	1	1	16.74	16.70	16.78	0	18.0
BW [MHz]	DFT-s-OFDM	Channel		343000	349000	355000	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1715	1745	1775		
10	QPSK	1	1	16.75	16.64	16.83	0	18.0
BW [MHz]	DFT-s-OFDM	Channel		342500	349000	355500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1712.5	1745	1777.5		
5	QPSK	1	1	16.84	16.79	16.89	0	18.0

n71 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		134600	136100	137600		
		Frequence (MHz)		673	680.5	688		
20	PI/2 BPSK	1	1	23.09	23.18	23.15	0	24.0
		1	53	22.98	23.10	22.99	0	24.0
		1	104	23.05	23.01	23.04	0	24.0
		50	0	23.06	23.15	23.06	0	24.0
		50	28	23.07	23.17	23.11	0	24.0
		50	56	23.02	23.04	22.99	0	24.0
		100	0	23.00	23.12	23.05	0	24.0
	QPSK	1	1	**23.14**	**23.20**	**23.18**	0	24.0
		1	53	23.08	23.12	23.10	0	24.0
		1	104	23.12	23.15	23.11	0	24.0
		50	0	23.05	23.12	23.04	0	24.0
		50	28	**23.10**	**23.17**	**23.15**	0	24.0
		50	56	23.03	23.13	23.12	0	24.0
		100	0	23.07	**23.13**	23.10	0	24.0
	16QAM	1	1	22.60	22.65	22.50	0	24.0
	64QAM	1	1	20.93	21.02	21.03	1.5	22.5
	256QAM	1	1	18.95	18.91	18.95	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		134100	136100	138100	MPR (dB)	Max. Tune-up
		Frequence (MHz)		670.5	680.5	690.5		
15	QPSK	1	1	23.15	23.05	23.12	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		133600	136100	138600	MPR (dB)	Max. Tune-up
		Frequence (MHz)		668	680.5	693		
10	QPSK	1	1	23.08	23.14	23.05	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		133100	136100	139100	MPR (dB)	Max. Tune-up
		Frequence (MHz)		665.5	680.5	695.5		
5	QPSK	1	1	23.14	23.13	23.10	0	24.0

<Sensor on Power For NR Redcap Mode>

n2 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		372000	376000	380000		
		Frequence (MHz)		1860	1880	1900		
20	PI/2 BPSK	1	1	17.90	18.03	18.08	0	19.0
		1	53	17.97	18.05	17.89	0	19.0
		1	104	18.05	18.03	17.99	0	19.0
		50	0	17.62	17.44	17.55	0.5	18.5
		50	28	17.85	17.99	18.04	0	19.0
		50	56	17.48	17.53	17.61	0.5	18.5
		100	0	17.35	17.43	17.40	0.5	18.5
	QPSK	1	1	**18.03**	**18.13**	**18.05**	0	19.0
		1	53	17.95	18.02	17.94	0	19.0
		1	104	17.93	18.08	18.00	0	19.0
		50	0	17.00	16.87	16.95	1	18.0
		50	28	**18.00**	**18.11**	**18.02**	0	19.0
		50	56	16.96	16.95	17.11	1	18.0
		100	0	16.94	**17.01**	16.96	1	18.0
	16QAM	1	1	17.01	17.19	17.13	1	18.0
	64QAM	1	1	15.60	15.78	15.71	2.5	16.5
	256QAM	1	1	13.16	13.29	13.08	4.5	14.5
BW [MHz]	DFT-s-OFDM	Channel		371500	376000	380500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1857.5	1880	1902.5		
15	QPSK	1	1	18.07	18.10	18.00	0	19.0
BW [MHz]	DFT-s-OFDM	Channel		371000	376000	381000	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1855	1880	1905		
10	QPSK	1	1	18.03	18.13	18.00	0	19.0
BW [MHz]	DFT-s-OFDM	Channel		370500	376000	381500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1852.5	1880	1907.5		
5	QPSK	1	1	18.05	18.04	18.00	0	19.0

n5 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		166800	167300	167800		
		Frequence (MHz)		834	836.5	839		
20	PI/2 BPSK	1	1	23.29	23.27	23.19	0	24.0
		1	53	22.99	23.25	23.02	0	24.0
		1	104	23.15	23.15	23.19	0	24.0
		50	0	22.82	23.16	22.82	0	24.0
		50	28	23.00	23.23	23.08	0	24.0
		50	56	22.81	23.09	22.83	0	24.0
		100	0	23.20	23.25	22.98	0	24.0
	QPSK	1	1	**23.25**	**23.35**	**23.20**	0	24.0
		1	53	23.02	23.10	23.01	0	24.0
		1	104	23.19	23.18	23.11	0	24.0
		50	0	23.13	23.29	23.08	0	24.0
		50	28	**23.22**	**23.33**	**23.18**	0	24.0
		50	56	23.02	23.15	23.04	0	24.0
		100	0	23.20	**23.30**	23.11	0	24.0
	16QAM	1	1	23.12	23.19	23.02	0	24.0
	64QAM	1	1	21.42	21.75	21.49	1.5	22.5
	256QAM	1	1	19.61	19.67	19.53	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		166300	167300	168300	MPR (dB)	Max. Tune-up
		Frequence (MHz)		831.5	836.5	841.5		
15	QPSK	1	1	23.30	23.21	23.09	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		165800	167300	168800	MPR (dB)	Max. Tune-up
		Frequence (MHz)		829	836.5	844		
10	QPSK	1	1	23.18	23.17	23.18	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		166300	167300	168300	MPR (dB)	Max. Tune-up
		Frequence (MHz)		831.5	836.5	841.5		
15	QPSK	1	1	23.12	23.12	23.29	0	24.0

n12 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		141300	141500	141700		
		Frequence (MHz)		706.5	707.5	708.5		
15	PI/2 BPSK	1	1	23.04	23.11	23.19	0	24.0
		1	40	23.09	23.11	23.07	0	24.0
		1	77	23.06	22.96	22.83	0	24.0
		36	0	23.02	23.02	23.05	0	24.0
		36	22	23.13	23.01	22.98	0	24.0
		36	43	22.96	23.03	23.01	0	24.0
		75	0	23.00	23.17	23.06	0	24.0
	QPSK	1	1	**23.13**	**23.24**	**23.16**	0	24.0
		1	40	23.10	23.04	23.02	0	24.0
		1	77	22.94	23.19	23.11	0	24.0
		36	0	22.89	23.20	23.03	0	24.0
		36	22	**23.11**	**23.21**	**23.15**	0	24.0
		36	43	23.10	23.18	23.11	0	24.0
		75	0	23.17	**23.20**	23.12	0	24.0
	16QAM	1	1	23.05	23.13	23.11	0	24.0
	64QAM	1	1	21.28	21.37	21.36	1.5	22.5
	256QAM	1	1	19.69	19.65	19.61	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		140800	141500	142200	MPR (dB)	Max. Tune-up
		Frequence (MHz)		704	707.5	711		
10	QPSK	1	1	23.05	23.10	23.12	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		140300	141500	142700	MPR (dB)	Max. Tune-up
		Frequence (MHz)		701.5	707.5	713.5		
5	QPSK	1	1	23.19	23.07	23.22	0	24.0

n14 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel			158600			
		Frequence (MHz)			793			
10	PI/2 BPSK	1	1		23.11		0	24.0
		1	26		23.00		0	24.0
		1	50		23.19		0	24.0
		25	0		23.07		0	24.0
		25	14		23.11		0	24.0
		25	27		23.07		0	24.0
		50	0		23.20		0	24.0
	QPSK	1	1		**23.33**		0	24.0
		1	26		23.13		0	24.0
		1	50		23.17		0	24.0
		25	0		23.07		0	24.0
		25	14		**23.30**		0	24.0
		25	27		23.29		0	24.0
		50	0		**23.26**		0	24.0
	16QAM	1	1		23.21		0	24.0
	64QAM	1	1		21.68		1.5	22.5
	256QAM	1	1		19.76		3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		158100	158600	159100	MPR (dB)	Max. Tune-up
		Frequence (MHz)		790.5	793	795.5		
5	QPSK	1	1	23.18	23.23	23.29	0	24.0

n25 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		372000	376500	381000		
		Frequence (MHz)		1860	1882.5	1905		
20	PI/2 BPSK	1	1	18.05	18.14	17.97	0	19.0
		1	53	17.92	18.06	17.91	0	19.0
		1	104	18.01	18.04	18.03	0	19.0
		50	0	17.51	17.39	17.49	0.5	18.5
		50	28	18.00	18.03	18.03	0	19.0
		50	56	17.47	17.44	17.25	0.5	18.5
		100	0	17.27	17.41	17.39	0.5	18.5
	QPSK	1	1	**18.10**	**18.16**	**18.12**	0	19.0
		1	53	18.01	18.00	17.91	0	19.0
		1	104	18.08	17.96	18.07	0	19.0
		50	0	17.16	17.04	17.21	1	18.0
		50	28	**18.03**	**18.13**	**18.08**	0	19.0
		50	56	16.95	17.06	17.13	1	18.0
		100	0	16.98	**17.16**	16.96	1	18.0
	16QAM	1	1	17.06	17.26	17.04	1	18.0
	64QAM	1	1	15.48	15.79	15.66	2.5	16.5
	256QAM	1	1	13.33	13.43	13.38	4.5	14.5
BW [MHz]	DFT-s-OFDM	Channel		371500	376500	381500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1857.5	1882.5	1907.5		
15	QPSK	1	1	18.07	18.14	18.01	0	19.0
BW [MHz]	DFT-s-OFDM	Channel		371000	376500	382000	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1855	1882.5	1910		
10	QPSK	1	1	18.07	18.07	18.15	0	19.0
BW [MHz]	DFT-s-OFDM	Channel		370500	376500	382500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1852.5	1882.5	1912.5		
5	QPSK	1	1	17.96	17.97	18.07	0	19.0

n30 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel			462000			
		Frequence (MHz)			2310			
10	PI/2 BPSK	1	1		15.76		0	16.5
		1	26		15.56		0	16.5
		1	50		15.77		0	16.5
		25	0		15.16		0.5	16.0
		25	14		15.69		0	16.5
		25	27		14.96		0.5	16.0
		50	0		15.30		0.5	16.0
	QPSK	1	1		**15.78**		0	16.5
		1	26		15.51		0	16.5
		1	50		15.65		0	16.5
		25	0		14.73		1	15.5
		25	14		**15.75**		0	16.5
		25	27		14.51		1	15.5
		50	0		**14.83**		1	15.5
	16QAM	1	1		14.57		1	15.5
	64QAM	1	1		13.12		2.5	14.0
	256QAM	1	1		11.07		4.5	12.0
BW [MHz]	DFT-s-OFDM	Channel		461500	462000	462500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		2307.5	2310	2312.5		
5	QPSK	1	1	15.59	15.54	15.60	0	16.5

n38 (SCS 30kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		516000	519000	522000		
		Frequence (MHz)		2580	2595	2610		
20	PI/2 BPSK	1	1	14.90	14.94	15.01	0	16.0
		1	26	14.74	14.81	14.88	0	16.0
		1	49	14.89	14.76	14.96	0	16.0
		25	0	14.62	14.80	14.90	0	16.0
		25	13	14.87	14.91	14.98	0	16.0
		25	26	14.80	14.83	14.88	0	16.0
		50	0	14.84	14.87	14.95	0	16.0
	QPSK	1	1	**14.93**	**14.96**	**15.04**	0	16.0
		1	26	14.80	14.86	15.01	0	16.0
		1	49	14.87	14.90	14.83	0	16.0
		25	0	14.86	14.78	14.94	0	16.0
		25	13	**14.91**	**14.93**	**15.01**	0	16.0
		25	26	14.87	14.86	14.93	0	16.0
		50	0	14.88	14.90	**15.00**	0	16.0
	16QAM	1	1	14.88	14.93	14.97	0	16.0
	64QAM	1	1	14.90	14.93	14.90	0	16.0
	256QAM	1	1	14.91	14.81	14.87	0	16.0
BW [MHz]	DFT-s-OFDM	Channel		515500	519000	522500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		2577.5	2595	2612.5		
15	QPSK	1	1	14.76	14.86	14.97	0	16.0
BW [MHz]	DFT-s-OFDM	Channel		515000	519000	523000	MPR (dB)	Max. Tune-up
		Frequence (MHz)		2575	2595	2615		
10	QPSK	1	1	14.91	14.83	14.95	0	16.0

n41 (SCS 30kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		501204	518598	535998		
		Frequence (MHz)		2506.02	2592.99	2679.99		
20	PI/2 BPSK	1	1	15.03	15.08	15.05	0	16.0
		1	26	15.00	15.07	15.01	0	16.0
		1	49	14.86	14.96	14.98	0	16.0
		25	0	14.92	14.98	14.92	0	16.0
		25	13	15.00	15.06	15.03	0	16.0
		25	26	14.85	15.03	14.81	0	16.0
		50	0	14.99	15.03	15.00	0	16.0
	QPSK	1	1	**15.05**	**15.10**	**15.06**	0	16.0
		1	26	15.02	15.05	14.92	0	16.0
		1	49	14.95	14.98	14.97	0	16.0
		25	0	15.00	15.00	14.93	0	16.0
		25	13	**15.02**	**15.08**	**15.04**	0	16.0
		25	26	14.97	15.03	14.92	0	16.0
		50	0	15.00	**15.06**	15.02	0	16.0
	16QAM	1	1	14.85	14.92	14.93	0	16.0
	64QAM	1	1	14.54	14.59	14.48	0.5	15.5
	256QAM	1	1	12.31	12.35	12.29	2.5	13.5
BW [MHz]	DFT-s-OFDM	Channel		500700	518598	536496	MPR (dB)	Max. Tune-up
		Frequence (MHz)		2503.5	2592.99	2682.48		
15	QPSK	1	1	15.04	15.08	14.93	0	16.0
BW [MHz]	DFT-s-OFDM	Channel		500202	518598	537000	MPR (dB)	Max. Tune-up
		Frequence (MHz)		2501.01	2592.99	2685		
10	QPSK	1	1	14.93	15.04	15.02	0	16.0

n66 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		344000	349000	354000		
		Frequence (MHz)		1720	1745	1770		
20	PI/2 BPSK	1	1	16.83	16.65	16.73	0	18.0
		1	53	16.70	16.52	16.80	0	18.0
		1	104	16.49	16.56	16.83	0	18.0
		50	0	16.21	16.14	16.23	0.5	17.5
		50	28	16.74	16.67	16.87	0	18.0
		50	56	16.13	16.28	16.22	0.5	17.5
		100	0	16.29	16.11	16.31	0.5	17.5
	QPSK	1	1	**16.82**	**16.74**	**16.90**	0	18.0
		1	53	16.62	16.66	16.71	0	18.0
		1	104	16.51	16.64	16.89	0	18.0
		50	0	15.89	15.74	15.91	1	17.0
		50	28	**16.80**	**16.69**	**16.87**	0	18.0
		50	56	15.77	15.98	15.97	1	17.0
		100	0	15.77	15.64	**15.85**	1	17.0
	16QAM	1	1	15.86	15.94	15.92	1	17.0
	64QAM	1	1	14.33	14.28	14.41	2.5	15.5
	256QAM	1	1	12.31	12.31	12.31	4.5	13.5
BW [MHz]	DFT-s-OFDM	Channel		343500	349000	354500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1717.5	1745	1772.5		
15	QPSK	1	1	16.73	16.60	16.81	0	18.0
BW [MHz]	DFT-s-OFDM	Channel		343000	349000	355000	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1715	1745	1775		
10	QPSK	1	1	16.75	16.59	16.79	0	18.0
BW [MHz]	DFT-s-OFDM	Channel		342500	349000	355500	MPR (dB)	Max. Tune-up
		Frequence (MHz)		1712.5	1745	1777.5		
5	QPSK	1	1	16.69	16.76	16.85	0	18.0

n71 (SCS 15kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		134600	136100	137600		
		Frequence (MHz)		673	680.5	688		
20	PI/2 BPSK	1	1	23.06	23.02	23.08	0	24.0
		1	53	22.77	23.03	22.78	0	24.0
		1	104	23.06	22.96	22.92	0	24.0
		50	0	22.90	23.06	23.04	0	24.0
		50	28	22.98	23.10	22.93	0	24.0
		50	56	22.92	22.98	22.82	0	24.0
		100	0	22.86	22.93	22.99	0	24.0
	QPSK	1	1	**23.05**	**23.18**	**23.09**	0	24.0
		1	53	22.99	23.09	23.00	0	24.0
		1	104	22.96	23.09	23.00	0	24.0
		50	0	22.91	23.10	22.99	0	24.0
		50	28	**23.03**	**23.13**	**23.07**	0	24.0
		50	56	22.95	23.08	22.95	0	24.0
		100	0	23.02	**23.10**	23.02	0	24.0
	16QAM	1	1	22.42	22.51	22.51	0	24.0
	64QAM	1	1	20.94	20.97	20.87	1.5	22.5
	256QAM	1	1	18.93	18.77	18.88	3.5	20.5
BW [MHz]	DFT-s-OFDM	Channel		134100	136100	138100	MPR (dB)	Max. Tune-up
		Frequence (MHz)		670.5	680.5	690.5		
15	QPSK	1	1	22.96	22.99	22.99	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		133600	136100	138600	MPR (dB)	Max. Tune-up
		Frequence (MHz)		668	680.5	693		
10	QPSK	1	1	22.98	23.07	23.04	0	24.0
BW [MHz]	DFT-s-OFDM	Channel		133100	136100	139100	MPR (dB)	Max. Tune-up
		Frequence (MHz)		665.5	680.5	695.5		
5	QPSK	1	1	23.05	23.08	23.10	0	24.0

Part27Q_n77 (SCS 30kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		630668	633332	636000		
		Frequence (MHz)		3460.02	3499.98	3540		
20	PI/2 BPSK	1	1	16.03	16.06	15.90	0	17.0
		1	26	15.85	15.99	15.98	0	17.0
		1	49	15.91	16.10	15.96	0	17.0
		25	0	15.90	16.06	15.87	0	17.0
		25	13	16.00	16.09	16.07	0	17.0
		25	26	15.92	16.05	15.69	0	17.0
		50	0	16.04	16.06	15.88	0	17.0
	QPSK	1	1	**16.08**	**16.11**	**16.04**	0	17.0
		1	26	16.04	16.10	15.88	0	17.0
		1	49	16.04	16.02	15.95	0	17.0
		25	0	16.03	16.06	15.86	0	17.0
		25	13	**16.06**	**16.09**	**16.01**	0	17.0
		25	26	16.00	15.94	15.92	0	17.0
		50	0	16.04	**16.08**	16.00	0	17.0
	16QAM	1	1	15.82	16.05	15.92	0	17.0
	64QAM	1	1	15.59	15.69	15.68	0.5	16.5
	256QAM	1	1	13.68	13.68	13.52	2.5	14.5
BW [MHz]	DFT-s-OFDM	Channel		630500	633332	636166	MPR (dB)	Max. Tune-up
		Frequence (MHz)		3457.5	3499.98	3542.49		
15	QPSK	1	1	15.91	15.91	16.01	0	17.0
BW [MHz]	DFT-s-OFDM	Channel		630334	633332	636332	MPR (dB)	Max. Tune-up
		Frequence (MHz)		3455.01	3499.98	3544.98		
10	QPSK	1	1	15.90	15.99	15.90	0	17.0

Part27O_n77 (SCS 30kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		647334	656000	664666		
		Frequence (MHz)		3710.01	3840	3969.99		
20	PI/2 BPSK	1	1	15.93	16.02	15.74	0	17.0
		1	26	15.71	15.98	15.54	0	17.0
		1	49	15.69	15.77	15.51	0	17.0
		25	0	15.75	15.93	15.54	0	17.0
		25	13	15.91	16.00	15.83	0	17.0
		25	26	15.68	15.86	15.62	0	17.0
		50	0	15.92	15.89	15.87	0	17.0
	QPSK	1	1	**15.98**	**16.03**	**15.94**	0	17.0
		1	26	15.78	15.91	15.74	0	17.0
		1	49	15.79	15.91	15.69	0	17.0
		25	0	15.80	15.92	15.85	0	17.0
		25	13	**15.95**	**16.01**	**15.92**	0	17.0
		25	26	15.70	15.83	15.56	0	17.0
		50	0	15.92	**15.99**	15.71	0	17.0
	16QAM	1	1	15.66	15.96	15.86	0	17.0
	64QAM	1	1	15.60	15.71	15.40	0.5	16.5
	256QAM	1	1	13.43	13.66	13.46	2.5	14.5
BW [MHz]	DFT-s-OFDM	Channel		647168	656000	664832	MPR (dB)	Max. Tune-up
		Frequence (MHz)		3707.52	3840	3972.48		
15	QPSK	1	1	15.97	15.96	15.92	0	17.0
BW [MHz]	DFT-s-OFDM	Channel		647000	656000	665000	MPR (dB)	Max. Tune-up
		Frequence (MHz)		3705	3840	3975		
10	QPSK	1	1	15.98	15.99	15.79	0	17.0

Part27Q_n78 (SCS 30kHz)								
BW [MHz]	DFT-s-OFDM	RB Size	RB Offset	Low	Mid	High	MPR (dB)	Max. Tune-up (dBm)
		Channel		630668	633332	636000		
		Frequence (MHz)		3460.02	3499.98	3540		
20	PI/2 BPSK	1	1	16.06	16.03	15.98	0	17.0
		1	26	15.92	15.86	15.77	0	17.0
		1	49	15.75	15.80	15.92	0	17.0
		25	0	15.99	15.92	15.61	0	17.0
		25	13	15.91	16.02	15.99	0	17.0
		25	26	15.82	15.89	15.67	0	17.0
		50	0	15.86	16.00	16.02	0	17.0
	QPSK	1	1	**16.03**	**16.10**	**16.01**	0	17.0
		1	26	15.99	15.92	15.82	0	17.0
		1	49	15.88	15.93	15.84	0	17.0
		25	0	15.90	15.96	15.94	0	17.0
		25	13	**16.00**	**16.08**	**15.99**	0	17.0
		25	26	15.92	16.05	15.83	0	17.0
		50	0	15.98	**16.06**	15.87	0	17.0
	16QAM	1	1	16.04	15.98	15.79	0	17.0
	64QAM	1	1	15.61	15.64	15.66	0.5	16.5
	256QAM	1	1	13.40	13.22	13.37	2.5	14.5
BW [MHz]	DFT-s-OFDM	Channel		630500	633332	636166	MPR (dB)	Max. Tune-up
		Frequence (MHz)		3457.5	3499.98	3542.49		
15	QPSK	1	1	15.83	15.99	15.99	0	17.0
BW [MHz]	DFT-s-OFDM	Channel		630334	633332	636332	MPR (dB)	Max. Tune-up
		Frequence (MHz)		3455.01	3499.98	3544.98		
10	QPSK	1	1	15.89	15.96	15.89	0	17.0

Appendix E. Photographs of EUT and Setup