




CHANNEL BANDWIDTH	10MHz / QPSK	MODE	TX channel 23230
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-52.27	-13.00	39.27	17.16	H	1	1.00
3	2,332.500	-46.15	-13.00	33.15	24.28	H	359	1.00






CHANNEL BANDWIDTH	10MHz / QPSK	MODE	TX channel 23230
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-50.79	-13.00	37.79	17.16	H	359	2.00
3	2,332.500	-46.08	-13.00	33.08	24.28	H	1	2.00






LTE B30

CH 27685

CHANNEL BANDWIDTH	5MHz / QPSK	MODE	TX channel 27685
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	4,610.500	-54.79	-40.00	14.79	18.66	H	1	1.00
5	6,915.500	-52.28	-40.00	12.28	23.10	H	7	2.00






CHANNEL BANDWIDTH	5MHz / QPSK	MODE	TX channel 27685
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	4,610.000	-54.57	-40.00	14.57	18.66	V	0.9	2.00
5	6,915.500	-52.25	-40.00	12.25	23.10	V	359	1.00






CHANNEL BANDWIDTH	5MHz / QPSK	MODE	TX channel 27710
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	4,615.500	-53.19	-40.00	13.19	18.64	H	0.9	2.00
5	6,923.000	-53.13	-40.00	13.13	23.05	H	277.8	1.00






CHANNEL BANDWIDTH	5MHz / QPSK	MODE	TX channel 27710
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	4,615.500	-54.80	-40.00	14.80	18.64	V	269.4	1.00
5	6,923.000	-52.49	-40.00	12.49	23.05	V	359	2.00






CHANNEL BANDWIDTH	5MHz / QPSK	MODE	TX channel 27735
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	4,620.000	-54.54	-40.00	14.54	18.66	H	357.8	1.00
5	6,930.500	-54.53	-40.00	14.53	23.00	H	0.9	2.00






CHANNEL BANDWIDTH	5MHz / QPSK	MODE	TX channel 27735
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	4,620.500	-53.40	-40.00	13.40	18.66	V	0.9	2.00
5	6,370.500	-52.35	-40.00	12.35	23.09	V	326.7	1.00






CHANNEL BANDWIDTH	10MHz / QPSK	MODE	TX channel 27710
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	4,611.000	-54.48	-40.00	14.48	18.65	H	359	2.00
5	6,916.500	-52.61	-40.00	12.61	23.09	H	359	1.00







CHANNEL BANDWIDTH	10MHz / QPSK	MODE	TX channel 27710
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
5	4,611.500	-55.94	-40.00	15.94	18.65	V	206.6	2.00
5	6,916.500	-51.71	-40.00	11.71	23.09	V	358.2	1.00








CHANNEL BANDWIDTH	5MHz / QPSK	MODE	TX channel 133297
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,356.500	-49.02	-13.00	36.02	19.88	V	1	1.00
2	2,034.750	-48.62	-13.00	35.62	23.43	V	72.4	1.00






CHANNEL BANDWIDTH	10MHz / QPSK	MODE	TX channel 133297
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,352.000	-48.53	-13.00	35.53	19.24	H	1.7	2.00
2	2,028.000	-49.16	-13.00	36.16	22.94	H	292.4	2.00






CHANNEL BANDWIDTH	10MHz / QPSK	MODE	TX channel 133297
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,352.000	-47.02	-13.00	34.02	19.30	V	71.2	1.00
2	2,028.000	-48.74	-13.00	35.74	23.51	V	358.9	1.00






CH133197

CHANNEL BANDWIDTH	15MHz / QPSK	MODE	TX channel 133197
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,327.500	-50.42	-13.00	37.42	16.38	H	359	2.00
2	1,991.250	-50.16	-13.00	37.16	21.19	H	357.7	1.00






CHANNEL BANDWIDTH	15MHz / QPSK	MODE	TX channel 133197
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,327.500	-50.37	-13.00	37.37	16.45	V	67.7	1.00
2	1,991.250	-50.12	-13.00	37.12	21.16	V	1	1.00






CH133297

CHANNEL BANDWIDTH	15MHz / QPSK	MODE	TX channel 133297
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,347.500	-46.74	-13.00	33.74	18.90	H	359	2.00
2	2,021.250	-48.16	-13.00	35.16	22.60	H	1	1.00






CHANNEL BANDWIDTH	15MHz / QPSK	MODE	TX channel 133297
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,347.500	-49.39	-13.00	36.39	18.96	V	66.5	1.00
2	2,021.250	-47.81	-13.00	34.81	23.05	V	357.4	1.00






CH133397

CHANNEL BANDWIDTH	15MHz / QPSK	MODE	TX channel 133397
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,366.900	-48.79	-13.00	35.79	19.71	H	70	1.00
2	2,050.350	-48.51	-13.00	35.51	22.99	H	1	1.00






CHANNEL BANDWIDTH	15MHz / QPSK	MODE	TX channel 133397
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,366.900	-49.42	-13.00	36.42	19.79	V	67.6	1.00
2	2,050.350	-47.75	-13.00	34.75	23.38	V	1.9	2.00






CHANNEL BANDWIDTH	20MHz / QPSK	MODE	TX channel 133322
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,348.000	-47.31	-13.00	34.31	18.92	H	359	2.00
2	2,022.000	-48.70	-13.00	35.70	22.65	H	292.4	2.00






CHANNEL BANDWIDTH	20MHz / QPSK	MODE	TX channel 133322
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 5V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,348.000	-49.74	-13.00	36.74	18.98	V	67.7	1.00
2	2,022.000	-47.87	-13.00	34.87	23.12	V	67.7	1.00




3.7 PEAK TO AVERAGE RATIO

3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

3.7.2 TEST SETUP



3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth $\geq$ signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.

3.7.4 TEST RESULTS

Please Refer to Appendix of this test report.



4 INFORMATION ON THE TESTING LABORATORIES

We, Huarui 7layers High Technology (Suzhou) Co., Ltd. ,were founded in 2020 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

Huarui 7Layers High Technology (Suzhou) Co., Ltd.

Lab Address:

Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province, China

Accredited Test Lab Cert 6613.01

If you have any comments, please feel free to contact us at the following:

Suzhou EMC/RF Lab:

Tel: +86 (0557) 368 1008



5 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.



6 Appendix

LTE BAND7

Peak to Average Ratio Results

Test Result


Bandwidth	Modulation	Frequency (MHz)	RB Configuration	Result (dB)	Limit (dB)	Verdict
5MHz	QPSK	2502.5	1 RB low	3.82	13	PASS
5MHz	QPSK	2502.5	100% RB	4.62	13	PASS
5MHz	16QAM	2502.5	1 RB low	4.82	13	PASS
5MHz	16QAM	2502.5	100% RB	5.58	13	PASS
5MHz	64QAM	2502.5	1 RB low	5.72	13	PASS
5MHz	64QAM	2502.5	100% RB	6.22	13	PASS
5MHz	256QAM	2502.5	1 RB low	6.22	13	PASS
5MHz	256QAM	2502.5	100% RB	6.62	13	PASS
5MHz	QPSK	2535	1 RB low	4.04	13	PASS
5MHz	QPSK	2535	100% RB	4.90	13	PASS
5MHz	16QAM	2535	1 RB low	4.88	13	PASS
5MHz	16QAM	2535	100% RB	5.82	13	PASS
5MHz	64QAM	2535	1 RB low	6.06	13	PASS
5MHz	64QAM	2535	100% RB	6.40	13	PASS
5MHz	256QAM	2535	1 RB low	7.44	13	PASS
5MHz	256QAM	2535	100% RB	6.70	13	PASS
5MHz	QPSK	2567.5	1 RB low	4.08	13	PASS
5MHz	QPSK	2567.5	100% RB	4.94	13	PASS
5MHz	16QAM	2567.5	1 RB low	5.08	13	PASS
5MHz	16QAM	2567.5	100% RB	5.96	13	PASS
5MHz	64QAM	2567.5	1 RB low	5.70	13	PASS
5MHz	64QAM	2567.5	100% RB	6.40	13	PASS
5MHz	256QAM	2567.5	1 RB low	6.50	13	PASS
5MHz	256QAM	2567.5	100% RB	6.72	13	PASS
10MHz	QPSK	2505	1 RB low	3.68	13	PASS
10MHz	QPSK	2505	100% RB	4.68	13	PASS
10MHz	16QAM	2505	1 RB low	4.58	13	PASS
10MHz	16QAM	2505	100% RB	5.58	13	PASS
10MHz	64QAM	2505	1 RB low	5.60	13	PASS
10MHz	64QAM	2505	100% RB	6.16	13	PASS
10MHz	256QAM	2505	1 RB low	6.38	13	PASS
10MHz	256QAM	2505	100% RB	6.66	13	PASS
10MHz	QPSK	2535	1 RB low	4.00	13	PASS
10MHz	QPSK	2535	100% RB	4.96	13	PASS
10MHz	16QAM	2535	1 RB low	4.98	13	PASS
10MHz	16QAM	2535	100% RB	5.96	13	PASS
10MHz	64QAM	2535	1 RB low	5.52	13	PASS
10MHz	64QAM	2535	100% RB	6.42	13	PASS
10MHz	256QAM	2535	1 RB low	6.64	13	PASS
10MHz	256QAM	2535	100% RB	6.66	13	PASS
10MHz	QPSK	2565	1 RB low	4.04	13	PASS
10MHz	QPSK	2565	100% RB	5.02	13	PASS


**BUREAU VERITAS** Test Report No.: PSU-QSU2504140116RF03


10MHz	16QAM	2565	1 RB low	4.84	13	PASS
10MHz	16QAM	2565	100% RB	5.88	13	PASS
10MHz	64QAM	2565	1 RB low	5.72	13	PASS
10MHz	64QAM	2565	100% RB	6.42	13	PASS
10MHz	256QAM	2565	1 RB low	6.30	13	PASS
10MHz	256QAM	2565	100% RB	6.80	13	PASS
15MHz	QPSK	2507.5	1 RB low	3.84	13	PASS
15MHz	QPSK	2507.5	100% RB	4.94	13	PASS
15MHz	16QAM	2507.5	1 RB low	4.42	13	PASS
15MHz	16QAM	2507.5	100% RB	5.80	13	PASS
15MHz	64QAM	2507.5	1 RB low	5.46	13	PASS
15MHz	64QAM	2507.5	100% RB	6.32	13	PASS
15MHz	256QAM	2507.5	1 RB low	6.44	13	PASS
15MHz	256QAM	2507.5	100% RB	6.66	13	PASS
15MHz	QPSK	2535	1 RB low	4.04	13	PASS
15MHz	QPSK	2535	100% RB	5.26	13	PASS
15MHz	16QAM	2535	1 RB low	4.98	13	PASS
15MHz	16QAM	2535	100% RB	6.14	13	PASS
15MHz	64QAM	2535	1 RB low	5.64	13	PASS
15MHz	64QAM	2535	100% RB	6.48	13	PASS
15MHz	256QAM	2535	1 RB low	6.74	13	PASS
15MHz	256QAM	2535	100% RB	6.78	13	PASS
15MHz	QPSK	2562.5	1 RB low	4.04	13	PASS
15MHz	QPSK	2562.5	100% RB	5.20	13	PASS
15MHz	16QAM	2562.5	1 RB low	4.96	13	PASS
15MHz	16QAM	2562.5	100% RB	6.04	13	PASS
15MHz	64QAM	2562.5	1 RB low	5.76	13	PASS
15MHz	64QAM	2562.5	100% RB	6.42	13	PASS
15MHz	256QAM	2562.5	1 RB low	6.22	13	PASS
15MHz	256QAM	2562.5	100% RB	6.78	13	PASS
20MHz	QPSK	2510	1 RB low	3.76	13	PASS
20MHz	QPSK	2510	100% RB	5.06	13	PASS
20MHz	16QAM	2510	1 RB low	4.42	13	PASS
20MHz	16QAM	2510	100% RB	5.90	13	PASS
20MHz	64QAM	2510	1 RB low	5.46	13	PASS
20MHz	64QAM	2510	100% RB	6.36	13	PASS
20MHz	256QAM	2510	1 RB low	6.30	13	PASS
20MHz	256QAM	2510	100% RB	6.76	13	PASS
20MHz	QPSK	2535	1 RB low	4.06	13	PASS
20MHz	QPSK	2535	100% RB	5.22	13	PASS
20MHz	16QAM	2535	1 RB low	4.80	13	PASS
20MHz	16QAM	2535	100% RB	6.12	13	PASS
20MHz	64QAM	2535	1 RB low	5.74	13	PASS
20MHz	64QAM	2535	100% RB	6.48	13	PASS
20MHz	256QAM	2535	1 RB low	6.80	13	PASS
20MHz	256QAM	2535	100% RB	6.82	13	PASS
20MHz	QPSK	2560	1 RB low	4.04	13	PASS
20MHz	QPSK	2560	100% RB	5.18	13	PASS
20MHz	16QAM	2560	1 RB low	4.90	13	PASS
20MHz	16QAM	2560	100% RB	6.04	13	PASS
20MHz	64QAM	2560	1 RB low	5.74	13	PASS
20MHz	64QAM	2560	100% RB	6.44	13	PASS
20MHz	256QAM	2560	1 RB low	6.44	13	PASS
20MHz	256QAM	2560	100% RB	6.80	13	PASS




Test Graphs












Band 7-10M-LOW-1 RB low




Band 7-10M-LOW-100% RB




Band 7-10M-MID-1 RB low




Band 7-10M-MID-100% RB




Band 7-10M-MID-1 RB low




Band 7-10M-MID-100% RB




Band 7-10M-MID-1 RB low




Band 7-10M-MID-100% RB




Band 7-10M-MID-1 RB low




Band 7-10M-MID-100% RB




Band 7-10M-HIGH-1 RB low




Band 7-10M-HIGH-100% RB




Band 7-10M-HIGH-1 RB low




Band 7-10M-HIGH-100% RB




Band 7-10M-HIGH-1 RB low




Band 7-10M-HIGH-100% RB




Band 7-10M-HIGH-1 RB low




Band 7-10M-HIGH-100% RB




Band 7-15M-LOW-1 RB low




Band 7-15M-LOW-100% RB




Band 7-15M-LOW-1 RB low




Band 7-15M-LOW-100% RB




Band 7-15M-LOW-1 RB low




Band 7-15M-LOW-100% RB




Band 7-15M-LOW-1 RB low




Band 7-15M-LOW-100% RB




Band 7-15M-MID-1 RB low




Band 7-15M-MID-100% RB




Band 7-15M-MID-1 RB low




Band 7-15M-MID-100% RB




Band 7-15M-MID-1 RB low




Band 7-15M-MID-100% RB




Band 7-15M-MID-1 RB low




Band 7-15M-MID-100% RB




Band 7-15M-HIGH-1 RB low




Band 7-15M-HIGH-100% RB




Band 7-15M-HIGH-1 RB low



Band 7-15M-HIGH-100% RB



Band 7-15M-HIGH-1 RB low



Band 7-15M-HIGH-100% RB

