

Part sample approval letter

Asahi part number (main):		28-06325-001		Supplier Name/Code:		V073	
Asahi (reference) part number: /				Xulian product part number:			
Name specification		Wire type/coil/ sensitivity 6.3Uh/power 15W, outlet length 20mm/43.5x2.0 Sample delivery date 2024/5/17 date of acceptance test					
quantity						4PCS	
Environmental protection level		☐ GL First level official system standard (B RoHS REACH ☐ SS00259) ☐ ALSecondary official system standard (CA65) ☐ 2PL Tertiary official standard (halogen-free)					
Neighborhood report		☒ Standard 2D drawings ☐ product specifications ☒ reliability test reports ☐ Key Dimensions Reports (CPK) ☒ packaging instructions ☐ Product key component list or BOM ☒ Declaration of non-use of hazardous substances ☐ Material declaration form ☒ Environmental Report (Third Party Test Report)					
Admit the cause		☐ New mold ☒ new supplier ☐ Mold modification ☐ Engineering change ☐ Hunan factory self-made materials ☐ other					
Supplier sample production confirmation (stamp required)							
Formulate		Examine		Examine and approve		Quality	
[Signature]		[Signature]		[Signature]		[Signature]	
Business		[Signature]					
Signed (stamp required. No controlled stamp 'invalid')							
Specification inspection 验	Inspection item		Test standard measured data				Decision result
Note: Molding and assembly parts need to be inspected							
Performance test 检	Inspection item		Inspection standard				Decision result
Special requirements Instructions							
Routine inspection determine		☐ Up to standard ☐ Below standard ☐ Other:					
Reliability test determine		☐ Up to standard ☐ Below standard ☐ Other::					
Research and development determine result		☒ Up to standard ☐ Below standard ☐ Limited purchase				Reasons for nonconformity:	
ENGINEERING determine result		☐ Up to standard ☐ Below standard ☐ Limited purchase				Reasons for nonconformity:	
Quality determine result		☒ Up to standard ☐ Below standard ☐ Limited purchase				Reasons for nonconformity:	
Identifying person: [Signature]		examine:					
Identifying person: [Signature]		examine:					

SPECIFICATION FOR APPROVAL

CUSTOMER:	E016
CUST P/N:	
FINE P/N:	
DESC:	FYE01612024041901S
DATE:	2024/04/19
Version:	A.1

PREPARED BY	CHECKED BY	APPROVED BY	CUSTOMER APPROVE
Yin Yi	LAN Minghui	CAI Jiyu	



company: Dongguan FANYA Electronics Co., Ltd
Address: No.194, East Technology Road, Liu Wu, Shijie Town, Dongguan City

TEL: 0769-22490287 / 22452492 FAX: 0769-22499451

E-mail: fincelec@163.com


Version Change History

[illegible]

SPECIFICATION

DESC	FYE01612024041901S	Rev: A.1	CUST:	E016
			FineP/N:	
			CUSTP/N:	

一、DIMENSION:(mm)



A	41 ± 1.5
B	20.5 ± 0.5
C	1.05 ± 0.2
D	20 ± 2
E	3 ± 2
F	43.5 ± 0.5
G	2.6 MAX(不含离型纸)

二、原理图 SCHEMATIC DIAGRAM:



三、Winding Specification:

NO.	TERMINAL	WIRE	Turns	Winding Direction
1	S F	丝包线 0.078*105P	10Ts	CCW

四、ELECTRICAL CHARACTERISTICS:

TEMPERATURE:25±10°C RELATIVE HUMIDITY:65±20%

序号	NO.	ITEM	TERMINAL	SPECIFICATION	TEST FREQUENCY	TEST EQUIPMENTS
1	IND.	S-F		6.3uH ±10%	100KHz/1.0V	TH2810
2	DCR	S-F		60mΩ max	25°C	TH2810


PREPARED BY/DATE	CHECKED BY /DATE
Yin Yi2024/05/17	CAI Jiyu2024/05/17

SPECIFICATION

DESC	FYE01612024041901S	Rev: A.1	CUST:	E016
			Fine P/N:	
			CUST P/N:	

五、PACKONG:

5.1 Packing pictures:



5.2 Packing Quantity:

Item	Quantity	Material
Box	200 Pcs	370*265*55mm
Big Carton	1000 Pcs	420*270*310mm

5.3

The packaging shall be based on the existing packing plate and the actual delivery package shall prevail. If there is any requirement, we can customize it.

六、Material-list:

序号 number	Material name	Description	Manufacturer
1	Silk-covered wire 0.078*	Silk-covered wire 0.078*1	
2	10SP ignorant tin strip	051P Lead-free tin strip	
3	Magnetic sheet	Φ 43.5*5.3*1.0mm Open hole open L, double slot	
4	High temperature adhesive	5mm Wide high-temperature adhesive	
5	Common adhesive	Φ 42*6*0.08mm Open hole with hand tear position	
6			



PREPARED BY/DATE	CHECKED BY/DATE
Yin Yi 2024/05/17	CAI Jiyu 2024/05/17