





Test Mode	UNII-1_TX AC (VHT80)
-----------	----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	82.60	76.00




Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	21.19	17.70
60	5300	20.80	17.70
64	5320	20.89	17.70




Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	40.10	36.00
62	5310	40.00	36.00




Test Mode	UNII-2A_TX AC (VHT80)
-----------	-----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	82.40	75.60




Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.80	17.70
116	5580	20.79	17.70
140	5700	20.89	17.70



Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	40.00	36.00
110	5550	39.70	36.00
134	5670	40.01	36.00



Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	82.39	75.60
122	5610	82.80	75.60

Date: 11.MAR.2020 10:06:33

Date: 11.MAR.2020 10:19:19

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	17.40	500	Complies
157	5785	17.00	500	Complies
165	5825	17.29	500	Complies


Date: 10.MAR.2020 16:37:13

Date: 10.MAR.2020 16:45:59


Date: 10.MAR.2020 16:55:28

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	99% Emission Bandwidth (kHz)
149	5745	17.90
157	5785	17.90
165	5825	17.90



Date: 10.MAR.2020 16:36:38



Date: 10.MAR.2020 16:45:22




Date: 10.MAR.2020 16:54:51

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	36.40	500	Complies
159	5795	36.50	500	Complies

CH151



Date: 10.MAR.2020 20:06:07

CH159




Date: 10.MAR.2020 20:14:57

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	99% Emission Bandwidth (kHz)
151	5755	37.00
159	5795	36.80

CH151



Date: 10.MAR.2020 20:05:17

CH159



Date: 10.MAR.2020 20:14:08

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	71.99	500	Complies



Channel	Frequency (MHz)	99% Emission Bandwidth (kHz)
155	5775	76.40



APPENDIX F - CONDUCTED OUTPUT POWER

Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.75	0.24	18.99	25.91	0.3899	Complies
40	5200	18.72	0.24	18.96	25.91	0.3899	Complies
48	5240	18.92	0.24	19.16	25.91	0.3899	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.08	0.24	17.32	25.91	0.3899	Complies
40	5200	17.03	0.24	17.27	25.91	0.3899	Complies
48	5240	17.66	0.24	17.90	25.91	0.3899	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.77	0.24	17.01	25.91	0.3899	Complies
40	5200	16.96	0.24	17.20	25.91	0.3899	Complies
48	5240	17.60	0.24	17.84	25.91	0.3899	Complies

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.16	0.24	17.40	25.91	0.3899	Complies
40	5200	17.21	0.24	17.45	25.91	0.3899	Complies
48	5240	17.60	0.24	17.84	25.91	0.3899	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.77	25.91	0.3899	Complies
40	5200	23.80	25.91	0.3899	Complies
48	5240	24.24	25.91	0.3899	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.89	0.23	19.12	25.91	0.3899	Complies
40	5200	19.15	0.23	19.38	25.91	0.3899	Complies
48	5240	18.88	0.23	19.11	25.91	0.3899	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.48	0.23	17.71	25.91	0.3899	Complies
40	5200	17.54	0.23	17.77	25.91	0.3899	Complies
48	5240	17.64	0.23	17.87	25.91	0.3899	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.21	0.23	17.44	25.91	0.3899	Complies
40	5200	17.58	0.23	17.81	25.91	0.3899	Complies
48	5240	17.78	0.23	18.01	25.91	0.3899	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.42	0.23	17.65	25.91	0.3899	Complies
40	5200	17.63	0.23	17.86	25.91	0.3899	Complies
48	5240	17.55	0.23	17.78	25.91	0.3899	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.06	25.91	0.3899	Complies
40	5200	24.28	25.91	0.3899	Complies
48	5240	24.25	25.91	0.3899	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.69	0.16	17.85	25.91	0.3899	Complies
46	5230	20.42	0.16	20.58	25.91	0.3899	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.25	0.16	16.41	25.91	0.3899	Complies
46	5230	19.77	0.16	19.93	25.91	0.3899	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.20	0.16	16.36	25.91	0.3899	Complies
46	5230	19.89	0.16	20.05	25.91	0.3899	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.82	0.16	15.98	25.91	0.3899	Complies
46	5230	18.85	0.16	19.01	25.91	0.3899	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.73	25.91	0.3899	Complies
46	5230	25.47	25.91	0.3899	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.90	0.24	13.14	19.91	0.0979	Complies
60	5300	12.92	0.24	13.16	19.91	0.0979	Complies
64	5320	12.85	0.24	13.09	19.91	0.0979	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.71	0.24	11.95	19.91	0.0979	Complies
60	5300	11.89	0.24	12.13	19.91	0.0979	Complies
64	5320	11.94	0.24	12.18	19.91	0.0979	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.44	0.24	11.68	19.91	0.0979	Complies
60	5300	11.41	0.24	11.65	19.91	0.0979	Complies
64	5320	11.20	0.24	11.44	19.91	0.0979	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.21	0.24	11.45	19.91	0.0979	Complies
60	5300	11.09	0.24	11.33	19.91	0.0979	Complies
64	5320	11.24	0.24	11.48	19.91	0.0979	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.12	19.91	0.0979	Complies
60	5300	18.14	19.91	0.0979	Complies
64	5320	18.12	19.91	0.0979	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.38	0.23	13.61	19.91	0.0979	Complies
60	5300	13.38	0.23	13.61	19.91	0.0979	Complies
64	5320	13.31	0.23	13.54	19.91	0.0979	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.22	0.23	12.45	19.91	0.0979	Complies
60	5300	12.30	0.23	12.53	19.91	0.0979	Complies
64	5320	12.27	0.23	12.50	19.91	0.0979	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.90	0.23	12.13	19.91	0.0979	Complies
60	5300	12.00	0.23	12.23	19.91	0.0979	Complies
64	5320	12.01	0.23	12.24	19.91	0.0979	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.65	0.23	11.88	19.91	0.0979	Complies
60	5300	11.54	0.23	11.77	19.91	0.0979	Complies
64	5320	11.52	0.23	11.75	19.91	0.0979	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.59	19.91	0.0979	Complies
60	5300	18.61	19.91	0.0979	Complies
64	5320	18.58	19.91	0.0979	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.52	0.16	13.68	19.91	0.0979	Complies
62	5310	13.48	0.16	13.64	19.91	0.0979	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.99	0.16	14.15	19.91	0.0979	Complies
62	5310	13.45	0.16	13.61	19.91	0.0979	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.77	0.16	13.93	19.91	0.0979	Complies
62	5310	13.48	0.16	13.64	19.91	0.0979	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.40	0.16	13.56	19.91	0.0979	Complies
62	5310	13.19	0.16	13.35	19.91	0.0979	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.86	19.91	0.0979	Complies
62	5310	19.58	19.91	0.0979	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.89	0.24	12.13	19.91	0.0979	Complies
116	5580	12.09	0.24	12.33	19.91	0.0979	Complies
140	5700	12.25	0.24	12.49	19.91	0.0979	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.44	0.24	11.68	19.91	0.0979	Complies
116	5580	11.74	0.24	11.98	19.91	0.0979	Complies
140	5700	11.99	0.24	12.23	19.91	0.0979	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.05	0.24	11.29	19.91	0.0979	Complies
116	5580	11.51	0.24	11.75	19.91	0.0979	Complies
140	5700	11.88	0.24	12.12	19.91	0.0979	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.51	0.24	11.75	19.91	0.0979	Complies
116	5580	11.84	0.24	12.08	19.91	0.0979	Complies
140	5700	11.86	0.24	12.10	19.91	0.0979	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.74	19.91	0.0979	Complies
116	5580	18.06	19.91	0.0979	Complies
140	5700	18.26	19.91	0.0979	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.31	0.23	12.54	19.91	0.0979	Complies
116	5580	12.00	0.23	12.23	19.91	0.0979	Complies
140	5700	12.02	0.23	12.25	19.91	0.0979	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.03	0.23	12.26	19.91	0.0979	Complies
116	5580	11.67	0.23	11.90	19.91	0.0979	Complies
140	5700	11.93	0.23	12.16	19.91	0.0979	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.88	0.23	12.11	19.91	0.0979	Complies
116	5580	11.63	0.23	11.86	19.91	0.0979	Complies
140	5700	11.87	0.23	12.10	19.91	0.0979	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.75	0.23	11.98	19.91	0.0979	Complies
116	5580	11.84	0.23	12.07	19.91	0.0979	Complies
140	5700	12.14	0.23	12.37	19.91	0.0979	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.25	19.91	0.0979	Complies
116	5580	18.04	19.91	0.0979	Complies
140	5700	18.24	19.91	0.0979	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.56	0.16	13.72	19.91	0.0979	Complies
110	5550	14.02	0.16	14.18	19.91	0.0979	Complies
134	5670	13.37	0.16	13.53	19.91	0.0979	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.62	0.16	13.78	19.91	0.0979	Complies
110	5550	13.56	0.16	13.72	19.91	0.0979	Complies
134	5670	13.11	0.16	13.27	19.91	0.0979	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.18	0.16	13.34	19.91	0.0979	Complies
110	5550	13.23	0.16	13.39	19.91	0.0979	Complies
134	5670	13.39	0.16	13.55	19.91	0.0979	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.53	0.16	13.69	19.91	0.0979	Complies
110	5550	13.60	0.16	13.76	19.91	0.0979	Complies
134	5670	13.42	0.16	13.58	19.91	0.0979	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.66	19.91	0.0979	Complies
110	5550	19.79	19.91	0.0979	Complies
134	5670	19.51	19.91	0.0979	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.77	0.24	20.11	25.91	0.3899	Complies
157	5785	19.73	0.24	20.17	25.91	0.3899	Complies
165	5825	19.90	0.24	20.14	25.91	0.3899	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.74	0.24	20.08	25.91	0.3899	Complies
157	5785	19.67	0.24	19.91	25.91	0.3899	Complies
165	5825	19.57	0.24	19.81	25.91	0.3899	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.55	0.24	19.79	25.91	0.3899	Complies
157	5785	19.57	0.24	19.91	25.91	0.3899	Complies
165	5825	19.65	0.24	19.89	25.91	0.3899	Complies

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.38	0.24	19.62	25.91	0.3899	Complies
157	5785	19.37	0.24	19.61	25.91	0.3899	Complies
165	5825	19.38	0.24	19.62	25.91	0.3899	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.87	25.91	0.3899	Complies
157	5785	25.85	25.91	0.3899	Complies
165	5825	25.89	25.91	0.3899	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.61	0.23	19.84	25.91	0.3899	Complies
157	5785	19.57	0.23	19.80	25.91	0.3899	Complies
165	5825	19.65	0.23	19.88	25.91	0.3899	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.93	0.23	20.16	25.91	0.3899	Complies
157	5785	19.64	0.23	19.87	25.91	0.3899	Complies
165	5825	19.67	0.23	19.90	25.91	0.3899	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.36	0.23	19.59	25.91	0.3899	Complies
157	5785	19.67	0.23	19.90	25.91	0.3899	Complies
165	5825	19.22	0.23	19.45	25.91	0.3899	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.42	0.23	19.65	25.91	0.3899	Complies
157	5785	19.24	0.23	19.47	25.91	0.3899	Complies
165	5825	19.22	0.23	19.45	25.91	0.3899	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.84	25.91	0.3899	Complies
157	5785	25.79	25.91	0.3899	Complies
165	5825	25.70	25.91	0.3899	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.78	0.16	19.94	25.91	0.3899	Complies
159	5795	19.96	0.16	20.12	25.91	0.3899	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.76	0.16	19.92	25.91	0.3899	Complies
159	5795	19.73	0.16	19.89	25.91	0.3899	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.57	0.16	19.73	25.91	0.3899	Complies
159	5795	19.61	0.16	19.77	25.91	0.3899	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.53	0.16	19.69	25.91	0.3899	Complies
159	5795	19.44	0.16	19.60	25.91	0.3899	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.84	25.91	0.3899	Complies
159	5795	25.87	25.91	0.3899	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.01	0.23	19.24	25.91	0.3899	Complies
40	5200	19.09	0.23	19.32	25.91	0.3899	Complies
48	5240	19.06	0.23	19.29	25.91	0.3899	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.67	0.23	17.90	25.91	0.3899	Complies
40	5200	17.68	0.23	17.91	25.91	0.3899	Complies
48	5240	17.68	0.23	17.91	25.91	0.3899	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.54	0.23	17.77	25.91	0.3899	Complies
40	5200	17.45	0.23	17.68	25.91	0.3899	Complies
48	5240	17.53	0.23	17.76	25.91	0.3899	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.74	0.23	17.97	25.91	0.3899	Complies
40	5200	17.75	0.23	16.91	25.91	0.3899	Complies
48	5240	17.64	0.23	17.87	25.91	0.3899	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.29	25.91	0.3899	Complies
40	5200	24.30	25.91	0.3899	Complies
48	5240	24.28	25.91	0.3899	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.92	0.16	18.08	25.91	0.3899	Complies
46	5230	19.97	0.16	20.13	25.91	0.3899	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.44	0.16	16.60	25.91	0.3899	Complies
46	5230	19.62	0.16	19.78	25.91	0.3899	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.99	0.16	16.15	25.91	0.3899	Complies
46	5230	19.61	0.16	19.77	25.91	0.3899	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.27	0.16	16.43	25.91	0.3899	Complies
46	5230	19.57	0.16	19.73	25.91	0.3899	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.90	25.91	0.3899	Complies
46	5230	25.88	25.91	0.3899	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.25	0.16	16.41	25.91	0.3899	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.09	0.16	15.25	25.91	0.3899	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.72	0.16	14.88	25.91	0.3899	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.81	0.16	14.97	25.91	0.3899	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.44	25.91	0.3899	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.23	0.23	12.46	19.91	0.0979	Complies
60	5300	12.40	0.23	12.63	19.91	0.0979	Complies
64	5320	12.32	0.23	12.55	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.20	0.23	12.43	19.91	0.0979	Complies
60	5300	12.18	0.23	12.41	19.91	0.0979	Complies
64	5320	12.30	0.23	12.53	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.66	0.23	11.89	19.91	0.0979	Complies
60	5300	11.91	0.23	12.14	19.91	0.0979	Complies
64	5320	11.92	0.23	12.15	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.60	0.23	11.83	19.91	0.0979	Complies
60	5300	11.57	0.23	11.80	19.91	0.0979	Complies
64	5320	11.59	0.23	11.82	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.19	19.91	0.0979	Complies
60	5300	18.28	19.91	0.0979	Complies
64	5320	18.30	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.18	0.16	14.34	19.91	0.0979	Complies
62	5310	13.65	0.16	14.32	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.48	0.16	13.64	19.91	0.0979	Complies
62	5310	13.88	0.16	14.04	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.39	0.16	13.55	19.91	0.0979	Complies
62	5310	13.41	0.16	13.57	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.29	0.16	13.45	19.91	0.0979	Complies
62	5310	13.43	0.16	13.59	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.78	19.91	0.0979	Complies
62	5310	19.78	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.04	0.16	14.20	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.65	0.16	13.81	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.28	0.16	13.44	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.24	0.16	13.40	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.75	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.44	0.23	12.67	19.91	0.0979	Complies
116	5580	12.15	0.23	12.38	19.91	0.0979	Complies
140	5700	12.09	0.23	12.32	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.71	0.23	11.94	19.91	0.0979	Complies
116	5580	11.64	0.23	11.87	19.91	0.0979	Complies
140	5700	11.03	0.23	11.26	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.84	0.23	12.07	19.91	0.0979	Complies
116	5580	11.26	0.23	11.49	19.91	0.0979	Complies
140	5700	11.71	0.23	11.94	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.83	0.23	12.06	19.91	0.0979	Complies
116	5580	11.93	0.23	12.16	19.91	0.0979	Complies
140	5700	11.66	0.23	11.89	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.22	19.91	0.0979	Complies
116	5580	18.01	19.91	0.0979	Complies
140	5700	17.89	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.69	0.16	13.85	19.91	0.0979	Complies
110	5550	14.20	0.16	14.36	19.91	0.0979	Complies
134	5670	13.61	0.16	13.77	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.65	0.16	13.81	19.91	0.0979	Complies
110	5550	13.37	0.16	13.53	19.91	0.0979	Complies
134	5670	13.19	0.16	13.35	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.14	0.16	13.30	19.91	0.0979	Complies
110	5550	13.33	0.16	13.49	19.91	0.0979	Complies
134	5670	13.29	0.16	13.45	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.70	0.16	13.86	19.91	0.0979	Complies
110	5550	13.67	0.16	13.83	19.91	0.0979	Complies
134	5670	13.42	0.16	13.58	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.73	19.91	0.0979	Complies
110	5550	19.84	19.91	0.0979	Complies
134	5670	19.56	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	14.08	0.16	14.24	19.91	0.0979	Complies
122	5610	13.80	0.16	13.96	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.34	0.16	13.50	19.91	0.0979	Complies
122	5610	13.25	0.16	13.41	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.20	0.16	13.36	19.91	0.0979	Complies
122	5610	13.19	0.16	13.35	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.62	0.16	13.78	19.91	0.0979	Complies
122	5610	13.39	0.16	13.55	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.76	19.91	0.0979	Complies
122	5610	19.60	19.91	0.0979	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.71	0.23	19.94	25.91	0.3899	Complies
157	5785	19.93	0.23	20.16	25.91	0.3899	Complies
165	5825	19.95	0.23	20.18	25.91	0.3899	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.84	0.23	20.07	25.91	0.3899	Complies
157	5785	19.64	0.23	19.87	25.91	0.3899	Complies
165	5825	19.48	0.23	19.71	25.91	0.3899	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.52	0.23	19.75	25.91	0.3899	Complies
157	5785	19.46	0.23	19.69	25.91	0.3899	Complies
165	5825	19.19	0.23	19.42	25.91	0.3899	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.30	0.23	19.53	25.91	0.3899	Complies
157	5785	19.21	0.23	19.44	25.91	0.3899	Complies
165	5825	19.23	0.23	19.46	25.91	0.3899	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.85	25.91	0.3899	Complies
157	5785	25.82	25.91	0.3899	Complies
165	5825	25.73	25.91	0.3899	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.76	0.16	19.92	25.91	0.3899	Complies
159	5795	19.79	0.16	19.95	25.91	0.3899	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.78	0.16	19.94	25.91	0.3899	Complies
159	5795	19.68	0.16	19.84	25.91	0.3899	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.56	0.16	19.72	25.91	0.3899	Complies
159	5795	19.52	0.16	19.68	25.91	0.3899	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.51	0.16	19.67	25.91	0.3899	Complies
159	5795	19.28	0.16	19.44	25.91	0.3899	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.83	25.91	0.3899	Complies
159	5795	25.75	25.91	0.3899	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.09	0.16	20.25	25.91	0.3899	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.67	0.16	19.83	25.91	0.3899	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.51	0.16	19.67	25.91	0.3899	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.19	0.16	19.35	25.91	0.3899	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.81	25.91	0.3899	Complies

CDD

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.89	0.24	19.13	30.00	1.00	Complies
40	5200	18.86	0.24	19.10	30.00	1.00	Complies
48	5240	19.06	0.24	19.30	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.32	0.24	17.56	30.00	1.00	Complies
40	5200	17.27	0.24	17.51	30.00	1.00	Complies
48	5240	17.90	0.24	18.14	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.99	0.24	17.23	30.00	1.00	Complies
40	5200	17.10	0.24	17.34	30.00	1.00	Complies
48	5240	17.82	0.24	18.06	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.30	0.24	17.54	30.00	1.00	Complies
40	5200	17.35	0.24	17.59	30.00	1.00	Complies
48	5240	17.79	0.24	18.03	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.95	30.00	1.00	Complies
40	5200	23.96	30.00	1.00	Complies
48	5240	24.44	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.03	0.23	19.26	30.00	1.00	Complies
40	5200	19.29	0.23	19.52	30.00	1.00	Complies
48	5240	19.02	0.23	19.25	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.02	0.23	18.25	30.00	1.00	Complies
40	5200	17.78	0.23	18.01	30.00	1.00	Complies
48	5240	17.78	0.23	18.01	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.40	0.23	17.63	30.00	1.00	Complies
40	5200	17.82	0.23	18.05	30.00	1.00	Complies
48	5240	18.02	0.23	18.25	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.66	0.23	17.89	30.00	1.00	Complies
40	5200	17.82	0.23	18.05	30.00	1.00	Complies
48	5240	17.99	0.23	18.22	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.33	30.00	1.00	Complies
40	5200	24.48	30.00	1.00	Complies
48	5240	24.48	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.83	0.16	17.99	30.00	1.00	Complies
46	5230	21.56	0.16	21.72	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.39	0.16	16.55	30.00	1.00	Complies
46	5230	19.91	0.16	20.07	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.39	0.16	16.55	30.00	1.00	Complies
46	5230	20.13	0.16	20.29	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.96	0.16	17.12	30.00	1.00	Complies
46	5230	20.09	0.16	20.25	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.12	30.00	1.00	Complies
46	5230	26.66	30.00	1.00	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.04	0.24	13.28	24.00	0.25	Complies
60	5300	13.06	0.24	13.30	24.00	0.25	Complies
64	5320	12.99	0.24	13.23	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.85	0.24	12.09	24.00	0.25	Complies
60	5300	12.03	0.24	12.27	24.00	0.25	Complies
64	5320	12.08	0.24	12.32	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.58	0.24	11.82	24.00	0.25	Complies
60	5300	11.55	0.24	11.79	24.00	0.25	Complies
64	5320	11.34	0.24	11.58	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.35	0.24	11.59	24.00	0.25	Complies
60	5300	11.23	0.24	11.47	24.00	0.25	Complies
64	5320	11.38	0.24	11.62	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.26	24.00	0.25	Complies
60	5300	18.28	24.00	0.25	Complies
64	5320	18.26	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.52	0.23	13.75	24.00	0.25	Complies
60	5300	13.52	0.23	13.75	24.00	0.25	Complies
64	5320	13.45	0.23	13.68	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.36	0.23	12.59	24.00	0.25	Complies
60	5300	12.44	0.23	12.67	24.00	0.25	Complies
64	5320	12.61	0.23	12.84	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.05	0.23	12.28	24.00	0.25	Complies
60	5300	12.14	0.23	12.37	24.00	0.25	Complies
64	5320	12.15	0.23	12.38	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.99	0.23	12.22	24.00	0.25	Complies
60	5300	11.98	0.23	12.21	24.00	0.25	Complies
64	5320	11.96	0.23	12.19	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.78	24.00	0.25	Complies
60	5300	18.82	24.00	0.25	Complies
64	5320	18.84	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.24	0.16	15.40	24.00	0.25	Complies
62	5310	15.28	0.16	15.44	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.13	0.16	14.29	24.00	0.25	Complies
62	5310	14.16	0.16	14.32	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.91	0.16	14.07	24.00	0.25	Complies
62	5310	13.62	0.16	13.78	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.55	0.16	13.71	24.00	0.25	Complies
62	5310	13.43	0.16	13.59	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.44	24.00	0.25	Complies
62	5310	20.37	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.03	0.24	12.27	24.00	0.25	Complies
116	5580	12.23	0.24	12.47	24.00	0.25	Complies
140	5700	12.89	0.24	13.13	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.58	0.24	11.82	24.00	0.25	Complies
116	5580	11.88	0.24	12.12	24.00	0.25	Complies
140	5700	12.33	0.24	12.57	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.19	0.24	11.43	24.00	0.25	Complies
116	5580	11.95	0.24	12.19	24.00	0.25	Complies
140	5700	12.65	0.24	12.89	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 4
-----------	--------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.65	0.24	11.89	24.00	0.25	Complies
116	5580	12.08	0.24	12.32	24.00	0.25	Complies
140	5700	12.74	0.24	12.98	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.88	24.00	0.25	Complies
116	5580	18.30	24.00	0.25	Complies
140	5700	18.92	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.45	0.23	12.68	24.00	0.25	Complies
116	5580	12.14	0.23	12.37	24.00	0.25	Complies
140	5700	12.16	0.23	12.39	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.17	0.23	12.40	24.00	0.25	Complies
116	5580	11.81	0.23	12.04	24.00	0.25	Complies
140	5700	12.07	0.23	12.30	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.12	0.23	12.35	24.00	0.25	Complies
116	5580	11.87	0.23	12.10	24.00	0.25	Complies
140	5700	12.11	0.23	12.34	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.99	0.23	12.22	24.00	0.25	Complies
116	5580	12.08	0.23	12.31	24.00	0.25	Complies
140	5700	12.28	0.23	12.51	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.44	24.00	0.25	Complies
116	5580	18.23	24.00	0.25	Complies
140	5700	18.41	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.80	0.16	14.96	24.00	0.25	Complies
110	5550	14.66	0.16	14.82	24.00	0.25	Complies
134	5670	14.11	0.16	14.27	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.26	0.16	14.42	24.00	0.25	Complies
110	5550	14.20	0.16	14.36	24.00	0.25	Complies
134	5670	13.95	0.16	14.11	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.02	0.16	14.18	24.00	0.25	Complies
110	5550	14.07	0.16	14.23	24.00	0.25	Complies
134	5670	14.03	0.16	14.19	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.37	0.16	14.53	24.00	0.25	Complies
110	5550	14.24	0.16	14.40	24.00	0.25	Complies
134	5670	14.06	0.16	14.22	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.55	24.00	0.25	Complies
110	5550	20.48	24.00	0.25	Complies
134	5670	20.22	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.88	0.24	22.12	30.00	1.00	Complies
157	5785	21.92	0.24	22.16	30.00	1.00	Complies
165	5825	21.89	0.24	22.13	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.80	0.24	22.04	30.00	1.00	Complies
157	5785	21.84	0.24	22.08	30.00	1.00	Complies
165	5825	21.75	0.24	21.99	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.61	0.24	21.85	30.00	1.00	Complies
157	5785	21.74	0.24	21.98	30.00	1.00	Complies
165	5825	21.56	0.24	21.80	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.64	0.24	21.88	30.00	1.00	Complies
157	5785	21.54	0.24	21.78	30.00	1.00	Complies
165	5825	21.57	0.24	21.81	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.99	30.00	1.00	Complies
157	5785	28.02	30.00	1.00	Complies
165	5825	27.95	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.77	0.23	22.00	30.00	1.00	Complies
157	5785	21.85	0.23	22.08	30.00	1.00	Complies
165	5825	21.94	0.23	22.17	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.76	0.23	21.99	30.00	1.00	Complies
157	5785	21.86	0.23	22.09	30.00	1.00	Complies
165	5825	21.74	0.23	21.97	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.63	0.23	21.86	30.00	1.00	Complies
157	5785	21.71	0.23	21.94	30.00	1.00	Complies
165	5825	21.46	0.23	21.69	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.65	0.23	21.88	30.00	1.00	Complies
157	5785	21.51	0.23	21.74	30.00	1.00	Complies
165	5825	21.57	0.23	21.80	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.96	30.00	1.00	Complies
157	5785	27.99	30.00	1.00	Complies
165	5825	27.93	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.22	0.16	22.38	30.00	1.00	Complies
159	5795	22.24	0.16	22.40	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.12	0.16	22.28	30.00	1.00	Complies
159	5795	22.19	0.16	22.35	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.94	0.16	22.10	30.00	1.00	Complies
159	5795	21.90	0.16	22.06	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 4
-----------	--------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.93	0.16	22.09	30.00	1.00	Complies
159	5795	21.84	0.16	22.00	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.24	30.00	1.00	Complies
159	5795	28.23	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.15	0.23	19.38	30.00	1.00	Complies
40	5200	19.23	0.23	19.46	30.00	1.00	Complies
48	5240	19.20	0.23	19.43	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.91	0.23	18.14	30.00	1.00	Complies
40	5200	18.02	0.23	18.25	30.00	1.00	Complies
48	5240	18.12	0.23	18.35	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.91	0.23	18.21	30.00	1.00	Complies
40	5200	17.79	0.23	18.02	30.00	1.00	Complies
48	5240	17.67	0.23	17.90	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.88	0.23	18.11	30.00	1.00	Complies
40	5200	17.89	0.23	18.12	30.00	1.00	Complies
48	5240	17.78	0.23	18.01	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.52	30.00	1.00	Complies
40	5200	24.53	30.00	1.00	Complies
48	5240	24.49	30.00	1.00	Complies