

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.06	0.16	18.22	30.00	1.00	Complies
46	5230	21.69	0.16	21.85	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.58	0.16	16.74	30.00	1.00	Complies
46	5230	19.76	0.16	19.92	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.13	0.16	17.29	30.00	1.00	Complies
46	5230	20.10	0.16	20.26	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.41	0.16	16.57	30.00	1.00	Complies
46	5230	20.06	0.16	20.22	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.27	30.00	1.00	Complies
46	5230	26.65	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.39	0.16	16.55	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.23	0.16	15.39	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.86	0.16	16.02	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	15.15	0.16	15.31	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	21.87	30.00	1.00	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.37	0.23	13.6	24.00	0.25	Complies
60	5300	13.54	0.23	13.77	24.00	0.25	Complies
64	5320	13.46	0.23	13.69	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.34	0.23	12.57	24.00	0.25	Complies
60	5300	12.32	0.23	12.55	24.00	0.25	Complies
64	5320	12.51	0.23	12.74	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.00	0.23	12.23	24.00	0.25	Complies
60	5300	12.05	0.23	12.28	24.00	0.25	Complies
64	5320	12.06	0.23	12.29	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	11.82	0.23	12.05	24.00	0.25	Complies
60	5300	12.01	0.23	12.24	24.00	0.25	Complies
64	5320	11.83	0.23	12.06	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.68	24.00	0.25	Complies
60	5300	18.78	24.00	0.25	Complies
64	5320	18.76	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.32	0.16	15.48	24.00	0.25	Complies
62	5310	15.30	0.16	15.46	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.12	0.16	14.28	24.00	0.25	Complies
62	5310	14.02	0.16	14.18	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.83	0.16	13.99	24.00	0.25	Complies
62	5310	13.55	0.16	13.71	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.73	0.16	13.89	24.00	0.25	Complies
62	5310	13.67	0.16	13.83	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	20.48	24.00	0.25	Complies
62	5310	20.37	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.56	0.16	17.72	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.01	0.16	17.17	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.89	0.16	17.05	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	16.85	0.16	17.01	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	23.27	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.58	0.23	12.81	24.00	0.25	Complies
116	5580	12.29	0.23	12.52	24.00	0.25	Complies
140	5700	12.23	0.23	12.46	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	11.90	0.23	12.13	24.00	0.25	Complies
116	5580	11.78	0.23	12.01	24.00	0.25	Complies
140	5700	11.67	0.23	11.90	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.02	0.23	12.25	24.00	0.25	Complies
116	5580	11.40	0.23	11.63	24.00	0.25	Complies
140	5700	11.85	0.23	12.08	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.07	0.23	12.30	24.00	0.25	Complies
116	5580	12.07	0.23	12.30	24.00	0.25	Complies
140	5700	11.90	0.23	12.13	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.40	24.00	0.25	Complies
116	5580	18.15	24.00	0.25	Complies
140	5700	18.17	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.03	0.16	15.19	24.00	0.25	Complies
110	5550	14.84	0.16	15.00	24.00	0.25	Complies
134	5670	14.25	0.16	14.41	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.29	0.16	14.45	24.00	0.25	Complies
110	5550	14.01	0.16	14.17	24.00	0.25	Complies
134	5670	14.03	0.16	14.19	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.58	0.16	14.74	24.00	0.25	Complies
110	5550	14.17	0.16	14.33	24.00	0.25	Complies
134	5670	14.23	0.16	14.39	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.34	0.16	14.50	24.00	0.25	Complies
110	5550	14.31	0.16	14.47	24.00	0.25	Complies
134	5670	14.06	0.16	14.22	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.75	24.00	0.25	Complies
110	5550	20.52	24.00	0.25	Complies
134	5670	20.32	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.49	0.16	17.65	24.00	0.25	Complies
122	5610	17.33	0.16	17.49	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	17.03	0.16	17.19	24.00	0.25	Complies
122	5610	16.98	0.16	17.14	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.88	0.16	17.04	24.00	0.25	Complies
122	5610	16.99	0.16	17.15	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.97	0.16	17.13	24.00	0.25	Complies
122	5610	16.95	0.16	17.11	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	23.28	24.00	0.25	Complies
122	5610	23.25	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.98	0.23	22.21	30.00	1.00	Complies
157	5785	21.99	0.23	22.22	30.00	1.00	Complies
165	5825	21.90	0.23	22.13	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.54	0.23	21.77	30.00	1.00	Complies
157	5785	21.67	0.23	21.90	30.00	1.00	Complies
165	5825	21.68	0.23	21.91	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.49	0.23	21.72	30.00	1.00	Complies
157	5785	21.68	0.23	21.91	30.00	1.00	Complies
165	5825	21.53	0.23	21.76	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.64	0.23	21.87	30.00	1.00	Complies
157	5785	21.48	0.23	21.71	30.00	1.00	Complies
165	5825	21.52	0.23	21.75	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	27.92	30.00	1.00	Complies
157	5785	27.96	30.00	1.00	Complies
165	5825	27.91	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.20	0.16	22.36	30.00	1.00	Complies
159	5795	22.24	0.16	22.40	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.14	0.16	22.30	30.00	1.00	Complies
159	5795	22.18	0.16	22.34	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.92	0.16	22.08	30.00	1.00	Complies
159	5795	21.95	0.16	22.11	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.90	0.16	22.06	30.00	1.00	Complies
159	5795	21.85	0.16	22.01	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	28.22	30.00	1.00	Complies
159	5795	28.24	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.07	0.16	22.23	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.79	0.16	21.95	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.75	0.16	21.91	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	21.66	0.16	21.82	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	28.00	30.00	1.00	Complies

APPENDIX G - POWER SPECTRAL DENSITY

CDD


Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.28	0.24	7.52	12.91	Complies
40	5200	7.07	0.24	7.31	12.91	Complies
48	5240	7.36	0.24	7.60	12.91	Complies




Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.83	0.24	7.07	12.91	Complies
40	5200	6.57	0.24	6.81	12.91	Complies
48	5240	6.69	0.24	6.93	12.91	Complies




Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.49	0.24	5.73	12.91	Complies
40	5200	5.20	0.24	5.44	12.91	Complies
48	5240	5.74	0.24	5.98	12.91	Complies



Test Mode	UNII-1_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.55	0.24	5.79	12.91	Complies
40	5200	5.10	0.24	5.34	12.91	Complies
48	5240	5.46	0.24	5.70	12.91	Complies




Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.62	12.91	Complies
40	5200	12.33	12.91	Complies
48	5240	12.64	12.91	Complies


Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.27	0.24	1.51	6.91	Complies
60	5300	1.72	0.24	1.96	6.91	Complies
64	5320	1.69	0.24	1.93	6.91	Complies




Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.07	0.24	1.31	6.91	Complies
60	5300	0.62	0.24	0.86	6.91	Complies
64	5320	0.67	0.24	0.91	6.91	Complies




Test Mode UNII-2A_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.25	0.24	0.49	6.91	Complies
60	5300	-0.59	0.24	-0.35	6.91	Complies
64	5320	-0.96	0.24	-0.72	6.91	Complies



Test Mode UNII-2A_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.42	0.24	-0.18	6.91	Complies
60	5300	-0.59	0.24	-0.35	6.91	Complies
64	5320	-0.89	0.24	-0.65	6.91	Complies




Test Mode UNII-2A_TX A Mode_Total


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.85	6.91	Complies
60	5300	6.48	6.91	Complies
64	5320	6.53	6.91	Complies

Test Mode UNII-2C_TX A Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.44	0.24	1.68	6.91	Complies
116	5580	0.90	0.24	1.14	6.91	Complies
140	5700	0.88	0.24	1.12	6.91	Complies



Date: 14.JUN.2020 17:56:57




Date: 14.JUN.2020 18:02:06




Date: 14.JUN.2020 18:03:49

Test Mode UNII-2C_TX A Mode_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.45	0.24	0.69	6.91	Complies
116	5580	-0.49	0.24	-0.25	6.91	Complies
140	5700	-0.08	0.24	0.16	6.91	Complies



Date: 14.JUN.2020 17:57:31




Date: 14.JUN.2020 18:00:31



Date: 14.JUN.2020 18:04:14


Test Mode UNII-2C_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.23	0.24	0.01	6.91	Complies
116	5580	-0.64	0.24	-0.40	6.91	Complies
140	5700	0.20	0.24	0.44	6.91	Complies



Test Mode UNII-2C_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.62	0.24	-0.38	6.91	Complies
116	5580	-0.69	0.24	-0.45	6.91	Complies
140	5700	0.05	0.24	0.29	6.91	Complies




Test Mode UNII-2C_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.59	6.91	Complies
116	5580	6.08	6.91	Complies
140	5700	6.54	6.91	Complies


Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.90	0.24	8.14	25.91	Complies
157	5785	7.52	0.24	7.76	25.91	Complies
165	5825	7.50	0.24	7.74	25.91	Complies




Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.65	0.24	7.89	25.91	Complies
157	5785	7.43	0.24	7.67	25.91	Complies
165	5825	7.42	0.24	7.66	25.91	Complies




Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.41	0.24	7.65	25.91	Complies
157	5785	7.07	0.24	7.31	25.91	Complies
165	5825	7.41	0.24	7.65	25.91	Complies



Test Mode	UNII-3_TX A Mode_Ant. 4
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.13	0.24	7.37	25.91	Complies
157	5785	6.81	0.24	7.05	25.91	Complies
165	5825	6.94	0.24	7.18	25.91	Complies




Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.79	25.91	Complies
157	5785	13.48	25.91	Complies
165	5825	13.58	25.91	Complies


Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.07	0.23	7.30	12.91	Complies
40	5200	6.90	0.23	7.13	12.91	Complies
48	5240	7.27	0.23	7.50	12.91	Complies




Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.14	0.23	7.37	12.91	Complies
40	5200	6.92	0.23	7.15	12.91	Complies
48	5240	6.28	0.23	6.51	12.91	Complies




Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.41	0.23	5.64	12.91	Complies
40	5200	5.21	0.23	5.44	12.91	Complies
48	5240	5.03	0.23	5.26	12.91	Complies



Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.27	0.23	5.50	12.91	Complies
40	5200	5.30	0.23	5.53	12.91	Complies
48	5240	4.94	0.23	5.17	12.91	Complies




Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.57	12.91	Complies
40	5200	12.41	12.91	Complies
48	5240	12.24	12.91	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.59	0.16	5.75	12.91	Complies
46	5230	5.12	0.16	5.28	12.91	Complies




Date: 10.MAR.2020 17:01:48




Date: 10.MAR.2020 19:12:48

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.06	0.16	4.22	12.91	Complies
46	5230	3.74	0.16	3.90	12.91	Complies




Date: 10.MAR.2020 17:04:33




Date: 10.MAR.2020 19:11:18

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.70	0.16	3.86	12.91	Complies
46	5230	3.88	0.16	4.04	12.91	Complies




Date: 10.MAR.2020 17:06:01




Date: 10.MAR.2020 17:17:43

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.96	0.16	4.12	12.91	Complies
46	5230	3.78	0.16	3.94	12.91	Complies



Date: 10.MAR.2020 17:08:18




Date: 10.MAR.2020 17:13:23

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	10.57	12.91	Complies
46	5230	10.35	12.91	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.91	0.16	2.07	12.91	Complies



Date: 11.MAR.2020 09:54:14

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.35	0.16	0.51	12.91	Complies



Date: 11.MAR.2020 09:55:39

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.46	0.16	0.62	12.91	Complies



Date: 13.MAR.2020 09:56:56

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.46	0.16	0.62	12.91	Complies




Date: 13.MAR.2020 09:59:21

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.03	12.91	Complies


Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.51	0.23	1.74	6.91	Complies
60	5300	1.57	0.23	1.80	6.91	Complies
64	5320	1.71	0.23	1.94	6.91	Complies




Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.47	0.23	0.70	6.91	Complies
60	5300	0.53	0.23	0.76	6.91	Complies
64	5320	0.76	0.23	0.99	6.91	Complies




Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.81	0.23	-0.58	6.91	Complies
60	5300	-0.66	0.23	-0.43	6.91	Complies
64	5320	-0.45	0.23	-0.22	6.91	Complies



Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.12	0.23	-0.89	6.91	Complies
60	5300	-1.20	0.23	-0.97	6.91	Complies
64	5320	-0.89	0.23	-0.66	6.91	Complies




Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.40	6.91	Complies
60	5300	6.45	6.91	Complies
64	5320	6.66	6.91	Complies


Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.63	0.16	-0.47	6.91	Complies
62	5310	-0.20	0.16	-0.04	6.91	Complies




Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.28	0.16	-1.12	6.91	Complies
62	5310	-0.68	0.16	-0.52	6.91	Complies




Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.46	0.16	-1.30	6.91	Complies
62	5310	-1.44	0.16	-1.28	6.91	Complies



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.08	0.16	-1.92	6.91	Complies
62	5310	-2.02	0.16	-1.86	6.91	Complies




Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.85	6.91	Complies
62	5310	5.15	6.91	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.53	0.16	-0.37	6.91	Complies



Date: 13.MAR.2020 10:17:26

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.02	0.16	-0.86	6.91	Complies



Date: 13.MAR.2020 10:15:42

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.85	0.16	-1.69	6.91	Complies



Date: 13.MAR.2020 10:14:17

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.04	0.16	-1.88	6.91	Complies




Date: 13.MAR.2020 10:12:59

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	4.87	6.91	Complies


Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.51	0.23	1.74	6.91	Complies
116	5580	0.59	0.23	0.82	6.91	Complies
140	5700	0.09	0.23	0.32	6.91	Complies




Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.22	0.23	0.45	6.91	Complies
116	5580	-0.08	0.23	0.15	6.91	Complies
140	5700	-0.05	0.23	0.18	6.91	Complies




Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.54	0.23	-0.31	6.91	Complies
116	5580	-0.29	0.23	-0.06	6.91	Complies
140	5700	0.23	0.23	0.46	6.91	Complies



Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.30	0.23	-0.07	6.91	Complies
116	5580	-0.99	0.23	-0.76	6.91	Complies
140	5700	-0.38	0.23	-0.15	6.91	Complies




Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.55	6.91	Complies
116	5580	6.10	6.91	Complies
140	5700	6.23	6.91	Complies


Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.39	0.16	-0.23	6.91	Complies
110	5550	-0.63	0.16	-0.47	6.91	Complies
134	5670	-0.84	0.16	-0.68	6.91	Complies




Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.70	0.16	-0.54	6.91	Complies
110	5550	-0.63	0.16	-0.47	6.91	Complies
134	5670	-1.47	0.16	-1.31	6.91	Complies




Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.76	0.16	-0.60	6.91	Complies
110	5550	-0.73	0.16	-0.57	6.91	Complies
134	5670	-0.43	0.16	-0.27	6.91	Complies



Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.72	0.16	-0.56	6.91	Complies
110	5550	-1.00	0.16	-0.84	6.91	Complies
134	5670	-0.81	0.16	-0.65	6.91	Complies




Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	5.54	6.91	Complies
110	5550	5.44	6.91	Complies
134	5670	5.31	6.91	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.54	0.16	-0.38	6.91	Complies
122	5610	-0.64	0.16	-0.48	6.91	Complies




Date: 11.MAR.2020 10:06:45




Date: 11.MAR.2020 10:19:31

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.87	0.16	-0.71	6.91	Complies
122	5610	-1.15	0.16	-0.99	6.91	Complies




Date: 11.MAR.2020 10:08:05




Date: 11.MAR.2020 10:21:00

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.60	0.16	-0.44	6.91	Complies
122	5610	-0.82	0.16	-0.66	6.91	Complies




Date: 11.MAR.2020 10:09:20




Date: 11.MAR.2020 10:22:46

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-0.68	0.16	-0.52	6.91	Complies
122	5610	-0.80	0.16	-0.64	6.91	Complies



Date: 11.MAR.2020 10:10:52




Date: 11.MAR.2020 10:24:33

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.51	6.91	Complies
122	5610	5.33	6.91	Complies


Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.55	0.23	7.78	25.91	Complies
157	5785	7.14	0.23	7.37	25.91	Complies
165	5825	7.05	0.23	7.28	25.91	Complies




Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.94	0.23	7.17	25.91	Complies
157	5785	6.73	0.23	6.96	25.91	Complies
165	5825	6.99	0.23	7.22	25.91	Complies




Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.26	0.23	7.49	25.91	Complies
157	5785	6.91	0.23	7.14	25.91	Complies
165	5825	6.74	0.23	6.97	25.91	Complies



Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.63	0.23	6.86	25.91	Complies
157	5785	6.23	0.23	6.46	25.91	Complies
165	5825	6.57	0.23	6.80	25.91	Complies




Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.36	25.91	Complies
157	5785	13.02	25.91	Complies
165	5825	13.10	25.91	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.81	0.16	4.97	25.91	Complies
159	5795	4.51	0.16	4.67	25.91	Complies




Date: 10.MAR.2020 20:04:06




Date: 10.MAR.2020 20:13:41

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.44	0.16	4.60	25.91	Complies
159	5795	5.03	0.16	5.19	25.91	Complies





Date: 10.MAR.2020 20:02:39



Date: 10.MAR.2020 20:12:47



Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.74	0.16	4.90	25.91	Complies
159	5795	4.29	0.16	4.45	25.91	Complies



Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.23	0.16	4.39	25.91	Complies
159	5795	4.08	0.16	4.24	25.91	Complies




Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	10.74	25.91	Complies
159	5795	10.67	25.91	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.44	0.16	1.60	25.91	Complies



Date: 11.MAR.2020 10:32:16

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	0.78	0.16	0.94	25.91	Complies



Date: 11.MAR.2020 10:31:50


Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.15	0.16	1.31	25.91	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	1.15	0.16	1.31	25.91	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	7.32	25.91	Complies

End of Test Report