

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	86.40	80.40
122	5610	89.40	80.00




Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	78.80	500	Complies



Test Mode	UNII-3_TX AX (HE80) Mode	RU configuration	52
-----------	--------------------------	------------------	----


Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
155	5775	81.20



Date: 3.APR.2020 01:21:58


Test Mode	UNII-1_TX AX (HE80) Mode	RU configuration	106
-----------	--------------------------	------------------	-----

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	87.80	79.20




Test Mode	UNII-2A_TX AX (HE80) Mode	RU configuration	106
-----------	---------------------------	------------------	-----

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	89.00	79.20




Test Mode	UNII-2C_TX AX (HE80) Mode	RU configuration	106
-----------	---------------------------	------------------	-----

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	90.20	79.20
122	5610	88.80	78.80




Test Mode	UNII-3_TX AX (HE80) Mode	RU configuration	106
-----------	--------------------------	------------------	-----

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	78.80	500	Complies



Test Mode	UNII-3_TX AX (HE80) Mode	RU configuration	106
-----------	--------------------------	------------------	-----

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
155	5775	79.60



Date: 3.APR.2020 02:31:35

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	90.20	78.40
122	5610	89.20	78.40




Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	78.60	500	Complies




Test Mode	UNII-1_TX AX (HE80) Mode	RU configuration	484
-----------	--------------------------	------------------	-----

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	92.00	78.40



Test Mode	UNII-2A_TX AX (HE80) Mode	RU configuration	484
-----------	---------------------------	------------------	-----


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	90.40	78.40



Test Mode	UNII-2C_TX AX (HE80) Mode	RU configuration	484
-----------	---------------------------	------------------	-----


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	90.79	78.40
122	5610	90.80	78.00

CH106



Date: 3.APR.2020 03:01:02

CH122




Date: 3.APR.2020 03:01:14

Test Mode	UNII-3_TX AX (HE80) Mode	RU configuration	484
-----------	--------------------------	------------------	-----

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	78.39	500	Complies

CH155



Date: 3.APR.2020 03:01:27

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	104.41	77.60




Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	82.60	77.60



Test Mode	UNII-3_TX AX (HE80) Mode	RU configuration	996
-----------	--------------------------	------------------	-----

Channel	Frequency (MHz)	99 % Emission Bandwidth (MHz)
155	5775	77.60



Date: 3.APR.2020 03:34:59

APPENDIX E - CONDUCTED OUTPUT POWER

CDD

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26	13.53	0.28	13.81	30.00	1.00	Complies
		52	17.49	0.28	17.77	30.00	1.00	Complies
		106	17.47	0.28	17.75	30.00	1.00	Complies
		242	17.48	0.28	17.76	30.00	1.00	Complies
40	5200	26	13.49	0.28	13.77	30.00	1.00	Complies
		52	17.14	0.28	17.42	30.00	1.00	Complies
		106	17.77	0.28	18.05	30.00	1.00	Complies
		242	18.29	0.28	18.57	30.00	1.00	Complies
48	5240	26	13.43	0.28	13.71	30.00	1.00	Complies
		52	16.94	0.28	17.22	30.00	1.00	Complies
		106	18.96	0.28	19.24	30.00	1.00	Complies
		242	17.21	0.28	17.49	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26	12.27	0.28	12.55	30.00	1.00	Complies
		52	15.64	0.28	15.92	30.00	1.00	Complies
		106	17.63	0.28	17.91	30.00	1.00	Complies
		242	17.32	0.28	17.60	30.00	1.00	Complies
40	5200	26	12.17	0.28	12.45	30.00	1.00	Complies
		52	16.61	0.28	16.89	30.00	1.00	Complies
		106	17.59	0.28	17.87	30.00	1.00	Complies
		242	18.05	0.28	18.33	30.00	1.00	Complies
48	5240	26	12.92	0.28	13.20	30.00	1.00	Complies
		52	16.83	0.28	17.11	30.00	1.00	Complies
		106	18.57	0.28	18.85	30.00	1.00	Complies
		242	17.45	0.28	17.73	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26	12.24	0.28	12.52	30.00	1.00	Complies
		52	15.75	0.28	16.03	30.00	1.00	Complies
		106	17.48	0.28	17.76	30.00	1.00	Complies
		242	17.41	0.28	17.69	30.00	1.00	Complies
40	5200	26	12.23	0.28	12.51	30.00	1.00	Complies
		52	15.93	0.28	16.21	30.00	1.00	Complies
		106	17.53	0.28	17.81	30.00	1.00	Complies
		242	16.91	0.28	18.26	30.00	1.00	Complies
48	5240	26	12.37	0.28	12.65	30.00	1.00	Complies
		52	16.13	0.28	16.41	30.00	1.00	Complies
		106	18.03	0.28	18.31	30.00	1.00	Complies
		242	17.16	0.28	17.44	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26	12.07	0.28	12.35	30.00	1.00	Complies
		52	15.86	0.28	16.14	30.00	1.00	Complies
		106	18.24	0.28	18.52	30.00	1.00	Complies
		242	16.95	0.28	17.23	30.00	1.00	Complies
40	5200	26	12.22	0.28	12.50	30.00	1.00	Complies
		52	15.87	0.28	16.15	30.00	1.00	Complies
		106	18.18	0.28	18.46	30.00	1.00	Complies
		242	17.93	0.28	18.21	30.00	1.00	Complies
48	5240	26	12.23	0.28	12.51	30.00	1.00	Complies
		52	15.96	0.28	16.24	30.00	1.00	Complies
		106	18.24	0.28	18.52	30.00	1.00	Complies
		242	16.86	0.28	17.14	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26	18.87	30.00	1.00	Complies
		52	22.55	30.00	1.00	Complies
		106	24.01	30.00	1.00	Complies
		242	23.59	30.00	1.00	Complies
40	5200	26	18.86	30.00	1.00	Complies
		52	22.72	30.00	1.00	Complies
		106	24.07	30.00	1.00	Complies
		242	24.36	30.00	1.00	Complies
48	5240	26	19.06	30.00	1.00	Complies
		52	22.78	30.00	1.00	Complies
		106	24.76	30.00	1.00	Complies
		242	23.47	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26	9.58	0.27	9.85	30.00	1.00	Complies
		52	13.13	0.27	13.40	30.00	1.00	Complies
		106	12.93	0.27	13.20	30.00	1.00	Complies
		242	14.44	0.27	14.71	30.00	1.00	Complies
		484	14.65	0.27	14.92	30.00	1.00	Complies
46	5230	26	13.45	0.27	13.72	30.00	1.00	Complies
		52	16.52	0.27	16.79	30.00	1.00	Complies
		106	20.65	0.27	20.92	30.00	1.00	Complies
		242	20.75	0.27	21.02	30.00	1.00	Complies
		484	19.28	0.27	19.55	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26	9.43	0.27	9.70	30.00	1.00	Complies
		52	13.25	0.27	13.52	30.00	1.00	Complies
		106	12.81	0.27	13.08	30.00	1.00	Complies
		242	14.72	0.27	14.99	30.00	1.00	Complies
		484	14.29	0.27	14.56	30.00	1.00	Complies
46	5230	26	12.73	0.27	13.00	30.00	1.00	Complies
		52	15.88	0.27	16.15	30.00	1.00	Complies
		106	20.23	0.27	20.50	30.00	1.00	Complies
		242	20.65	0.27	20.92	30.00	1.00	Complies
		484	18.93	0.27	19.20	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26	9.29	0.27	9.56	30.00	1.00	Complies
		52	12.31	0.27	12.58	30.00	1.00	Complies
		106	12.76	0.27	13.03	30.00	1.00	Complies
		242	14.87	0.27	15.14	30.00	1.00	Complies
		484	14.24	0.27	14.51	30.00	1.00	Complies
46	5230	26	12.78	0.27	13.05	30.00	1.00	Complies
		52	15.98	0.27	16.25	30.00	1.00	Complies
		106	20.27	0.27	20.54	30.00	1.00	Complies
		242	20.72	0.27	20.99	30.00	1.00	Complies
		484	18.94	0.27	19.21	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26	9.37	0.27	9.64	30.00	1.00	Complies
		52	12.34	0.27	12.61	30.00	1.00	Complies
		106	12.45	0.27	12.72	30.00	1.00	Complies
		242	14.85	0.27	15.12	30.00	1.00	Complies
		484	14.16	0.27	14.43	30.00	1.00	Complies
46	5230	26	12.46	0.27	12.73	30.00	1.00	Complies
		52	16.17	0.27	16.44	30.00	1.00	Complies
		106	20.18	0.27	20.45	30.00	1.00	Complies
		242	20.19	0.27	20.46	30.00	1.00	Complies
		484	19.22	0.27	19.49	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26	15.71	30.00	1.00	Complies
		52	19.07	30.00	1.00	Complies
		106	19.03	30.00	1.00	Complies
		242	21.02	30.00	1.00	Complies
		484	20.63	30.00	1.00	Complies
46	5230	26	19.16	30.00	1.00	Complies
		52	22.44	30.00	1.00	Complies
		106	26.63	30.00	1.00	Complies
		242	26.88	30.00	1.00	Complies
		484	25.39	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	26	7.08	0.42	7.50	30.00	1.00	Complies
		52	8.32	0.42	8.74	30.00	1.00	Complies
		106	12.42	0.42	12.84	30.00	1.00	Complies
		242	9.35	0.42	9.77	30.00	1.00	Complies
		484	14.26	0.42	14.68	30.00	1.00	Complies
		996	15.05	0.42	15.47	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	26	7.13	0.42	7.55	30.00	1.00	Complies
		52	8.27	0.42	8.69	30.00	1.00	Complies
		106	12.47	0.42	12.89	30.00	1.00	Complies
		242	9.67	0.42	10.09	30.00	1.00	Complies
		484	13.66	0.42	14.08	30.00	1.00	Complies
		996	14.98	0.42	15.40	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	26	6.45	0.42	6.87	30.00	1.00	Complies
		52	7.76	0.42	8.18	30.00	1.00	Complies
		106	10.53	0.42	10.95	30.00	1.00	Complies
		242	9.53	0.42	9.95	30.00	1.00	Complies
		484	13.74	0.42	14.16	30.00	1.00	Complies
		996	14.96	0.42	15.38	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	26	6.31	0.42	6.73	30.00	1.00	Complies
		52	7.56	0.42	6.91	30.00	1.00	Complies
		106	10.24	0.42	10.66	30.00	1.00	Complies
		242	9.87	0.42	10.29	30.00	1.00	Complies
		484	13.87	0.42	14.29	30.00	1.00	Complies
		996	14.95	0.42	15.37	30.00	1.00	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	26	13.20	30.00	1.00	Complies
		52	14.43	30.00	1.00	Complies
		106	16.91	30.00	1.00	Complies
		242	16.05	30.00	1.00	Complies
		484	20.33	30.00	1.00	Complies
		996	21.43	30.00	1.00	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	26	7.64	0.28	7.92	24.00	0.25	Complies
		52	10.66	0.28	10.94	24.00	0.25	Complies
		106	11.07	0.28	11.35	24.00	0.25	Complies
		242	13.21	0.28	13.49	24.00	0.25	Complies
60	5300	26	7.57	0.28	7.85	24.00	0.25	Complies
		52	10.64	0.28	10.92	24.00	0.25	Complies
		106	11.14	0.28	11.42	24.00	0.25	Complies
		242	11.65	0.28	11.93	24.00	0.25	Complies
64	5320	26	7.42	0.28	7.70	24.00	0.25	Complies
		52	10.74	0.28	11.02	24.00	0.25	Complies
		106	11.27	0.28	11.55	24.00	0.25	Complies
		242	11.69	0.28	11.97	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	26	7.6	0.28	7.88	24.00	0.25	Complies
		52	10.39	0.28	10.67	24.00	0.25	Complies
		106	10.98	0.28	11.26	24.00	0.25	Complies
		242	12.92	0.28	13.20	24.00	0.25	Complies
60	5300	26	7.53	0.28	7.81	24.00	0.25	Complies
		52	10.07	0.28	10.35	24.00	0.25	Complies
		106	10.92	0.28	11.20	24.00	0.25	Complies
		242	11.73	0.28	12.01	24.00	0.25	Complies
64	5320	26	7.31	0.28	7.59	24.00	0.25	Complies
		52	9.82	0.28	10.10	24.00	0.25	Complies
		106	10.96	0.28	11.24	24.00	0.25	Complies
		242	11.58	0.28	11.86	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	26	7.25	0.28	7.53	24.00	0.25	Complies
		52	10.23	0.28	10.51	24.00	0.25	Complies
		106	10.79	0.28	11.07	24.00	0.25	Complies
		242	13.28	0.28	13.56	24.00	0.25	Complies
60	5300	26	6.85	0.28	7.13	24.00	0.25	Complies
		52	10.43	0.28	10.71	24.00	0.25	Complies
		106	10.86	0.28	11.14	24.00	0.25	Complies
		242	11.64	0.28	11.92	24.00	0.25	Complies
64	5320	26	7.05	0.28	7.33	24.00	0.25	Complies
		52	10.46	0.28	10.74	24.00	0.25	Complies
		106	10.95	0.28	11.23	24.00	0.25	Complies
		242	10.74	0.28	11.02	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	26	7.14	0.28	7.42	24.00	0.25	Complies
		52	10.04	0.28	10.32	24.00	0.25	Complies
		106	10.86	0.28	11.14	24.00	0.25	Complies
		242	13.12	0.28	13.40	24.00	0.25	Complies
60	5300	26	7.34	0.28	7.62	24.00	0.25	Complies
		52	9.91	0.28	10.19	24.00	0.25	Complies
		106	10.92	0.28	11.20	24.00	0.25	Complies
		242	12.07	0.28	12.35	24.00	0.25	Complies
64	5320	26	7.15	0.28	7.43	24.00	0.25	Complies
		52	10.07	0.28	10.35	24.00	0.25	Complies
		106	10.83	0.28	11.11	24.00	0.25	Complies
		242	11.23	0.28	11.51	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	26	13.71	24.00	0.25	Complies
		52	16.63	24.00	0.25	Complies
		106	17.22	24.00	0.25	Complies
		242	19.43	24.00	0.25	Complies
60	5300	26	13.63	24.00	0.25	Complies
		52	16.57	24.00	0.25	Complies
		106	17.26	24.00	0.25	Complies
		242	18.07	24.00	0.25	Complies
64	5320	26	13.53	24.00	0.25	Complies
		52	16.58	24.00	0.25	Complies
		106	17.30	24.00	0.25	Complies
		242	17.62	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	26	7.82	0.27	8.09	24.00	0.25	Complies
		52	9.89	0.27	10.16	24.00	0.25	Complies
		106	13.51	0.27	13.78	24.00	0.25	Complies
		242	14.23	0.27	14.50	24.00	0.25	Complies
		484	14.38	0.27	14.65	24.00	0.25	Complies
62	5310	26	7.76	0.27	8.03	24.00	0.25	Complies
		52	10.24	0.27	10.51	24.00	0.25	Complies
		106	13.16	0.27	13.43	24.00	0.25	Complies
		242	14.15	0.27	14.42	24.00	0.25	Complies
		484	14.47	0.27	14.74	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	26	7.57	0.27	7.84	24.00	0.25	Complies
		52	10.47	0.27	10.74	24.00	0.25	Complies
		106	13.17	0.27	13.44	24.00	0.25	Complies
		242	13.57	0.27	13.84	24.00	0.25	Complies
		484	13.45	0.27	13.72	24.00	0.25	Complies
62	5310	26	7.37	0.27	7.64	24.00	0.25	Complies
		52	10.16	0.27	10.43	24.00	0.25	Complies
		106	11.69	0.27	11.96	24.00	0.25	Complies
		242	13.64	0.27	13.91	24.00	0.25	Complies
		484	13.43	0.27	13.70	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	26	7.14	0.27	7.41	24.00	0.25	Complies
		52	10.25	0.27	10.52	24.00	0.25	Complies
		106	13.73	0.27	14.00	24.00	0.25	Complies
		242	14.15	0.27	14.42	24.00	0.25	Complies
		484	14.14	0.27	14.41	24.00	0.25	Complies
62	5310	26	7.24	0.27	7.51	24.00	0.25	Complies
		52	9.77	0.27	10.04	24.00	0.25	Complies
		106	12.24	0.27	12.51	24.00	0.25	Complies
		242	13.27	0.27	13.54	24.00	0.25	Complies
		484	13.57	0.27	13.84	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	26	6.95	0.27	7.22	24.00	0.25	Complies
		52	10.16	0.27	10.43	24.00	0.25	Complies
		106	13.56	0.27	13.83	24.00	0.25	Complies
		242	13.35	0.27	13.62	24.00	0.25	Complies
		484	14.13	0.27	14.40	24.00	0.25	Complies
62	5310	26	6.94	0.27	7.21	24.00	0.25	Complies
		52	9.72	0.27	9.99	24.00	0.25	Complies
		106	12.24	0.27	12.51	24.00	0.25	Complies
		242	13.38	0.27	13.65	24.00	0.25	Complies
		484	13.97	0.27	14.24	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	26	13.68	24.00	0.25	Complies
		52	16.49	24.00	0.25	Complies
		106	19.79	24.00	0.25	Complies
		242	20.13	24.00	0.25	Complies
		484	20.33	24.00	0.25	Complies
62	5310	26	13.63	24.00	0.25	Complies
		52	16.27	24.00	0.25	Complies
		106	18.66	24.00	0.25	Complies
		242	19.92	24.00	0.25	Complies
		484	20.17	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	26	7.95	0.42	8.37	24.00	0.25	Complies
		52	10.79	0.42	11.21	24.00	0.25	Complies
		106	12.72	0.42	13.14	24.00	0.25	Complies
		242	10.81	0.42	11.23	24.00	0.25	Complies
		484	15.24	0.42	15.66	24.00	0.25	Complies
		996	15.17	0.42	15.59	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	26	7.27	0.42	7.69	24.00	0.25	Complies
		52	10.27	0.42	10.69	24.00	0.25	Complies
		106	11.78	0.42	12.20	24.00	0.25	Complies
		242	9.94	0.42	10.36	24.00	0.25	Complies
		484	13.87	0.42	14.29	24.00	0.25	Complies
		996	13.99	0.42	14.41	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	26	7.13	0.42	7.55	24.00	0.25	Complies
		52	9.14	0.42	9.56	24.00	0.25	Complies
		106	10.48	0.42	10.90	24.00	0.25	Complies
		242	9.55	0.42	9.97	24.00	0.25	Complies
		484	13.57	0.42	13.99	24.00	0.25	Complies
		996	13.86	0.42	14.28	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	26	7.24	0.42	7.66	24.00	0.25	Complies
		52	8.93	0.42	9.35	24.00	0.25	Complies
		106	9.95	0.42	10.37	24.00	0.25	Complies
		242	9.37	0.42	9.79	24.00	0.25	Complies
		484	13.69	0.42	14.11	24.00	0.25	Complies
		996	13.76	0.42	14.18	24.00	0.25	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	26	13.85	24.00	0.25	Complies
		52	16.29	24.00	0.25	Complies
		106	17.81	24.00	0.25	Complies
		242	16.39	24.00	0.25	Complies
		484	20.59	24.00	0.25	Complies
		996	20.67	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	26	7.49	0.28	7.77	24.00	0.25	Complies
		52	10.57	0.28	10.85	24.00	0.25	Complies
		106	11.32	0.28	11.60	24.00	0.25	Complies
		242	12.14	0.28	12.42	24.00	0.25	Complies
116	5580	26	7.57	0.28	7.85	24.00	0.25	Complies
		52	11.12	0.28	11.40	24.00	0.25	Complies
		106	11.63	0.28	11.91	24.00	0.25	Complies
		242	11.65	0.28	11.93	24.00	0.25	Complies
140	5700	26	7.42	0.28	7.70	24.00	0.25	Complies
		52	11.76	0.28	12.04	24.00	0.25	Complies
		106	11.91	0.28	12.19	24.00	0.25	Complies
		242	13.68	0.28	13.96	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	26	7.28	0.28	7.56	24.00	0.25	Complies
		52	10.33	0.28	10.61	24.00	0.25	Complies
		106	10.87	0.28	11.15	24.00	0.25	Complies
		242	11.68	0.28	11.96	24.00	0.25	Complies
116	5580	26	7.31	0.28	7.59	24.00	0.25	Complies
		52	10.93	0.28	11.21	24.00	0.25	Complies
		106	11.35	0.28	11.63	24.00	0.25	Complies
		242	11.82	0.28	12.10	24.00	0.25	Complies
140	5700	26	7.27	0.28	7.55	24.00	0.25	Complies
		52	10.83	0.28	11.11	24.00	0.25	Complies
		106	10.93	0.28	11.21	24.00	0.25	Complies
		242	13.76	0.28	14.04	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	26	7.14	0.28	7.42	24.00	0.25	Complies
		52	10.34	0.28	10.62	24.00	0.25	Complies
		106	10.89	0.28	11.17	24.00	0.25	Complies
		242	11.58	0.28	11.86	24.00	0.25	Complies
116	5580	26	7.46	0.28	7.74	24.00	0.25	Complies
		52	10.95	0.28	11.23	24.00	0.25	Complies
		106	11.43	0.28	11.71	24.00	0.25	Complies
		242	11.57	0.28	11.85	24.00	0.25	Complies
140	5700	26	7.73	0.28	8.01	24.00	0.25	Complies
		52	10.54	0.28	10.82	24.00	0.25	Complies
		106	10.98	0.28	11.26	24.00	0.25	Complies
		242	13.74	0.28	14.02	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	26	7.19	0.28	7.47	24.00	0.25	Complies
		52	9.99	0.28	10.27	24.00	0.25	Complies
		106	10.94	0.28	11.22	24.00	0.25	Complies
		242	11.93	0.28	12.21	24.00	0.25	Complies
116	5580	26	7.44	0.28	7.72	24.00	0.25	Complies
		52	10.46	0.28	10.74	24.00	0.25	Complies
		106	11.28	0.28	11.56	24.00	0.25	Complies
		242	11.89	0.28	12.17	24.00	0.25	Complies
140	5700	26	7.68	0.28	7.96	24.00	0.25	Complies
		52	10.16	0.28	10.44	24.00	0.25	Complies
		106	10.95	0.28	11.23	24.00	0.25	Complies
		242	13.63	0.28	13.91	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	26	13.57	24.00	0.25	Complies
		52	16.61	24.00	0.25	Complies
		106	17.31	24.00	0.25	Complies
		242	18.13	24.00	0.25	Complies
116	5580	26	13.74	24.00	0.25	Complies
		52	17.17	24.00	0.25	Complies
		106	17.72	24.00	0.25	Complies
		242	18.03	24.00	0.25	Complies
140	5700	26	13.83	24.00	0.25	Complies
		52	17.16	24.00	0.25	Complies
		106	17.51	24.00	0.25	Complies
		242	20.00	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	26	7.65	0.27	7.92	24.00	0.25	Complies
		52	9.86	0.27	10.13	24.00	0.25	Complies
		106	13.23	0.27	13.50	24.00	0.25	Complies
		242	14.12	0.27	14.39	24.00	0.25	Complies
		484	13.67	0.27	13.94	24.00	0.25	Complies
110	5550	26	7.71	0.27	6.91	24.00	0.25	Complies
		52	10.14	0.27	10.41	24.00	0.25	Complies
		106	12.04	0.27	12.31	24.00	0.25	Complies
		242	14.24	0.27	14.51	24.00	0.25	Complies
		484	14.25	0.27	14.52	24.00	0.25	Complies
134	5670	26	7.75	0.27	8.02	24.00	0.25	Complies
		52	10.04	0.27	10.31	24.00	0.25	Complies
		106	12.56	0.27	12.83	24.00	0.25	Complies
		242	14.73	0.27	15.00	24.00	0.25	Complies
		484	13.44	0.27	13.71	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	26	7.60	0.27	7.87	24.00	0.25	Complies
		52	9.29	0.27	9.56	24.00	0.25	Complies
		106	12.36	0.27	12.63	24.00	0.25	Complies
		242	13.76	0.27	14.03	24.00	0.25	Complies
		484	14.14	0.27	14.41	24.00	0.25	Complies
110	5550	26	7.62	0.27	7.89	24.00	0.25	Complies
		52	10.14	0.27	10.41	24.00	0.25	Complies
		106	12.35	0.27	12.62	24.00	0.25	Complies
		242	12.91	0.27	14.25	24.00	0.25	Complies
		484	14.03	0.27	14.30	24.00	0.25	Complies
134	5670	26	7.36	0.27	7.63	24.00	0.25	Complies
		52	10.23	0.27	10.50	24.00	0.25	Complies
		106	12.17	0.27	12.44	24.00	0.25	Complies
		242	14.38	0.27	14.65	24.00	0.25	Complies
		484	13.54	0.27	13.81	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	26	7.59	0.27	7.86	24.00	0.25	Complies
		52	9.63	0.27	9.90	24.00	0.25	Complies
		106	12.15	0.27	12.42	24.00	0.25	Complies
		242	13.42	0.27	13.69	24.00	0.25	Complies
		484	13.86	0.27	14.13	24.00	0.25	Complies
110	5550	26	7.37	0.27	7.64	24.00	0.25	Complies
		52	10.42	0.27	10.69	24.00	0.25	Complies
		106	12.46	0.27	12.73	24.00	0.25	Complies
		242	13.76	0.27	14.03	24.00	0.25	Complies
		484	14.21	0.27	14.48	24.00	0.25	Complies
134	5670	26	7.44	0.27	7.71	24.00	0.25	Complies
		52	9.98	0.27	10.25	24.00	0.25	Complies
		106	12.45	0.27	12.72	24.00	0.25	Complies
		242	14.48	0.27	14.75	24.00	0.25	Complies
		484	13.67	0.27	13.94	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	26	7.65	0.27	7.92	24.00	0.25	Complies
		52	9.47	0.27	9.74	24.00	0.25	Complies
		106	11.78	0.27	12.05	24.00	0.25	Complies
		242	14.13	0.27	14.40	24.00	0.25	Complies
		484	13.42	0.27	13.69	24.00	0.25	Complies
110	5550	26	7.46	0.27	7.73	24.00	0.25	Complies
		52	9.93	0.27	10.20	24.00	0.25	Complies
		106	11.67	0.27	11.94	24.00	0.25	Complies
		242	14.14	0.27	14.41	24.00	0.25	Complies
		484	13.49	0.27	13.76	24.00	0.25	Complies
134	5670	26	7.43	0.27	7.70	24.00	0.25	Complies
		52	9.78	0.27	10.05	24.00	0.25	Complies
		106	12.66	0.27	12.93	24.00	0.25	Complies
		242	14.57	0.27	14.84	24.00	0.25	Complies
		484	13.87	0.27	14.14	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	26	13.92	24.00	0.25	Complies
		52	15.86	24.00	0.25	Complies
		106	18.71	24.00	0.25	Complies
		242	20.16	24.00	0.25	Complies
		484	20.07	24.00	0.25	Complies
110	5550	26	13.83	24.00	0.25	Complies
		52	16.45	24.00	0.25	Complies
		106	18.43	24.00	0.25	Complies
		242	20.33	24.00	0.25	Complies
		484	20.30	24.00	0.25	Complies
134	5670	26	13.79	24.00	0.25	Complies
		52	16.30	24.00	0.25	Complies
		106	18.76	24.00	0.25	Complies
		242	20.83	24.00	0.25	Complies
		484	19.93	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	26	7.93	0.42	8.35	24.00	0.25	Complies
		52	10.96	0.42	11.38	24.00	0.25	Complies
		106	10.85	0.42	11.27	24.00	0.25	Complies
		242	12.22	0.42	12.64	24.00	0.25	Complies
		484	14.17	0.42	14.59	24.00	0.25	Complies
		996	15.24	0.42	15.66	24.00	0.25	Complies
122	5610	26	7.75	0.42	8.17	24.00	0.25	Complies
		52	10.28	0.42	10.70	24.00	0.25	Complies
		106	11.29	0.42	11.71	24.00	0.25	Complies
		242	12.28	0.42	12.70	24.00	0.25	Complies
		484	14.23	0.42	14.65	24.00	0.25	Complies
		996	14.45	0.42	14.87	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	26	7.68	0.42	8.10	24.00	0.25	Complies
		52	9.57	0.42	9.99	24.00	0.25	Complies
		106	9.63	0.42	10.05	24.00	0.25	Complies
		242	11.75	0.42	12.17	24.00	0.25	Complies
		484	13.96	0.42	14.38	24.00	0.25	Complies
		996	13.67	0.42	14.09	24.00	0.25	Complies
122	5610	26	7.44	0.42	7.86	24.00	0.25	Complies
		52	9.63	0.42	10.05	24.00	0.25	Complies
		106	10.63	0.42	11.05	24.00	0.25	Complies
		242	11.79	0.42	12.21	24.00	0.25	Complies
		484	13.97	0.42	14.39	24.00	0.25	Complies
		996	14.25	0.42	14.67	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	26	7.25	0.42	7.67	24.00	0.25	Complies
		52	8.94	0.42	9.36	24.00	0.25	Complies
		106	9.17	0.42	9.59	24.00	0.25	Complies
		242	11.67	0.42	12.09	24.00	0.25	Complies
		484	13.35	0.42	13.77	24.00	0.25	Complies
		996	13.56	0.42	12.91	24.00	0.25	Complies
122	5610	26	8.39	0.42	8.81	24.00	0.25	Complies
		52	9.28	0.42	9.70	24.00	0.25	Complies
		106	10.08	0.42	10.50	24.00	0.25	Complies
		242	11.82	0.42	12.24	24.00	0.25	Complies
		484	13.87	0.42	14.29	24.00	0.25	Complies
		996	14.17	0.42	14.59	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	26	7.15	0.42	7.57	24.00	0.25	Complies
		52	8.98	0.42	9.40	24.00	0.25	Complies
		106	9.23	0.42	9.65	24.00	0.25	Complies
		242	12.89	0.42	13.31	24.00	0.25	Complies
		484	13.92	0.42	14.34	24.00	0.25	Complies
		996	13.91	0.42	14.33	24.00	0.25	Complies
122	5610	26	7.97	0.42	8.39	24.00	0.25	Complies
		52	8.63	0.42	9.05	24.00	0.25	Complies
		106	10.12	0.42	10.54	24.00	0.25	Complies
		242	12.34	0.42	12.76	24.00	0.25	Complies
		484	14.47	0.42	14.89	24.00	0.25	Complies
		996	13.96	0.42	14.38	24.00	0.25	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	26	13.95	24.00	0.25	Complies
		52	16.13	24.00	0.25	Complies
		106	16.22	24.00	0.25	Complies
		242	18.60	24.00	0.25	Complies
		484	20.30	24.00	0.25	Complies
		996	20.59	24.00	0.25	Complies
122	5610	26	14.34	24.00	0.25	Complies
		52	15.94	24.00	0.25	Complies
		106	17.00	24.00	0.25	Complies
		242	18.51	24.00	0.25	Complies
		484	20.58	24.00	0.25	Complies
		996	20.65	24.00	0.25	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26	22.24	0.28	22.52	30.00	1.00	Complies
		52	22.19	0.28	22.47	30.00	1.00	Complies
		106	21.96	0.28	22.24	30.00	1.00	Complies
		242	22.39	0.28	22.67	30.00	1.00	Complies
157	5785	26	22.30	0.28	22.58	30.00	1.00	Complies
		52	22.14	0.28	22.42	30.00	1.00	Complies
		106	22.11	0.28	22.39	30.00	1.00	Complies
		242	22.08	0.28	22.36	30.00	1.00	Complies
165	5825	26	22.45	0.28	22.73	30.00	1.00	Complies
		52	22.16	0.28	22.44	30.00	1.00	Complies
		106	22.07	0.28	22.35	30.00	1.00	Complies
		242	21.98	0.28	22.26	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26	21.76	0.28	22.04	30.00	1.00	Complies
		52	22.48	0.28	22.76	30.00	1.00	Complies
		106	22.23	0.28	22.51	30.00	1.00	Complies
		242	22.56	0.28	22.84	30.00	1.00	Complies
157	5785	26	22.11	0.28	22.39	30.00	1.00	Complies
		52	22.45	0.28	22.73	30.00	1.00	Complies
		106	22.53	0.28	22.81	30.00	1.00	Complies
		242	22.31	0.28	22.59	30.00	1.00	Complies
165	5825	26	21.67	0.28	21.95	30.00	1.00	Complies
		52	21.93	0.28	22.21	30.00	1.00	Complies
		106	22.74	0.28	23.02	30.00	1.00	Complies
		242	22.35	0.28	22.63	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26	22.07	0.28	22.35	30.00	1.00	Complies
		52	21.93	0.28	22.21	30.00	1.00	Complies
		106	22.12	0.28	22.40	30.00	1.00	Complies
		242	22.27	0.28	22.55	30.00	1.00	Complies
157	5785	26	22.05	0.28	22.33	30.00	1.00	Complies
		52	21.99	0.28	22.27	30.00	1.00	Complies
		106	22.29	0.28	22.57	30.00	1.00	Complies
		242	22.20	0.28	22.48	30.00	1.00	Complies
165	5825	26	21.53	0.28	21.81	30.00	1.00	Complies
		52	21.99	0.28	22.27	30.00	1.00	Complies
		106	21.88	0.28	22.16	30.00	1.00	Complies
		242	22.08	0.28	22.36	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26	21.59	0.28	21.87	30.00	1.00	Complies
		52	21.88	0.28	22.16	30.00	1.00	Complies
		106	21.89	0.28	22.17	30.00	1.00	Complies
		242	22.10	0.28	22.38	30.00	1.00	Complies
157	5785	26	21.92	0.28	22.20	30.00	1.00	Complies
		52	21.83	0.28	22.11	30.00	1.00	Complies
		106	22.29	0.28	22.57	30.00	1.00	Complies
		242	21.96	0.28	22.24	30.00	1.00	Complies
165	5825	26	21.94	0.28	22.22	30.00	1.00	Complies
		52	21.92	0.28	22.20	30.00	1.00	Complies
		106	21.83	0.28	22.11	30.00	1.00	Complies
		242	21.88	0.28	22.16	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26	28.22	30.00	1.00	Complies
		52	28.42	30.00	1.00	Complies
		106	28.35	30.00	1.00	Complies
		242	28.63	30.00	1.00	Complies
157	5785	26	28.39	30.00	1.00	Complies
		52	28.41	30.00	1.00	Complies
		106	28.60	30.00	1.00	Complies
		242	28.44	30.00	1.00	Complies
165	5825	26	28.21	30.00	1.00	Complies
		52	28.30	30.00	1.00	Complies
		106	28.44	30.00	1.00	Complies
		242	28.37	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26	22.57	0.27	22.84	30.00	1.00	Complies
		52	22.66	0.27	22.93	30.00	1.00	Complies
		106	22.28	0.27	22.55	30.00	1.00	Complies
		242	22.65	0.27	22.92	30.00	1.00	Complies
		484	22.77	0.27	23.04	30.00	1.00	Complies
159	5795	26	21.93	0.27	22.20	30.00	1.00	Complies
		52	22.46	0.27	22.73	30.00	1.00	Complies
		106	22.38	0.27	22.65	30.00	1.00	Complies
		242	22.55	0.27	22.82	30.00	1.00	Complies
		484	22.71	0.27	22.98	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26	22.46	0.27	22.73	30.00	1.00	Complies
		52	22.51	0.27	22.78	30.00	1.00	Complies
		106	22.38	0.27	22.65	30.00	1.00	Complies
		242	22.38	0.27	22.65	30.00	1.00	Complies
		484	22.76	0.27	23.03	30.00	1.00	Complies
159	5795	26	22.40	0.27	22.67	30.00	1.00	Complies
		52	22.15	0.27	22.42	30.00	1.00	Complies
		106	22.43	0.27	22.70	30.00	1.00	Complies
		242	22.47	0.27	22.74	30.00	1.00	Complies
		484	22.59	0.27	22.86	30.00	1.00	Complies

Test Mode UNII-3_TX AX (HE40) Mode_Ant. 3

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26	22.73	0.27	23.00	30.00	1.00	Complies
		52	22.48	0.27	22.75	30.00	1.00	Complies
		106	22.34	0.27	22.61	30.00	1.00	Complies
		242	22.23	0.27	22.50	30.00	1.00	Complies
		484	22.59	0.27	22.86	30.00	1.00	Complies
159	5795	26	22.83	0.27	23.10	30.00	1.00	Complies
		52	22.14	0.27	22.41	30.00	1.00	Complies
		106	22.22	0.27	22.49	30.00	1.00	Complies
		242	22.17	0.27	22.44	30.00	1.00	Complies
		484	22.65	0.27	22.92	30.00	1.00	Complies

Test Mode UNII-3_TX AX (HE40) Mode_Ant. 4

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26	21.91	0.27	22.18	30.00	1.00	Complies
		52	22.01	0.27	22.28	30.00	1.00	Complies
		106	22.32	0.27	22.59	30.00	1.00	Complies
		242	22.45	0.27	22.72	30.00	1.00	Complies
		484	22.17	0.27	22.44	30.00	1.00	Complies
159	5795	26	21.90	0.27	22.17	30.00	1.00	Complies
		52	22.03	0.27	22.30	30.00	1.00	Complies
		106	22.11	0.27	22.38	30.00	1.00	Complies
		242	21.97	0.27	22.24	30.00	1.00	Complies
		484	22.06	0.27	22.33	30.00	1.00	Complies

Test Mode UNII-3_TX AX (HE40) Mode_Total

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26	28.72	30.00	1.00	Complies
		52	28.71	30.00	1.00	Complies
		106	28.62	30.00	1.00	Complies
		242	28.72	30.00	1.00	Complies
		484	28.87	30.00	1.00	Complies
159	5795	26	28.57	30.00	1.00	Complies
		52	28.49	30.00	1.00	Complies
		106	28.58	30.00	1.00	Complies
		242	28.59	30.00	1.00	Complies
		484	28.80	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26	18.14	0.42	18.56	30.00	1.00	Complies
		52	19.23	0.42	19.65	30.00	1.00	Complies
		106	19.78	0.42	20.20	30.00	1.00	Complies
		242	18.88	0.42	19.30	30.00	1.00	Complies
		484	15.67	0.42	16.09	30.00	1.00	Complies
		996	22.27	0.42	22.69	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26	18.56	0.42	18.98	30.00	1.00	Complies
		52	19.51	0.42	19.93	30.00	1.00	Complies
		106	19.47	0.42	19.89	30.00	1.00	Complies
		242	18.56	0.42	18.98	30.00	1.00	Complies
		484	15.23	0.42	15.65	30.00	1.00	Complies
		996	21.88	0.42	22.30	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26	18.47	0.42	18.89	30.00	1.00	Complies
		52	19.17	0.42	19.59	30.00	1.00	Complies
		106	19.22	0.42	19.64	30.00	1.00	Complies
		242	18.49	0.42	18.91	30.00	1.00	Complies
		484	15.17	0.42	15.59	30.00	1.00	Complies
		996	21.98	0.42	22.40	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26	17.95	0.42	18.37	30.00	1.00	Complies
		52	18.85	0.42	19.27	30.00	1.00	Complies
		106	18.93	0.42	19.35	30.00	1.00	Complies
		242	18.47	0.42	18.89	30.00	1.00	Complies
		484	14.87	0.42	15.29	30.00	1.00	Complies
		996	21.78	0.42	22.20	30.00	1.00	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26	24.73	30.00	1.00	Complies
		52	25.64	30.00	1.00	Complies
		106	25.80	30.00	1.00	Complies
		242	25.04	30.00	1.00	Complies
		484	21.69	30.00	1.00	Complies
		996	28.42	30.00	1.00	Complies

Beamforming

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26	13.48	0.28	13.76	25.91	0.3899	Complies
		52	17.50	0.28	17.78	25.91	0.3899	Complies
		106	17.44	0.28	17.72	25.91	0.3899	Complies
		242	17.44	0.28	17.72	25.91	0.3899	Complies
40	5200	26	13.46	0.28	13.74	25.91	0.3899	Complies
		52	17.06	0.28	17.34	25.91	0.3899	Complies
		106	17.51	0.28	17.79	25.91	0.3899	Complies
		242	17.75	0.28	18.03	25.91	0.3899	Complies
48	5240	26	13.39	0.28	13.67	25.91	0.3899	Complies
		52	16.89	0.28	17.17	25.91	0.3899	Complies
		106	18.83	0.28	19.11	25.91	0.3899	Complies
		242	17.19	0.28	17.47	25.91	0.3899	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26	11.94	0.28	12.22	25.91	0.3899	Complies
		52	15.67	0.28	15.95	25.91	0.3899	Complies
		106	17.08	0.28	17.36	25.91	0.3899	Complies
		242	16.78	0.28	17.06	25.91	0.3899	Complies
40	5200	26	11.89	0.28	12.17	25.91	0.3899	Complies
		52	15.55	0.28	15.83	25.91	0.3899	Complies
		106	17.12	0.28	17.40	25.91	0.3899	Complies
		242	17.46	0.28	17.74	25.91	0.3899	Complies
48	5240	26	12.10	0.28	12.38	25.91	0.3899	Complies
		52	15.76	0.28	16.04	25.91	0.3899	Complies
		106	18.11	0.28	18.39	25.91	0.3899	Complies
		242	16.74	0.28	17.02	25.91	0.3899	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26	11.86	0.28	12.14	25.91	0.3899	Complies
		52	15.59	0.28	15.87	25.91	0.3899	Complies
		106	17.13	0.28	17.41	25.91	0.3899	Complies
		242	16.80	0.28	17.08	25.91	0.3899	Complies
40	5200	26	11.85	0.28	12.13	25.91	0.3899	Complies
		52	15.48	0.28	15.76	25.91	0.3899	Complies
		106	17.16	0.28	17.44	25.91	0.3899	Complies
		242	17.42	0.28	17.70	25.91	0.3899	Complies
48	5240	26	12.13	0.28	12.41	25.91	0.3899	Complies
		52	15.98	0.28	16.26	25.91	0.3899	Complies
		106	18.06	0.28	18.34	25.91	0.3899	Complies
		242	16.89	0.28	17.17	25.91	0.3899	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26	12.11	0.28	12.39	25.91	0.3899	Complies
		52	15.75	0.28	16.03	25.91	0.3899	Complies
		106	18.10	0.28	18.38	25.91	0.3899	Complies
		242	16.97	0.28	17.25	25.91	0.3899	Complies
40	5200	26	12.13	0.28	12.41	25.91	0.3899	Complies
		52	15.53	0.28	15.81	25.91	0.3899	Complies
		106	18.12	0.28	18.40	25.91	0.3899	Complies
		242	17.31	0.28	17.59	25.91	0.3899	Complies
48	5240	26	12.17	0.28	12.45	25.91	0.3899	Complies
		52	15.88	0.28	16.16	25.91	0.3899	Complies
		106	18.09	0.28	18.37	25.91	0.3899	Complies
		242	16.93	0.28	17.21	25.91	0.3899	Complies

Test Mode	UNII-1_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	26	18.70	25.91	0.3899	Complies
		52	22.50	25.91	0.3899	Complies
		106	23.75	25.91	0.3899	Complies
		242	23.30	25.91	0.3899	Complies
40	5200	26	18.68	25.91	0.3899	Complies
		52	22.26	25.91	0.3899	Complies
		106	23.79	25.91	0.3899	Complies
		242	23.78	25.91	0.3899	Complies
48	5240	26	18.78	25.91	0.3899	Complies
		52	22.45	25.91	0.3899	Complies
		106	24.58	25.91	0.3899	Complies
		242	23.24	25.91	0.3899	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26	9.11	0.27	9.38	25.91	0.3899	Complies
		52	13.03	0.27	13.30	25.91	0.3899	Complies
		106	12.28	0.27	12.55	25.91	0.3899	Complies
		242	14.23	0.27	14.50	25.91	0.3899	Complies
		484	14.22	0.27	14.49	25.91	0.3899	Complies
46	5230	26	15.31	0.27	15.58	25.91	0.3899	Complies
		52	18.42	0.27	18.69	25.91	0.3899	Complies
		106	20.63	0.27	20.90	25.91	0.3899	Complies
		242	19.72	0.27	19.99	25.91	0.3899	Complies
		484	19.18	0.27	19.45	25.91	0.3899	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26	9.26	0.27	9.53	25.91	0.3899	Complies
		52	13.19	0.27	13.46	25.91	0.3899	Complies
		106	12.29	0.27	12.56	25.91	0.3899	Complies
		242	14.78	0.27	15.05	25.91	0.3899	Complies
		484	12.91	0.27	14.25	25.91	0.3899	Complies
46	5230	26	14.47	0.27	14.74	25.91	0.3899	Complies
		52	17.83	0.27	18.10	25.91	0.3899	Complies
		106	19.03	0.27	19.30	25.91	0.3899	Complies
		242	19.75	0.27	20.02	25.91	0.3899	Complies
		484	18.75	0.27	19.02	25.91	0.3899	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26	9.23	0.27	9.50	25.91	0.3899	Complies
		52	11.26	0.27	11.53	25.91	0.3899	Complies
		106	11.67	0.27	11.94	25.91	0.3899	Complies
		242	14.64	0.27	14.91	25.91	0.3899	Complies
		484	14.05	0.27	14.32	25.91	0.3899	Complies
46	5230	26	14.59	0.27	14.86	25.91	0.3899	Complies
		52	17.71	0.27	16.91	25.91	0.3899	Complies
		106	19.21	0.27	19.48	25.91	0.3899	Complies
		242	19.8	0.27	20.07	25.91	0.3899	Complies
		484	18.83	0.27	19.10	25.91	0.3899	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26	9.33	0.27	9.60	25.91	0.3899	Complies
		52	11.27	0.27	11.54	25.91	0.3899	Complies
		106	11.41	0.27	11.68	25.91	0.3899	Complies
		242	13.89	0.27	14.16	25.91	0.3899	Complies
		484	14.03	0.27	14.30	25.91	0.3899	Complies
46	5230	26	14.28	0.27	14.55	25.91	0.3899	Complies
		52	18.15	0.27	18.42	25.91	0.3899	Complies
		106	19.08	0.27	19.35	25.91	0.3899	Complies
		242	19.07	0.27	19.34	25.91	0.3899	Complies
		484	18.91	0.27	19.18	25.91	0.3899	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	26	15.53	25.91	0.3899	Complies
		52	18.58	25.91	0.3899	Complies
		106	18.22	25.91	0.3899	Complies
		242	20.69	25.91	0.3899	Complies
		484	20.36	25.91	0.3899	Complies
46	5230	26	20.97	25.91	0.3899	Complies
		52	24.33	25.91	0.3899	Complies
		106	25.83	25.91	0.3899	Complies
		242	25.89	25.91	0.3899	Complies
		484	25.21	25.91	0.3899	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	26	7.00	0.42	7.42	25.91	0.3899	Complies
		52	8.18	0.42	8.60	25.91	0.3899	Complies
		106	12.38	0.42	12.80	25.91	0.3899	Complies
		242	9.23	0.42	9.65	25.91	0.3899	Complies
		484	14.15	0.42	14.57	25.91	0.3899	Complies
		996	15.01	0.42	15.43	25.91	0.3899	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	26	6.94	0.42	7.36	25.91	0.3899	Complies
		52	8.15	0.42	8.57	25.91	0.3899	Complies
		106	12.38	0.42	12.80	25.91	0.3899	Complies
		242	9.51	0.42	9.93	25.91	0.3899	Complies
		484	13.52	0.42	13.94	25.91	0.3899	Complies
		996	14.93	0.42	15.35	25.91	0.3899	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	26	6.30	0.42	6.72	25.91	0.3899	Complies
		52	7.30	0.42	7.72	25.91	0.3899	Complies
		106	10.46	0.42	10.88	25.91	0.3899	Complies
		242	9.49	0.42	9.91	25.91	0.3899	Complies
		484	13.54	0.42	13.96	25.91	0.3899	Complies
		996	14.88	0.42	15.30	25.91	0.3899	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	26	6.12	0.42	6.54	25.91	0.3899	Complies
		52	7.19	0.42	7.61	25.91	0.3899	Complies
		106	10.13	0.42	10.55	25.91	0.3899	Complies
		242	9.68	0.42	10.10	25.91	0.3899	Complies
		484	13.78	0.42	14.20	25.91	0.3899	Complies
		996	14.91	0.42	15.33	25.91	0.3899	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	26	13.05	25.91	0.3899	Complies
		52	14.17	25.91	0.3899	Complies
		106	17.90	25.91	0.3899	Complies
		242	15.92	25.91	0.3899	Complies
		484	20.20	25.91	0.3899	Complies
		996	21.37	25.91	0.3899	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	26	7.55	0.28	7.83	19.91	0.0979	Complies
		52	10.57	0.28	10.85	19.91	0.0979	Complies
		106	11.02	0.28	11.30	19.91	0.0979	Complies
		242	12.16	0.28	12.44	19.91	0.0979	Complies
60	5300	26	7.42	0.28	7.70	19.91	0.0979	Complies
		52	10.55	0.28	10.83	19.91	0.0979	Complies
		106	11.11	0.28	11.39	19.91	0.0979	Complies
		242	11.58	0.28	11.86	19.91	0.0979	Complies
64	5320	26	7.39	0.28	7.67	19.91	0.0979	Complies
		52	10.61	0.28	10.89	19.91	0.0979	Complies
		106	11.19	0.28	11.47	19.91	0.0979	Complies
		242	11.09	0.28	11.37	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	26	7.39	0.28	7.67	19.91	0.0979	Complies
		52	10.42	0.28	10.70	19.91	0.0979	Complies
		106	10.25	0.28	10.53	19.91	0.0979	Complies
		242	11.96	0.28	12.24	19.91	0.0979	Complies
60	5300	26	7.17	0.28	7.45	19.91	0.0979	Complies
		52	9.73	0.28	10.01	19.91	0.0979	Complies
		106	10.26	0.28	10.54	19.91	0.0979	Complies
		242	11.69	0.28	11.97	19.91	0.0979	Complies
64	5320	26	7.25	0.28	7.53	19.91	0.0979	Complies
		52	9.82	0.28	10.10	19.91	0.0979	Complies
		106	10.23	0.28	10.51	19.91	0.0979	Complies
		242	10.64	0.28	10.92	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	26	7.21	0.28	7.49	19.91	0.0979	Complies
		52	10.23	0.28	10.51	19.91	0.0979	Complies
		106	10.84	0.28	11.12	19.91	0.0979	Complies
		242	12.09	0.28	12.37	19.91	0.0979	Complies
60	5300	26	6.73	0.28	7.01	19.91	0.0979	Complies
		52	10.27	0.28	10.55	19.91	0.0979	Complies
		106	10.78	0.28	11.06	19.91	0.0979	Complies
		242	11.07	0.28	11.35	19.91	0.0979	Complies
64	5320	26	6.81	0.28	7.09	19.91	0.0979	Complies
		52	10.37	0.28	10.65	19.91	0.0979	Complies
		106	10.52	0.28	10.80	19.91	0.0979	Complies
		242	10.40	0.28	10.68	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	26	6.98	0.28	7.26	19.91	0.0979	Complies
		52	10.01	0.28	10.29	19.91	0.0979	Complies
		106	10.77	0.28	11.05	19.91	0.0979	Complies
		242	12.07	0.28	12.35	19.91	0.0979	Complies
60	5300	26	7.27	0.28	7.55	19.91	0.0979	Complies
		52	9.79	0.28	10.07	19.91	0.0979	Complies
		106	10.73	0.28	11.01	19.91	0.0979	Complies
		242	11.11	0.28	11.39	19.91	0.0979	Complies
64	5320	26	6.36	0.28	6.64	19.91	0.0979	Complies
		52	9.92	0.28	10.20	19.91	0.0979	Complies
		106	10.69	0.28	10.97	19.91	0.0979	Complies
		242	10.71	0.28	10.99	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AX (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	26	13.58	19.91	0.0979	Complies
		52	16.61	19.91	0.0979	Complies
		106	17.03	19.91	0.0979	Complies
		242	18.37	19.91	0.0979	Complies
60	5300	26	13.45	19.91	0.0979	Complies
		52	16.40	19.91	0.0979	Complies
		106	17.03	19.91	0.0979	Complies
		242	17.67	19.91	0.0979	Complies
64	5320	26	13.27	19.91	0.0979	Complies
		52	16.49	19.91	0.0979	Complies
		106	16.97	19.91	0.0979	Complies
		242	17.01	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	26	9.56	0.27	9.83	19.91	0.0979	Complies
		52	11.29	0.27	11.56	19.91	0.0979	Complies
		106	13.69	0.27	13.96	19.91	0.0979	Complies
		242	14.03	0.27	14.30	19.91	0.0979	Complies
		484	13.78	0.27	14.05	19.91	0.0979	Complies
62	5310	26	9.71	0.27	9.98	19.91	0.0979	Complies
		52	10.76	0.27	11.03	19.91	0.0979	Complies
		106	13.91	0.27	14.18	19.91	0.0979	Complies
		242	14.05	0.27	14.32	19.91	0.0979	Complies
		484	13.97	0.27	14.24	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	26	9.34	0.27	9.61	19.91	0.0979	Complies
		52	10.87	0.27	11.14	19.91	0.0979	Complies
		106	13.58	0.27	13.85	19.91	0.0979	Complies
		242	13.21	0.27	13.48	19.91	0.0979	Complies
		484	13.10	0.27	13.37	19.91	0.0979	Complies
62	5310	26	9.31	0.27	9.58	19.91	0.0979	Complies
		52	10.46	0.27	10.73	19.91	0.0979	Complies
		106	12.62	0.27	12.89	19.91	0.0979	Complies
		242	13.31	0.27	13.58	19.91	0.0979	Complies
		484	13.09	0.27	13.36	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	26	9.06	0.27	9.33	19.91	0.0979	Complies
		52	10.73	0.27	11.00	19.91	0.0979	Complies
		106	13.46	0.27	13.73	19.91	0.0979	Complies
		242	13.80	0.27	14.07	19.91	0.0979	Complies
		484	13.73	0.27	14.00	19.91	0.0979	Complies
62	5310	26	9.07	0.27	9.34	19.91	0.0979	Complies
		52	9.98	0.27	10.25	19.91	0.0979	Complies
		106	13.29	0.27	13.56	19.91	0.0979	Complies
		242	12.77	0.27	13.04	19.91	0.0979	Complies
		484	13.46	0.27	13.73	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	26	8.88	0.27	9.15	19.91	0.0979	Complies
		52	10.86	0.27	11.13	19.91	0.0979	Complies
		106	13.45	0.27	13.72	19.91	0.0979	Complies
		242	12.95	0.27	13.22	19.91	0.0979	Complies
		484	13.62	0.27	13.89	19.91	0.0979	Complies
62	5310	26	8.85	0.27	9.12	19.91	0.0979	Complies
		52	9.98	0.27	10.25	19.91	0.0979	Complies
		106	13.24	0.27	13.51	19.91	0.0979	Complies
		242	13.03	0.27	13.30	19.91	0.0979	Complies
		484	13.68	0.27	13.95	19.91	0.0979	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	26	15.51	19.91	0.0979	Complies
		52	17.24	19.91	0.0979	Complies
		106	19.84	19.91	0.0979	Complies
		242	19.81	19.91	0.0979	Complies
		484	19.86	19.91	0.0979	Complies
62	5310	26	15.54	19.91	0.0979	Complies
		52	16.60	19.91	0.0979	Complies
		106	19.58	19.91	0.0979	Complies
		242	19.61	19.91	0.0979	Complies
		484	19.85	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	26	7.84	0.42	8.26	19.91	0.0979	Complies
		52	10.68	0.42	11.10	19.91	0.0979	Complies
		106	12.77	0.42	13.19	19.91	0.0979	Complies
		242	11.87	0.42	12.29	19.91	0.0979	Complies
		484	13.29	0.42	13.71	19.91	0.0979	Complies
		996	13.47	0.42	13.89	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	26	7.13	0.42	7.55	19.91	0.0979	Complies
		52	10.24	0.42	10.66	19.91	0.0979	Complies
		106	11.66	0.42	12.08	19.91	0.0979	Complies
		242	10.74	0.42	11.16	19.91	0.0979	Complies
		484	13.50	0.42	13.92	19.91	0.0979	Complies
		996	12.95	0.42	13.37	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	26	6.72	0.42	7.14	19.91	0.0979	Complies
		52	9.04	0.42	9.46	19.91	0.0979	Complies
		106	10.24	0.42	10.66	19.91	0.0979	Complies
		242	10.35	0.42	10.77	19.91	0.0979	Complies
		484	13.47	0.42	13.89	19.91	0.0979	Complies
		996	12.70	0.42	13.12	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	26	6.87	0.42	7.29	19.91	0.0979	Complies
		52	8.75	0.42	9.17	19.91	0.0979	Complies
		106	9.89	0.42	10.31	19.91	0.0979	Complies
		242	10.31	0.42	10.73	19.91	0.0979	Complies
		484	13.23	0.42	13.65	19.91	0.0979	Complies
		996	12.76	0.42	13.18	19.91	0.0979	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	26	13.60	19.91	0.0979	Complies
		52	16.19	19.91	0.0979	Complies
		106	17.74	19.91	0.0979	Complies
		242	17.31	19.91	0.0979	Complies
		484	19.81	19.91	0.0979	Complies
		996	19.42	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	26	7.77	0.28	8.05	19.91	0.0979	Complies
		52	10.46	0.28	10.74	19.91	0.0979	Complies
		106	11.37	0.28	11.65	19.91	0.0979	Complies
		242	12.09	0.28	12.37	19.91	0.0979	Complies
116	5580	26	7.42	0.28	7.70	19.91	0.0979	Complies
		52	10.99	0.28	11.27	19.91	0.0979	Complies
		106	11.46	0.28	11.74	19.91	0.0979	Complies
		242	11.68	0.28	11.96	19.91	0.0979	Complies
140	5700	26	7.39	0.28	7.67	19.91	0.0979	Complies
		52	10.95	0.28	11.23	19.91	0.0979	Complies
		106	11.42	0.28	11.70	19.91	0.0979	Complies
		242	13.05	0.28	8.05	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	26	7.19	0.28	7.47	19.91	0.0979	Complies
		52	10.41	0.28	10.69	19.91	0.0979	Complies
		106	10.85	0.28	11.13	19.91	0.0979	Complies
		242	11.64	0.28	11.92	19.91	0.0979	Complies
116	5580	26	7.14	0.28	7.42	19.91	0.0979	Complies
		52	10.82	0.28	11.10	19.91	0.0979	Complies
		106	11.27	0.28	11.55	19.91	0.0979	Complies
		242	11.77	0.28	12.05	19.91	0.0979	Complies
140	5700	26	7.31	0.28	7.59	19.91	0.0979	Complies
		52	10.74	0.28	11.02	19.91	0.0979	Complies
		106	10.86	0.28	11.14	19.91	0.0979	Complies
		242	13.16	0.28	13.44	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	26	6.86	0.28	7.14	19.91	0.0979	Complies
		52	10.36	0.28	10.64	19.91	0.0979	Complies
		106	10.33	0.28	10.61	19.91	0.0979	Complies
		242	11.40	0.28	11.68	19.91	0.0979	Complies
116	5580	26	7.25	0.28	7.53	19.91	0.0979	Complies
		52	10.89	0.28	11.17	19.91	0.0979	Complies
		106	10.63	0.28	10.91	19.91	0.0979	Complies
		242	11.23	0.28	11.51	19.91	0.0979	Complies
140	5700	26	7.67	0.28	7.95	19.91	0.0979	Complies
		52	10.80	0.28	11.08	19.91	0.0979	Complies
		106	10.27	0.28	10.55	19.91	0.0979	Complies
		242	13.11	0.28	13.39	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	26	7.08	0.28	7.36	19.91	0.0979	Complies
		52	9.82	0.28	10.10	19.91	0.0979	Complies
		106	10.96	0.28	11.24	19.91	0.0979	Complies
		242	11.71	0.28	11.99	19.91	0.0979	Complies
116	5580	26	7.38	0.28	7.66	19.91	0.0979	Complies
		52	10.35	0.28	10.63	19.91	0.0979	Complies
		106	11.21	0.28	11.49	19.91	0.0979	Complies
		242	11.54	0.28	11.82	19.91	0.0979	Complies
140	5700	26	6.95	0.28	7.23	19.91	0.0979	Complies
		52	10.26	0.28	10.54	19.91	0.0979	Complies
		106	11.01	0.28	11.29	19.91	0.0979	Complies
		242	13.23	0.28	13.51	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AX (HE20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	26	13.54	19.91	0.0979	Complies
		52	16.57	19.91	0.0979	Complies
		106	17.19	19.91	0.0979	Complies
		242	18.01	19.91	0.0979	Complies
116	5580	26	13.60	19.91	0.0979	Complies
		52	17.07	19.91	0.0979	Complies
		106	17.45	19.91	0.0979	Complies
		242	17.86	19.91	0.0979	Complies
140	5700	26	13.63	19.91	0.0979	Complies
		52	16.99	19.91	0.0979	Complies
		106	17.21	19.91	0.0979	Complies
		242	19.43	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	26	9.07	0.27	9.34	19.91	0.0979	Complies
		52	9.27	0.27	9.54	19.91	0.0979	Complies
		106	14.15	0.27	14.42	19.91	0.0979	Complies
		242	14.02	0.27	14.29	19.91	0.0979	Complies
		484	13.64	0.27	13.91	19.91	0.0979	Complies
110	5550	26	9.03	0.27	9.30	19.91	0.0979	Complies
		52	11.67	0.27	11.94	19.91	0.0979	Complies
		106	13.47	0.27	13.74	19.91	0.0979	Complies
		242	13.54	0.27	13.81	19.91	0.0979	Complies
		484	13.86	0.27	14.13	19.91	0.0979	Complies
134	5670	26	9.29	0.27	9.56	19.91	0.0979	Complies
		52	11.64	0.27	11.91	19.91	0.0979	Complies
		106	13.46	0.27	13.73	19.91	0.0979	Complies
		242	13.62	0.27	13.89	19.91	0.0979	Complies
		484	13.40	0.27	13.67	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	26	8.65	0.27	8.92	19.91	0.0979	Complies
		52	9.23	0.27	9.50	19.91	0.0979	Complies
		106	13.21	0.27	13.48	19.91	0.0979	Complies
		242	13.46	0.27	13.73	19.91	0.0979	Complies
		484	13.73	0.27	14.00	19.91	0.0979	Complies
110	5550	26	8.59	0.27	8.86	19.91	0.0979	Complies
		52	11.36	0.27	11.63	19.91	0.0979	Complies
		106	13.89	0.27	14.16	19.91	0.0979	Complies
		242	13.12	0.27	13.39	19.91	0.0979	Complies
		484	13.76	0.27	14.03	19.91	0.0979	Complies
134	5670	26	8.58	0.27	8.85	19.91	0.0979	Complies
		52	11.74	0.27	12.01	19.91	0.0979	Complies
		106	13.02	0.27	13.29	19.91	0.0979	Complies
		242	13.77	0.27	14.04	19.91	0.0979	Complies
		484	13.03	0.27	13.30	19.91	0.0979	Complies