

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE40) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 102     | 5510            | 26            | 8.18                         | 0.27        | 8.45                                       | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 9.13                         | 0.27        | 9.40                                       | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 13.09                        | 0.27        | 13.36                                      | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 13.12                        | 0.27        | 13.39                                      | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 13.52                        | 0.27        | 13.79                                      | 19.91            | 0.0979         | Complies |
| 110     | 5550            | 26            | 8.14                         | 0.27        | 8.41                                       | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 11.17                        | 0.27        | 11.44                                      | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 13.85                        | 0.27        | 14.12                                      | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 13.06                        | 0.27        | 13.33                                      | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 13.60                        | 0.27        | 13.87                                      | 19.91            | 0.0979         | Complies |
| 134     | 5670            | 26            | 8.47                         | 0.27        | 8.74                                       | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 11.22                        | 0.27        | 11.49                                      | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 13.37                        | 0.27        | 13.64                                      | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 13.54                        | 0.27        | 13.81                                      | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 13.32                        | 0.27        | 13.59                                      | 19.91            | 0.0979         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE40) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 102     | 5510            | 26            | 8.31                         | 0.27        | 8.58                                       | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 9.23                         | 0.27        | 9.50                                       | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 12.63                        | 0.27        | 12.90                                      | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 13.71                        | 0.27        | 13.98                                      | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 13.08                        | 0.27        | 13.35                                      | 19.91            | 0.0979         | Complies |
| 110     | 5550            | 26            | 8.27                         | 0.27        | 8.54                                       | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 11.03                        | 0.27        | 11.30                                      | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 13.06                        | 0.27        | 13.33                                      | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 13.33                        | 0.27        | 13.60                                      | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 13.12                        | 0.27        | 13.39                                      | 19.91            | 0.0979         | Complies |
| 134     | 5670            | 26            | 8.39                         | 0.27        | 8.66                                       | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 11.03                        | 0.27        | 11.30                                      | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 13.56                        | 0.27        | 13.83                                      | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 13.41                        | 0.27        | 13.68                                      | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 13.36                        | 0.27        | 13.63                                      | 19.91            | 0.0979         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX (HE40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|------------------|----------------|----------|
| 102     | 5510            | 26            | 14.86                        | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 15.51                        | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 19.60                        | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 19.88                        | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 19.79                        | 19.91            | 0.0979         | Complies |
| 110     | 5550            | 26            | 14.81                        | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 17.61                        | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 19.87                        | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 19.56                        | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 19.89                        | 19.91            | 0.0979         | Complies |
| 134     | 5670            | 26            | 14.99                        | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 17.71                        | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 19.65                        | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 19.88                        | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 19.57                        | 19.91            | 0.0979         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 106     | 5530            | 26            | 7.84                         | 0.42        | 8.26                                       | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 10.92                        | 0.42        | 11.34                                      | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 10.94                        | 0.42        | 11.36                                      | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 12.12                        | 0.42        | 12.54                                      | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 13.45                        | 0.42        | 13.87                                      | 19.91            | 0.0979         | Complies |
|         |                 | 996           | 13.48                        | 0.42        | 13.90                                      | 19.91            | 0.0979         | Complies |
| 122     | 5610            | 26            | 7.64                         | 0.42        | 8.06                                       | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 10.16                        | 0.42        | 10.58                                      | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 11.20                        | 0.42        | 11.62                                      | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 12.17                        | 0.42        | 12.59                                      | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 13.35                        | 0.42        | 13.77                                      | 19.91            | 0.0979         | Complies |
|         |                 | 996           | 13.32                        | 0.42        | 13.74                                      | 19.91            | 0.0979         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 106     | 5530            | 26            | 7.49                         | 0.42        | 7.91                                       | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 9.45                         | 0.42        | 9.87                                       | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 9.70                         | 0.42        | 10.12                                      | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 11.75                        | 0.42        | 12.17                                      | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 13.06                        | 0.42        | 13.48                                      | 19.91            | 0.0979         | Complies |
|         |                 | 996           | 12.85                        | 0.42        | 13.27                                      | 19.91            | 0.0979         | Complies |
| 122     | 5610            | 26            | 7.08                         | 0.42        | 7.50                                       | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 9.55                         | 0.42        | 9.97                                       | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 10.58                        | 0.42        | 11.00                                      | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 11.75                        | 0.42        | 12.17                                      | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 13.27                        | 0.42        | 13.69                                      | 19.91            | 0.0979         | Complies |
|         |                 | 996           | 12.84                        | 0.42        | 13.26                                      | 19.91            | 0.0979         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE80) Mode_Ant. 3 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 106     | 5530            | 26            | 7.17                         | 0.42        | 7.59                                       | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 8.95                         | 0.42        | 9.37                                       | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 9.15                         | 0.42        | 9.57                                       | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 11.47                        | 0.42        | 11.89                                      | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 12.78                        | 0.42        | 13.20                                      | 19.91            | 0.0979         | Complies |
|         |                 | 996           | 12.98                        | 0.42        | 13.40                                      | 19.91            | 0.0979         | Complies |
| 122     | 5610            | 26            | 8.36                         | 0.42        | 8.78                                       | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 9.10                         | 0.42        | 9.52                                       | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 10.00                        | 0.42        | 10.42                                      | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 11.82                        | 0.42        | 12.24                                      | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 13.22                        | 0.42        | 13.64                                      | 19.91            | 0.0979         | Complies |
|         |                 | 996           | 13.04                        | 0.42        | 13.46                                      | 19.91            | 0.0979         | Complies |

|           |                                  |
|-----------|----------------------------------|
| Test Mode | UNII-2C_TX AX (HE80) Mode_Ant. 4 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 106     | 5530            | 26            | 6.89                         | 0.42        | 7.31                                       | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 8.79                         | 0.42        | 9.21                                       | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 8.96                         | 0.42        | 9.38                                       | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 12.78                        | 0.42        | 13.20                                      | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 13.37                        | 0.42        | 13.79                                      | 19.91            | 0.0979         | Complies |
|         |                 | 996           | 12.97                        | 0.42        | 13.39                                      | 19.91            | 0.0979         | Complies |
| 122     | 5610            | 26            | 7.87                         | 0.42        | 8.29                                       | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 8.83                         | 0.42        | 9.25                                       | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 9.99                         | 0.42        | 10.41                                      | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 12.24                        | 0.42        | 12.66                                      | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 13.26                        | 0.42        | 13.68                                      | 19.91            | 0.0979         | Complies |
|         |                 | 996           | 12.78                        | 0.42        | 13.20                                      | 19.91            | 0.0979         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-2C_TX AX (HE80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|------------------|----------------|----------|
| 106     | 5530            | 26            | 13.80                        | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 16.05                        | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 16.20                        | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 18.50                        | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 19.61                        | 19.91            | 0.0979         | Complies |
|         |                 | 996           | 19.52                        | 19.91            | 0.0979         | Complies |
| 122     | 5610            | 26            | 14.20                        | 19.91            | 0.0979         | Complies |
|         |                 | 52            | 15.88                        | 19.91            | 0.0979         | Complies |
|         |                 | 106           | 16.91                        | 19.91            | 0.0979         | Complies |
|         |                 | 242           | 18.44                        | 19.91            | 0.0979         | Complies |
|         |                 | 484           | 19.72                        | 19.91            | 0.0979         | Complies |
|         |                 | 996           | 19.44                        | 19.91            | 0.0979         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE20) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 149     | 5745            | 26            | 19.64                        | 0.28        | 19.92                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.39                        | 0.28        | 19.67                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 19.98                        | 0.28        | 20.26                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 19.81                        | 0.28        | 20.09                                      | 25.91            | 0.3899         | Complies |
| 157     | 5785            | 26            | 19.43                        | 0.28        | 19.71                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.54                        | 0.28        | 19.82                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 19.91                        | 0.28        | 20.19                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 19.85                        | 0.28        | 20.13                                      | 25.91            | 0.3899         | Complies |
| 165     | 5825            | 26            | 19.43                        | 0.28        | 19.71                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.56                        | 0.28        | 19.84                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 20.07                        | 0.28        | 20.35                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 19.84                        | 0.28        | 20.12                                      | 25.91            | 0.3899         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE20) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 149     | 5745            | 26            | 19.34                        | 0.28        | 19.62                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.48                        | 0.28        | 19.76                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 19.23                        | 0.28        | 19.51                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 19.12                        | 0.28        | 19.40                                      | 25.91            | 0.3899         | Complies |
| 157     | 5785            | 26            | 19.33                        | 0.28        | 19.61                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.55                        | 0.28        | 19.83                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 19.03                        | 0.28        | 19.31                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 19.32                        | 0.28        | 19.60                                      | 25.91            | 0.3899         | Complies |
| 165     | 5825            | 26            | 19.42                        | 0.28        | 19.70                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.47                        | 0.28        | 19.75                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 20.04                        | 0.28        | 20.32                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 19.23                        | 0.28        | 19.51                                      | 25.91            | 0.3899         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE20) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 149     | 5745            | 26            | 19.22                        | 0.28        | 19.5                                       | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.31                        | 0.28        | 19.59                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 18.84                        | 0.28        | 19.12                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 18.86                        | 0.28        | 19.14                                      | 25.91            | 0.3899         | Complies |
| 157     | 5785            | 26            | 19.09                        | 0.28        | 19.37                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.25                        | 0.28        | 19.53                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 18.99                        | 0.28        | 19.27                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 18.92                        | 0.28        | 19.20                                      | 25.91            | 0.3899         | Complies |
| 165     | 5825            | 26            | 19.14                        | 0.28        | 19.42                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.38                        | 0.28        | 19.66                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 18.98                        | 0.28        | 19.26                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 18.95                        | 0.28        | 19.23                                      | 25.91            | 0.3899         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE20) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 149     | 5745            | 26            | 19.04                        | 0.28        | 19.32                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.17                        | 0.28        | 19.45                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 18.75                        | 0.28        | 19.03                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 18.81                        | 0.28        | 19.09                                      | 25.91            | 0.3899         | Complies |
| 157     | 5785            | 26            | 19.06                        | 0.28        | 19.34                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.22                        | 0.28        | 19.50                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 18.68                        | 0.28        | 18.96                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 18.66                        | 0.28        | 18.94                                      | 25.91            | 0.3899         | Complies |
| 165     | 5825            | 26            | 19.07                        | 0.28        | 19.35                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.36                        | 0.28        | 19.64                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 18.83                        | 0.28        | 19.11                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 18.72                        | 0.28        | 19.00                                      | 25.91            | 0.3899         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX (HE20) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|------------------|----------------|----------|
| 149     | 5745            | 26            | 25.61                        | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 25.64                        | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 25.52                        | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 25.47                        | 25.91            | 0.3899         | Complies |
| 157     | 5785            | 26            | 25.53                        | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 25.69                        | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 25.47                        | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 25.51                        | 25.91            | 0.3899         | Complies |
| 165     | 5825            | 26            | 25.56                        | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 25.74                        | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 25.82                        | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 25.50                        | 25.91            | 0.3899         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE40) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 151     | 5755            | 26            | 19.63                        | 0.27        | 19.90                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.75                        | 0.27        | 20.02                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 19.77                        | 0.27        | 20.04                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 19.72                        | 0.27        | 19.99                                      | 25.91            | 0.3899         | Complies |
|         |                 | 484           | 19.75                        | 0.27        | 20.02                                      | 25.91            | 0.3899         | Complies |
| 159     | 5795            | 26            | 19.63                        | 0.27        | 19.90                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.88                        | 0.27        | 20.15                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 19.85                        | 0.27        | 20.12                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 19.63                        | 0.27        | 19.90                                      | 25.91            | 0.3899         | Complies |
|         |                 | 484           | 19.69                        | 0.27        | 19.96                                      | 25.91            | 0.3899         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE40) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 151     | 5755            | 26            | 19.36                        | 0.27        | 19.63                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.62                        | 0.27        | 19.89                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 19.15                        | 0.27        | 19.42                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 19.43                        | 0.27        | 19.70                                      | 25.91            | 0.3899         | Complies |
|         |                 | 484           | 19.52                        | 0.27        | 19.79                                      | 25.91            | 0.3899         | Complies |
| 159     | 5795            | 26            | 19.53                        | 0.27        | 19.80                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.29                        | 0.27        | 19.56                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 19.35                        | 0.27        | 19.62                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 19.65                        | 0.27        | 19.92                                      | 25.91            | 0.3899         | Complies |
|         |                 | 484           | 19.77                        | 0.27        | 20.04                                      | 25.91            | 0.3899         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE40) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 151     | 5755            | 26            | 19.53                        | 0.27        | 19.80                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.45                        | 0.27        | 19.72                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 18.74                        | 0.27        | 19.01                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 19.36                        | 0.27        | 19.63                                      | 25.91            | 0.3899         | Complies |
|         |                 | 484           | 19.57                        | 0.27        | 19.84                                      | 25.91            | 0.3899         | Complies |
| 159     | 5795            | 26            | 19.36                        | 0.27        | 19.63                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.36                        | 0.27        | 19.63                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 18.74                        | 0.27        | 19.01                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 19.35                        | 0.27        | 19.62                                      | 25.91            | 0.3899         | Complies |
|         |                 | 484           | 19.40                        | 0.27        | 19.67                                      | 25.91            | 0.3899         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE40) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 151     | 5755            | 26            | 19.52                        | 0.27        | 19.79                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.51                        | 0.27        | 19.78                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 19.02                        | 0.27        | 19.29                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 19.35                        | 0.27        | 19.62                                      | 25.91            | 0.3899         | Complies |
|         |                 | 484           | 19.45                        | 0.27        | 19.72                                      | 25.91            | 0.3899         | Complies |
| 159     | 5795            | 26            | 19.53                        | 0.27        | 19.80                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.88                        | 0.27        | 20.15                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 19.04                        | 0.27        | 19.31                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 19.17                        | 0.27        | 19.44                                      | 25.91            | 0.3899         | Complies |
|         |                 | 484           | 19.13                        | 0.27        | 19.40                                      | 25.91            | 0.3899         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX (HE40) Mode_Total |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|------------------|----------------|----------|
| 151     | 5755            | 26            | 25.80                        | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 25.88                        | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 25.48                        | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 25.76                        | 25.91            | 0.3899         | Complies |
|         |                 | 484           | 25.87                        | 25.91            | 0.3899         | Complies |
| 159     | 5795            | 26            | 25.81                        | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 25.90                        | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 25.56                        | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 25.75                        | 25.91            | 0.3899         | Complies |
|         |                 | 484           | 25.80                        | 25.91            | 0.3899         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE80) Mode_Ant. 1 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 155     | 5775            | 26            | 18.02                        | 0.42        | 18.44                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.15                        | 0.42        | 19.57                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 19.66                        | 0.42        | 20.08                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 19.75                        | 0.42        | 20.17                                      | 25.91            | 0.3899         | Complies |
|         |                 | 484           | 15.56                        | 0.42        | 15.98                                      | 25.91            | 0.3899         | Complies |
|         |                 | 996           | 19.55                        | 0.42        | 19.97                                      | 25.91            | 0.3899         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE80) Mode_Ant. 2 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 155     | 5775            | 26            | 18.35                        | 0.42        | 18.77                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.43                        | 0.42        | 19.85                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 19.44                        | 0.42        | 19.86                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 19.16                        | 0.42        | 19.58                                      | 25.91            | 0.3899         | Complies |
|         |                 | 484           | 15.01                        | 0.42        | 15.43                                      | 25.91            | 0.3899         | Complies |
|         |                 | 996           | 19.56                        | 0.42        | 19.98                                      | 25.91            | 0.3899         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE80) Mode_Ant. 3 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 155     | 5775            | 26            | 18.27                        | 0.42        | 18.69                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 19.09                        | 0.42        | 19.51                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 19.00                        | 0.42        | 19.42                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 19.24                        | 0.42        | 19.66                                      | 25.91            | 0.3899         | Complies |
|         |                 | 484           | 15.14                        | 0.42        | 15.56                                      | 25.91            | 0.3899         | Complies |
|         |                 | 996           | 18.99                        | 0.42        | 19.41                                      | 25.91            | 0.3899         | Complies |

|           |                                 |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AX (HE80) Mode_Ant. 4 |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Duty Factor | Conducted Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|-------------|--------------------------------------------|------------------|----------------|----------|
| 155     | 5775            | 26            | 17.91                        | 0.42        | 18.33                                      | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 18.71                        | 0.42        | 19.13                                      | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 18.75                        | 0.42        | 19.17                                      | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 19.06                        | 0.42        | 19.48                                      | 25.91            | 0.3899         | Complies |
|         |                 | 484           | 14.87                        | 0.42        | 15.29                                      | 25.91            | 0.3899         | Complies |
|         |                 | 996           | 18.82                        | 0.42        | 19.24                                      | 25.91            | 0.3899         | Complies |

|           |                                |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX AX (HE80) Mode_Total |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | Resource Unit | Conducted Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result   |
|---------|-----------------|---------------|------------------------------|------------------|----------------|----------|
| 155     | 5775            | 26            | 24.58                        | 25.91            | 0.3899         | Complies |
|         |                 | 52            | 25.54                        | 25.91            | 0.3899         | Complies |
|         |                 | 106           | 25.67                        | 25.91            | 0.3899         | Complies |
|         |                 | 242           | 25.75                        | 25.91            | 0.3899         | Complies |
|         |                 | 484           | 21.59                        | 25.91            | 0.3899         | Complies |
|         |                 | 996           | 25.68                        | 25.91            | 0.3899         | Complies |

## APPENDIX F - POWER SPECTRAL DENSITY

## CDD


|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 1 | RU configuration | 26 |
|-----------|----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 7.13                             | 0.28        | 7.41                                           | 12.91                | Complies |
| 40      | 5200            | 7.35                             | 0.28        | 7.63                                           | 12.91                | Complies |
| 48      | 5240            | 7.16                             | 0.28        | 7.44                                           | 12.91                | Complies |




|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 2 | RU configuration | 26 |
|-----------|----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 7.04                             | 0.28        | 7.32                                           | 12.91                | Complies |
| 40      | 5200            | 6.81                             | 0.28        | 7.09                                           | 12.91                | Complies |
| 48      | 5240            | 6.35                             | 0.28        | 6.63                                           | 12.91                | Complies |




|           |                                 |                  |    |
|-----------|---------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE20) Mode_Ant. 3 | RU configuration | 26 |
|-----------|---------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 5.77                             | 0.28        | 6.05                                           | 12.91                | Complies |
| 40      | 5200            | 5.27                             | 0.28        | 5.55                                           | 12.91                | Complies |
| 48      | 5240            | 5.21                             | 0.28        | 5.49                                           | 12.91                | Complies |



|           |                                 |                  |    |
|-----------|---------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE20) Mode_Ant. 4 | RU configuration | 26 |
|-----------|---------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 5.07                             | 0.28        | 5.35                                           | 12.91                | Complies |
| 40      | 5200            | 5.05                             | 0.28        | 5.33                                           | 12.91                | Complies |
| 48      | 5240            | 4.59                             | 0.28        | 4.87                                           | 12.91                | Complies |




|           |                                |                  |    |
|-----------|--------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE20) Mode_Total | RU configuration | 26 |
|-----------|--------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 12.63                            | 12.91                | Complies |
| 40      | 5200            | 12.53                            | 12.91                | Complies |
| 48      | 5240            | 12.24                            | 12.91                | Complies |


|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 1 | RU configuration | 52 |
|-----------|----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 7.40                             | 0.28        | 7.68                                           | 12.91                | Complies |
| 40      | 5200            | 7.43                             | 0.28        | 7.71                                           | 12.91                | Complies |
| 48      | 5240            | 6.99                             | 0.28        | 7.27                                           | 12.91                | Complies |




|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 2 | RU configuration | 52 |
|-----------|----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 5.53                             | 0.28        | 5.81                                           | 12.91                | Complies |
| 40      | 5200            | 5.60                             | 0.28        | 5.88                                           | 12.91                | Complies |
| 48      | 5240            | 6.04                             | 0.28        | 6.32                                           | 12.91                | Complies |




|           |                                 |                  |    |
|-----------|---------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE20) Mode_Ant. 3 | RU configuration | 52 |
|-----------|---------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 6.34                             | 0.28        | 6.62                                           | 12.91                | Complies |
| 40      | 5200            | 5.59                             | 0.28        | 5.87                                           | 12.91                | Complies |
| 48      | 5240            | 5.52                             | 0.28        | 5.80                                           | 12.91                | Complies |



|           |                                 |                  |    |
|-----------|---------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE20) Mode_Ant. 4 | RU configuration | 52 |
|-----------|---------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 5.64                             | 0.28        | 5.92                                           | 12.91                | Complies |
| 40      | 5200            | 5.76                             | 0.28        | 6.04                                           | 12.91                | Complies |
| 48      | 5240            | 5.48                             | 0.28        | 5.76                                           | 12.91                | Complies |




|           |                                |                  |    |
|-----------|--------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE20) Mode_Total | RU configuration | 52 |
|-----------|--------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 12.59                            | 12.91                | Complies |
| 40      | 5200            | 12.47                            | 12.91                | Complies |
| 48      | 5240            | 12.35                            | 12.91                | Complies |


|           |                                 |                  |     |
|-----------|---------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE20) Mode_Ant. 1 | RU configuration | 106 |
|-----------|---------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 7.13                             | 0.28        | 7.41                                           | 12.91                | Complies |
| 40      | 5200            | 7.22                             | 0.28        | 7.50                                           | 12.91                | Complies |
| 48      | 5240            | 7.41                             | 0.28        | 7.79                                           | 12.91                | Complies |




|           |                                 |                  |     |
|-----------|---------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE20) Mode_Ant. 2 | RU configuration | 106 |
|-----------|---------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 7.29                             | 0.28        | 7.57                                           | 12.91                | Complies |
| 40      | 5200            | 7.14                             | 0.28        | 7.42                                           | 12.91                | Complies |
| 48      | 5240            | 6.41                             | 0.28        | 6.69                                           | 12.91                | Complies |




|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 3 | RU configuration | 106 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 5.77                             | 0.28        | 6.05                                           | 12.91                | Complies |
| 40      | 5200            | 5.62                             | 0.28        | 5.90                                           | 12.91                | Complies |
| 48      | 5240            | 6.33                             | 0.28        | 6.61                                           | 12.91                | Complies |



|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 4 | RU configuration | 106 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 5.62                             | 0.28        | 5.90                                           | 12.91                | Complies |
| 40      | 5200            | 5.45                             | 0.28        | 5.73                                           | 12.91                | Complies |
| 48      | 5240            | 6.04                             | 0.28        | 6.32                                           | 12.91                | Complies |




|           |                                 |                  |     |
|-----------|---------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Total | RU configuration | 106 |
|-----------|---------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 12.82                            | 12.91                | Complies |
| 40      | 5200            | 12.73                            | 12.91                | Complies |
| 48      | 5240            | 12.88                            | 12.91                | Complies |


|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 1 | RU configuration | 242 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 7.16                             | 0.28        | 7.44                                           | 12.91                | Complies |
| 40      | 5200            | 7.26                             | 0.28        | 7.54                                           | 12.91                | Complies |
| 48      | 5240            | 7.06                             | 0.28        | 7.34                                           | 12.91                | Complies |




|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 2 | RU configuration | 242 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 7.11                             | 0.28        | 7.39                                           | 12.91                | Complies |
| 40      | 5200            | 6.77                             | 0.28        | 7.05                                           | 12.91                | Complies |
| 48      | 5240            | 6.45                             | 0.28        | 6.73                                           | 12.91                | Complies |




|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 3 | RU configuration | 242 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 5.78                             | 0.28        | 6.06                                           | 12.91                | Complies |
| 40      | 5200            | 5.38                             | 0.28        | 5.66                                           | 12.91                | Complies |
| 48      | 5240            | 5.44                             | 0.28        | 5.72                                           | 12.91                | Complies |



|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Ant. 4 | RU configuration | 242 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 36      | 5180            | 5.26                             | 0.28        | 5.54                                           | 12.91                | Complies |
| 40      | 5200            | 5.13                             | 0.28        | 5.41                                           | 12.91                | Complies |
| 48      | 5240            | 4.90                             | 0.28        | 5.18                                           | 12.91                | Complies |




|           |                                 |                  |     |
|-----------|---------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE20) Mode_ Total | RU configuration | 242 |
|-----------|---------------------------------|------------------|-----|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 36      | 5180            | 12.70                            | 12.91                | Complies |
| 40      | 5200            | 12.53                            | 12.91                | Complies |
| 48      | 5240            | 12.34                            | 12.91                | Complies |

|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 1 | RU configuration | 26 |
|-----------|----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 6.78                             | 0.27        | 7.06                                           | 12.91                | Complies |
| 46      | 5230            | 7.31                             | 0.27        | 7.59                                           | 12.91                | Complies |




Date: 15 JUN 2020 03:17:23




Date: 15 JUN 2020 03:18:51

|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 2 | RU configuration | 26 |
|-----------|----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 7.08                             | 0.27        | 7.36                                           | 12.91                | Complies |
| 46      | 5230            | 6.75                             | 0.27        | 7.03                                           | 12.91                | Complies |




Date: 15 JUN 2020 03:16:49




Date: 15 JUN 2020 03:19:29

|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 3 | RU configuration | 26 |
|-----------|----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 5.72                             | 0.27        | 6.00                                           | 12.91                | Complies |
| 46      | 5230            | 5.47                             | 0.27        | 5.75                                           | 12.91                | Complies |




Date: 15.JUN.2020 03:16:14




Date: 15.JUN.2020 03:16:16

|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 4 | RU configuration | 26 |
|-----------|----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 5.12                             | 0.27        | 5.40                                           | 12.91                | Complies |
| 46      | 5230            | 4.57                             | 0.27        | 4.85                                           | 12.91                | Complies |



Date: 15.JUN.2020 03:15:40




Date: 15.JUN.2020 03:15:59

|           |                                 |                  |    |
|-----------|---------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Total | RU configuration | 26 |
|-----------|---------------------------------|------------------|----|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 12.54                            | 12.91                | Complies |
| 46      | 5230            | 12.45                            | 12.91                | Complies |

|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 1 | RU configuration | 52 |
|-----------|----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 6.50                             | 0.27        | 6.78                                           | 12.91                | Complies |
| 46      | 5230            | 7.05                             | 0.27        | 7.33                                           | 12.91                | Complies |




Date: 15.JUN.2020 03:47:31




Date: 15.JUN.2020 04:02:11

|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 2 | RU configuration | 52 |
|-----------|----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 6.73                             | 0.27        | 7.01                                           | 12.91                | Complies |
| 46      | 5230            | 6.36                             | 0.27        | 6.64                                           | 12.91                | Complies |




Date: 15.JUN.2020 03:48:11



Date: 15.JUN.2020 04:01:29


|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 3 | RU configuration | 52 |
|-----------|----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 5.43                             | 0.27        | 5.71                                           | 12.91                | Complies |
| 46      | 5230            | 5.16                             | 0.27        | 5.44                                           | 12.91                | Complies |



|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 4 | RU configuration | 52 |
|-----------|----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 5.36                             | 0.27        | 5.64                                           | 12.91                | Complies |
| 46      | 5230            | 4.79                             | 0.27        | 5.07                                           | 12.91                | Complies |




|           |                                 |                  |    |
|-----------|---------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Total | RU configuration | 52 |
|-----------|---------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 12.34                            | 12.91                | Complies |
| 46      | 5230            | 12.23                            | 12.91                | Complies |

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 1 | RU configuration | 106 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 7.25                             | 0.27        | 7.53                                           | 12.91                | Complies |
| 46      | 5230            | 7.85                             | 0.27        | 8.13                                           | 12.91                | Complies |




Date: 15..JUN.2020 04:41:40

Date: 2.APR.2020 18:02:08

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 2 | RU configuration | 106 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 7.09                             | 0.27        | 7.37                                           | 12.91                | Complies |
| 46      | 5230            | 6.13                             | 0.27        | 6.41                                           | 12.91                | Complies |




Date: 15..JUN.2020 04:41:02


Date: 2.APR.2020 18:01:38

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 3 | RU configuration | 106 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 5.75                             | 0.27        | 6.03                                           | 12.91                | Complies |
| 46      | 5230            | 6.26                             | 0.27        | 6.54                                           | 12.91                | Complies |




Date: 15\_JUN.2020 04:40:26




Date: 2.APR.2020 18:01:07

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 4 | RU configuration | 106 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 5.90                             | 0.27        | 6.18                                           | 12.91                | Complies |
| 46      | 5230            | 5.88                             | 0.27        | 6.16                                           | 12.91                | Complies |



Date: 15\_JUN.2020 04:39:50




Date: 2.APR.2020 18:01:37

|           |                                 |                  |     |
|-----------|---------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Total | RU configuration | 106 |
|-----------|---------------------------------|------------------|-----|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 12.84                            | 12.91                | Complies |
| 46      | 5230            | 12.90                            | 12.91                | Complies |

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 1 | RU configuration | 242 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 6.41                             | 0.27        | 6.68                                           | 12.91                | Complies |
| 46      | 5230            | 6.40                             | 0.27        | 6.67                                           | 12.91                | Complies |




Date: 2.APR.2020 17:02:56




Date: 2.APR.2020 17:17:26

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 2 | RU configuration | 242 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 6.04                             | 0.27        | 6.31                                           | 12.91                | Complies |
| 46      | 5230            | 5.88                             | 0.27        | 6.15                                           | 12.91                | Complies |




Date: 2.APR.2020 17:03:47




Date: 2.APR.2020 17:16:52

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 3 | RU configuration | 242 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 5.21                             | 0.27        | 5.48                                           | 12.91                | Complies |
| 46      | 5230            | 4.78                             | 0.27        | 5.05                                           | 12.91                | Complies |




Date: 2.APR.2020 17:04:27




Date: 2.APR.2020 17:16:17

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 4 | RU configuration | 242 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 4.54                             | 0.27        | 4.81                                           | 12.91                | Complies |
| 46      | 5230            | 4.43                             | 0.27        | 4.70                                           | 12.91                | Complies |



Date: 2.APR.2020 17:05:02




Date: 2.APR.2020 17:15:44

|           |                                 |                  |     |
|-----------|---------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Total | RU configuration | 242 |
|-----------|---------------------------------|------------------|-----|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 11.90                            | 12.91                | Complies |
| 46      | 5230            | 11.74                            | 12.91                | Complies |

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 1 | RU configuration | 484 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 6.18                             | 0.27        | 6.45                                           | 12.91                | Complies |
| 46      | 5230            | 6.07                             | 0.27        | 6.34                                           | 12.91                | Complies |




Date: 2.APR.2020 05:55:48




Date: 2.APR.2020 05:59:34

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 2 | RU configuration | 484 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 4.54                             | 0.27        | 4.81                                           | 12.91                | Complies |
| 46      | 5230            | 4.33                             | 0.27        | 4.60                                           | 12.91                | Complies |




Date: 2.APR.2020 05:56:18




Date: 2.APR.2020 05:59:01

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 3 | RU configuration | 484 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 4.15                             | 0.27        | 4.42                                           | 12.91                | Complies |
| 46      | 5230            | 4.43                             | 0.27        | 4.70                                           | 12.91                | Complies |




Date: 2.APR.2020 05:56:51




Date: 2.APR.2020 05:58:27

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Ant. 4 | RU configuration | 484 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 38      | 5190            | 4.97                             | 0.27        | 5.24                                           | 12.91                | Complies |
| 46      | 5230            | 4.12                             | 0.27        | 4.39                                           | 12.91                | Complies |



Date: 2.APR.2020 05:57:16




Date: 2.APR.2020 05:58:01

|           |                                 |                  |     |
|-----------|---------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE40) Mode_ Total | RU configuration | 484 |
|-----------|---------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 38      | 5190            | 11.32                            | 12.91                | Complies |
| 46      | 5230            | 11.10                            | 12.91                | Complies |

|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 1 | RU configuration | 26 |
|-----------|----------------------------------|------------------|----|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 1.14                             | 0.42        | 1.56                                           | 12.91                | Complies |



Date: 15\_JUN.2020 06:09:46

|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 2 | RU configuration | 26 |
|-----------|----------------------------------|------------------|----|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 0.31                             | 0.42        | 0.73                                           | 12.91                | Complies |



Date: 15\_JUN.2020 06:06:35

|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 3 | RU configuration | 26 |
|-----------|----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -0.89                            | 0.42        | -0.47                                          | 12.91                | Complies |



|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 4 | RU configuration | 26 |
|-----------|----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -1.08                            | 0.42        | -0.66                                          | 12.91                | Complies |




|           |                                 |                  |    |
|-----------|---------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Total | RU configuration | 26 |
|-----------|---------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 6.64                             | 12.91                | Complies |

|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 1 | RU configuration | 52 |
|-----------|----------------------------------|------------------|----|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -0.69                            | 0.42        | -0.27                                          | 12.91                | Complies |



Date: 15\_JUN.2020 06:25:31

|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 2 | RU configuration | 52 |
|-----------|----------------------------------|------------------|----|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -1.26                            | 0.42        | -0.84                                          | 12.91                | Complies |



Date: 15\_JUN.2020 06:24:56

|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 3 | RU configuration | 52 |
|-----------|----------------------------------|------------------|----|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -2.33                            | 0.42        | -1.91                                          | 12.91                | Complies |



Date: 15\_JUN.2020 06:24:19

|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 4 | RU configuration | 52 |
|-----------|----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -2.83                            | 0.42        | -2.41                                          | 12.91                | Complies |




Date: 15\_JUN.2020 06:23:43

|           |                                 |                  |    |
|-----------|---------------------------------|------------------|----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Total | RU configuration | 52 |
|-----------|---------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 4.75                             | 12.91                | Complies |

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 1 | RU configuration | 106 |
|-----------|----------------------------------|------------------|-----|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -2.57                            | 0.42        | -2.15                                          | 12.91                | Complies |



Date: 15-Jun-2020 06:37:12

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 2 | RU configuration | 106 |
|-----------|----------------------------------|------------------|-----|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -2.61                            | 0.42        | -2.19                                          | 12.91                | Complies |



Date: 15-Jun-2020 06:36:37

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 3 | RU configuration | 106 |
|-----------|----------------------------------|------------------|-----|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -4.15                            | 0.42        | -3.73                                          | 12.91                | Complies |



Date: 15-Jun-2020 06:34:02

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 4 | RU configuration | 106 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | -4.61                            | 0.42        | -4.19                                          | 12.91                | Complies |



Date: 15-Jun-2020 06:35:27

|           |                                 |                  |     |
|-----------|---------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Total | RU configuration | 106 |
|-----------|---------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 3.05                             | 12.91                | Complies |

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 4.10                             | 0.42        | 4.52                                           | 12.91                | Complies |



| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 2.31                             | 0.42        | 2.73                                           | 12.91                | Complies |



|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 3 | RU configuration | 242 |
|-----------|----------------------------------|------------------|-----|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 2.59                             | 0.42        | 3.01                                           | 12.91                | Complies |



Date: 3.APR.2020 02:36:58

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 4 | RU configuration | 242 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 2.62                             | 0.42        | 3.04                                           | 12.91                | Complies |




Date: 3.APR.2020 02:35:49

|           |                                 |                  |     |
|-----------|---------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Total | RU configuration | 242 |
|-----------|---------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 9.41                             | 12.91                | Complies |

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 1 | RU configuration | 484 |
|-----------|----------------------------------|------------------|-----|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 2.98                             | 0.42        | 3.4                                            | 12.91                | Complies |



Date: 3.APR.2020 02:52:47

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 2 | RU configuration | 484 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 1.64                             | 0.42        | 2.06                                           | 12.91                | Complies |



Date: 3.APR.2020 02:54:53

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 1.84                             | 0.42        | 2.26                                           | 12.91                | Complies |



| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 2.06                             | 0.42        | 2.48                                           | 12.91                | Complies |



| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 8.60                             | 12.91                | Complies |

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 3.33                             | 0.42        | 3.75                                           | 12.91                | Complies |




| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 1.92                             | 0.42        | 2.34                                           | 12.91                | Complies |



|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 3 | RU configuration | 996 |
|-----------|----------------------------------|------------------|-----|


| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 2.06                             | 0.42        | 2.48                                           | 12.91                | Complies |



Date: 3.APR.2020 03:16:37

|           |                                  |                  |     |
|-----------|----------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Ant. 4 | RU configuration | 996 |
|-----------|----------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 42      | 5210            | 2.08                             | 0.42        | 2.5                                            | 12.91                | Complies |




Date: 3.APR.2020 03:17:11

|           |                                 |                  |     |
|-----------|---------------------------------|------------------|-----|
| Test Mode | UNII-1_TX AX (HE80) Mode_ Total | RU configuration | 996 |
|-----------|---------------------------------|------------------|-----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 42      | 5210            | 8.83                             | 12.91                | Complies |


|           |                                   |                  |    |
|-----------|-----------------------------------|------------------|----|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 1 | RU configuration | 26 |
|-----------|-----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 1.11                             | 0.28        | 1.39                                           | 6.91                 | Complies |
| 60      | 5300            | 1.25                             | 0.28        | 1.53                                           | 6.91                 | Complies |
| 64      | 5320            | 1.38                             | 0.28        | 1.66                                           | 6.91                 | Complies |




|           |                                   |                  |    |
|-----------|-----------------------------------|------------------|----|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 2 | RU configuration | 26 |
|-----------|-----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 0.76                             | 0.28        | 1.04                                           | 6.91                 | Complies |
| 60      | 5300            | -0.12                            | 0.28        | 0.16                                           | 6.91                 | Complies |
| 64      | 5320            | 0.10                             | 0.28        | 0.38                                           | 6.91                 | Complies |




|           |                                   |                  |    |
|-----------|-----------------------------------|------------------|----|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 3 | RU configuration | 26 |
|-----------|-----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | -0.99                            | 0.28        | -0.71                                          | 6.91                 | Complies |
| 60      | 5300            | -1.46                            | 0.28        | -1.18                                          | 6.91                 | Complies |
| 64      | 5320            | -1.04                            | 0.28        | -0.76                                          | 6.91                 | Complies |



|           |                                   |                  |    |
|-----------|-----------------------------------|------------------|----|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 4 | RU configuration | 26 |
|-----------|-----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | -1.44                            | 0.28        | -1.16                                          | 6.91                 | Complies |
| 60      | 5300            | -1.29                            | 0.28        | -1.01                                          | 6.91                 | Complies |
| 64      | 5320            | -1.58                            | 0.28        | -1.30                                          | 6.91                 | Complies |




|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Total | RU configuration | 26 |
|-----------|----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 6.29                             | 6.91                 | Complies |
| 60      | 5300            | 6.03                             | 6.91                 | Complies |
| 64      | 5320            | 6.16                             | 6.91                 | Complies |


|           |                                   |                  |    |
|-----------|-----------------------------------|------------------|----|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 1 | RU configuration | 52 |
|-----------|-----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 1.41                             | 0.28        | 1.69                                           | 6.91                 | Complies |
| 60      | 5300            | 1.80                             | 0.28        | 2.08                                           | 6.91                 | Complies |
| 64      | 5320            | 1.70                             | 0.28        | 1.98                                           | 6.91                 | Complies |




|           |                                   |                  |    |
|-----------|-----------------------------------|------------------|----|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 2 | RU configuration | 52 |
|-----------|-----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | 0.79                             | 0.28        | 1.07                                           | 6.91                 | Complies |
| 60      | 5300            | 0.53                             | 0.28        | 0.81                                           | 6.91                 | Complies |
| 64      | 5320            | 0.69                             | 0.28        | 0.97                                           | 6.91                 | Complies |




|           |                                   |                  |    |
|-----------|-----------------------------------|------------------|----|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 3 | RU configuration | 52 |
|-----------|-----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | -0.71                            | 0.28        | -0.43                                          | 6.91                 | Complies |
| 60      | 5300            | -0.30                            | 0.28        | -0.02                                          | 6.91                 | Complies |
| 64      | 5320            | -1.06                            | 0.28        | -0.78                                          | 6.91                 | Complies |



|           |                                   |                  |    |
|-----------|-----------------------------------|------------------|----|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Ant. 4 | RU configuration | 52 |
|-----------|-----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Duty Factor | Power Spectral Density + Duty Factor (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|-------------|------------------------------------------------|----------------------|----------|
| 52      | 5260            | -1.37                            | 0.28        | -1.09                                          | 6.91                 | Complies |
| 60      | 5300            | -1.12                            | 0.28        | -0.84                                          | 6.91                 | Complies |
| 64      | 5320            | -1.39                            | 0.28        | -1.11                                          | 6.91                 | Complies |



|           |                                  |                  |    |
|-----------|----------------------------------|------------------|----|
| Test Mode | UNII-2A_TX AX (HE20) Mode_ Total | RU configuration | 52 |
|-----------|----------------------------------|------------------|----|

| Channel | Frequency (MHz) | Power Spectral Density (dBm/MHz) | Max. Limit (dBm/MHz) | Result   |
|---------|-----------------|----------------------------------|----------------------|----------|
| 52      | 5260            | 6.47                             | 6.91                 | Complies |
| 60      | 5300            | 6.66                             | 6.91                 | Complies |
| 64      | 5320            | 6.47                             | 6.91                 | Complies |