



Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 1	RU configuration	106
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.19	0.28	1.47	6.91	Complies
60	5300	1.52	0.28	1.80	6.91	Complies
64	5320	1.57	0.28	1.85	6.91	Complies




Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 2	RU configuration	106
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.65	0.28	0.93	6.91	Complies
60	5300	0.53	0.28	0.81	6.91	Complies
64	5320	0.30	0.28	0.58	6.91	Complies




Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 3	RU configuration	106
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.85	0.28	-0.57	6.91	Complies
60	5300	-0.86	0.28	-0.58	6.91	Complies
64	5320	-0.50	0.28	-0.22	6.91	Complies



Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 4	RU configuration	106
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.24	0.28	-0.96	6.91	Complies
60	5300	-1.63	0.28	-1.35	6.91	Complies
64	5320	-1.17	0.28	-0.89	6.91	Complies




Test Mode	UNII-2A_TX AX (HE20) Mode_ Total	RU configuration	106
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.35	6.91	Complies
60	5300	6.36	6.91	Complies
64	5320	6.47	6.91	Complies


Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 1	RU configuration	242
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.37	0.28	1.65	6.91	Complies
60	5300	1.77	0.28	2.05	6.91	Complies
64	5320	1.82	0.28	2.10	6.91	Complies




Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 2	RU configuration	242
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.90	0.28	1.18	6.91	Complies
60	5300	0.73	0.28	1.01	6.91	Complies
64	5320	0.70	0.28	0.98	6.91	Complies




Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 3	RU configuration	242
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.55	0.28	-0.27	6.91	Complies
60	5300	-0.08	0.28	0.20	6.91	Complies
64	5320	-0.81	0.28	-0.53	6.91	Complies



Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 4	RU configuration	242
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.09	0.28	-0.81	6.91	Complies
60	5300	-0.88	0.28	-0.60	6.91	Complies
64	5320	-1.09	0.28	-0.81	6.91	Complies




Test Mode	UNII-2A_TX AX (HE20) Mode_ Total	RU configuration	242
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.57	6.91	Complies
60	5300	6.79	6.91	Complies
64	5320	6.61	6.91	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 3	RU configuration	26
-----------	-----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.29	0.27	-0.02	6.91	Complies
62	5310	-0.87	0.27	-0.60	6.91	Complies




Date: 15_JUN.2020 03:24:36

Date: 15_JUN.2020 03:29:58

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 4	RU configuration	26
-----------	-----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.82	0.27	-0.55	6.91	Complies
62	5310	-0.95	0.27	-0.68	6.91	Complies



Date: 15_JUN.2020 03:25:19


Date: 15_JUN.2020 03:30:45

Test Mode	UNII-2A_TX AX (HE40) Mode_ Total	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.88	6.91	Complies
62	5310	6.71	6.91	Complies


Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 1	RU configuration	52
-----------	-----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.28	0.27	1.55	6.91	Complies
62	5310	1.95	0.27	2.22	6.91	Complies




Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 2	RU configuration	52
-----------	-----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.75	0.27	1.02	6.91	Complies
62	5310	0.90	0.27	1.17	6.91	Complies



Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 3	RU configuration	52
-----------	-----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.02	0.27	0.29	6.91	Complies
62	5310	-0.79	0.27	-0.52	6.91	Complies




Date: 15 JUN 2020 04:07:25

Date: 15 JUN 2020 04:11:22

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 4	RU configuration	52
-----------	-----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.15	0.27	-0.88	6.91	Complies
62	5310	-1.09	0.27	-0.82	6.91	Complies



Date: 15 JUN 2020 04:06:48


Date: 15 JUN 2020 04:11:59

Test Mode	UNII-2A_TX AX (HE40) Mode_ Total	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.61	6.91	Complies
62	5310	6.72	6.91	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 1	RU configuration	106
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.61	0.27	1.88	6.91	Complies
62	5310	1.54	0.27	1.81	6.91	Complies




Date: 15..JUN.2020 04:42:56

Date: 15..JUN.2020 04:47:50

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 2	RU configuration	106
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.08	0.27	1.35	6.91	Complies
62	5310	0.81	0.27	1.08	6.91	Complies




Date: 15..JUN.2020 04:43:28

Date: 15..JUN.2020 04:48:26

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 3	RU configuration	106
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.08	0.27	0.35	6.91	Complies
62	5310	-0.71	0.27	-0.44	6.91	Complies




Date: 15_JUN.2020 04:44:05

Date: 15_JUN.2020 04:50:02

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 4	RU configuration	106
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.99	0.27	-0.72	6.91	Complies
62	5310	-1.23	0.27	-0.96	6.91	Complies



Date: 15_JUN.2020 04:44:40


Date: 15_JUN.2020 04:50:51

Test Mode	UNII-2A_TX AX (HE40) Mode_ Total	RU configuration	106
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.85	6.91	Complies
62	5310	6.54	6.91	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 1	RU configuration	242
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.83	0.27	1.10	6.91	Complies
62	5310	1.03	0.27	1.30	6.91	Complies




Date: 2.APR.2020 17:18:13

Date: 2.APR.2020 17:23:20

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 2	RU configuration	242
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.09	0.27	-0.82	6.91	Complies
62	5310	-0.56	0.27	-0.29	6.91	Complies




Date: 2.APR.2020 17:18:48

Date: 2.APR.2020 17:22:08

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 3	RU configuration	242
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-1.12	0.27	-0.85	6.91	Complies
62	5310	-1.02	0.27	-0.75	6.91	Complies




Date: 2.APR.2020 17:19:22

Date: 2.APR.2020 17:21:35

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 4	RU configuration	242
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.78	0.27	-2.51	6.91	Complies
62	5310	-3.58	0.27	-3.31	6.91	Complies



Date: 2.APR.2020 17:20:10


Date: 2.APR.2020 17:20:49

Test Mode	UNII-2A_TX AX (HE40) Mode_ Total	RU configuration	242
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	5.44	6.91	Complies
62	5310	5.56	6.91	Complies

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 1	RU configuration	484
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.60	0.27	1.87	6.91	Complies
62	5310	1.70	0.27	1.97	6.91	Complies




Date: 2.APR.2020 06:04:07

Date: 2.APR.2020 06:09:03

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 2	RU configuration	484
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.73	0.27	1.00	6.91	Complies
62	5310	1.23	0.27	1.50	6.91	Complies




Date: 2.APR.2020 06:04:53

Date: 2.APR.2020 06:08:33

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 3	RU configuration	484
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.76	0.27	-0.49	6.91	Complies
62	5310	0.33	0.27	0.60	6.91	Complies




Date: 2.APR.2020 06:05:28

Date: 2.APR.2020 06:06:02

Test Mode	UNII-2A_TX AX (HE40) Mode_ Ant. 4	RU configuration	484
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-0.95	0.27	-0.68	6.91	Complies
62	5310	-1.84	0.27	-1.57	6.91	Complies



Date: 2.APR.2020 06:06:02


Date: 2.APR.2020 06:06:57

Test Mode	UNII-2A_TX AX (HE40) Mode_ Total	RU configuration	484
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.58	6.91	Complies
62	5310	6.84	6.91	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 1	RU configuration	26
-----------	-----------------------------------	------------------	----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.42	0.42	1.84	6.91	Complies



Date: 15-Jul-2020 06:10:39

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 2	RU configuration	26
-----------	-----------------------------------	------------------	----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.36	0.42	0.78	6.91	Complies



Date: 15-Jul-2020 06:11:14

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 3	RU configuration	26
-----------	-----------------------------------	------------------	----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.89	0.42	-0.47	6.91	Complies



Date: 15-Jul-2020 06:11:48

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 4	RU configuration	26
-----------	-----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-1.31	0.42	-0.89	6.91	Complies




Date: 15-Jul-2020 06:12:24

Test Mode	UNII-2A_TX AX (HE80) Mode_ Total	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.47	6.91	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 1	RU configuration	52
-----------	-----------------------------------	------------------	----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.10	0.42	0.52	6.91	Complies



Date: 15-Jul-2020 06:26:18

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 2	RU configuration	52
-----------	-----------------------------------	------------------	----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.95	0.42	-0.53	6.91	Complies



Date: 15-Jul-2020 06:26:56

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 3	RU configuration	52
-----------	-----------------------------------	------------------	----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.23	0.42	-1.81	6.91	Complies



Date: 15-Jul-2020 06:27:32

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 4	RU configuration	52
-----------	-----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.87	0.42	-2.45	6.91	Complies



Date: 15-Jul-2020 06:28:11

Test Mode	UNII-2A_TX AX (HE80) Mode_ Total	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	5.11	6.91	Complies

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.49	0.42	1.91	6.91	Complies




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.53	0.42	-0.11	6.91	Complies



Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 3	RU configuration	106
-----------	-----------------------------------	------------------	-----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.34	0.42	0.08	6.91	Complies



Date: 3.APR.2020 02:16:35

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 4	RU configuration	106
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.03	0.42	0.39	6.91	Complies



Date: 3.APR.2020 02:16:04

Test Mode	UNII-2A_TX AX (HE80) Mode_ Total	RU configuration	106
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.67	6.91	Complies

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.12	0.42	-1.7	6.91	Complies




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.08	0.42	-1.66	6.91	Complies



Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 3	RU configuration	242
-----------	-----------------------------------	------------------	-----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.61	0.42	-3.19	6.91	Complies



Date: 3.APR.2020 02:41:49

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 4	RU configuration	242
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.51	0.42	-3.09	6.91	Complies




Date: 3.APR.2020 02:42:21

Test Mode	UNII-2A_TX AX (HE80) Mode_ Total	RU configuration	242
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	3.67	6.91	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 1	RU configuration	484
-----------	-----------------------------------	------------------	-----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.32	0.42	-2.9	6.91	Complies



Date: 3.APR.2020 02:58:46

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 2	RU configuration	484
-----------	-----------------------------------	------------------	-----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-3.54	0.42	-3.12	6.91	Complies



Date: 3.APR.2020 02:57:31

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 3	RU configuration	484
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.66	0.42	-4.24	6.91	Complies



Date: 3.APR.2020 02:57:03

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 4	RU configuration	484
-----------	-----------------------------------	------------------	-----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.81	0.42	-4.39	6.91	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_ Total	RU configuration	484
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.41	6.91	Complies

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 1	RU configuration	996
-----------	-----------------------------------	------------------	-----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.76	0.42	-2.34	6.91	Complies



Date: 3.APR.2020 03:22:10

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 2	RU configuration	996
-----------	-----------------------------------	------------------	-----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.46	0.42	-4.04	6.91	Complies



Date: 3.APR.2020 03:22:40

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 3	RU configuration	996
-----------	-----------------------------------	------------------	-----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.28	0.42	-3.86	6.91	Complies



Date: 3.APR.2020 03:23:39

Test Mode	UNII-2A_TX AX (HE80) Mode_ Ant. 4	RU configuration	996
-----------	-----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.67	0.42	-5.25	6.91	Complies




Date: 3.APR.2020 03:24:39

Test Mode	UNII-2A_TX AX (HE80) Mode_ Total	RU configuration	996
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	2.27	6.91	Complies


Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 1	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.15	0.28	1.43	6.91	Complies
116	5580	0.99	0.28	1.27	6.91	Complies
140	5700	0.81	0.28	1.09	6.91	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 2	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.40	0.28	-0.12	6.91	Complies
116	5580	-0.39	0.28	-0.11	6.91	Complies
140	5700	-0.27	0.28	0.01	6.91	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 3	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.78	0.28	-0.50	6.91	Complies
116	5580	-0.96	0.28	-0.68	6.91	Complies
140	5700	-0.28	0.28	0.00	6.91	Complies



Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 4	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.16	0.28	-0.88	6.91	Complies
116	5580	-0.90	0.28	-0.62	6.91	Complies
140	5700	-0.29	0.28	-0.01	6.91	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_Total	RU configuration	26
-----------	---------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.09	6.91	Complies
116	5580	6.06	6.91	Complies
140	5700	6.32	6.91	Complies


Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 1	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.41	0.28	1.69	6.91	Complies
116	5580	0.86	0.28	1.14	6.91	Complies
140	5700	1.07	0.28	1.35	6.91	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 2	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.21	0.28	0.07	6.91	Complies
116	5580	-0.05	0.28	0.23	6.91	Complies
140	5700	-0.62	0.28	-0.34	6.91	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 3	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.44	0.28	-0.16	6.91	Complies
116	5580	0.18	0.28	0.46	6.91	Complies
140	5700	0.41	0.28	0.69	6.91	Complies



Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 4	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-1.11	0.28	-0.83	6.91	Complies
116	5580	-0.66	0.28	-0.38	6.91	Complies
140	5700	-0.17	0.28	0.11	6.91	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_Total	RU configuration	52
-----------	---------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.31	6.91	Complies
116	5580	6.41	6.91	Complies
140	5700	6.52	6.91	Complies


Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 1	RU configuration	106
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.41	0.28	1.69	6.91	Complies
116	5580	1.19	0.28	1.47	6.91	Complies
140	5700	0.98	0.28	1.26	6.91	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 2	RU configuration	106
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.44	0.28	0.72	6.91	Complies
116	5580	0.13	0.28	0.41	6.91	Complies
140	5700	-0.31	0.28	-0.03	6.91	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 3	RU configuration	106
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.10	0.28	0.18	6.91	Complies
116	5580	0.82	0.28	1.10	6.91	Complies
140	5700	0.36	0.28	0.64	6.91	Complies



Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 4	RU configuration	106
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.91	0.28	-0.63	6.91	Complies
116	5580	-0.61	0.28	-0.33	6.91	Complies
140	5700	-0.03	0.28	0.25	6.91	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_Total	RU configuration	106
-----------	---------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.59	6.91	Complies
116	5580	6.73	6.91	Complies
140	5700	6.57	6.91	Complies


Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 1	RU configuration	242
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.78	0.28	2.06	6.91	Complies
116	5580	0.77	0.28	1.05	6.91	Complies
140	5700	0.88	0.28	1.16	6.91	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 2	RU configuration	242
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.28	0.28	0.56	6.91	Complies
116	5580	-0.50	0.28	-0.22	6.91	Complies
140	5700	0.04	0.28	0.32	6.91	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 3	RU configuration	242
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.24	0.28	0.04	6.91	Complies
116	5580	0.15	0.28	0.43	6.91	Complies
140	5700	1.17	0.28	1.45	6.91	Complies



Test Mode	UNII-2C_TX AX (HE20) Mode_Ant. 4	RU configuration	242
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-0.50	0.28	-0.22	6.91	Complies
116	5580	-1.14	0.28	-0.86	6.91	Complies
140	5700	0.15	0.28	0.43	6.91	Complies




Test Mode	UNII-2C_TX AX (HE20) Mode_Total	RU configuration	242
-----------	---------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.72	6.91	Complies
116	5580	6.18	6.91	Complies
140	5700	6.88	6.91	Complies


Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 1	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.75	0.27	2.02	6.91	Complies
110	5550	1.07	0.27	1.34	6.91	Complies
134	5670	0.08	0.27	0.35	6.91	Complies




Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 2	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.02	0.27	0.29	6.91	Complies
110	5550	-0.21	0.27	0.06	6.91	Complies
134	5670	-0.14	0.27	0.13	6.91	Complies




Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 3	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.45	0.27	1.72	6.91	Complies
110	5550	1.60	0.27	1.87	6.91	Complies
134	5670	1.90	0.27	2.17	6.91	Complies



Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 4	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.18	0.27	1.45	6.91	Complies
110	5550	1.61	0.27	1.88	6.91	Complies
134	5670	-0.08	0.27	0.19	6.91	Complies




Test Mode	UNII-2C_TX AX (HE40) Mode_Total	RU configuration	26
-----------	---------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.66	6.91	Complies
110	5550	6.37	6.91	Complies
134	5670	6.35	6.91	Complies


Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 1	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.66	6.91	6.66	6.91	Complies
110	5550	6.37	6.91	6.37	6.91	Complies
134	5670	6.35	6.91	6.35	6.91	Complies




Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 2	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.36	0.27	0.63	6.91	Complies
110	5550	-0.06	0.27	0.21	6.91	Complies
134	5670	-0.47	0.27	-0.20	6.91	Complies




Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 3	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.86	0.27	-0.59	6.91	Complies
110	5550	-0.23	0.27	0.04	6.91	Complies
134	5670	0.51	0.27	0.78	6.91	Complies



Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 4	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.16	0.27	0.11	6.91	Complies
110	5550	-0.50	0.27	-0.23	6.91	Complies
134	5670	-0.90	0.27	-0.63	6.91	Complies




Test Mode	UNII-2C_TX AX (HE40) Mode_Total	RU configuration	52
-----------	---------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.64	6.91	Complies
110	5550	6.39	6.91	Complies
134	5670	6.11	6.91	Complies


Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 1	RU configuration	106
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.44	0.27	1.71	6.91	Complies
110	5550	0.75	0.27	1.02	6.91	Complies
134	5670	0.92	0.27	1.19	6.91	Complies




Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 2	RU configuration	106
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.29	0.27	0.56	6.91	Complies
110	5550	0.20	0.27	0.47	6.91	Complies
134	5670	0.08	0.27	0.35	6.91	Complies




Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 3	RU configuration	106
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.70	0.27	-0.43	6.91	Complies
110	5550	-0.61	0.27	-0.34	6.91	Complies
134	5670	0.46	0.27	0.73	6.91	Complies



Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 4	RU configuration	106
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-0.93	0.27	-0.66	6.91	Complies
110	5550	-1.20	0.27	-0.93	6.91	Complies
134	5670	-0.20	0.27	0.07	6.91	Complies



Test Mode	UNII-2C_TX AX (HE40) Mode_Total	RU configuration	106
-----------	---------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.42	6.91	Complies
110	5550	6.14	6.91	Complies
134	5670	6.63	6.91	Complies