

APPENDIX REPORT

Project No.	SHT2203065706EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT22030657007	Model No.	PU100
Start test date	2022-06-06	Finish date	2022-06-24
Temperature	24.6℃	Humidity	34%
Test Engineer	Hailey Chen	Auditor	Xiaodong Zhao


Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS




Appendix A: Conducted Peak Output Power




Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	19.34	16.90	≤ 30.00	Pass
	06	20.00	17.60		
	11	20.05	17.70		
802.11g	01	20.30	16.94	≤ 30.00	Pass
	06	20.71	17.50		
	11	20.81	17.86		
802.11n (HT20)	01	19.74	16.62	≤ 30.00	Pass
	06	20.13	17.06		
	11	19.72	16.76		

Appendix B: Power Spectral Density

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	0.60	≤8.00	Pass
	06	0.89		
	11	0.72		
802.11g	01	-3.65	≤8.00	Pass
	06	-4.29		
	11	-4.83		
802.11n(HT20)	01	-3.21	≤8.00	Pass
	06	-2.56		
	11	-3.34		



Type:	802.11 g
CH01	 Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 μs (~15 ms) VBW 100 kHz Mode Auto FFT Count 100/100 MI[1] -3.65 dBm 2.4106760 GHz CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 24 JUN 2022 13:22:54
CH06	 Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 μs (~15 ms) VBW 100 kHz Mode Auto FFT Count 100/100 MI[1] -4.29 dBm 2.4363010 GHz CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 24 JUN 2022 13:25:47
CH11	 Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 μs (~15 ms) VBW 100 kHz Mode Auto FFT Count 100/100 MI[1] -4.83 dBm 2.4650970 GHz CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 24 JUN 2022 13:30:46

Type:	802.11n(HT20)
CH01	 Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 2.78 ms VBW 100 kHz Mode Sweep Count 100/100 MI[1] -32.1 dBm 2.4169450 GHz CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 24 JUN 2022 13:37:44
CH06	 Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 2.78 ms VBW 100 kHz Mode Sweep Count 100/100 MI[1] -2.56 dBm 2.4356760 GHz CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 24 JUN 2022 13:39:33
CH11	 Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 2.78 ms VBW 100 kHz Mode Sweep Count 100/100 MI[1] -3.34 dBm 2.4669450 GHz CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 24 JUN 2022 13:43:59


Appendix C: 6dB bandwidth

Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	10.53	≥0.5	Pass
	06	10.11		
	11	10.11		
802.11g	01	16.50	≥0.5	Pass
	06	16.53		
	11	16.53		
802.11n(HT20)	01	17.76	≥0.5	Pass
	06	17.73		
	11	17.73		

Type:


802.11 b

CH01




Date: 24 JUN 2022 11:28:52

CH06



Date: 24 JUN 2022 11:33:43

CH11




Date: 24 JUN 2022 13:28:40

Type:


802.11 g

CH01




Date: 24 JUN 2022 13:22:45

CH06



Date: 24 JUN 2022 13:25:24

CH11




Date: 24 JUN 2022 13:30:23

Type:


802.11n(HT20)

CH01




Date: 24 JUN 2022 13:33:07

CH06



Date: 24 JUN 2022 13:38:34

CH11



Date: 24 JUN 2022 13:43:22


Appendix D: 99% Occupied Bandwidth

Type	Channel	99% Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	13.25	-	Pass
	06	13.28		
	11	13.28		
802.11g	01	16.72	-	Pass
	06	16.72		
	11	16.75		
802.11n(HT20)	01	17.86	-	Pass
	06	17.83		
	11	17.89		

Type:


802.11 b

CH01




Date: 24 JUN 2022 11:29:05

CH06



Date: 24 JUN 2022 11:31:52

CH11




Date: 24 JUN 2022 13:28:49


Type:

802.11 g


CH01



CH06




CH11




Type:

802.11n(HT20)


CH01



CH06




CH11




Appendix E: Duty Cycle

Modulation Type	Test Frequency (MHz)	T _{on} time for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on} time (kHz)
11b	2437	0.95	2.11	45.0%	1.1
11g	2437	0.25	2.06	12.1%	4.0
11n20	2437	0.23	5.74	4.0%	4.3


11b



11g



11n20



Appendix F: Band edge and Spurious Emissions (conducted)

Test Item:	Bandedge	Type:	802.11 b
CH01	</		

Test Item:	Bandedge	Type:	802.11 g
CH01	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 18 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz M1[1] 1.74 dBm 2.414340 GHz M2[1] -37.64 dBm 2.400000 GHz M1 M2 M3 M4 M5 2.31 GHz 2.39 GHz 2.4 GHz 2.41434 GHz 2.422 GHz 1.74 dBm -37.64 dBm -45.43 dBm -62.12 dBm -36.85 dBm Type Ref Trc X-Value Y-Value Function Function Result M1 1 2.41434 GHz 1.74 dBm M2 1 2.4 GHz -37.64 dBm M3 1 2.39 GHz -45.43 dBm M4 1 2.31 GHz -62.12 dBm M5 1 2.393216 GHz -36.85 dBm Date: 24 JUN 2022 13:23:08		
CH11	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 18 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz M1[1] 2.37 dBm 2.464444 GHz M2[1] -40.29 dBm 2.483500 GHz M1 M2 M3 M4 2.452 GHz 2.46444 GHz 2.4835 GHz 2.5 GHz 2.37 dBm -40.29 dBm -56.77 dBm -39.46 dBm Type Ref Trc X-Value Y-Value Function Function Result M1 1 2.464444 GHz 2.37 dBm M2 1 2.4835 GHz -40.29 dBm M3 1 2.5 GHz -56.77 dBm M4 1 2.483564 GHz -39.46 dBm Date: 24 JUN 2022 13:30:56		

Test Item:	Bandedge	Type:	802.11 n(HT20)																																										
CH01	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz # Att 30 dB SWI 1.12 ms VBW 300 Linz Mode Auto Sweep Count 300/300 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz M1 1.82 dBm M2 1.82 dBm M3 -42.86 dBm M4 -42.30 dBm M5 -37.43 dBm 2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.41064 GHz</td><td>1.82 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4 GHz</td><td>-42.86 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.39 GHz</td><td>-42.30 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.31 GHz</td><td>-63.18 dBm</td><td></td><td></td></tr><tr><td>M5</td><td>1</td><td></td><td>2.392208 GHz</td><td>-37.43 dBm</td><td></td><td></td></tr></table> Date: 24 JUN 2022 13:55:58			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41064 GHz	1.82 dBm			M2	1		2.4 GHz	-42.86 dBm			M3	1		2.39 GHz	-42.30 dBm			M4	1		2.31 GHz	-63.18 dBm			M5	1		2.392208 GHz	-37.43 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41064 GHz	1.82 dBm																																									
M2	1		2.4 GHz	-42.86 dBm																																									
M3	1		2.39 GHz	-42.30 dBm																																									
M4	1		2.31 GHz	-63.18 dBm																																									
M5	1		2.392208 GHz	-37.43 dBm																																									
CH11	MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz # Att 30 dB SWI 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm 2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz M1 1.28 dBm M2 -40.97 dBm M3 -60.19 dBm M4 -39.16 dBm 2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz 2 Marker Table <table><tr><th>Type</th><th>Ref</th><th>Trc</th><th>X-Value</th><th>Y-Value</th><th>Function</th><th>Function Result</th></tr><tr><td>M1</td><td>1</td><td></td><td>2.464444 GHz</td><td>1.28 dBm</td><td></td><td></td></tr><tr><td>M2</td><td>1</td><td></td><td>2.4835 GHz</td><td>-40.97 dBm</td><td></td><td></td></tr><tr><td>M3</td><td>1</td><td></td><td>2.5 GHz</td><td>-60.19 dBm</td><td></td><td></td></tr><tr><td>M4</td><td>1</td><td></td><td>2.483584 GHz</td><td>-39.16 dBm</td><td></td><td></td></tr></table> Date: 24 JUN 2022 13:44:59			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.464444 GHz	1.28 dBm			M2	1		2.4835 GHz	-40.97 dBm			M3	1		2.5 GHz	-60.19 dBm			M4	1		2.483584 GHz	-39.16 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.464444 GHz	1.28 dBm																																									
M2	1		2.4835 GHz	-40.97 dBm																																									
M3	1		2.5 GHz	-60.19 dBm																																									
M4	1		2.483584 GHz	-39.16 dBm																																									