


**Test Setup Photographs for Model No. / PMN: IoT DetectLnk Concealed
Urinal Flush valve**

1.Transmitter Radiated Emissions

1.1.Radiated Emissions: 9 kHz to 30 MHz @ 3 m



Picture 1: Radiated Test Setup - 9 kHz to 30 MHz – EUT+ PCB Antenna




Photo 2: Radiated Test Setup - 9 kHz to 30 MHz - EUT+ PCB Antenna

1.2.Radiated Emissions: 30 MHz to 1GHz @ 3 m




Photo 3: Radiated Test Setup - 30 MHz to 1GHz - EUT+ PCB Antenna




Photo 4: Radiated Test Setup - 30 MHz to 1GHz - EUT+ PCB Antenna

1.3.Radiated Emissions: 1 GHz to 18 GHz @ 3 m




Photo 5: Radiated Test Setup - 1 GHz to 18 GHz - EUT+ PCB Antenna




Photo 6: Radiated Test Setup - 1 GHz to 18 GHz - EUT+ PCB Antenna

1.4.Radiated Emissions: 18 GHz to 26.5 GHz @ 1 m




Photo 7: Radiated Test Setup - 18 GHz – 26.5 GHz - EUT+ PCB Antenna




Photo 8: Radiated Test Setup - 18 GHz – 26.5 GHz - EUT+ PCB Antenna

2.AC Conducted Emissions




Photo 9: AC Conducted Test Setup- EUT+ PCB Antenna




Photo 10: AC Conducted Test Setup- EUT+ PCB Antenna