

## Appendix A

### RF Test Data for BT V5.0(BDR/EDR) (Conducted Measurement)

**Product Name: RockStar MINI**

**Trade Mark: DREAMWAVE**

**Test Model: RockStar MINI**

#### Environmental Conditions


Temperature:	24.3° C
Relative Humidity:	54.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Diamond Lu
Supervised by:	Li Huan

### A.1 Maximum Conducted Peak Output Power


Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-1.131	21	PASS
	MCH	-1.804	21	PASS
	HCH	-2.935	21	PASS
$\pi/4$ DQPSK	LCH	1.138	21	PASS
	MCH	0.421	21	PASS
	HCH	-0.731	21	PASS
8DPSK	LCH	1.645	21	PASS
	MCH	0.966	21	PASS
	HCH	-0.141	21	PASS



Test Graphs



GFSK/LCH





GFSK/MCH











8DPSK/HCH




**A.2 20dB Bandwidth**

Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.9501	Not Specified	PASS
	MCH	0.9489	Not Specified	PASS
	HCH	0.9492	Not Specified	PASS
$\pi/4$ DQPSK	LCH	1.284	Not Specified	PASS
	MCH	1.284	Not Specified	PASS
	HCH	1.285	Not Specified	PASS
8DPSK	LCH	1.304	Not Specified	PASS
	MCH	1.305	Not Specified	PASS
	HCH	1.307	Not Specified	PASS





GFSK/MCH




Frequency

Center Freq  
2.441000000 GHz

CF Step  
200.000 kHz  
Auto Man

Freq Offset  
0 Hz

GFSK/HCH





Frequency



Center Freq  
2.480000000 GHz

CF Step  
200.000 kHz  
Auto Man


Freq Offset  
0 Hz

$\pi/4$ DQPSK/LCH	Agilent Spectrum Analyzer - Occupied BW Center Freq 2.40200000 GHz #IFGain: Low #Atten: 30 dB Mkr1 2.401844 GHz -2.9784 dBm 10 dB/div Ref Offset 8.05 dB Ref 20.00 dBm  Center 2.402 GHz Span 2 MHz #Res BW 30 kHz #VBW 100 kHz Sweep 2.133 ms Occupied Bandwidth 1.1678 MHz Total Power 6.67 dBm Transmit Freq Error 1.571 kHz OBW Power 99.00 % x dB Bandwidth 1.284 MHz x dB -20.00 dB	Frequency 2.40200000 GHz CF Step 200.000 kHz Freq Offset 0 Hz
	Auto Man	
	MSG STATUS	
	Auto Man	


$\pi/4$ DQPSK/MCH	Agilent Spectrum Analyzer - Occupied BW Center Freq 2.44100000 GHz #IFGain: Low #Atten: 30 dB Mkr1 2.440838 GHz -3.8249 dBm 10 dB/div Ref Offset 8.05 dB Ref 20.00 dBm  Center 2.441 GHz Span 2 MHz #Res BW 30 kHz #VBW 100 kHz Sweep 2.133 ms Occupied Bandwidth 1.1686 MHz Total Power 5.95 dBm Transmit Freq Error 1.610 kHz OBW Power 99.00 % x dB Bandwidth 1.284 MHz x dB -20.00 dB	Frequency 2.44100000 GHz CF Step 200.000 kHz Freq Offset 0 Hz
	Auto Man	
	MSG STATUS	
	Auto Man	



8DPSK/MCH




8DPSK/HCH




### A.3 Carrier Frequency Separation

Mode	Channel	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.892	0.633	PASS
	MCH	0.982	0.633	PASS
	HCH	0.874	0.633	PASS
π/4DQPSK	LCH	0.958	0.857	PASS
	MCH	1.330	0.857	PASS
	HCH	1.188	0.857	PASS
8DPSK	LCH	0.978	0.871	PASS
	MCH	1.184	0.871	PASS
	HCH	1.144	0.871	PASS




GFSK/MCH




Frequency  
Auto Tune  
Center Freq  
2.441500000 GHz  
Start Freq  
2.440500000 GHz  
Stop Freq  
2.442500000 GHz  
CF Step  
200.000 kHz  
Auto  
Man  
Freq Offset  
0 Hz

GFSK/HCH




Frequency  
Auto Tune  
Center Freq  
2.479500000 GHz  
Start Freq  
2.478500000 GHz  
Stop Freq  
2.480500000 GHz  
CF Step  
200.000 kHz  
Auto  
Man  
Freq Offset  
0 Hz


π/4DQPSK/LCH



π/4DQPSK/MCH



π/4DQPSK/HCH



Frequency

Auto Tune

Center Freq  
2.479500000 GHz


Start Freq  
2.478500000 GHz

Stop Freq  
2.480500000 GHz

CF Step  
200.000 kHz

Freq Offset  
0 Hz

8DPSK/LCH



Frequency

Auto Tune

Center Freq  
2.402500000 GHz

Start Freq  
2.401500000 GHz


Stop Freq  
2.403500000 GHz

CF Step  
200.000 kHz


Freq Offset  
0 Hz



8DPSK/MCH



8DPSK/HCH




### A.4 Hopping Channel Number

Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	>=15	PASS
$\pi/4$ DQPSK	Hop	79	>=15	PASS
8DPSK	Hop	79	>=15	PASS

Test Graphs


GFSK/Hop	<div style="border: 1px solid black; padding: 5px;"> <p style="font-size: 0.8em; margin: 0;">Agilent Spectrum Analyzer - Swept SA</p> <p style="font-size: 0.7em; margin: 0;">RL RF SQ AC SENSE:INT ALIGN AUTO 09:37:53 AM Nov 13, 2020</p> <p style="font-size: 0.8em; margin: 0;">Center Freq 2.441750000 GHz #Avg Type: RMS #Attenu: 30 dB</p> <p style="font-size: 0.7em; margin: 0;">PNO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB</p> <p style="font-size: 0.7em; margin: 0;">Ref Offset 8.05 dB Ref 20.00 dBm <math>\Delta</math>Mkr1 78.052 MHz -2.032 dB</p> <p style="font-size: 0.8em; margin: 0;">Start 2.40000 GHz Stop 2.48350 GHz</p> <p style="font-size: 0.7em; margin: 0;">#Res BW 100 kHz #VBW 300 kHz Sweep 8.000 ms (8001 pts)</p> <table border="1" style="width: 100%; font-size: 0.6em; border-collapse: collapse;"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><math>\Delta</math>2</td> <td>f</td> <td>(<math>\Delta</math>)</td> <td>78.052 MHz (<math>\Delta</math>)</td> <td>-2.032 dB</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>F</td> <td>f</td> <td>(<math>\Delta</math>)</td> <td>2.402056 GHz</td> <td>-1.839 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> </div>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	$\Delta$ 2	f	( $\Delta$ )	78.052 MHz ( $\Delta$ )	-2.032 dB				2	F	f	( $\Delta$ )	2.402056 GHz	-1.839 dBm			
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	$\Delta$ 2	f	( $\Delta$ )	78.052 MHz ( $\Delta$ )	-2.032 dB																							
2	F	f	( $\Delta$ )	2.402056 GHz	-1.839 dBm																							
$\pi/4$ DQPSK/Hop	<div style="border: 1px solid black; padding: 5px;"> <p style="font-size: 0.8em; margin: 0;">Agilent Spectrum Analyzer - Swept SA</p> <p style="font-size: 0.7em; margin: 0;">RL RF SQ AC SENSE:INT ALIGN AUTO 09:43:08 AM Nov 13, 2020</p> <p style="font-size: 0.8em; margin: 0;">Center Freq 2.441750000 GHz #Avg Type: RMS #Attenu: 30 dB</p> <p style="font-size: 0.7em; margin: 0;">PNO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB</p> <p style="font-size: 0.7em; margin: 0;">Ref Offset 8.05 dB Ref 20.00 dBm <math>\Delta</math>Mkr1 77.999 MHz -1.757 dB</p> <p style="font-size: 0.8em; margin: 0;">Start 2.40000 GHz Stop 2.48350 GHz</p> <p style="font-size: 0.7em; margin: 0;">#Res BW 100 kHz #VBW 300 kHz Sweep 8.000 ms (8001 pts)</p> <table border="1" style="width: 100%; font-size: 0.6em; border-collapse: collapse;"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><math>\Delta</math>2</td> <td>f</td> <td>(<math>\Delta</math>)</td> <td>77.999 MHz (<math>\Delta</math>)</td> <td>-1.757 dB</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>F</td> <td>f</td> <td>(<math>\Delta</math>)</td> <td>2.401847 GHz</td> <td>-1.513 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table> </div>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	$\Delta$ 2	f	( $\Delta$ )	77.999 MHz ( $\Delta$ )	-1.757 dB				2	F	f	( $\Delta$ )	2.401847 GHz	-1.513 dBm			
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	$\Delta$ 2	f	( $\Delta$ )	77.999 MHz ( $\Delta$ )	-1.757 dB																							
2	F	f	( $\Delta$ )	2.401847 GHz	-1.513 dBm																							

8DPSK/Hop




### A.5 Dwell Time


Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	2.9	106.7	0.309	0.4	PASS
	DH5	MCH	2.9	106.7	0.309	0.4	PASS
	DH5	HCH	2.9	106.7	0.309	0.4	PASS
π/4DQPSK	2DH5	LCH	2.9	106.7	0.309	0.4	PASS
	2DH5	MCH	2.9	106.7	0.309	0.4	PASS
	2DH5	HCH	2.9	106.7	0.309	0.4	PASS
8DPSK	3DH5	LCH	2.9	106.7	0.309	0.4	PASS
	3DH5	MCH	2.9	106.7	0.309	0.4	PASS
	3DH5	HCH	2.9	106.7	0.309	0.4	PASS




GFSK\_DH5/MCH




GFSK\_DH5/HCH




$\pi/4$ DQPSK  
\_2DH5/LCH




$\pi/4$ DQPSK  
\_2DH5/MCH




$\pi/4$ DQPSK  
\_2DH5/HCH




8DPSK\_3DH5/LCH



8DPSK\_3DH5/MCH




8DPSK\_3DH5/HCH







### A.6 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-1.509	-38.067	-21.509	PASS
	MCH	-2.19	-38.161	-22.190	PASS
	HCH	-3.345	-37.613	-23.345	PASS
$\pi$ /4DQPSK	LCH	-1.621	-37.144	-21.621	PASS
	MCH	-2.176	-37.917	-22.176	PASS
	HCH	-3.37	-36.995	-23.370	PASS
8DPSK	LCH	-1.49	-38.294	-21.490	PASS
	MCH	-2.157	-38.015	-22.157	PASS
	HCH	-3.311	-37.595	-23.311	PASS







GFSK\_MCH\_Graphs




GFSK\_HCH\_Graphs




$\pi/4$ DQPSK\_LCH\_Graphs




$\pi/4$ DQPSK\_MCH\_Graphs



$\pi/4$ DQPSK\_HCH\_Graphs




8DPSK\_LCH\_Graphs






8DPSK\_MCH\_Graphs



8DPSK\_HCH\_Graphs




### A.7 Band-edge for RF Conducted Emissions


Mode	Channel	Carrier Frequency [MHz]	Carrier Power [dBm]	Frequency Hopping	Max Spurious Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2402	-1.498	Off	-49.770	-21.5	PASS
			-1.550	On	-49.143	-21.55	PASS
	HCH	2480	-3.219	Off	-49.124	-23.22	PASS
			-2.818	On	-48.453	-22.82	PASS
π/4DQPSK	LCH	2402	-1.596	Off	-49.780	-21.6	PASS
			-1.634	On	-48.878	-21.63	PASS
	HCH	2480	-3.520	Off	-49.290	-23.52	PASS
			-2.534	On	-48.884	-22.53	PASS
8DPSK	LCH	2402	-1.432	Off	-49.142	-21.43	PASS
			-1.631	On	-48.263	-21.63	PASS
	HCH	2480	-3.292	Off	-48.378	-23.29	PASS
			-2.806	On	-47.739	-22.81	PASS

Test Graphs


GFSK/LCH/No Hop




GFSK/LCH/Hop




GFSK/HCH/No Hop




GFSK/HCH/Hop




$\pi/4$ DQPSK/LCH/No  
Hop




$\pi/4$ DQPSK/LCH/Hop




$\pi$ /4DQPSK/HCH/No  
Hop



$\pi$ /4DQPSK/HCH/Hop




8DPSK/LCH/No Hop



Frequency  
Auto Tune  
Center Freq  
2.357000000 GHz  
Start Freq  
2.310000000 GHz  
Stop Freq  
2.404000000 GHz  
CF Step  
9.400000 MHz  
Auto Man  
Freq Offset  
0 Hz


8DPSK/LCH/Hop



Frequency  
Auto Tune  
Center Freq  
2.400000000 GHz  
Start Freq  
2.370000000 GHz  
Stop Freq  
2.430000000 GHz  
CF Step  
6.000000 MHz  
Auto Man  
Freq Offset  
0 Hz




8DPSK/HCH/No Hop



Frequency  
Auto Tune  
Center Freq  
2.489000000 GHz  
Start Freq  
2.478000000 GHz  
Stop Freq  
2.500000000 GHz  
CF Step  
2.200000 MHz  
Auto Man  
Freq Offset  
0 Hz

8DPSK/HCH/Hop




Frequency  
Auto Tune  
Center Freq  
2.483500000 GHz  
Start Freq  
2.463500000 GHz  
Stop Freq  
2.513500000 GHz  
CF Step  
6.000000 MHz  
Auto Man  
Freq Offset  
0 Hz


### A.8 Restrict-band band-edge measurements

Test Mode	Hopping	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
GFSK	Off	2310.0	-42.99	2.0	0	52.27	PEAK	74	PASS
	Off	2310.0	-53.44	2.0	0	41.82	AV	54	PASS
	Off	2390.0	-42.73	2.0	0	52.52	PEAK	74	PASS
	Off	2390.0	-53.11	2.0	0	42.15	AV	54	PASS
	Off	2483.5	-42.45	2.0	0	52.81	PEAK	74	PASS
	Off	2483.5	-52.56	2.0	0	42.70	AV	54	PASS
	Off	2500.0	-42.41	2.0	0	52.85	PEAK	74	PASS
	Off	2500.0	-52.40	2.0	0	42.86	AV	54	PASS
$\pi/4$ DQPSK	Off	2310.0	-42.66	2.0	0	52.60	PEAK	74	PASS
	Off	2310.0	-53.39	2.0	0	41.87	AV	54	PASS
	Off	2390.0	-43.36	2.0	0	51.90	PEAK	74	PASS
	Off	2390.0	-53.11	2.0	0	42.14	AV	54	PASS
	Off	2483.5	-42.73	2.0	0	52.53	PEAK	74	PASS
	Off	2483.5	-52.55	2.0	0	42.71	AV	54	PASS
	Off	2500.0	-43.95	2.0	0	51.31	PEAK	74	PASS
	Off	2500.0	-52.36	2.0	0	42.89	AV	54	PASS
8DPSK	Off	2310.0	-43.65	2.0	0	51.61	PEAK	74	PASS
	Off	2310.0	-53.44	2.0	0	41.82	AV	54	PASS
	Off	2390.0	-42.34	2.0	0	52.92	PEAK	74	PASS
	Off	2390.0	-53.09	2.0	0	42.17	AV	54	PASS
	Off	2483.5	-41.61	2.0	0	53.65	PEAK	74	PASS
	Off	2483.5	-52.52	2.0	0	42.73	AV	54	PASS
	Off	2500.0	-41.25	2.0	0	54.01	PEAK	74	PASS
	Off	2500.0	-52.36	2.0	0	42.90	AV	54	PASS


Restrict-band band-edge measurements\_Hopping Off\_GFSK\_PEAK (Low Channel)




Restrict-band band-edge measurements\_Hopping Off\_GFSK\_Average (Low Channel)




Restrict-band band-edge measurements\_Hopping Off\_GFSK\_PEAK (High Channel)




Restrict-band band-edge measurements\_Hopping Off\_GFSK\_Average (High Channel)




Restrict-band band-edge measurements\_Hopping Off  $\pi/4$ -DQPSK\_PEAK (Low Channel)




Restrict-band band-edge measurements\_Hopping Off  $\pi/4$ -DQPSK\_Average (Low Channel)




Restrict-band band-edge measurements\_Hopping Off\_π/4-DQPSK\_PEAK (High Channel)




Restrict-band band-edge measurements\_Hopping Off\_π/4-DQPSK\_Average (High Channel)




Restrict-band band-edge measurements\_Hopping Off\_8DPSK\_PEAK (Low Channel)



Restrict-band band-edge measurements\_Hopping Off\_8DPSK\_Average (Low Channel)



Restrict-band band-edge measurements\_Hopping Off\_8DPSK\_PEAK (High Channel)



Restrict-band band-edge measurements\_Hopping Off\_8DPSK\_Average (High Channel)

