Test Data

Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Deviation (ppm)	Limit (ppm)	Verdict
HVNT	a	5745	Ant1	5744.9985	-0.26	Within authorized band	Pass
HVNT	a	5745	Ant10	5744.999	-0.17		Pass
LVNT	a	5745	Ant1	5744.9985	-0.26		Pass
LVNT	a	5745	Ant10	5744.999	-0.17		Pass
NVHT	a	5745	Ant1	5744.9985	-0.26		Pass
NVHT	a	5745	Ant10	5744.999	-0.17		Pass
NVLT	a	5745	Ant1	5744.9985	-0.26		Pass
NVLT	a	5745	Ant10	5744.9995	-0.09		Pass
NVNT	a	5745	Ant1	5744.9985	-0.26		Pass
NVNT	a	5745	Ant10	5744.9995	-0.09		Pass
HVNT	ac20	5745	Sum	5744.9985	-0.26		Pass
LVNT	ac20	5745	Sum	5744.9985	-0.26		Pass
NVHT	ac20	5745	Sum	5744.9985	-0.26		Pass
NVLT	ac20	5745	Sum	5744.999	-0.17		Pass
NVNT	ac20	5745	Sum	5744.9995	-0.09		Pass
HVNT	ax20	5745	Sum	5744.9975	-0.44		Pass
LVNT	ax20	5745	Sum	5744.9975	-0.44		Pass
NVHT	ax20	5745	Sum	5744.998	-0.35		Pass
NVLT	ax20	5745	Sum	5744.998	-0.35		Pass
NVNT	ax20	5745	Sum	5744.9985	-0.26		Pass
HVNT	ax40	5755	Sum	5754.998	-0.35		Pass
LVNT	ax40	5755	Sum	5754.9975	-0.43		Pass
NVHT	ax40	5755	Sum	5754.998	-0.35		Pass
NVLT	ax40	5755	Sum	5754.9985	-0.26		Pass
NVNT	ax40	5755	Sum	5754.999	-0.17		Pass
HVNT	ax80	5775	Sum	5774.999	-0.17		Pass
LVNT	ax80	5775	Sum	5774.9995	-0.09		Pass
NVHT	ax80	5775	Sum	5774.9995	-0.09		Pass
NVLT	ax80	5775	Sum	5774.9995	-0.09		Pass
NVNT	ax80	5775	Sum	5775	0		Pass
HVNT	n20	5745	Sum	5744.9985	-0.26		Pass
LVNT	n20	5745	Sum	5744.999	-0.17		Pass
NVHT	n20	5745	Sum	5744.999	-0.17		Pass
NVLT	n20	5745	Sum	5744.9985	-0.26		Pass
NVNT	n20	5745	Sum	5744.998	-0.35		Pass
HVNT	n40	5755	Sum	5754.9995	-0.09		Pass
LVNT	n40	5755	Sum	5754.9995	-0.09		Pass
NVHT	n40	5755	Sum	5755	0		Pass

NVLT	n40	5755	Sum	5755.0005	0.09		Pass
NVNT	n40	5755	Sum	5755.001	0.17		Pass
Remark: “NTNV” means Normal Temperature Normal Voltage, “NVHT” means Normal Voltage High Temperature, “NVLT” means Normal Voltage Low Temperature, “LVNT” means Low Voltage Normal Temperature, “HVNT” means High Voltage Normal Temperature.							

Test Graphs
Freq. Stability HVNT a 5745MHz Ant1



Freq. Stability HVNT a 5745MHz Ant10



Freq. Stability LVNT a 5745MHz Ant1



Freq. Stability LVNT a 5745MHz Ant10



Freq. Stability NVHT a 5745MHz Ant1



Freq. Stability NVHT a 5745MHz Ant10



Freq. Stability NVLT a 5745MHz Ant1



Freq. Stability NVLT a 5745MHz Ant10



Freq. Stability NVNT a 5745MHz Ant1



Freq. Stability NVNT a 5745MHz Ant10



Freq. Stability HVNT ac20 5745MHz Sum



Freq. Stability LVNT ac20 5745MHz Sum



Freq. Stability NVHT ac20 5745MHz Sum



Freq. Stability NVLT ac20 5745MHz Sum



Freq. Stability NVNT ac20 5745MHz Sum

Freq. Stability HVNT ax20 5745MHz Sum



Freq. Stability LVNT ax20 5745MHz Sum



Freq. Stability NVHT ax20 5745MHz Sum



Freq. Stability NVLT ax20 5745MHz Sum



Freq. Stability NVNT ax20 5745MHz Sum



Freq. Stability HVNT ax40 5755MHz Sum



Freq. Stability LVNT ax40 5755MHz Sum



Freq. Stability NVHT ax40 5755MHz Sum



Freq. Stability NVLT ax40 5755MHz Sum



Freq. Stability NVNT ax40 5755MHz Sum



Freq. Stability HVNT ax80 5775MHz Sum



Freq. Stability LVNT ax80 5775MHz Sum



Freq. Stability NVHT ax80 5775MHz Sum



Freq. Stability NVLT ax80 5775MHz Sum



Freq. Stability NVNT ax80 5775MHz Sum



Freq. Stability HVNT n20 5745MHz Sum



Freq. Stability LVNT n20 5745MHz Sum



Freq. Stability NVHT n20 5745MHz Sum



Freq. Stability NVLT n20 5745MHz Sum



Freq. Stability NVNT n20 5745MHz Sum



Freq. Stability HVNT n40 5755MHz Sum



Freq. Stability LVNT n40 5755MHz Sum



Freq. Stability NVHT n40 5755MHz Sum



Freq. Stability NVLT n40 5755MHz Sum



Freq. Stability NVNT n40 5755MHz Sum



Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5745	Ant1	100	0
NVNT	a	5785	Ant1	100	0
NVNT	a	5825	Ant1	100	0
NVNT	a	5745	Ant10	100	0
NVNT	a	5785	Ant10	100	0
NVNT	a	5825	Ant10	100	0
NVNT	ac20	5745	Sum	100	0
NVNT	ac20	5785	Sum	100	0
NVNT	ac20	5825	Sum	100	0
NVNT	ac40	5755	Sum	100	0
NVNT	ac40	5795	Sum	100	0
NVNT	ac80	5775	Sum	100	0
NVNT	ax20	5745	Sum	100	0
NVNT	ax20	5785	Sum	100	0
NVNT	ax20	5825	Sum	100	0
NVNT	ax40	5755	Sum	100	0
NVNT	ax40	5795	Sum	100	0
NVNT	ax80	5775	Sum	100	0
NVNT	n20	5745	Sum	100	0
NVNT	n20	5785	Sum	100	0
NVNT	n20	5825	Sum	100	0
NVNT	n40	5755	Sum	100	0
NVNT	n40	5795	Sum	100	0

Test Graphs
Duty Cycle NVNT a 5745MHz Ant1



Duty Cycle NVNT a 5785MHz Ant1



Duty Cycle NVNT a 5825MHz Ant1



Duty Cycle NVNT a 5745MHz Ant10



Duty Cycle NVNT a 5785MHz Ant10



Duty Cycle NVNT a 5825MHz Ant10



Duty Cycle NVNT ac20 5745MHz Sum



Duty Cycle NVNT ac20 5785MHz Sum



Duty Cycle NVNT ac20 5825MHz Sum



Duty Cycle NVNT ac40 5755MHz Sum



Duty Cycle NVNT ac40 5795MHz Sum



Duty Cycle NVNT ac80 5775MHz Sum



Duty Cycle NVNT ax20 5745MHz Sum



Duty Cycle NVNT ax20 5785MHz Sum



Duty Cycle NVNT ax20 5825MHz Sum



Duty Cycle NVNT ax40 5755MHz Sum



Duty Cycle NVNT ax40 5795MHz Sum



Duty Cycle NVNT ax80 5775MHz Sum



Duty Cycle NVNT n20 5745MHz Sum



Duty Cycle NVNT n20 5785MHz Sum



Duty Cycle NVNT n20 5825MHz Sum



Duty Cycle NVNT n40 5755MHz Sum



Duty Cycle NVNT n40 5795MHz Sum


Spectrum Analyzer 1
Swept SA
KEYSIGHT
Input: RF
Coupling: DC
Align: Auto
Input Z: 50 Ω
Corr CCorr
Freq Ref: Int (S)
#Atten: 30 dB
PNO: Fast
Gate: Off
IF Gain: Low
Sig Track: Off
Avg Type: Log-Power
Trig: Free Run
1 Spectrum
Scale/Div 10 dB
Ref Lvl Offset 3.83 dB
Ref Level 20.00 dBm
Mkr1 47.61 ms
5.60 dBm
Log
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0
Center 5.795000000 GHz
Res BW 1.0 MHz
#Video BW 3.0 MHz
Span 0 Hz
Sweep 100 ms (10001 pts)
Apr 28, 2023
11:26:19 AM

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	11.91	0	11.91	30	Pass
NVNT	a	5785	Ant1	12.07	0	12.07	30	Pass
NVNT	a	5825	Ant1	12.27	0	12.27	30	Pass
NVNT	a	5745	Ant10	12.3	0	12.3	30	Pass
NVNT	a	5785	Ant10	12.49	0	12.49	30	Pass
NVNT	a	5825	Ant10	12.25	0	12.25	30	Pass
NVNT	ac20	5745	Ant1	13.19	0	13.19	30	Pass
NVNT	ac20	5745	Ant10	11.84	0	11.84	30	Pass
NVNT	ac20	5745	Sum	15.578	0	15.578	30	Pass
NVNT	ac20	5785	Ant1	12.64	0	12.64	30	Pass
NVNT	ac20	5785	Ant10	12.11	0	12.11	30	Pass
NVNT	ac20	5785	Sum	15.393	0	15.393	30	Pass
NVNT	ac20	5825	Ant1	13.15	0	13.15	30	Pass
NVNT	ac20	5825	Ant10	11.67	0	11.67	30	Pass
NVNT	ac20	5825	Sum	15.483	0	15.483	30	Pass
NVNT	ac40	5755	Ant1	11.85	0	11.85	30	Pass
NVNT	ac40	5755	Ant10	10.75	0	10.75	30	Pass
NVNT	ac40	5755	Sum	14.345	0	14.345	30	Pass
NVNT	ac40	5795	Ant1	12.53	0	12.53	30	Pass
NVNT	ac40	5795	Ant10	11.35	0	11.35	30	Pass
NVNT	ac40	5795	Sum	14.99	0	14.99	30	Pass
NVNT	ac80	5775	Ant1	12.26	0	12.26	30	Pass
NVNT	ac80	5775	Ant10	11.28	0	11.28	30	Pass
NVNT	ac80	5775	Sum	14.808	0	14.808	30	Pass
NVNT	ax20	5745	Ant1	10.65	0	10.65	30	Pass
NVNT	ax20	5745	Ant10	9.06	0	9.06	30	Pass
NVNT	ax20	5745	Sum	12.938	0	12.938	30	Pass
NVNT	ax20	5785	Ant1	11.54	0	11.54	30	Pass
NVNT	ax20	5785	Ant10	10.78	0	10.78	30	Pass
NVNT	ax20	5785	Sum	14.187	0	14.187	30	Pass
NVNT	ax20	5825	Ant1	10.92	0	10.92	30	Pass
NVNT	ax20	5825	Ant10	9.76	0	9.76	30	Pass
NVNT	ax20	5825	Sum	13.389	0	13.389	30	Pass
NVNT	ax40	5755	Ant1	10.58	0	10.58	30	Pass
NVNT	ax40	5755	Ant10	9.49	0	9.49	30	Pass
NVNT	ax40	5755	Sum	13.079	0	13.079	30	Pass
NVNT	ax40	5795	Ant1	11.16	0	11.16	30	Pass
NVNT	ax40	5795	Ant10	9.94	0	9.94	30	Pass
NVNT	ax40	5795	Sum	13.603	0	13.603	30	Pass
NVNT	ax80	5775	Ant1	10.33	0	10.33	30	Pass

NVNT	ax80	5775	Ant10	9.31	0	9.31	30	Pass
NVNT	ax80	5775	Sum	12.86	0	12.86	30	Pass
NVNT	n20	5745	Ant1	12.48	0	12.48	39	Pass
NVNT	n20	5745	Ant10	11.11	0	11.11	39	Pass
NVNT	n20	5745	Sum	14.859	0	14.859	39	Pass
NVNT	n20	5785	Ant1	13.76	0	13.76	30	Pass
NVNT	n20	5785	Ant10	12.95	0	12.95	30	Pass
NVNT	n20	5785	Sum	16.384	0	16.384	30	Pass
NVNT	n20	5825	Ant1	13.29	0	13.29	30	Pass
NVNT	n20	5825	Ant10	11.74	0	11.74	30	Pass
NVNT	n20	5825	Sum	15.594	0	15.594	30	Pass
NVNT	n40	5755	Ant1	12.75	0	12.75	30	Pass
NVNT	n40	5755	Ant10	11.66	0	11.66	30	Pass
NVNT	n40	5755	Sum	15.249	0	15.249	30	Pass
NVNT	n40	5795	Ant1	13.32	0	13.32	30	Pass
NVNT	n40	5795	Ant10	12.1	0	12.1	30	Pass
NVNT	n40	5795	Sum	15.763	0	15.763	30	Pass

-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	a	5745	Ant1	16.03	0.5	Pass
NVNT	a	5785	Ant1	15.292	0.5	Pass
NVNT	a	5825	Ant1	14.982	0.5	Pass
NVNT	a	5745	Ant10	16.305	0.5	Pass
NVNT	a	5785	Ant10	16.069	0.5	Pass
NVNT	a	5825	Ant10	15.754	0.5	Pass
NVNT	ac20	5745	Ant1	14.96	0.5	Pass
NVNT	ac20	5745	Ant10	11.953	0.5	Pass
NVNT	ac20	5785	Ant1	17.316	0.5	Pass
NVNT	ac20	5785	Ant10	17.317	0.5	Pass
NVNT	ac20	5825	Ant1	17.29	0.5	Pass
NVNT	ac20	5825	Ant10	16.303	0.5	Pass
NVNT	ac40	5755	Ant1	35.911	0.5	Pass
NVNT	ac40	5755	Ant10	35.927	0.5	Pass
NVNT	ac40	5795	Ant1	35.791	0.5	Pass
NVNT	ac40	5795	Ant10	35.44	0.5	Pass
NVNT	ac80	5775	Ant1	76.361	0.5	Pass
NVNT	ac80	5775	Ant10	75.719	0.5	Pass
NVNT	ax20	5745	Ant1	18.833	0.5	Pass
NVNT	ax20	5745	Ant10	18.506	0.5	Pass
NVNT	ax20	5785	Ant1	18.584	0.5	Pass
NVNT	ax20	5785	Ant10	18.858	0.5	Pass
NVNT	ax20	5825	Ant1	18.896	0.5	Pass
NVNT	ax20	5825	Ant10	18.709	0.5	Pass
NVNT	ax40	5755	Ant1	37.649	0.5	Pass
NVNT	ax40	5755	Ant10	37.654	0.5	Pass
NVNT	ax40	5795	Ant1	37.885	0.5	Pass
NVNT	ax40	5795	Ant10	37.581	0.5	Pass
NVNT	ax80	5775	Ant1	76.946	0.5	Pass
NVNT	ax80	5775	Ant10	77.769	0.5	Pass
NVNT	n20	5745	Ant1	16.377	0.5	Pass
NVNT	n20	5745	Ant10	16.316	0.5	Pass
NVNT	n20	5785	Ant1	17.176	0.5	Pass
NVNT	n20	5785	Ant10	17.508	0.5	Pass
NVNT	n20	5825	Ant1	17.297	0.5	Pass
NVNT	n20	5825	Ant10	17.155	0.5	Pass
NVNT	n40	5755	Ant1	36.049	0.5	Pass
NVNT	n40	5755	Ant10	35.666	0.5	Pass
NVNT	n40	5795	Ant1	35.854	0.5	Pass
NVNT	n40	5795	Ant10	35.026	0.5	Pass

Test Graphs
-6dB Bandwidth NVNT a 5745MHz Ant1



-6dB Bandwidth NVNT a 5785MHz Ant1

-6dB Bandwidth NVNT a 5825MHz Ant1



-6dB Bandwidth NVNT a 5745MHz Ant10

-6dB Bandwidth NVNT a 5785MHz Ant10



-6dB Bandwidth NVNT a 5825MHz Ant10

-6dB Bandwidth NVNT ac20 5745MHz Ant1



-6dB Bandwidth NVNT ac20 5745MHz Ant10



-6dB Bandwidth NVNT ac20 5785MHz Ant1



-6dB Bandwidth NVNT ac20 5785MHz Ant10



-6dB Bandwidth NVNT ac20 5825MHz Ant1



-6dB Bandwidth NVNT ac20 5825MHz Ant10



-6dB Bandwidth NVNT ac40 5755MHz Ant1



-6dB Bandwidth NVNT ac40 5755MHz Ant10



-6dB Bandwidth NVNT ac40 5795MHz Ant1



-6dB Bandwidth NVNT ac40 5795MHz Ant10

-6dB Bandwidth NVNT ac80 5775MHz Ant1



-6dB Bandwidth NVNT ac80 5775MHz Ant10



-6dB Bandwidth NVNT ax20 5745MHz Ant1



-6dB Bandwidth NVNT ax20 5745MHz Ant10



-6dB Bandwidth NVNT ax20 5785MHz Ant1



-6dB Bandwidth NVNT ax20 5785MHz Ant10

-6dB Bandwidth NVNT ax20 5825MHz Ant1



-6dB Bandwidth NVNT ax20 5825MHz Ant10



-6dB Bandwidth NVNT ax40 5755MHz Ant1



-6dB Bandwidth NVNT ax40 5755MHz Ant10



-6dB Bandwidth NVNT ax40 5795MHz Ant1



-6dB Bandwidth NVNT ax40 5795MHz Ant10



-6dB Bandwidth NVNT ax80 5775MHz Ant1



-6dB Bandwidth NVNT ax80 5775MHz Ant10



-6dB Bandwidth NVNT n20 5745MHz Ant1



-6dB Bandwidth NVNT n20 5745MHz Ant10



-6dB Bandwidth NVNT n20 5785MHz Ant1



-6dB Bandwidth NVNT n20 5785MHz Ant10



-6dB Bandwidth NVNT n20 5825MHz Ant1