


TECNO

TECNO CAMON 30 5G


User Manual

Explosion diagram specification



1	LCD ASSY	2	PDN shielding cover mylar
3	Main board RF_PA shielding cover copper foil	4	Back secondary camera
5	Back main camera	6	FPC for receiver and speaker
7	Front cover ASSY	8	Front camera
9	Top waterproof membrane	10	CPS module
11	Main board copper foil (Bottom)	12	Light sensor rubber sleeve
13	Top waterproof foam	14	Main board copper foil (Bottom)
15	RF Cable	16	Grounding copper foil for main camera BTB connector
17	Screw	18	Adhesive for upper speaker
19	Middle frame thermal rib	20	Middle frame ASSY
21	Decorative parts for battery cover	22	Adhesive for back camera lens
23	Glass battery cover ASSY	24	Camera Lens
25	Sealing foam for back acoustic cavity	26	Main FPC
27	SIDEKEY_FPC ASSY	28	Main camera grounding copper foil
29	SIM socket copper foil	30	RF cable_Homonymous
31	Front cover ASSY	32	Bottom speaker double layer heat sink
33	Back secondary camera ASSY	34	Battery wrapping film
35	Speaker FPC ASSY	36	Main board BB shielding cover copper foil
37	Polymer Lithium-ion Battery	38	Type-C sealing silicone sleeve
39	SIM socket	40	Middle frame ASSY
41	Metal decorative parts	42	Sealing adhesive for metal decorative parts on battery cover
43	Glass battery cover ASSY	44	Round head screw
45	Speaker bracket	46	mainboard bottom side insulation mylar
47	grounding copper foil for front camera		


Know your phone



1. Front camera
2. Indicator light
3. Volume + button
4. Volume - button
5. Power button
6. NFC

SIM card installation


1. Power off mobile.
2. Refer to the following picture for SIM card installation.



Charging the phone

You can charge your device using a charger or by connecting it to the computer using a USB cable (comes with the phone).

Use only TECNO charger and cables. Other chargers or cables may damage the device. This will invalidate your phone warranty.



FCC Caution

Labelling requirements.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference.
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Information to user.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Information to the user.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Specific Absorption Rate (SAR) information:

This mobile phone meets the government's requirements for

exposure to radio waves. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all persons regardless of age or health.

FCC RF Exposure Information and Statement The SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of tissue. Device types: CL7(FCC ID: 2ADYY-CL7) has also been tested against this SAR limit. The highest SAR value reported under this standard during product certification for use at the ear is 0.77W/kg and when properly worn on the body is 0.78 W/kg.

Body-worn Operation

This device was tested for typical body-worn operations. To comply with RF exposure requirements, a minimum separation distance of 1.0 cm must be maintained between the user's body and the handset, including the antenna. Third-party belt-clips, holsters, and similar accessories used by this device should not contain any metallic components. Body-worn accessories that do not meet these requirements may not comply with RF exposure requirements and should be avoided. Use only the supplied or an approved antenna.

TECNO

HiOS runs on Android™ OS.
Android is a trademark of Google LLC.