

Test Information:

Sample No.:	2VFZ-1	Test Date:	2025/01/04~2025/01/23
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	23.8-24.5	Relative Humidity: (%)	44-49	ATM Pressure: (kPa)	101.4
-----------------------	-----------	---------------------------	-------	------------------------	-------

RF Output Power

FCC Part 27

n7

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.22	19.73	0.094	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.32	19.83	0.096	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.34	19.85	0.097	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	22.90	19.41	0.087	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@1	23.10	19.61	0.091	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@23	23.15	19.66	0.092	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB12@6	23.42	19.93	0.098	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB25@0	22.39	18.90	0.078	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.62	18.13	0.065	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.15	17.66	0.058	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.07	15.58	0.036	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB1@1	21.77	18.28	0.067	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB1@23	21.76	18.27	0.067	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB13@6	21.81	18.32	0.068	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB25@0	20.54	17.05	0.051	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM 16 QAM_RB25@0	20.56	17.07	0.051	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM 64 QAM_RB25@0	20.11	16.62	0.046	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM 256 QAM_RB25@0	17.05	13.56	0.023	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.30	19.81	0.096	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.43	19.94	0.099	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.39	19.90	0.098	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	22.97	19.48	0.089	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	23.44	19.95	0.099	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@23	23.40	19.91	0.098	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB12@6	23.50	20.01	0.100	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB25@0	22.56	19.07	0.081	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB25@0	21.60	18.11	0.065	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB25@0	21.13	17.64	0.058	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB25@0	19.08	15.59	0.036	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	21.78	18.29	0.067	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@23	21.88	18.39	0.069	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB13@6	21.97	18.48	0.070	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB25@0	20.62	17.13	0.052	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB25@0	20.56	17.07	0.051	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB25@0	20.14	16.65	0.046	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB25@0	17.04	13.55	0.023	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.42	19.93	0.098	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.32	19.83	0.096	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.41	19.92	0.098	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	23.00	19.51	0.089	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@1	23.24	19.75	0.094	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@23	23.27	19.78	0.095	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB12@6	23.52	20.03	0.101	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB25@0	22.55	19.06	0.081	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.71	18.22	0.066	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.26	17.77	0.060	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.16	15.67	0.037	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB1@1	21.95	18.46	0.070	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB1@23	21.83	18.34	0.068	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB13@6	21.95	18.46	0.070	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB25@0	20.72	17.23	0.053	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM 16 QAM_RB25@0	20.71	17.22	0.053	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM 64 QAM_RB25@0	20.23	16.74	0.047	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM 256 QAM_RB25@0	17.13	13.64	0.023	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.39	19.9	0.098	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	23.29	19.80	0.095	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.36	19.87	0.097	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.93	19.44	0.088	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@1	23.11	19.62	0.092	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@50	23.20	19.71	0.094	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB25@12	23.42	19.93	0.098	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB50@0	22.41	18.92	0.078	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM 16 QAM_RB50@0	21.61	18.12	0.065	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM 64 QAM_RB50@0	21.05	17.56	0.057	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM 256 QAM_RB50@0	19.02	15.53	0.036	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB1@1	21.72	18.23	0.067	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB1@50	21.81	18.32	0.068	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB26@13	21.81	18.32	0.068	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB52@0	20.56	17.07	0.051	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM 16 QAM_RB52@0	20.60	17.11	0.051	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM 64 QAM_RB52@0	20.02	16.53	0.045	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM 256 QAM_RB52@0	16.99	13.50	0.022	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.31	19.82	0.096	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	23.57	20.08	0.102	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.52	20.03	0.101	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.00	19.51	0.089	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	23.28	19.79	0.095	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@50	23.51	20.02	0.100	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB25@12	23.59	20.10	0.102	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB50@0	22.53	19.04	0.080	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB50@0	21.67	18.18	0.066	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB50@0	21.12	17.63	0.058	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB50@0	19.07	15.58	0.036	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	21.90	18.41	0.069	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@50	22.05	18.56	0.072	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB26@13	22.05	18.56	0.072	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB52@0	20.62	17.13	0.052	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB52@0	20.66	17.17	0.052	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB52@0	20.11	16.62	0.046	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB52@0	17.07	13.58	0.023	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.46	19.97	0.099	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	23.33	19.84	0.096	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.54	20.05	0.101	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.04	19.55	0.090	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@1	23.32	19.83	0.096	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@50	23.28	19.79	0.095	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB25@12	23.61	20.12	0.103	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB50@0	22.62	19.13	0.082	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM 16 QAM_RB50@0	21.82	18.33	0.068	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM 64 QAM_RB50@0	21.33	17.84	0.061	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM 256 QAM_RB50@0	19.25	15.76	0.038	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB1@1	22.07	18.58	0.072	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB1@50	22.03	18.54	0.071	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB26@13	22.05	18.56	0.072	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB52@0	20.71	17.22	0.053	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM 16 QAM_RB52@0	20.75	17.26	0.053	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM 64 QAM_RB52@0	20.17	16.68	0.047	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM 256 QAM_RB52@0	17.13	13.64	0.023	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.05	19.56	0.090	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	23.19	19.70	0.093	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.31	19.82	0.096	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.87	19.38	0.087	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@1	23.17	19.68	0.093	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@77	23.09	19.60	0.091	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB36@18	23.36	19.87	0.097	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB75@0	22.38	18.89	0.077	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.54	18.05	0.064	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.08	17.59	0.057	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.99	15.50	0.035	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB1@1	21.75	18.26	0.067	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB1@77	21.57	18.08	0.064	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB39@19	21.88	18.39	0.069	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB79@0	20.54	17.05	0.051	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_15MHz_15kHz_2507.5MHz_CP-OFDM 16 QAM_RB79@0	20.49	17.00	0.050	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM 64 QAM_RB79@0	20.03	16.54	0.045	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM 256 QAM_RB79@0	16.98	13.49	0.022	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.25	19.76	0.095	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	23.50	20.01	0.100	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.43	19.94	0.099	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.94	19.45	0.088	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	23.25	19.76	0.095	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@77	23.50	20.01	0.100	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB36@18	23.39	19.90	0.098	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB75@0	22.48	18.99	0.079	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB75@0	21.52	18.03	0.064	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB75@0	21.08	17.59	0.057	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB75@0	19.00	15.51	0.036	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	21.72	18.23	0.067	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@77	22.04	18.55	0.072	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB39@19	21.93	18.44	0.070	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB79@0	20.57	17.08	0.051	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB79@0	20.51	17.02	0.050	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB79@0	20.04	16.55	0.045	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB79@0	16.96	13.47	0.022	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.47	19.98	0.100	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	23.30	19.81	0.096	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.49	20.00	0.100	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.03	19.54	0.090	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB1@1	23.36	19.87	0.097	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB1@77	23.32	19.83	0.096	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB36@18	23.55	20.06	0.101	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB75@0	22.60	19.11	0.081	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.75	18.26	0.067	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.28	17.79	0.060	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.16	15.67	0.037	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB1@1	22.13	18.64	0.073	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB1@77	21.93	18.44	0.070	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB39@19	22.07	18.58	0.072	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB79@0	20.73	17.24	0.053	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM 16 QAM_RB79@0	20.70	17.21	0.053	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM 64 QAM_RB79@0	20.24	16.75	0.047	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM 256 QAM_RB79@0	17.17	13.68	0.023	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.32	19.83	0.096	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.23	19.74	0.094	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.36	19.87	0.097	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.89	19.40	0.087	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB1@1	23.10	19.61	0.091	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB1@104	23.20	19.71	0.094	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB50@25	23.44	19.95	0.099	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB100@0	22.40	18.91	0.078	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM 16 QAM_RB100@0	21.56	18.07	0.064	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM 64 QAM_RB100@0	21.08	17.59	0.057	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM 256 QAM_RB100@0	19.07	15.58	0.036	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB1@1	21.78	18.29	0.067	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB1@104	21.81	18.32	0.068	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB53@26	21.90	18.41	0.069	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB106@0	20.60	17.11	0.051	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM 16 QAM_RB106@0	20.53	17.04	0.051	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM 64 QAM_RB106@0	20.04	16.55	0.045	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM 256 QAM_RB106@0	17.07	13.58	0.023	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.30	19.81	0.096	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.56	20.07	0.102	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.53	20.04	0.101	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	23.03	19.54	0.090	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	23.18	19.69	0.093	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@104	23.43	19.94	0.099	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB50@25	23.47	19.98	0.100	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB100@0	22.49	19.00	0.079	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB100@0	21.56	18.07	0.064	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB100@0	21.06	17.57	0.057	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB100@0	19.03	15.54	0.036	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	21.78	18.29	0.067	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@104	21.98	18.49	0.071	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB53@26	21.95	18.46	0.070	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB106@0	20.55	17.06	0.051	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB106@0	20.54	17.05	0.051	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB106@0	20.02	16.53	0.045	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB106@0	17.00	13.51	0.022	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.54	20.05	0.101	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.40	19.91	0.098	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.56	20.07	0.102	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	23.07	19.58	0.091	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB1@1	23.36	19.87	0.097	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB1@104	23.28	19.79	0.095	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB50@25	23.58	20.09	0.102	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB100@0	22.59	19.10	0.081	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM 16 QAM_RB100@0	21.74	18.25	0.067	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM 64 QAM_RB100@0	21.21	17.72	0.059	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM 256 QAM_RB100@0	19.16	15.67	0.037	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB1@1	22.05	18.56	0.072	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB1@104	21.89	18.40	0.069	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB53@26	22.09	18.60	0.072	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB106@0	20.75	17.26	0.053	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM 16 QAM_RB106@0	20.65	17.16	0.052	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM 64 QAM_RB106@0	20.16	16.67	0.046	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM 256 QAM_RB106@0	17.16	13.67	0.023	2	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n7:

1.Ant Gain = -3.49dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n12

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	24.14	17.54	0.057	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.09	17.49	0.056	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	24.09	17.49	0.056	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	23.67	17.07	0.051	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB12@6	24.15	17.55	0.057	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB1@1	24.12	17.52	0.056	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB1@23	24.08	17.48	0.056	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB25@0	23.16	16.56	0.045	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM 16 QAM_RB25@0	22.16	15.56	0.036	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.72	15.12	0.033	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.59	12.99	0.020	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB13@6	22.62	16.02	0.040	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@1	22.42	15.82	0.038	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@23	22.34	15.74	0.037	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB25@0	21.14	14.54	0.028	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM 16 QAM_RB25@0	21.15	14.55	0.029	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM 64 QAM_RB25@0	20.62	14.02	0.025	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM 256 QAM_RB25@0	17.60	11.00	0.013	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	24.06	17.46	0.056	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.05	17.45	0.056	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.98	17.38	0.055	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	23.59	16.99	0.050	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB12@6	24.09	17.49	0.056	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	24.08	17.48	0.056	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@23	23.98	17.38	0.055	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@0	23.08	16.48	0.044	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB25@0	22.06	15.46	0.035	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.64	15.04	0.032	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.48	12.88	0.019	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB13@6	22.55	15.95	0.039	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	22.33	15.73	0.037	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@23	22.22	15.62	0.036	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB25@0	21.07	14.47	0.028	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB25@0	21.07	14.47	0.028	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB25@0	20.61	14.01	0.025	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB25@0	17.51	10.91	0.012	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.97	17.37	0.055	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.95	17.35	0.054	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.93	17.33	0.054	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	23.51	16.91	0.049	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB12@6	24.01	17.41	0.055	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@1	23.92	17.32	0.054	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@23	23.86	17.26	0.053	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB25@0	23.00	16.40	0.044	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.93	15.33	0.034	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.54	14.94	0.031	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.38	12.78	0.019	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB13@6	22.42	15.82	0.038	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@1	22.21	15.61	0.036	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@23	22.22	15.62	0.036	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB25@0	20.91	14.31	0.027	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM 16 QAM_RB25@0	20.94	14.34	0.027	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM 64 QAM_RB25@0	20.47	13.87	0.024	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM 256 QAM_RB25@0	17.38	10.78	0.012	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.09	17.49	0.056	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	24.05	17.45	0.056	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	24.10	17.50	0.056	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.60	17.00	0.050	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@1	24.11	17.51	0.056	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@50	24.00	17.40	0.055	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB25@12	24.09	17.49	0.056	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB50@0	23.10	16.50	0.045	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM 16 QAM_RB50@0	22.05	15.45	0.035	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM 64 QAM_RB50@0	21.55	14.95	0.031	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM 256 QAM_RB50@0	19.55	12.95	0.020	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@1	22.45	15.85	0.038	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@50	22.37	15.77	0.038	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB26@13	22.57	15.97	0.040	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB52@0	21.04	14.44	0.028	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM 16 QAM_RB52@0	21.11	14.51	0.028	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM 64 QAM_RB52@0	20.53	13.93	0.025	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM 256 QAM_RB52@0	17.53	10.93	0.012	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.01	17.41	0.055	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	23.93	17.33	0.054	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	24.01	17.41	0.055	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.56	16.96	0.050	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	23.95	17.35	0.054	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@50	23.92	17.32	0.054	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@12	24.03	17.43	0.055	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB50@0	23.05	16.45	0.044	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB50@0	22.01	15.41	0.035	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB50@0	21.53	14.93	0.031	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB50@0	19.48	12.88	0.019	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	22.39	15.79	0.038	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@50	22.33	15.73	0.037	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB26@13	22.51	15.91	0.039	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB52@0	21	14.40	0.028	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB52@0	21.04	14.44	0.028	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB52@0	20.51	13.91	0.025	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB52@0	17.49	10.89	0.012	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.06	17.46	0.056	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	23.92	17.32	0.054	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.95	17.35	0.054	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.49	16.89	0.049	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@1	24.02	17.42	0.055	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@50	23.92	17.32	0.054	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB25@12	23.97	17.37	0.055	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB50@0	22.99	16.39	0.044	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM 16 QAM_RB50@0	21.93	15.33	0.034	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM 64 QAM_RB50@0	21.47	14.87	0.031	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM 256 QAM_RB50@0	19.43	12.83	0.019	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@1	22.39	15.79	0.038	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@50	22.26	15.66	0.037	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB26@13	22.41	15.81	0.038	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB52@0	20.96	14.36	0.027	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM 16 QAM_RB52@0	21.00	14.40	0.028	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM 64 QAM_RB52@0	20.42	13.82	0.024	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM 256 QAM_RB52@0	17.37	10.77	0.012	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.16	17.56	0.057	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	23.97	17.37	0.055	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	24.13	17.53	0.057	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.61	17.01	0.050	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@1	24.13	17.53	0.057	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@77	23.95	17.35	0.054	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB36@18	24.14	17.54	0.057	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB75@0	23.11	16.51	0.045	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM 16 QAM_RB75@0	22.03	15.43	0.035	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.60	15.00	0.032	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.54	12.94	0.020	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB1@1	22.50	15.90	0.039	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB1@77	22.23	15.63	0.037	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB39@19	22.62	16.02	0.040	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB79@0	21.11	14.51	0.028	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM 16 QAM_RB79@0	21.09	14.49	0.028	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_15MHz_15kHz_706.5MHz_CP-OFDM 64 QAM_RB79@0	20.63	14.03	0.025	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM 256 QAM_RB79@0	17.56	10.96	0.012	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.98	17.38	0.055	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	23.93	17.33	0.054	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	24.07	17.47	0.056	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.56	16.96	0.050	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	24.06	17.46	0.056	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@77	23.88	17.28	0.053	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB36@18	24.11	17.51	0.056	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB75@0	23.07	16.47	0.044	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB75@0	22.05	15.45	0.035	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.58	14.98	0.031	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.52	12.92	0.020	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	22.74	16.14	0.041	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@77	22.31	15.71	0.037	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB39@19	22.54	15.94	0.039	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB79@0	21.12	14.52	0.028	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB79@0	21.03	14.43	0.028	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB79@0	20.60	14.00	0.025	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB79@0	17.53	10.93	0.012	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.08	17.48	0.056	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK RB1@77	23.94	17.34	0.054	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK RB36@18	24.07	17.47	0.056	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK RB75@0	23.61	17.01	0.050	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK RB1@1	24.03	17.43	0.055	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK RB1@77	23.89	17.29	0.054	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK RB36@18	24.09	17.49	0.056	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK RB75@0	23.06	16.46	0.044	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM 16 QAM RB75@0	22.07	15.47	0.035	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM 64 QAM RB75@0	21.60	15.00	0.032	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM 256 QAM RB75@0	19.51	12.91	0.020	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK RB1@1	22.45	15.85	0.038	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK RB1@77	22.33	15.73	0.037	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK RB39@19	22.58	15.98	0.040	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK RB79@0	21.08	14.48	0.028	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM 16 QAM RB79@0	21.05	14.45	0.028	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM 64 QAM RB79@0	20.62	14.02	0.025	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM 256 QAM RB79@0	17.54	10.94	0.012	3	Pass

Note:

ERP = Conducted Power(dBm) - L_C(dB) + G_T(dBd)

G_T(dBd) = G_T(dBi) - 2.15

n12:

1.Ant Gain = -3.95dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB

n38

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.69	20.20	0.105	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.77	20.28	0.107	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.83	20.34	0.108	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	23.27	19.78	0.095	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB1@1	23.67	20.18	0.104	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB1@23	23.74	20.25	0.106	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB12@6	23.85	20.36	0.109	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB25@0	22.84	19.35	0.086	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.88	18.39	0.069	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.44	17.95	0.062	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.31	15.82	0.038	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB1@1	22.37	18.88	0.077	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB1@23	22.52	19.03	0.080	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB13@6	22.35	18.86	0.077	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB25@0	20.90	17.41	0.055	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM 16 QAM_RB25@0	20.83	17.34	0.054	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM 64 QAM_RB25@0	20.45	16.96	0.050	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM 256 QAM_RB25@0	17.29	13.80	0.024	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.83	20.34	0.108	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.82	20.33	0.108	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.87	20.38	0.109	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	23.38	19.89	0.097	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	23.70	20.21	0.105	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB1@23	23.80	20.31	0.107	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB12@6	23.89	20.40	0.110	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB25@0	22.93	19.44	0.088	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM 16 QAM_RB25@0	22.02	18.53	0.071	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM 64 QAM_RB25@0	21.45	17.96	0.063	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM 256 QAM_RB25@0	19.40	15.91	0.039	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB1@1	22.33	18.84	0.077	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB1@23	22.40	18.91	0.078	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB13@6	22.42	18.93	0.078	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB25@0	20.97	17.48	0.056	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM 16 QAM_RB25@0	20.85	17.36	0.054	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM 64 QAM_RB25@0	20.51	17.02	0.050	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM 256 QAM_RB25@0	17.39	13.90	0.025	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.67	20.18	0.104	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.78	20.29	0.107	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.72	20.23	0.105	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	23.25	19.76	0.095	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB1@1	23.67	20.18	0.104	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB1@23	23.67	20.18	0.104	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB12@6	23.75	20.26	0.106	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB25@0	22.85	19.36	0.086	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.88	18.39	0.069	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.41	17.92	0.062	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.33	15.84	0.038	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB1@1	22.17	18.68	0.074	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB1@23	22.26	18.77	0.075	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB13@6	22.27	18.78	0.076	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB25@0	20.84	17.35	0.054	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM 16 QAM_RB25@0	20.74	17.25	0.053	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM 64 QAM_RB25@0	20.39	16.90	0.049	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_5MHz_15kHz_2617.5MHz_CP-OFDM 256 QAM_RB25@0	17.30	13.81	0.024	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.62	20.13	0.103	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	23.74	20.25	0.106	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.77	20.28	0.107	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	23.26	19.77	0.095	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@1	23.56	20.07	0.102	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@22	23.75	20.26	0.106	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB12@6	23.81	20.32	0.108	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB24@0	22.75	19.26	0.084	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM 16 QAM_RB24@0	21.73	18.24	0.067	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM 64 QAM_RB24@0	21.43	17.94	0.062	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM 256 QAM_RB24@0	19.25	15.76	0.038	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB1@1	22.30	18.81	0.076	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB1@22	22.29	18.80	0.076	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB12@6	22.25	18.76	0.075	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB24@0	20.86	17.37	0.055	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM 16 QAM_RB24@0	20.69	17.20	0.052	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM 64 QAM_RB24@0	20.42	16.93	0.049	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM 256 QAM_RB24@0	17.36	13.87	0.024	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.69	20.20	0.105	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	23.68	20.19	0.104	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.67	20.18	0.104	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	23.22	19.73	0.094	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	23.58	20.09	0.102	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@22	23.61	20.12	0.103	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB12@6	23.94	20.45	0.111	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB24@0	22.72	19.23	0.084	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB24@0	21.71	18.22	0.066	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB24@0	21.34	17.85	0.061	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB24@0	19.18	15.69	0.037	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	22.21	18.72	0.074	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@22	22.14	18.65	0.073	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB12@6	22.05	18.56	0.072	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB24@0	20.79	17.30	0.054	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB24@0	20.70	17.21	0.053	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB24@0	20.22	16.73	0.047	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB24@0	17.28	13.79	0.024	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.62	20.13	0.103	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	23.51	20.02	0.100	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.81	20.32	0.108	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	23.14	19.65	0.092	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@1	23.45	19.96	0.099	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@22	23.48	19.99	0.100	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB12@6	23.84	20.35	0.108	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB24@0	22.70	19.21	0.083	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM 16 QAM_RB24@0	21.78	18.29	0.067	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM 64 QAM_RB24@0	21.22	17.73	0.059	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM 256 QAM_RB24@0	19.27	15.78	0.038	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB1@1	22.21	18.72	0.074	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB1@22	21.98	18.49	0.071	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB12@6	22.02	18.53	0.071	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB24@0	20.75	17.26	0.053	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM 16 QAM_RB24@0	20.64	17.15	0.052	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM 64 QAM_RB24@0	20.25	16.76	0.047	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM 256 QAM_RB24@0	17.20	13.71	0.023	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.60	20.11	0.103	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	23.78	20.29	0.107	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	23.61	20.12	0.103	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	23.14	19.65	0.092	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@1	23.54	20.05	0.101	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@36	23.72	20.23	0.105	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB18@9	23.67	20.18	0.104	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB36@0	22.56	19.07	0.081	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.68	18.19	0.066	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM 64 QAM_RB36@0	21.20	17.71	0.059	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM 256 QAM_RB36@0	19.21	15.72	0.037	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB1@1	22.08	18.59	0.072	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB1@36	22.03	18.54	0.071	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB19@9	22.12	18.63	0.073	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB38@0	20.72	17.23	0.053	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM 16 QAM_RB38@0	20.73	17.24	0.053	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM 64 QAM_RB38@0	20.26	16.77	0.048	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM 256 QAM_RB38@0	17.35	13.86	0.024	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.68	20.19	0.104	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	23.79	20.30	0.107	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	23.65	20.16	0.104	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	23.16	19.67	0.093	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	23.56	20.07	0.102	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@36	23.79	20.30	0.107	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB18@9	23.68	20.19	0.104	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB36@0	22.73	19.24	0.084	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB36@0	21.68	18.19	0.066	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB36@0	21.21	17.72	0.059	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB36@0	19.17	15.68	0.037	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	21.93	18.44	0.070	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@36	22.13	18.64	0.073	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB19@9	22.04	18.55	0.072	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB38@0	20.66	17.17	0.052	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB38@0	20.69	17.20	0.052	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB38@0	20.28	16.79	0.048	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB38@0	17.30	13.81	0.024	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.59	20.10	0.102	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	23.69	20.20	0.105	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	23.66	20.17	0.104	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	23.16	19.67	0.093	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@1	23.55	20.06	0.101	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@36	23.51	20.02	0.100	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB18@9	23.64	20.15	0.104	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB36@0	22.62	19.13	0.082	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.61	18.12	0.065	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM 64 QAM_RB36@0	21.14	17.65	0.058	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM 256 QAM_RB36@0	19.12	15.63	0.037	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB1@1	21.94	18.45	0.070	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB1@36	21.99	18.50	0.071	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB19@9	22.23	18.74	0.075	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB38@0	20.57	17.08	0.051	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM 16 QAM_RB38@0	20.62	17.13	0.052	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM 64 QAM_RB38@0	20.15	16.66	0.046	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM 256 QAM_RB38@0	17.22	13.73	0.024	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.56	20.07	0.102	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	23.75	20.26	0.106	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.62	20.13	0.103	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.24	19.75	0.094	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@1	23.68	20.19	0.104	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@49	23.64	20.15	0.104	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB25@12	23.63	20.14	0.103	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB50@0	22.71	19.22	0.084	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM 16 QAM_RB50@0	21.71	18.22	0.066	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM 64 QAM_RB50@0	21.18	17.69	0.059	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM 256 QAM_RB50@0	19.13	15.64	0.037	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB1@1	22.29	18.80	0.076	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB1@49	22.03	18.54	0.071	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB25@12	22.23	18.74	0.075	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB51@0	20.65	17.16	0.052	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM 16 QAM_RB51@0	20.72	17.23	0.053	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM 64 QAM_RB51@0	20.18	16.69	0.047	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_20MHz_30kHz_2580MHz_CP-OFDM 256 QAM_RB51@0	17.29	13.80	0.024	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.70	20.21	0.105	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	23.88	20.39	0.109	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.76	20.27	0.106	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.34	19.85	0.097	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	23.69	20.20	0.105	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@49	23.75	20.26	0.106	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB25@12	23.78	20.29	0.107	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB50@0	22.76	19.27	0.085	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB50@0	21.68	18.19	0.066	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB50@0	21.24	17.75	0.060	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB50@0	19.23	15.74	0.037	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	22.06	18.57	0.072	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@49	22.14	18.65	0.073	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB25@12	22.20	18.71	0.074	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB51@0	20.66	17.17	0.052	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB51@0	20.76	17.27	0.053	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB51@0	20.27	16.78	0.048	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB51@0	17.26	13.77	0.024	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.70	20.21	0.105	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	23.89	20.40	0.110	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.90	20.41	0.110	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.37	19.88	0.097	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@1	23.62	20.13	0.103	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@49	23.67	20.18	0.104	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB25@12	23.75	20.26	0.106	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB50@0	22.81	19.32	0.086	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM 16 QAM_RB50@0	21.69	18.20	0.066	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM 64 QAM_RB50@0	21.21	17.72	0.059	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM 256 QAM_RB50@0	19.22	15.73	0.037	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB1@1	22.12	18.63	0.073	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB1@49	22.40	18.91	0.078	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB25@12	22.32	18.83	0.076	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB51@0	20.65	17.16	0.052	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM 16 QAM_RB51@0	20.69	17.20	0.052	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM 64 QAM_RB51@0	20.29	16.80	0.048	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM 256 QAM_RB51@0	17.28	13.79	0.024	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.69	20.20	0.105	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	23.78	20.29	0.107	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	23.74	20.25	0.106	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	23.30	19.81	0.096	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB1@1	23.60	20.11	0.103	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB1@63	23.61	20.12	0.103	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB32@16	23.75	20.26	0.106	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB64@0	22.81	19.32	0.086	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM 16 QAM_RB64@0	21.71	18.22	0.066	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM 64 QAM_RB64@0	21.29	17.80	0.060	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM 256 QAM_RB64@0	19.22	15.73	0.037	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB1@1	21.97	18.48	0.070	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB1@63	22.26	18.77	0.075	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB33@16	22.17	18.68	0.074	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB65@0	20.72	17.23	0.053	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM 16 QAM_RB65@0	20.75	17.26	0.053	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM 64 QAM_RB65@0	20.19	16.70	0.047	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM 256 QAM_RB65@0	17.25	13.76	0.024	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.56	20.07	0.102	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	23.89	20.40	0.110	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	23.68	20.19	0.104	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	23.28	19.79	0.095	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	23.62	20.13	0.103	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@63	23.67	20.18	0.104	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB32@16	23.73	20.24	0.106	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB64@0	22.76	19.27	0.085	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB64@0	21.65	18.16	0.065	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB64@0	21.20	17.71	0.059	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB64@0	19.23	15.74	0.037	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	22.19	18.70	0.074	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@63	22.13	18.64	0.073	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB33@16	22.18	18.69	0.074	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB65@0	20.68	17.19	0.052	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB65@0	20.68	17.19	0.052	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB65@0	20.20	16.71	0.047	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB65@0	17.28	13.79	0.024	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.66	20.17	0.104	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	23.83	20.34	0.108	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	23.80	20.31	0.107	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	23.41	19.92	0.098	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB1@1	23.54	20.05	0.101	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB1@63	23.63	20.14	0.103	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB32@16	23.72	20.23	0.105	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB64@0	22.85	19.36	0.086	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM 16 QAM_RB64@0	21.65	18.16	0.065	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM 64 QAM_RB64@0	21.26	17.77	0.060	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM 256 QAM_RB64@0	19.23	15.74	0.037	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB1@1	22.04	18.55	0.072	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB1@63	22.26	18.77	0.075	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB33@16	22.12	18.63	0.073	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB65@0	20.68	17.19	0.052	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM 16 QAM_RB65@0	20.70	17.21	0.053	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM 64 QAM_RB65@0	20.17	16.68	0.047	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM 256 QAM_RB65@0	17.24	13.75	0.024	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.64	20.15	0.104	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	23.77	20.28	0.107	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.84	20.35	0.108	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.29	19.80	0.095	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB1@1	23.66	20.17	0.104	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB1@76	23.84	20.35	0.108	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB36@18	23.76	20.27	0.106	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB75@0	22.79	19.30	0.085	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM 16 QAM_RB75@0	21.75	18.26	0.067	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM 64 QAM_RB75@0	21.29	17.80	0.060	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM 256 QAM_RB75@0	19.27	15.78	0.038	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB1@1	22.15	18.66	0.073	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB1@76	22.31	18.82	0.076	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB39@19	22.30	18.81	0.076	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB78@0	20.87	17.38	0.055	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM 16 QAM_RB78@0	20.81	17.32	0.054	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM 64 QAM_RB78@0	20.30	16.81	0.048	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM 256 QAM_RB78@0	17.34	13.85	0.024	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.77	20.28	0.107	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	23.97	20.48	0.112	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.84	20.35	0.108	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.40	19.91	0.098	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	23.75	20.26	0.106	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@76	23.84	20.35	0.108	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB36@18	23.76	20.27	0.106	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB75@0	22.83	19.34	0.086	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB75@0	21.83	18.34	0.068	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB75@0	21.31	17.82	0.061	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB75@0	19.32	15.83	0.038	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	22.14	18.65	0.073	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@76	22.28	18.79	0.076	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB39@19	22.27	18.78	0.076	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB78@0	20.81	17.32	0.054	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB78@0	20.84	17.35	0.054	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB78@0	20.29	16.80	0.048	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_30MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB78@0	17.35	13.86	0.024	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.79	20.30	0.107	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	23.97	20.48	0.112	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.78	20.29	0.107	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.40	19.91	0.098	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB1@1	23.69	20.20	0.105	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB1@76	23.75	20.26	0.106	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB36@18	23.90	20.41	0.110	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB75@0	22.84	19.35	0.086	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM 16 QAM_RB75@0	21.80	18.31	0.068	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM 64 QAM_RB75@0	21.33	17.84	0.061	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM 256 QAM_RB75@0	19.28	15.79	0.038	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB1@1	21.98	18.49	0.071	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB1@76	22.40	18.91	0.078	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB39@19	22.27	18.78	0.076	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB78@0	20.80	17.31	0.054	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM 16 QAM_RB78@0	20.82	17.33	0.054	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM 64 QAM_RB78@0	20.30	16.81	0.048	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM 256 QAM_RB78@0	17.37	13.88	0.024	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.70	20.21	0.105	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.93	20.44	0.111	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.81	20.32	0.108	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	23.34	19.85	0.097	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB1@1	23.67	20.18	0.104	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB1@104	23.76	20.27	0.106	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB50@25	23.86	20.37	0.109	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB100@0	22.79	19.30	0.085	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM 16 QAM_RB100@0	21.77	18.28	0.067	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM 64 QAM_RB100@0	21.25	17.76	0.060	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM 256 QAM_RB100@0	19.27	15.78	0.038	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB1@1	22.06	18.57	0.072	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB1@104	22.25	18.76	0.075	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB53@26	22.20	18.71	0.074	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB106@0	20.78	17.29	0.054	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM 16 QAM_RB106@0	20.76	17.27	0.053	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM 64 QAM_RB106@0	20.32	16.83	0.048	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM 256 QAM_RB106@0	17.28	13.79	0.024	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.69	20.20	0.105	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.90	20.41	0.110	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.85	20.36	0.109	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	23.35	19.86	0.097	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	23.68	20.19	0.104	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@104	23.74	20.25	0.106	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB50@25	23.76	20.27	0.106	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB100@0	22.81	19.32	0.086	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB100@0	21.80	18.31	0.068	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB100@0	21.30	17.81	0.060	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB100@0	19.28	15.79	0.038	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	22.09	18.60	0.072	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@104	22.50	19.01	0.080	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB53@26	22.19	18.70	0.074	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB106@0	20.81	17.32	0.054	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB106@0	20.82	17.33	0.054	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB106@0	20.34	16.85	0.048	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB106@0	17.33	13.84	0.024	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.73	10.24	0.011	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.97	20.48	0.112	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.84	20.35	0.108	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	23.31	19.82	0.096	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB1@1	23.67	20.18	0.104	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB1@104	23.79	20.30	0.107	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB50@25	23.79	20.30	0.107	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB100@0	22.89	19.40	0.087	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM 16 QAM_RB100@0	21.82	18.33	0.068	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM 64 QAM_RB100@0	21.32	17.83	0.061	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM 256 QAM_RB100@0	19.32	15.83	0.038	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB1@1	22.14	18.65	0.073	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB1@104	22.22	18.73	0.075	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB53@26	22.22	18.73	0.075	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB106@0	20.78	17.29	0.054	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM 16 QAM_RB106@0	20.80	17.31	0.054	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM 64 QAM_RB106@0	20.29	16.80	0.048	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM 256 QAM_RB106@0	17.34	13.85	0.024	2	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n38:

1.Ant Gain = -3.49dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n41

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.60	20.11	0.103	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	23.71	20.22	0.105	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.67	20.18	0.104	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	23.21	19.72	0.094	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@1	23.55	20.06	0.101	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@22	23.65	20.16	0.104	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB12@6	23.73	20.24	0.106	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB24@0	22.63	19.14	0.082	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 16 QAM_RB24@0	21.81	18.32	0.068	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 64 QAM_RB24@0	21.33	17.84	0.061	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 256 QAM_RB24@0	19.33	15.84	0.038	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@1	22.04	18.55	0.072	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@22	22.29	18.80	0.076	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB12@6	22.14	18.65	0.073	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB24@0	20.68	17.19	0.052	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 16 QAM_RB24@0	20.71	17.22	0.053	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 64 QAM_RB24@0	20.31	16.82	0.048	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 256 QAM_RB24@0	17.24	13.75	0.024	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.74	20.25	0.106	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	23.79	20.30	0.107	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.72	20.23	0.105	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	23.27	19.78	0.095	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.73	20.24	0.106	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@22	23.63	20.14	0.103	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB12@6	23.63	20.14	0.103	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB24@0	22.66	19.17	0.083	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB24@0	21.80	18.31	0.068	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB24@0	21.35	17.86	0.061	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB24@0	19.22	15.73	0.037	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.14	18.65	0.073	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@22	22.10	18.61	0.073	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB12@6	22.11	18.62	0.073	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB24@0	20.78	17.29	0.054	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB24@0	20.76	17.27	0.053	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB24@0	20.25	16.76	0.047	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB24@0	17.31	13.82	0.024	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.31	19.82	0.096	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	23.31	19.82	0.096	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.17	19.68	0.093	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.73	19.24	0.084	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@1	23.17	19.68	0.093	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@22	23.20	19.71	0.094	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB12@6	23.29	19.80	0.095	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB24@0	22.15	18.66	0.073	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 16 QAM_RB24@0	21.42	17.93	0.062	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 64 QAM_RB24@0	20.95	17.46	0.056	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 256 QAM_RB24@0	18.83	15.34	0.034	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@1	21.69	18.20	0.066	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@22	21.75	18.26	0.067	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB12@6	21.76	18.27	0.067	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB24@0	20.42	16.93	0.049	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 16 QAM_RB24@0	20.34	16.85	0.048	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 64 QAM_RB24@0	19.93	16.44	0.044	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 256 QAM_RB24@0	16.92	13.43	0.022	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.86	20.37	0.109	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	23.86	20.37	0.109	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	23.87	20.38	0.109	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	23.46	19.97	0.099	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@1	23.42	19.93	0.098	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@36	23.47	19.98	0.100	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB18@9	23.64	20.15	0.104	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB36@0	22.77	19.28	0.085	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.79	18.30	0.068	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 64 QAM_RB36@0	21.24	17.75	0.060	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 256 QAM_RB36@0	19.21	15.72	0.037	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@1	22.20	18.71	0.074	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@36	22.11	18.62	0.073	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB19@9	22.29	18.80	0.076	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB38@0	20.71	17.22	0.053	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 16 QAM_RB38@0	20.73	17.24	0.053	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 64 QAM_RB38@0	20.20	16.71	0.047	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 256 QAM_RB38@0	17.24	13.75	0.024	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.68	20.19	0.104	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	23.74	20.25	0.106	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	23.76	20.27	0.106	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	23.47	19.98	0.100	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.70	20.21	0.105	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@36	23.63	20.14	0.103	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB18@9	23.69	20.20	0.105	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@0	22.87	19.38	0.087	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB36@0	21.77	18.28	0.067	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB36@0	21.25	17.76	0.060	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB36@0	19.23	15.74	0.037	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.03	18.54	0.071	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@36	22.08	18.59	0.072	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB19@9	22.26	18.77	0.075	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB38@0	20.74	17.25	0.053	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB38@0	20.74	17.25	0.053	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB38@0	20.24	16.75	0.047	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB38@0	17.32	13.83	0.024	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.09	19.60	0.091	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	23.26	19.77	0.095	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	23.21	19.72	0.094	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.66	19.17	0.083	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@1	22.90	19.41	0.087	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@36	23.18	19.69	0.093	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB18@9	23.02	19.53	0.090	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB36@0	22.19	18.70	0.074	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 16 QAM_RB36@0	21.32	17.83	0.061	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 64 QAM_RB36@0	20.82	17.33	0.054	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 256 QAM_RB36@0	18.79	15.30	0.034	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@1	21.69	18.20	0.066	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@36	21.73	18.24	0.067	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB19@9	21.85	18.36	0.069	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB38@0	20.33	16.84	0.048	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 16 QAM_RB38@0	20.38	16.89	0.049	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 64 QAM_RB38@0	19.81	16.32	0.043	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 256 QAM_RB38@0	16.83	13.34	0.022	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.92	20.43	0.110	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	23.79	20.30	0.107	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.80	20.31	0.107	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.37	19.88	0.097	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@1	23.40	19.91	0.098	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@49	23.49	20.00	0.100	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB25@12	23.74	20.25	0.106	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB50@0	22.61	19.12	0.082	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 16 QAM_RB50@0	21.69	18.20	0.066	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 64 QAM_RB50@0	21.20	17.71	0.059	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 256 QAM_RB50@0	19.20	15.71	0.037	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@1	22.26	18.77	0.075	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@49	22.21	18.72	0.074	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB25@12	22.22	18.73	0.075	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB51@0	20.64	17.15	0.052	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 16 QAM_RB51@0	20.71	17.22	0.053	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 64 QAM_RB51@0	20.20	16.71	0.047	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 256 QAM_RB51@0	17.16	13.67	0.023	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.77	20.28	0.107	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	23.81	20.32	0.108	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.76	20.27	0.106	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.37	19.88	0.097	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.69	20.20	0.105	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@49	23.73	20.24	0.106	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB25@12	23.81	20.32	0.108	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@0	22.94	19.45	0.088	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB50@0	21.72	18.23	0.067	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB50@0	21.28	17.79	0.060	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB50@0	19.30	15.81	0.038	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.36	18.87	0.077	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@49	22.42	18.93	0.078	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB25@12	22.25	18.76	0.075	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB51@0	20.68	17.19	0.052	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB51@0	20.78	17.29	0.054	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB51@0	20.20	16.71	0.047	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB51@0	17.31	13.82	0.024	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.15	19.66	0.092	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	23.31	19.82	0.096	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.39	19.90	0.098	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.79	19.30	0.085	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@1	22.96	19.47	0.089	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@49	23.27	19.78	0.095	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB25@12	23.25	19.76	0.095	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB50@0	22.19	18.70	0.074	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 16 QAM_RB50@0	21.32	17.83	0.061	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 64 QAM_RB50@0	20.89	17.40	0.055	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 256 QAM_RB50@0	18.81	15.32	0.034	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@1	21.61	18.12	0.065	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@49	21.80	18.31	0.068	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB25@12	21.91	18.42	0.070	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB51@0	20.25	16.76	0.047	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 16 QAM_RB51@0	20.28	16.79	0.048	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 64 QAM_RB51@0	19.83	16.34	0.043	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 256 QAM_RB51@0	16.93	13.44	0.022	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.97	20.48	0.112	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	23.73	20.24	0.106	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.72	20.23	0.105	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.34	19.85	0.097	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB1@1	23.47	19.98	0.100	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB1@76	23.51	20.02	0.100	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB36@18	23.68	20.19	0.104	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB75@0	22.72	19.23	0.084	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 16 QAM_RB75@0	21.76	18.27	0.067	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 64 QAM_RB75@0	21.30	17.81	0.060	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 256 QAM_RB75@0	19.23	15.74	0.037	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB1@1	22.37	18.88	0.077	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB1@76	22	18.51	0.071	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB39@19	22.21	18.72	0.074	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB78@0	20.79	17.30	0.054	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 16 QAM_RB78@0	20.78	17.29	0.054	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 64 QAM_RB78@0	20.26	16.77	0.048	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 256 QAM_RB78@0	17.29	13.80	0.024	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.66	20.17	0.104	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	24	20.51	0.112	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.92	20.43	0.110	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.37	19.88	0.097	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.61	20.12	0.103	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@76	23.80	20.31	0.107	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@18	23.80	20.31	0.107	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB75@0	22.83	19.34	0.086	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB75@0	21.80	18.31	0.068	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB75@0	21.30	17.81	0.060	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB75@0	19.30	15.81	0.038	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.23	18.74	0.075	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@76	22.21	18.72	0.074	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB39@19	22.30	18.81	0.076	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB78@0	20.85	17.36	0.054	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB78@0	20.87	17.38	0.055	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB78@0	20.31	16.82	0.048	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB78@0	17.33	13.84	0.024	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.32	19.83	0.096	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	23.36	19.87	0.097	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.37	19.88	0.097	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.84	19.35	0.086	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@1	23.21	19.72	0.094	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@76	23.26	19.77	0.095	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB36@18	23.22	19.73	0.094	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB75@0	22.36	18.87	0.077	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 16 QAM_RB75@0	21.36	17.87	0.061	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 64 QAM_RB75@0	20.88	17.39	0.055	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 256 QAM_RB75@0	18.82	15.33	0.034	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@1	21.62	18.13	0.065	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@76	21.82	18.33	0.068	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB39@19	21.83	18.34	0.068	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB78@0	20.40	16.91	0.049	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 16 QAM_RB78@0	20.43	16.94	0.049	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 64 QAM_RB78@0	19.87	16.38	0.043	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 256 QAM_RB78@0	16.91	13.42	0.022	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.01	20.52	0.113	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.84	20.35	0.108	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.77	20.28	0.107	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	23.35	19.86	0.097	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@1	23.50	20.01	0.100	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@104	23.59	20.10	0.102	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB50@25	23.71	20.22	0.105	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB100@0	22.70	19.21	0.083	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 16 QAM_RB100@0	21.73	18.24	0.067	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 64 QAM_RB100@0	21.22	17.73	0.059	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 256 QAM_RB100@0	19.21	15.72	0.037	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@1	22.18	18.69	0.074	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@104	22.28	18.79	0.076	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB53@26	22.12	18.63	0.073	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB106@0	20.69	17.20	0.052	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 16 QAM_RB106@0	20.72	17.23	0.053	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 64 QAM_RB106@0	20.21	16.72	0.047	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 256 QAM_RB106@0	17.25	13.76	0.024	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.73	20.24	0.106	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.90	20.41	0.110	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.86	20.37	0.109	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	23.40	19.91	0.098	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.69	20.20	0.105	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@104	23.72	20.23	0.105	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@25	23.79	20.30	0.107	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB100@0	22.85	19.36	0.086	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB100@0	21.84	18.35	0.068	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB100@0	21.33	17.84	0.061	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB100@0	19.36	15.87	0.039	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.04	18.55	0.072	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@104	22.23	18.74	0.075	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB53@26	22.27	18.78	0.076	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB106@0	20.83	17.34	0.054	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB106@0	20.86	17.37	0.055	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB106@0	20.37	16.88	0.049	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB106@0	17.34	13.85	0.024	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.54	20.05	0.101	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.45	19.96	0.099	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.35	19.86	0.097	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.93	19.44	0.088	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@1	23.28	19.79	0.095	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@104	23.33	19.84	0.096	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB50@25	23.33	19.84	0.096	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB100@0	22.41	18.92	0.078	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 16 QAM_RB100@0	21.44	17.95	0.062	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 64 QAM_RB100@0	20.89	17.40	0.055	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 256 QAM_RB100@0	18.92	15.43	0.035	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@1	21.89	18.40	0.069	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@104	21.80	18.31	0.068	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB53@26	21.81	18.32	0.068	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB106@0	20.35	16.86	0.049	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 16 QAM_RB106@0	20.38	16.89	0.049	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 64 QAM_RB106@0	19.88	16.39	0.044	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 256 QAM_RB106@0	16.92	13.43	0.022	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.98	20.49	0.112	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	23.85	20.36	0.109	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	23.85	20.36	0.109	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	23.28	19.79	0.095	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@1	23.54	20.05	0.101	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@131	23.79	20.30	0.107	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB64@32	23.77	20.28	0.107	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB128@0	22.67	19.18	0.083	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 16 QAM_RB128@0	21.79	18.30	0.068	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 64 QAM_RB128@0	21.29	17.80	0.060	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 256 QAM_RB128@0	19.28	15.79	0.038	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@1	22.14	18.65	0.073	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@131	22.42	18.93	0.078	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB67@33	22.18	18.69	0.074	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB133@0	20.66	17.17	0.052	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 16 QAM_RB133@0	20.76	17.27	0.053	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 64 QAM_RB133@0	20.26	16.77	0.048	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 256 QAM_RB133@0	17.30	13.81	0.024	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.76	20.27	0.106	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	23.96	20.47	0.111	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	23.89	20.40	0.110	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	23.32	19.83	0.096	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.69	20.20	0.105	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@131	23.74	20.25	0.106	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB64@32	23.91	20.42	0.110	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB128@0	22.86	19.37	0.086	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB128@0	21.86	18.37	0.069	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB128@0	21.41	17.92	0.062	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB128@0	19.40	15.91	0.039	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.06	18.57	0.072	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@131	22.21	18.72	0.074	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB67@33	22.23	18.74	0.075	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB133@0	20.82	17.33	0.054	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB133@0	20.90	17.41	0.055	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB133@0	20.37	16.88	0.049	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB133@0	17.37	13.88	0.024	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.53	20.04	0.101	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	23.37	19.88	0.097	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	23.48	19.99	0.100	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.86	19.37	0.086	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@1	23.31	19.82	0.096	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@131	23.32	19.83	0.096	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB64@32	23.53	20.04	0.101	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB128@0	22.29	18.80	0.076	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 16 QAM_RB128@0	21.40	17.91	0.062	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 64 QAM_RB128@0	20.89	17.40	0.055	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 256 QAM_RB128@0	18.90	15.41	0.035	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@1	21.86	18.37	0.069	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@131	21.89	18.40	0.069	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB67@33	21.83	18.34	0.068	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB133@0	20.31	16.82	0.048	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 16 QAM_RB133@0	20.34	16.85	0.048	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 64 QAM_RB133@0	19.92	16.43	0.044	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 256 QAM_RB133@0	16.93	13.44	0.022	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.97	20.48	0.112	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	23.91	20.42	0.110	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	23.74	20.25	0.106	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	23.38	19.89	0.097	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@1	23.43	19.94	0.099	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@160	23.82	20.33	0.108	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB81@40	23.68	20.19	0.104	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB162@0	22.77	19.28	0.085	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 16 QAM_RB162@0	21.72	18.23	0.067	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 64 QAM_RB162@0	21.24	17.75	0.060	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 256 QAM_RB162@0	19.25	15.76	0.038	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@1	22.21	18.72	0.074	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@160	22.23	18.74	0.075	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB81@40	22.17	18.68	0.074	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB162@0	20.69	17.20	0.052	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 16 QAM_RB162@0	20.70	17.21	0.053	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 64 QAM_RB162@0	20.21	16.72	0.047	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 256 QAM_RB162@0	17.24	13.75	0.024	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.75	20.26	0.106	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	23.91	20.42	0.110	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	23.86	20.37	0.109	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	23.39	19.90	0.098	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.66	20.17	0.104	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@160	23.67	20.18	0.104	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB81@40	23.77	20.28	0.107	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB162@0	22.91	19.42	0.087	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB162@0	21.81	18.32	0.068	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB162@0	21.28	17.79	0.060	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB162@0	19.30	15.81	0.038	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.11	18.62	0.073	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@160	22.38	18.89	0.077	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB81@40	22.22	18.73	0.075	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB162@0	20.73	17.24	0.053	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB162@0	20.76	17.27	0.053	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB162@0	20.24	16.75	0.047	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB162@0	17.30	13.81	0.024	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.52	20.03	0.101	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	23.48	19.99	0.100	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	23.49	20.00	0.100	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	23	19.51	0.089	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@1	23.31	19.82	0.096	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@160	23.36	19.87	0.097	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB81@40	23.43	19.94	0.099	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB162@0	22.46	18.97	0.079	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 16 QAM_RB162@0	21.46	17.97	0.063	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 64 QAM_RB162@0	20.98	17.49	0.056	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 256 QAM_RB162@0	18.97	15.48	0.035	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@1	21.96	18.47	0.070	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@160	21.81	18.32	0.068	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB81@40	21.92	18.43	0.070	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB162@0	20.41	16.92	0.049	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 16 QAM_RB162@0	20.43	16.94	0.049	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 64 QAM_RB162@0	19.92	16.43	0.044	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 256 QAM_RB162@0	16.98	13.49	0.022	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.09	20.60	0.115	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	23.94	20.45	0.111	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	23.87	20.38	0.109	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	23.26	19.77	0.095	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@1	23.52	20.03	0.101	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@215	23.85	20.36	0.109	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB108@54	23.84	20.35	0.108	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB216@0	22.76	19.27	0.085	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 16 QAM_RB216@0	21.91	18.42	0.070	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 64 QAM_RB216@0	21.34	17.85	0.061	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 256 QAM_RB216@0	19.34	15.85	0.038	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@1	22.39	18.90	0.078	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@215	22.39	18.90	0.078	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB109@54	22.33	18.84	0.077	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB217@0	20.84	17.35	0.054	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 16 QAM_RB217@0	20.85	17.36	0.054	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 64 QAM_RB217@0	20.35	16.86	0.049	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 256 QAM_RB217@0	17.37	13.88	0.024	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.76	20.27	0.106	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	23.98	20.49	0.112	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	23.83	20.34	0.108	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	23.32	19.83	0.096	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.66	20.17	0.104	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@215	23.74	20.25	0.106	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB108@54	23.88	20.39	0.109	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB216@0	22.91	19.42	0.087	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB216@0	21.98	18.49	0.071	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB216@0	21.49	18.00	0.063	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB216@0	19.48	15.99	0.040	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.19	18.70	0.074	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@215	22.37	18.88	0.077	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB109@54	22.39	18.90	0.078	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB217@0	20.97	17.48	0.056	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB217@0	20.94	17.45	0.056	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB217@0	20.46	16.97	0.050	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB217@0	17.50	14.01	0.025	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.59	20.10	0.102	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	23.58	20.09	0.102	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	23.54	20.05	0.101	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	23.13	19.64	0.092	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@1	23.41	19.92	0.098	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@215	23.42	19.93	0.098	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB108@54	23.59	20.10	0.102	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB216@0	22.43	18.94	0.078	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 16 QAM_RB216@0	21.53	18.04	0.064	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 64 QAM_RB216@0	21.12	17.63	0.058	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 256 QAM_RB216@0	19.14	15.65	0.037	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@1	22.09	18.60	0.072	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@215	22.12	18.63	0.073	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB109@54	22.08	18.59	0.072	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB217@0	20.58	17.09	0.051	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 16 QAM_RB217@0	20.59	17.10	0.051	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 64 QAM_RB217@0	20.10	16.61	0.046	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 256 QAM_RB217@0	17.15	13.66	0.023	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.08	20.59	0.115	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	23.99	20.50	0.112	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	23.77	20.28	0.107	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	23.29	19.80	0.095	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@1	23.53	20.04	0.101	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@243	23.91	20.42	0.110	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB120@60	23.85	20.36	0.109	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB243@0	22.77	19.28	0.085	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 16 QAM_RB243@0	21.93	18.44	0.070	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 64 QAM_RB243@0	21.41	17.92	0.062	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 256 QAM_RB243@0	19.41	15.92	0.039	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@1	22.32	18.83	0.076	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@243	22.47	18.98	0.079	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB123@61	22.38	18.89	0.077	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB245@0	20.91	17.42	0.055	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_90MHz_30kHz_2541MHz_CP-OFDM 16 QAM_RB245@0	20.85	17.36	0.054	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 64 QAM_RB245@0	20.35	16.86	0.049	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 256 QAM_RB245@0	17.39	13.90	0.025	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.76	20.27	0.106	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	24	20.51	0.112	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	23.77	20.28	0.107	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	23.37	19.88	0.097	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.62	20.13	0.103	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@243	23.70	20.21	0.105	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB120@60	23.85	20.36	0.109	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB243@0	22.84	19.35	0.086	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB243@0	22	18.51	0.071	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB243@0	21.56	18.07	0.064	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB243@0	19.48	15.99	0.040	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.09	18.60	0.072	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@243	22.40	18.91	0.078	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB123@61	22.36	18.87	0.077	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB245@0	20.97	17.48	0.056	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB245@0	20.93	17.44	0.055	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB245@0	20.42	16.93	0.049	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB245@0	17.51	14.02	0.025	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.53	20.04	0.101	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	23.52	20.03	0.101	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	23.58	20.09	0.102	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	23.15	19.66	0.092	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@1	23.38	19.89	0.097	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@243	23.41	19.92	0.098	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB120@60	23.59	20.10	0.102	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB243@0	22.56	19.07	0.081	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 16 QAM_RB243@0	21.61	18.12	0.065	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 64 QAM_RB243@0	21.14	17.65	0.058	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 256 QAM_RB243@0	19.10	15.61	0.036	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@1	22	18.51	0.071	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@243	22.14	18.65	0.073	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB123@61	22.10	18.61	0.073	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB245@0	20.60	17.11	0.051	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 16 QAM_RB245@0	20.60	17.11	0.051	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 64 QAM_RB245@0	20.09	16.60	0.046	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 256 QAM_RB245@0	17.11	13.62	0.023	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	24.10	20.61	0.115	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	24.07	20.58	0.114	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	23.80	20.31	0.107	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	23.31	19.82	0.096	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@1	23.61	20.12	0.103	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@271	23.92	20.43	0.110	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB135@67	23.85	20.36	0.109	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB270@0	22.88	19.39	0.087	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 16 QAM_RB270@0	21.90	18.41	0.069	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 64 QAM_RB270@0	21.37	17.88	0.061	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 256 QAM_RB270@0	19.36	15.87	0.039	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@1	22.40	18.91	0.078	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@271	22.43	18.94	0.078	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB137@68	22.42	18.93	0.078	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB273@0	20.87	17.38	0.055	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 16 QAM_RB273@0	20.85	17.36	0.054	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 64 QAM_RB273@0	20.36	16.87	0.049	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 256 QAM_RB273@0	17.36	13.87	0.024	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.70	20.21	0.105	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	23.92	20.43	0.110	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	23.74	20.25	0.106	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	23.38	19.89	0.097	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	23.67	20.18	0.104	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@271	23.81	20.32	0.108	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB135@67	23.72	20.23	0.105	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB270@0	22.94	19.45	0.088	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB270@0	22.01	18.52	0.071	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB270@0	21.51	18.02	0.063	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB270@0	19.49	16.00	0.040	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	22.08	18.59	0.072	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@271	22.36	18.87	0.077	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB137@68	22.38	18.89	0.077	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB273@0	21.01	17.52	0.056	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB273@0	21.01	17.52	0.056	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB273@0	20.47	16.98	0.050	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB273@0	17.50	14.01	0.025	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.54	20.05	0.101	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	23.59	20.10	0.102	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	23.61	20.12	0.103	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	23.01	19.52	0.090	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@1	23.54	20.05	0.101	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@271	23.63	20.14	0.103	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB135@67	23.66	20.17	0.104	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB270@0	22.58	19.09	0.081	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 16 QAM_RB270@0	21.64	18.15	0.065	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 64 QAM_RB270@0	21.18	17.69	0.059	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 256 QAM_RB270@0	19.18	15.69	0.037	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@1	21.88	18.39	0.069	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@271	22.40	18.91	0.078	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB137@68	22.09	18.60	0.072	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB273@0	20.65	17.16	0.052	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 16 QAM_RB273@0	20.67	17.18	0.052	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 64 QAM_RB273@0	20.11	16.62	0.046	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 256 QAM_RB273@0	17.18	13.69	0.023	2	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n41:

1.Ant Gain = -3.49dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n66

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.50	20.98	0.125	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.36	20.84	0.121	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.42	20.90	0.123	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	23.06	20.54	0.113	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB12@6	23.58	21.06	0.128	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1	23.28	20.76	0.119	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@23	23.40	20.88	0.122	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	22.58	20.06	0.101	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.55	19.03	0.080	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.13	18.61	0.073	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.19	16.67	0.046	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6	22.01	19.49	0.089	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1	21.89	19.37	0.086	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23	21.84	19.32	0.086	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0	20.51	17.99	0.063	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0	20.56	18.04	0.064	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0	20.07	17.55	0.057	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0	17.19	14.67	0.029	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.96	21.44	0.139	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.86	21.34	0.136	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.86	21.34	0.136	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	23.50	20.98	0.125	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6	23.99	21.47	0.140	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.78	21.26	0.134	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23	23.74	21.22	0.132	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0	23	20.48	0.112	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0	21.91	19.39	0.087	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0	21.54	19.02	0.080	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0	19.44	16.92	0.049	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6	22.43	19.91	0.098	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.32	19.80	0.095	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23	22.20	19.68	0.093	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0	20.99	18.47	0.070	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0	20.97	18.45	0.070	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0	20.50	17.98	0.063	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0	17.46	14.94	0.031	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.72	21.20	0.132	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.63	21.11	0.129	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	23.72	21.20	0.132	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	23.29	20.77	0.119	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB12@6	23.78	21.26	0.134	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1	23.63	21.11	0.129	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@23	23.75	21.23	0.133	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	22.81	20.29	0.107	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.79	19.27	0.085	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.28	18.76	0.075	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.36	16.84	0.048	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6	22.22	19.70	0.093	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1	22.01	19.49	0.089	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23	21.99	19.47	0.089	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0	20.73	18.21	0.066	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0	20.74	18.22	0.066	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0	20.25	17.73	0.059	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0	17.34	14.82	0.030	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.60	21.08	0.128	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	23.77	21.25	0.133	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.67	21.15	0.130	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.18	20.66	0.116	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@1	23.49	20.97	0.125	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@50	23.71	21.19	0.132	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB25@12	23.66	21.14	0.130	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0	22.70	20.18	0.104	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 16 QAM_RB50@0	21.69	19.17	0.083	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 64 QAM_RB50@0	21.12	18.60	0.072	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 256 QAM_RB50@0	19.28	16.76	0.047	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1	22.22	19.70	0.093	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50	22.19	19.67	0.093	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13	22.15	19.63	0.092	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0	20.67	18.15	0.065	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0	20.68	18.16	0.065	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0	20.15	17.63	0.058	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0	17.30	14.78	0.030	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.93	21.41	0.138	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	23.83	21.31	0.135	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.96	21.44	0.139	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.46	20.94	0.124	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.87	21.35	0.136	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50	23.82	21.30	0.135	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@12	24.02	21.50	0.141	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0	23.04	20.52	0.113	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB50@0	22	19.48	0.089	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB50@0	21.52	19.00	0.079	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB50@0	19.46	16.94	0.049	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.36	19.84	0.096	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50	22.40	19.88	0.097	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13	22.48	19.96	0.099	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0	20.94	18.42	0.070	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0	21.02	18.50	0.071	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0	20.48	17.96	0.063	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0	17.47	14.95	0.031	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.63	21.11	0.129	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	23.84	21.32	0.136	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.73	21.21	0.132	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.27	20.75	0.119	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1	23.61	21.09	0.129	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50	23.82	21.30	0.135	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB25@12	23.72	21.20	0.132	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	22.74	20.22	0.105	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0	21.75	19.23	0.084	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0	21.19	18.67	0.074	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0	19.29	16.77	0.048	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1	21.98	19.46	0.088	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50	22.15	19.63	0.092	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13	22.19	19.67	0.093	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0	20.75	18.23	0.067	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0	20.80	18.28	0.067	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0	20.26	17.74	0.059	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0	17.30	14.78	0.030	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.59	21.07	0.128	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	23.82	21.30	0.135	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.70	21.18	0.131	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.26	20.74	0.119	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@1	23.46	20.94	0.124	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@77	23.74	21.22	0.132	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB36@18	23.65	21.13	0.130	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	22.65	20.13	0.103	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.66	19.14	0.082	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.17	18.65	0.073	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.21	16.69	0.047	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@1	22.03	19.51	0.089	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@77	22.03	19.51	0.089	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB39@19	22.10	19.58	0.091	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB79@0	20.67	18.15	0.065	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 16 QAM_RB79@0	20.64	18.12	0.065	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 64 QAM_RB79@0	20.15	17.63	0.058	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 256 QAM_RB79@0	17.24	14.72	0.030	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.94	21.42	0.139	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	23.84	21.32	0.136	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.98	21.46	0.140	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.46	20.94	0.124	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.87	21.35	0.136	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@77	23.77	21.25	0.133	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB36@18	24.03	21.51	0.142	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB75@0	22.99	20.47	0.111	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB75@0	22.01	19.49	0.089	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB75@0	21.50	18.98	0.079	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB75@0	19.46	16.94	0.049	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.35	19.83	0.096	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@77	22.24	19.72	0.094	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB39@19	22.51	19.99	0.100	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB79@0	21	18.48	0.070	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB79@0	20.98	18.46	0.070	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB79@0	20.51	17.99	0.063	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_15MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB79@0	17.47	14.95	0.031	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.62	21.10	0.129	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	23.84	21.32	0.136	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.73	21.21	0.132	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.28	20.76	0.119	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@1	23.64	21.12	0.129	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@77	23.76	21.24	0.133	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB36@18	23.78	21.26	0.134	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	22.80	20.28	0.107	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.78	19.26	0.084	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.32	18.80	0.076	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.31	16.79	0.048	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@1	22	19.48	0.089	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@77	22.27	19.75	0.094	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB39@19	22.24	19.72	0.094	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB79@0	20.80	18.28	0.067	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 16 QAM_RB79@0	20.75	18.23	0.067	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 64 QAM_RB79@0	20.34	17.82	0.061	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 256 QAM_RB79@0	17.34	14.82	0.030	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	23.30	20.78	0.120	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.56	21.04	0.127	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.96	21.44	0.139	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.73	21.21	0.132	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0	22.80	20.28	0.107	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@1	23.47	20.95	0.124	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@104	23.92	21.40	0.138	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB50@25	23.73	21.21	0.132	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 16 QAM_RB100@0	21.75	19.23	0.084	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 64 QAM_RB100@0	21.27	18.75	0.075	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 256 QAM_RB100@0	19.37	16.85	0.048	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB106@0	20.85	18.33	0.068	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@1	22.11	19.59	0.091	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@104	22.27	19.75	0.094	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB53@26	22.27	19.75	0.094	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 16 QAM_RB106@0	20.78	18.26	0.067	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 64 QAM_RB106@0	20.26	17.74	0.059	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 256 QAM_RB106@0	17.37	14.85	0.031	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	23.47	20.95	0.124	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.91	21.39	0.138	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.83	21.31	0.135	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	24.03	21.51	0.142	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB100@0	22.96	20.44	0.111	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.88	21.36	0.137	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@104	23.76	21.24	0.133	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@25	24.02	21.50	0.141	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB100@0	21.94	19.42	0.087	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB100@0	21.44	18.92	0.078	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB100@0	19.47	16.95	0.050	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB106@0	20.98	18.46	0.070	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.33	19.81	0.096	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@104	22.27	19.75	0.094	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB53@26	22.49	19.97	0.099	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB106@0	20.89	18.37	0.069	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB106@0	20.42	17.90	0.062	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB106@0	17.43	14.91	0.031	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	23.35	20.83	0.121	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.69	21.17	0.131	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.86	21.34	0.136	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.77	21.25	0.133	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	22.80	20.28	0.107	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@1	23.69	21.17	0.131	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@104	23.79	21.27	0.134	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB50@25	23.75	21.23	0.133	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 16 QAM_RB100@0	21.78	19.26	0.084	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 64 QAM_RB100@0	21.32	18.80	0.076	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 256 QAM_RB100@0	19.35	16.83	0.048	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB106@0	20.83	18.31	0.068	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@1	22.05	19.53	0.090	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@104	22.17	19.65	0.092	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB53@26	22.28	19.76	0.095	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 16 QAM_RB106@0	20.83	18.31	0.068	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 64 QAM_RB106@0	20.31	17.79	0.060	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 256 QAM_RB106@0	17.33	14.81	0.030	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	23.41	20.89	0.123	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.61	21.09	0.129	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	24.13	21.61	0.145	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	23.91	21.39	0.138	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0	22.86	20.34	0.108	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@1	23.53	21.01	0.126	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@131	24.07	21.55	0.143	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB64@32	23.92	21.40	0.138	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 16 QAM_RB128@0	21.98	19.46	0.088	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 64 QAM_RB128@0	21.47	18.95	0.079	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 256 QAM_RB128@0	19.45	16.93	0.049	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB133@0	20.92	18.40	0.069	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@1	22.14	19.62	0.092	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@131	22.52	20.00	0.100	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB67@33	22.43	19.91	0.098	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 16 QAM_RB133@0	20.97	18.45	0.070	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 64 QAM_RB133@0	20.42	17.90	0.062	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 256 QAM_RB133@0	17.40	14.88	0.031	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	23.42	20.90	0.123	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.89	21.37	0.137	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	23.83	21.31	0.135	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	24.07	21.55	0.143	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB128@0	23.03	20.51	0.112	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.90	21.38	0.137	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@131	23.83	21.31	0.135	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB64@32	24.16	21.64	0.146	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB128@0	22.05	19.53	0.090	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB128@0	21.53	19.01	0.080	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB128@0	19.51	16.99	0.050	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB133@0	20.99	18.47	0.070	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.30	19.78	0.095	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@131	22.27	19.75	0.094	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB67@33	22.55	20.03	0.101	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB133@0	20.99	18.47	0.070	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB133@0	20.50	17.98	0.063	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB133@0	17.45	14.93	0.031	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	23.32	20.80	0.120	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.68	21.16	0.131	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	23.94	21.42	0.139	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	23.82	21.30	0.135	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	22.87	20.35	0.108	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@1	23.67	21.15	0.130	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@131	23.87	21.35	0.136	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB64@32	23.79	21.27	0.134	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 16 QAM_RB128@0	21.88	19.36	0.086	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 64 QAM_RB128@0	21.40	18.88	0.077	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 256 QAM_RB128@0	19.39	16.87	0.049	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB133@0	20.87	18.35	0.068	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@1	22.12	19.60	0.091	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@131	22.27	19.75	0.094	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB67@33	22.29	19.77	0.095	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 16 QAM_RB133@0	20.85	18.33	0.068	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 64 QAM_RB133@0	20.37	17.85	0.061	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 256 QAM_RB133@0	17.33	14.81	0.030	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	23.57	21.05	0.127	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.72	21.20	0.132	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	24.23	21.71	0.148	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	24.11	21.59	0.144	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	23.07	20.55	0.114	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@1	23.58	21.06	0.128	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@158	24.14	21.62	0.145	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB80@40	24.10	21.58	0.144	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 16 QAM_RB160@0	22.05	19.53	0.090	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 64 QAM_RB160@0	21.57	19.05	0.080	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 256 QAM_RB160@0	19.56	17.04	0.051	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB160@0	21.02	18.50	0.071	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@1	22.20	19.68	0.093	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@158	22.59	20.07	0.102	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB80@40	22.56	20.04	0.101	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 16 QAM_RB160@0	21.04	18.52	0.071	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 64 QAM_RB160@0	20.52	18.00	0.063	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 256 QAM_RB160@0	17.54	15.02	0.032	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	23.58	21.06	0.128	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.91	21.39	0.138	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	23.95	21.43	0.139	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	24.13	21.61	0.145	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB160@0	23.18	20.66	0.116	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.96	21.44	0.139	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@158	23.93	21.41	0.138	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB80@40	24.24	21.72	0.149	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB160@0	22.15	19.63	0.092	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB160@0	21.66	19.14	0.082	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB160@0	19.57	17.05	0.051	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB160@0	21.06	18.54	0.071	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.30	19.78	0.095	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@158	22.32	19.80	0.095	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB80@40	22.69	20.17	0.104	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB160@0	21.10	18.58	0.072	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB160@0	20.56	18.04	0.064	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB160@0	17.58	15.06	0.032	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	23.43	20.91	0.123	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.85	21.33	0.136	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	23.97	21.45	0.140	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	23.91	21.39	0.138	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	22.93	20.41	0.110	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@1	23.80	21.28	0.134	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@158	23.95	21.43	0.139	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB80@40	23.90	21.38	0.137	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 16 QAM_RB160@0	21.96	19.44	0.088	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 64 QAM_RB160@0	21.49	18.97	0.079	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 256 QAM_RB160@0	19.40	16.88	0.049	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB160@0	20.94	18.42	0.070	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@1	22.31	19.79	0.095	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@158	22.32	19.80	0.095	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB80@40	22.45	19.93	0.098	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 16 QAM_RB160@0	20.94	18.42	0.070	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 64 QAM_RB160@0	20.46	17.94	0.062	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 256 QAM_RB160@0	17.39	14.87	0.031	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	24.08	21.56	0.143	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.54	21.02	0.126	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	24.12	21.60	0.145	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	23.62	21.10	0.129	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB108@54	24.17	21.65	0.146	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@1	23.55	21.03	0.127	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@214	24.02	21.50	0.141	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB216@0	23.14	20.62	0.115	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 16 QAM_RB216@0	22.14	19.62	0.092	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 64 QAM_RB216@0	21.61	19.09	0.081	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 256 QAM_RB216@0	19.62	17.10	0.051	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB108@54	22.63	20.11	0.103	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@1	22.16	19.64	0.092	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@214	22.63	20.11	0.103	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB216@0	21.12	18.60	0.072	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 16 QAM_RB216@0	21.11	18.59	0.072	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 64 QAM_RB216@0	20.64	18.12	0.065	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 256 QAM_RB216@0	17.60	15.08	0.032	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	24.15	21.63	0.146	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.72	21.20	0.132	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	23.81	21.29	0.135	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	23.50	20.98	0.125	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB108@54	24.16	21.64	0.146	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	23.71	21.19	0.132	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@214	23.80	21.28	0.134	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB216@0	22.99	20.47	0.111	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB216@0	22.01	19.49	0.089	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB216@0	21.48	18.96	0.079	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB216@0	19.48	16.96	0.050	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB108@54	22.59	20.07	0.102	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	22.03	19.51	0.089	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@214	22.30	19.78	0.095	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB216@0	21	18.48	0.070	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB216@0	20.97	18.45	0.070	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB216@0	20.48	17.96	0.063	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB216@0	17.46	14.94	0.031	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	23.91	21.39	0.138	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.93	21.41	0.138	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	23.94	21.42	0.139	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	23.45	20.93	0.124	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB108@54	23.96	21.44	0.139	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@1	23.86	21.34	0.136	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@214	23.90	21.38	0.137	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	22.96	20.44	0.111	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 16 QAM_RB216@0	21.97	19.45	0.088	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 64 QAM_RB216@0	21.47	18.95	0.079	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 256 QAM_RB216@0	19.45	16.93	0.049	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB108@54	22.41	19.89	0.097	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@1	22.38	19.86	0.097	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@214	22.36	19.84	0.096	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB216@0	20.96	18.44	0.070	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 16 QAM_RB216@0	20.95	18.43	0.070	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 64 QAM_RB216@0	20.47	17.95	0.062	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 256 QAM_RB216@0	17.44	14.92	0.031	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C (dB) + G_T (dBi)

n66:

1.Ant Gain = -2.52dBi;

2. C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n77_1

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.92	22.72	0.187	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.85	22.65	0.184	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.95	22.75	0.188	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.41	22.21	0.166	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB12@6	22.93	22.73	0.187	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@1	22.87	22.67	0.185	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@22	22.90	22.70	0.186	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB24@0	21.84	21.64	0.146	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 16 QAM_RB24@0	21.01	20.81	0.121	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 64 QAM_RB24@0	20.47	20.27	0.106	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 256 QAM_RB24@0	18.48	18.28	0.067	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB12@6	21.26	21.06	0.128	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@1	21.11	20.91	0.123	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@22	21.23	21.03	0.127	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB24@0	19.79	19.59	0.091	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM 16 QAM_RB24@0	19.77	19.57	0.091	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM 64 QAM_RB24@0	19.47	19.27	0.085	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM 256 QAM_RB24@0	16.45	16.25	0.042	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.80	22.60	0.182	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.73	22.53	0.179	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.86	22.66	0.185	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.40	22.20	0.166	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB12@6	22.85	22.65	0.184	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.81	22.61	0.182	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@22	22.84	22.64	0.184	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB24@0	21.80	21.60	0.145	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB24@0	20.79	20.59	0.115	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB24@0	20.30	20.10	0.102	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB24@0	18.46	18.26	0.067	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB12@6	21.03	20.83	0.121	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.02	20.82	0.121	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@22	21.20	21.00	0.126	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB24@0	19.76	19.56	0.090	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB24@0	19.75	19.55	0.090	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB24@0	19.45	19.25	0.084	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB24@0	16.46	16.26	0.042	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.86	22.66	0.185	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.81	22.61	0.182	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.76	22.56	0.180	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.33	22.13	0.163	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB12@6	22.79	22.59	0.182	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	22.80	22.60	0.182	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@22	22.78	22.58	0.181	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB24@0	21.76	21.56	0.143	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 16 QAM_RB24@0	20.77	20.57	0.114	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 64 QAM_RB24@0	20.38	20.18	0.104	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 256 QAM_RB24@0	18.38	18.18	0.066	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB12@6	21.22	21.02	0.126	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@1	21.22	21.02	0.126	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@22	21.11	20.91	0.123	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB24@0	19.74	19.54	0.090	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM 16 QAM_RB24@0	19.58	19.38	0.087	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM 64 QAM_RB24@0	19.54	19.34	0.086	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM 256 QAM_RB24@0	16.41	16.21	0.042	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.97	22.77	0.189	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.88	22.68	0.185	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.92	22.72	0.187	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.57	22.37	0.173	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB18@9	23.09	22.89	0.195	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@1	22.86	22.66	0.185	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@36	22.91	22.71	0.187	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB36@0	21.88	21.68	0.147	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 16 QAM_RB36@0	20.95	20.75	0.119	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.57	20.37	0.109	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.46	18.26	0.067	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB19@9	21.59	21.39	0.138	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@1	21.34	21.14	0.130	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@36	21.27	21.07	0.128	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB38@0	19.97	19.77	0.095	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM 16 QAM_RB38@0	20.06	19.86	0.097	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM 64 QAM_RB38@0	19.62	19.42	0.087	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM 256 QAM_RB38@0	16.63	16.43	0.044	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.83	22.63	0.183	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.81	22.61	0.182	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.91	22.71	0.187	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.43	22.23	0.167	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB18@9	22.93	22.73	0.187	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.78	22.58	0.181	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@36	22.93	22.73	0.187	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@0	21.87	21.67	0.147	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB36@0	20.89	20.69	0.117	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB36@0	20.40	20.20	0.105	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB36@0	18.49	18.29	0.067	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB19@9	21.33	21.13	0.130	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.19	20.99	0.126	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@36	21.30	21.10	0.129	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB38@0	19.80	19.60	0.091	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB38@0	19.87	19.67	0.093	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB38@0	19.53	19.33	0.086	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB38@0	16.61	16.41	0.044	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.92	22.72	0.187	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.99	22.79	0.190	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.87	22.67	0.185	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.51	22.31	0.170	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB18@9	23.03	22.83	0.192	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	22.95	22.75	0.188	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@36	22.91	22.71	0.187	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@0	21.91	21.71	0.148	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.01	20.81	0.121	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.53	20.33	0.108	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.56	18.36	0.069	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB19@9	21.39	21.19	0.132	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	21.31	21.11	0.129	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@36	21.18	20.98	0.125	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB38@0	19.97	19.77	0.095	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM 16 QAM_RB38@0	20.02	19.82	0.096	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM 64 QAM_RB38@0	19.60	19.40	0.087	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM 256 QAM_RB38@0	16.68	16.48	0.044	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.95	22.75	0.188	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.90	22.70	0.186	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.08	22.88	0.194	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.54	22.34	0.171	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@1	23	22.80	0.191	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@49	22.88	22.68	0.185	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB25@12	22.96	22.76	0.189	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB50@0	22.02	21.82	0.152	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 16 QAM_RB50@0	20.99	20.79	0.120	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 64 QAM_RB50@0	20.51	20.31	0.107	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 256 QAM_RB50@0	18.50	18.30	0.068	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@1	21.19	20.99	0.126	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@49	21.18	20.98	0.125	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB25@12	21.53	21.33	0.136	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB51@0	19.96	19.76	0.095	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM 16 QAM_RB51@0	19.92	19.72	0.094	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM 64 QAM_RB51@0	19.56	19.36	0.086	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_20MHz_30kHz_3460MHz_CP-OFDM 256 QAM_RB51@0	16.57	16.37	0.043	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.67	22.47	0.177	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.88	22.68	0.185	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.91	22.71	0.187	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.36	22.16	0.164	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.69	22.49	0.177	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@49	22.83	22.63	0.183	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB25@12	22.81	22.61	0.182	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@0	21.90	21.70	0.148	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB50@0	20.80	20.60	0.115	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB50@0	20.37	20.17	0.104	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB50@0	18.43	18.23	0.067	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.12	20.92	0.124	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@49	21.09	20.89	0.123	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB25@12	21.32	21.12	0.129	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB51@0	19.88	19.68	0.093	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB51@0	19.86	19.66	0.092	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB51@0	19.42	19.22	0.084	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB51@0	16.47	16.27	0.042	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.84	22.64	0.184	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.78	22.58	0.181	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.90	22.70	0.186	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.40	22.20	0.166	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@1	22.82	22.62	0.183	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@49	22.78	22.58	0.181	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB25@12	23	22.80	0.191	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB50@0	21.90	21.70	0.148	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 16 QAM_RB50@0	20.80	20.60	0.115	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 64 QAM_RB50@0	20.41	20.21	0.105	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 256 QAM_RB50@0	18.43	18.23	0.067	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@1	21.27	21.07	0.128	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@49	21.18	20.98	0.125	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB25@12	21.43	21.23	0.133	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB51@0	19.79	19.59	0.091	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM 16 QAM_RB51@0	19.86	19.66	0.092	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM 64 QAM_RB51@0	19.47	19.27	0.085	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM 256 QAM_RB51@0	16.58	16.38	0.043	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.79	22.59	0.182	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.75	22.55	0.180	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.94	22.74	0.188	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.37	22.17	0.165	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@1	22.85	22.65	0.184	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@76	22.77	22.57	0.181	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB36@18	22.93	22.73	0.187	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB75@0	21.88	21.68	0.147	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 16 QAM_RB75@0	20.89	20.69	0.117	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 64 QAM_RB75@0	20.47	20.27	0.106	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 256 QAM_RB75@0	18.41	18.21	0.066	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@1	21.24	21.04	0.127	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@76	21.11	20.91	0.123	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB39@19	21.42	21.22	0.132	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB78@0	19.89	19.69	0.093	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM 16 QAM_RB78@0	19.91	19.71	0.094	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM 64 QAM_RB78@0	19.42	19.22	0.084	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM 256 QAM_RB78@0	16.41	16.21	0.042	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.76	22.56	0.180	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.82	22.62	0.183	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.80	22.60	0.182	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.32	22.12	0.163	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.78	22.58	0.181	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@76	22.88	22.68	0.185	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@18	22.88	22.68	0.185	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB75@0	21.85	21.65	0.146	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB75@0	20.87	20.67	0.117	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB75@0	20.41	20.21	0.105	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB75@0	18.35	18.15	0.065	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.14	20.94	0.124	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@76	21.10	20.90	0.123	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB39@19	21.31	21.11	0.129	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB78@0	19.85	19.65	0.092	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB78@0	19.88	19.68	0.093	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB78@0	19.37	19.17	0.083	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB78@0	16.40	16.20	0.042	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.86	22.66	0.185	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.76	22.56	0.180	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.90	22.70	0.186	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.42	22.22	0.167	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@1	22.95	22.75	0.188	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@76	22.80	22.60	0.182	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB36@18	22.86	22.66	0.185	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB75@0	21.89	21.69	0.148	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 16 QAM_RB75@0	20.92	20.72	0.118	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 64 QAM_RB75@0	20.39	20.19	0.104	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 256 QAM_RB75@0	18.43	18.23	0.067	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@1	21.22	21.02	0.126	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@76	21.25	21.05	0.127	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB39@19	21.43	21.23	0.133	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB78@0	19.94	19.74	0.094	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM 16 QAM_RB78@0	19.94	19.74	0.094	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM 64 QAM_RB78@0	19.47	19.27	0.085	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM 256 QAM_RB78@0	16.45	16.25	0.042	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.34	22.14	0.164	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.83	22.63	0.183	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.70	22.50	0.178	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.86	22.66	0.185	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB100@0	21.87	21.67	0.147	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@1	22.87	22.67	0.185	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@104	22.72	22.52	0.179	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB50@25	22.81	22.61	0.182	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 16 QAM_RB100@0	20.92	20.72	0.118	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 64 QAM_RB100@0	20.43	20.23	0.105	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 256 QAM_RB100@0	18.35	18.15	0.065	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB106@0	19.84	19.64	0.092	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@1	21.25	21.05	0.127	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@104	21.12	20.92	0.124	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB53@26	21.37	21.17	0.131	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM 16 QAM_RB106@0	19.87	19.67	0.093	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM 64 QAM_RB106@0	19.39	19.19	0.083	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM 256 QAM_RB106@0	16.39	16.19	0.042	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.37	22.17	0.165	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.71	22.51	0.178	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.87	22.67	0.185	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.86	22.66	0.185	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB100@0	21.93	21.73	0.149	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.83	22.63	0.183	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@104	22.93	22.73	0.187	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@25	22.78	22.58	0.181	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB100@0	20.80	20.60	0.115	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB100@0	20.44	20.24	0.106	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB100@0	18.41	18.21	0.066	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB106@0	19.89	19.69	0.093	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.13	20.93	0.124	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@104	21.29	21.09	0.129	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB53@26	21.41	21.21	0.132	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	19.93	19.73	0.094	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	19.37	19.17	0.083	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_40MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	16.46	16.26	0.042	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.52	22.32	0.171	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.92	22.72	0.187	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.93	22.73	0.187	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.97	22.77	0.189	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB100@0	22.06	21.86	0.153	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@1	23.01	22.81	0.191	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@104	22.90	22.70	0.186	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB50@25	23.03	22.83	0.192	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 16 QAM_RB100@0	21.08	20.88	0.122	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 64 QAM_RB100@0	20.50	20.30	0.107	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 256 QAM_RB100@0	18.54	18.34	0.068	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB106@0	20.07	19.87	0.097	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@1	21.33	21.13	0.130	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@104	21.27	21.07	0.128	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB53@26	21.53	21.33	0.136	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM 16 QAM_RB106@0	20.06	19.86	0.097	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM 64 QAM_RB106@0	19.58	19.38	0.087	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM 256 QAM_RB106@0	16.55	16.35	0.043	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.45	22.25	0.168	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.85	22.65	0.184	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.82	22.62	0.183	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.98	22.78	0.190	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB128@0	21.98	21.78	0.151	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	22.99	22.79	0.190	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@131	22.86	22.66	0.185	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB64@32	22.95	22.75	0.188	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 16 QAM_RB128@0	21	20.80	0.120	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 64 QAM_RB128@0	20.51	20.31	0.107	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 256 QAM_RB128@0	18.50	18.30	0.068	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB133@0	19.93	19.73	0.094	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@1	21.19	20.99	0.126	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@131	21.25	21.05	0.127	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB67@33	21.55	21.35	0.136	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM 16 QAM_RB133@0	19.95	19.75	0.094	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM 64 QAM_RB133@0	19.47	19.27	0.085	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM 256 QAM_RB133@0	16.47	16.27	0.042	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.41	22.21	0.166	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.96	22.76	0.189	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.93	22.73	0.187	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.97	22.77	0.189	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB128@0	22.08	21.88	0.154	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.94	22.74	0.188	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@131	23	22.80	0.191	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@32	22.98	22.78	0.190	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB128@0	21.08	20.88	0.122	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB128@0	20.50	20.30	0.107	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB128@0	18.52	18.32	0.068	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB133@0	19.92	19.72	0.094	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.22	21.02	0.126	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@131	21.27	21.07	0.128	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB67@33	21.43	21.23	0.133	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB133@0	19.92	19.72	0.094	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB133@0	19.45	19.25	0.084	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB133@0	16.49	16.29	0.043	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.49	22.29	0.169	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.90	22.70	0.186	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.82	22.62	0.183	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	23.09	22.89	0.195	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB128@0	21.95	21.75	0.150	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	22.93	22.73	0.187	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@131	22.92	22.72	0.187	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB64@32	23.01	22.81	0.191	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 16 QAM_RB128@0	21.05	20.85	0.122	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 64 QAM_RB128@0	20.57	20.37	0.109	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 256 QAM_RB128@0	18.58	18.38	0.069	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB133@0	20.04	19.84	0.096	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@1	21.22	21.02	0.126	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@131	21.21	21.01	0.126	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB67@33	21.52	21.32	0.136	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM 16 QAM_RB133@0	20	19.80	0.095	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM 64 QAM_RB133@0	19.49	19.29	0.085	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM 256 QAM_RB133@0	16.51	16.31	0.043	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.42	22.22	0.167	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.95	22.75	0.188	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.81	22.61	0.182	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.93	22.73	0.187	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB162@0	21.92	21.72	0.149	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@1	22.96	22.76	0.189	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@160	22.91	22.71	0.187	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB81@40	22.84	22.64	0.184	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 16 QAM_RB162@0	20.86	20.66	0.116	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 64 QAM_RB162@0	20.44	20.24	0.106	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 256 QAM_RB162@0	18.40	18.20	0.066	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB162@0	19.94	19.74	0.094	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@1	21.23	21.03	0.127	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@160	21.30	21.10	0.129	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB81@40	21.40	21.20	0.132	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM 16 QAM_RB162@0	19.89	19.69	0.093	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM 64 QAM_RB162@0	19.38	19.18	0.083	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM 256 QAM_RB162@0	16.40	16.20	0.042	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.41	22.21	0.166	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.76	22.56	0.180	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.84	22.64	0.184	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.85	22.65	0.184	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB162@0	21.88	21.68	0.147	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.88	22.68	0.185	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@160	22.86	22.66	0.185	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB81@40	22.79	22.59	0.182	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB162@0	20.89	20.69	0.117	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB162@0	20.47	20.27	0.106	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB162@0	18.39	18.19	0.066	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB162@0	19.88	19.68	0.093	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.25	21.05	0.127	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@160	21.40	21.20	0.132	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB81@40	21.38	21.18	0.131	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB162@0	19.87	19.67	0.093	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB162@0	19.34	19.14	0.082	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB162@0	16.40	16.20	0.042	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.51	22.31	0.170	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.79	22.59	0.182	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.78	22.58	0.181	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	23.04	22.84	0.192	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB162@0	21.93	21.73	0.149	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@1	22.82	22.62	0.183	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@160	22.84	22.64	0.184	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB81@40	23	22.80	0.191	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 16 QAM_RB162@0	21.05	20.85	0.122	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 64 QAM_RB162@0	20.60	20.40	0.110	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 256 QAM_RB162@0	18.52	18.32	0.068	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB162@0	19.98	19.78	0.095	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@1	21.20	21.00	0.126	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@160	21.12	20.92	0.124	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB81@40	21.52	21.32	0.136	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM 16 QAM_RB162@0	19.97	19.77	0.095	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM 64 QAM_RB162@0	19.45	19.25	0.084	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_60MHz_30kHz_3520MHz_CP-OFDM 256 QAM_RB162@0	16.52	16.32	0.043	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.36	22.16	0.164	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.03	22.83	0.192	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.91	22.71	0.187	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.88	22.68	0.185	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB180@0	21.91	21.71	0.148	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@1	23.04	22.84	0.192	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@187	22.95	22.75	0.188	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB90@45	23.03	22.83	0.192	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 16 QAM_RB180@0	20.96	20.76	0.119	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 64 QAM_RB180@0	20.46	20.26	0.106	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 256 QAM_RB180@0	18.63	18.43	0.070	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB189@0	20.15	19.95	0.099	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@1	21.32	21.12	0.129	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@187	21.36	21.16	0.131	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB95@47	21.44	21.24	0.133	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM 16 QAM_RB189@0	20.12	19.92	0.098	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM 64 QAM_RB189@0	19.65	19.45	0.088	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM 256 QAM_RB189@0	16.67	16.47	0.044	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.44	22.24	0.167	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.91	22.71	0.187	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.90	22.70	0.186	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.98	22.78	0.190	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB180@0	22.03	21.83	0.152	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.09	22.89	0.195	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@187	22.93	22.73	0.187	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB90@45	22.96	22.76	0.189	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB180@0	21.04	20.84	0.121	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB180@0	20.48	20.28	0.107	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB180@0	18.73	18.53	0.071	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB189@0	20.23	20.03	0.101	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.32	21.12	0.129	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@187	21.33	21.13	0.130	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB95@47	21.51	21.31	0.135	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB189@0	20.20	20.00	0.100	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB189@0	19.67	19.47	0.089	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB189@0	16.71	16.51	0.045	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.51	22.31	0.170	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.99	22.79	0.190	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.82	22.62	0.183	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	23.02	22.82	0.191	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB180@0	22	21.80	0.151	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@1	22.98	22.78	0.190	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@187	22.92	22.72	0.187	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB90@45	23.11	22.91	0.195	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 16 QAM_RB180@0	21.05	20.85	0.122	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 64 QAM_RB180@0	20.51	20.31	0.107	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 256 QAM_RB180@0	18.76	18.56	0.072	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB189@0	20.28	20.08	0.102	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@1	21.28	21.08	0.128	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@187	21.23	21.03	0.127	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB95@47	21.57	21.37	0.137	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM 16 QAM_RB189@0	20.20	20.00	0.100	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM 64 QAM_RB189@0	19.73	19.53	0.090	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM 256 QAM_RB189@0	16.74	16.54	0.045	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.95	22.75	0.188	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.08	22.88	0.194	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.92	22.72	0.187	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.50	22.30	0.170	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB108@54	22.88	22.68	0.185	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@1	23.09	22.89	0.195	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@215	23.03	22.83	0.192	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB216@0	22.02	21.82	0.152	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 16 QAM_RB216@0	20.95	20.75	0.119	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 64 QAM_RB216@0	20.43	20.23	0.105	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 256 QAM_RB216@0	18.66	18.46	0.070	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB109@54	21.50	21.30	0.135	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@1	21.40	21.20	0.132	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@215	21.26	21.06	0.128	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB217@0	20.13	19.93	0.098	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM 16 QAM_RB217@0	20.09	19.89	0.097	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM 64 QAM_RB217@0	19.62	19.42	0.087	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM 256 QAM_RB217@0	16.64	16.44	0.044	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.98	22.78	0.190	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.95	22.75	0.188	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.84	22.64	0.184	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.45	22.25	0.168	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	22.91	22.71	0.187	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.99	22.79	0.190	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@215	22.89	22.69	0.186	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	21.95	21.75	0.150	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB216@0	20.89	20.69	0.117	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB216@0	20.47	20.27	0.106	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB216@0	18.64	18.44	0.070	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB109@54	21.40	21.20	0.132	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.26	21.06	0.128	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@215	21.20	21.00	0.126	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB217@0	20.13	19.93	0.098	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB217@0	20.13	19.93	0.098	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB217@0	19.56	19.36	0.086	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB217@0	16.63	16.43	0.044	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.96	22.76	0.189	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.91	22.71	0.187	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.87	22.67	0.185	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.41	22.21	0.166	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB108@54	22.93	22.73	0.187	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@1	23.02	22.82	0.191	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@215	22.85	22.65	0.184	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB216@0	21.99	21.79	0.151	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 16 QAM_RB216@0	21.01	20.81	0.121	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 64 QAM_RB216@0	20.52	20.32	0.108	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 256 QAM_RB216@0	18.67	18.47	0.070	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB109@54	21.58	21.38	0.137	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@1	21.34	21.14	0.130	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@215	21.19	20.99	0.126	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB217@0	20.15	19.95	0.099	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM 16 QAM_RB217@0	20.12	19.92	0.098	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM 64 QAM_RB217@0	19.61	19.41	0.087	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM 256 QAM_RB217@0	16.64	16.44	0.044	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.84	22.64	0.184	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.95	22.75	0.188	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.81	22.61	0.182	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.33	22.13	0.163	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB120@60	22.86	22.66	0.185	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@1	22.93	22.73	0.187	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@243	22.90	22.70	0.186	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB243@0	21.97	21.77	0.150	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 16 QAM_RB243@0	20.97	20.77	0.119	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 64 QAM_RB243@0	20.50	20.30	0.107	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 256 QAM_RB243@0	18.64	18.44	0.070	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB123@61	21.42	21.22	0.132	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@1	21.16	20.96	0.125	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@243	21.23	21.03	0.127	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB245@0	20.15	19.95	0.099	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM 16 QAM_RB245@0	20.09	19.89	0.097	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM 64 QAM_RB245@0	19.57	19.37	0.086	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_90MHz_30kHz_3495MHz_CP-OFDM 256 QAM_RB245@0	16.61	16.41	0.044	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.95	22.75	0.188	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.09	22.89	0.195	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.93	22.73	0.187	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.40	22.20	0.166	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB120@60	23.01	22.81	0.191	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.07	22.87	0.194	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@243	22.95	22.75	0.188	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB243@0	22.05	21.85	0.153	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB243@0	21.08	20.88	0.122	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB243@0	20.58	20.38	0.109	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB243@0	18.72	18.52	0.071	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB123@61	21.51	21.31	0.135	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.33	21.13	0.130	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@243	21.31	21.11	0.129	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB245@0	20.21	20.01	0.100	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB245@0	20.16	19.96	0.099	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB245@0	19.66	19.46	0.088	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB245@0	16.72	16.52	0.045	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.91	22.71	0.187	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.04	22.84	0.192	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.86	22.66	0.185	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.44	22.24	0.167	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB120@60	23.02	22.82	0.191	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@1	23.13	22.93	0.196	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@243	22.94	22.74	0.188	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB243@0	21.95	21.75	0.150	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 16 QAM_RB243@0	21.01	20.81	0.121	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 64 QAM_RB243@0	20.58	20.38	0.109	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 256 QAM_RB243@0	18.73	18.53	0.071	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB123@61	21.49	21.29	0.135	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@1	21.51	21.31	0.135	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@243	21.42	21.22	0.132	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB245@0	20.16	19.96	0.099	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM 16 QAM_RB245@0	20.15	19.95	0.099	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM 64 QAM_RB245@0	19.68	19.48	0.089	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM 256 QAM_RB245@0	16.70	16.50	0.045	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.93	22.73	0.187	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.05	22.85	0.193	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.94	22.74	0.188	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.49	22.29	0.169	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB135@67	23.01	22.81	0.191	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.16	22.96	0.198	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@271	22.91	22.71	0.187	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB270@0	22.05	21.85	0.153	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB270@0	20.99	20.79	0.120	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB270@0	20.53	20.33	0.108	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB270@0	18.76	18.56	0.072	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB137@68	21.42	21.22	0.132	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.37	21.17	0.131	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@271	21.22	21.02	0.126	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB273@0	20.25	20.05	0.101	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB273@0	20.22	20.02	0.100	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB273@0	19.69	19.49	0.089	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB273@0	16.69	16.49	0.045	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n77_1:

1.Ant Gain = -0.2dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n77_3

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.87	22.67	0.185	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.97	22.77	0.189	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.93	22.73	0.187	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.48	22.28	0.169	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB12@6	22.94	22.74	0.188	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	22.94	22.74	0.188	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@22	22.94	22.74	0.188	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB24@0	21.95	21.75	0.150	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 16 QAM_RB24@0	21.09	20.89	0.123	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 64 QAM_RB24@0	20.47	20.27	0.106	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 256 QAM_RB24@0	18.59	18.39	0.069	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB12@6	21.49	21.29	0.135	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@1	21.29	21.09	0.129	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@22	21.32	21.12	0.129	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB24@0	20	19.80	0.095	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM 16 QAM_RB24@0	19.94	19.74	0.094	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM 64 QAM_RB24@0	19.60	19.40	0.087	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM 256 QAM_RB24@0	16.62	16.42	0.044	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.12	22.92	0.196	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.13	22.93	0.196	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	23.08	22.88	0.194	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.62	22.42	0.175	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB12@6	23.17	22.97	0.198	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.17	22.97	0.198	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@22	23.13	22.93	0.196	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB24@0	22.16	21.96	0.157	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB24@0	21.28	21.08	0.128	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB24@0	20.76	20.56	0.114	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB24@0	18.65	18.45	0.070	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB12@6	21.67	21.47	0.140	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.45	21.25	0.133	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@22	21.46	21.26	0.134	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB24@0	20.19	19.99	0.100	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB24@0	20.13	19.93	0.098	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB24@0	19.70	19.50	0.089	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB24@0	16.66	16.46	0.044	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.12	22.92	0.196	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.04	22.84	0.192	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	23.10	22.90	0.195	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.60	22.40	0.174	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB12@6	23.08	22.88	0.194	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB1@1	23.07	22.87	0.194	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB1@22	23.09	22.89	0.195	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB24@0	22.09	21.89	0.155	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM 16 QAM_RB24@0	21.09	20.89	0.123	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM 64 QAM_RB24@0	20.62	20.42	0.110	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM 256 QAM_RB24@0	18.64	18.44	0.070	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB12@6	21.46	21.26	0.134	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB1@1	21.45	21.25	0.133	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB1@22	21.46	21.26	0.134	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB24@0	19.95	19.75	0.094	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM 16 QAM_RB24@0	20.07	19.87	0.097	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM 64 QAM_RB24@0	19.70	19.50	0.089	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM 256 QAM_RB24@0	16.66	16.46	0.044	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.99	22.79	0.190	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.93	22.73	0.187	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.96	22.76	0.189	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.60	22.40	0.174	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB18@9	23.20	23.00	0.200	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	22.98	22.78	0.190	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@36	22.99	22.79	0.190	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@0	22.03	21.83	0.152	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.10	20.90	0.123	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.63	20.43	0.110	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.70	18.50	0.071	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB19@9	21.45	21.25	0.133	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	21.28	21.08	0.128	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@36	21.38	21.18	0.131	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB38@0	19.98	19.78	0.095	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM 16 QAM_RB38@0	20.03	19.83	0.096	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM 64 QAM_RB38@0	19.71	19.51	0.089	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM 256 QAM_RB38@0	16.74	16.54	0.045	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	23.18	22.98	0.199	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.21	23.01	0.200	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	23.14	22.94	0.197	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.77	22.57	0.181	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB18@9	23.22	23.02	0.200	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.21	23.01	0.200	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@36	23.19	22.99	0.199	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB36@0	22.25	22.05	0.160	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB36@0	21.19	20.99	0.126	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB36@0	20.66	20.46	0.111	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB36@0	18.73	18.53	0.071	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB19@9	21.69	21.49	0.141	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.43	21.23	0.133	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@36	21.43	21.23	0.133	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB38@0	20.18	19.98	0.100	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_15MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB38@0	20.14	19.94	0.099	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB38@0	19.77	19.57	0.091	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB38@0	16.79	16.59	0.046	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	23.15	22.95	0.197	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.96	22.76	0.189	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	23.04	22.84	0.192	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.65	22.45	0.176	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB18@9	23.09	22.89	0.195	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@1	22.96	22.76	0.189	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@36	23.05	22.85	0.193	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB36@0	22.15	21.95	0.157	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.06	20.86	0.122	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.59	20.39	0.109	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.71	18.51	0.071	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB19@9	21.56	21.36	0.137	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB1@1	21.26	21.06	0.128	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB1@36	21.32	21.12	0.129	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB38@0	20.17	19.97	0.099	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM 16 QAM_RB38@0	20.17	19.97	0.099	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM 64 QAM_RB38@0	19.80	19.60	0.091	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM 256 QAM_RB38@0	16.79	16.59	0.046	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.88	22.68	0.185	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.90	22.70	0.186	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.06	22.86	0.193	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.60	22.40	0.174	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@1	22.93	22.73	0.187	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@49	22.93	22.73	0.187	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB25@12	23.07	22.87	0.194	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB50@0	22.03	21.83	0.152	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 16 QAM_RB50@0	21.05	20.85	0.122	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 64 QAM_RB50@0	20.43	20.23	0.105	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 256 QAM_RB50@0	18.69	18.49	0.071	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@1	21.36	21.16	0.131	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@49	21.38	21.18	0.131	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB25@12	21.49	21.29	0.135	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB51@0	20.07	19.87	0.097	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM 16 QAM_RB51@0	19.99	19.79	0.095	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM 64 QAM_RB51@0	19.70	19.50	0.089	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM 256 QAM_RB51@0	16.73	16.53	0.045	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.09	22.89	0.195	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	23.13	22.93	0.196	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.33	23.13	0.206	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.72	22.52	0.179	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.17	22.97	0.198	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@49	23.15	22.95	0.197	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB25@12	23.27	23.07	0.203	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB50@0	22.21	22.01	0.159	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB50@0	21.21	21.01	0.126	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB50@0	20.60	20.40	0.110	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB50@0	18.69	18.49	0.071	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.53	21.33	0.136	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@49	21.50	21.30	0.135	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB25@12	21.64	21.44	0.139	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB51@0	20.09	19.89	0.097	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB51@0	20.21	20.01	0.100	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB51@0	19.72	19.52	0.090	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB51@0	16.80	16.60	0.046	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.98	22.78	0.190	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	23.05	22.85	0.193	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.14	22.94	0.197	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.65	22.45	0.176	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB1@1	22.98	22.78	0.190	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB1@49	23.07	22.87	0.194	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB25@12	23.19	22.99	0.199	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB50@0	22.13	21.93	0.156	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM 16 QAM_RB50@0	21.05	20.85	0.122	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM 64 QAM_RB50@0	20.62	20.42	0.110	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM 256 QAM_RB50@0	18.68	18.48	0.070	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB1@1	21.36	21.16	0.131	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB1@49	21.44	21.24	0.133	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB25@12	21.62	21.42	0.139	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB51@0	20.05	19.85	0.097	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM 16 QAM_RB51@0	20.18	19.98	0.100	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM 64 QAM_RB51@0	19.74	19.54	0.090	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM 256 QAM_RB51@0	16.77	16.57	0.045	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.01	22.81	0.191	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.98	22.78	0.190	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.05	22.85	0.193	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.57	22.37	0.173	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@1	23.02	22.82	0.191	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@76	23	22.80	0.191	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB36@18	23.10	22.90	0.195	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB75@0	22.06	21.86	0.153	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 16 QAM_RB75@0	21.09	20.89	0.123	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 64 QAM_RB75@0	20.63	20.43	0.110	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 256 QAM_RB75@0	18.64	18.44	0.070	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@1	21.37	21.17	0.131	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@76	21.38	21.18	0.131	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB39@19	21.52	21.32	0.136	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB78@0	20.14	19.94	0.099	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM 16 QAM_RB78@0	20.15	19.95	0.099	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM 64 QAM_RB78@0	19.65	19.45	0.088	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM 256 QAM_RB78@0	16.66	16.46	0.044	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.20	23.00	0.200	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	23.14	22.94	0.197	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.23	23.03	0.201	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.73	22.53	0.179	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.20	23.00	0.200	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@76	23.19	22.99	0.199	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB36@18	23.17	22.97	0.198	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB75@0	22.31	22.11	0.163	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB75@0	21.26	21.06	0.128	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB75@0	20.83	20.63	0.116	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB75@0	18.73	18.53	0.071	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.61	21.41	0.138	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@76	21.57	21.37	0.137	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB39@19	21.74	21.54	0.143	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB78@0	20.24	20.04	0.101	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB78@0	20.23	20.03	0.101	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB78@0	19.78	19.58	0.091	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB78@0	16.77	16.57	0.045	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.92	22.72	0.187	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	23.09	22.89	0.195	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.13	22.93	0.196	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.61	22.41	0.174	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB1@1	23.03	22.83	0.192	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB1@76	23.12	22.92	0.196	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB36@18	23.12	22.92	0.196	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB75@0	22.16	21.96	0.157	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM 16 QAM_RB75@0	21.09	20.89	0.123	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM 64 QAM_RB75@0	20.64	20.44	0.111	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM 256 QAM_RB75@0	18.63	18.43	0.070	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB1@1	21.42	21.22	0.132	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB1@76	21.49	21.29	0.135	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB39@19	21.58	21.38	0.137	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB78@0	20.15	19.95	0.099	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_30MHz_30kHz_3965MHz_CP-OFDM 16 QAM_RB78@0	20.18	19.98	0.100	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM 64 QAM_RB78@0	19.63	19.43	0.088	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM 256 QAM_RB78@0	16.67	16.47	0.044	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.57	22.37	0.173	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.94	22.74	0.188	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.06	22.86	0.193	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.05	22.85	0.193	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB100@0	22.10	21.90	0.155	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	22.97	22.77	0.189	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@104	23.10	22.90	0.195	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB50@25	23.05	22.85	0.193	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 16 QAM_RB100@0	21.09	20.89	0.123	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 64 QAM_RB100@0	20.58	20.38	0.109	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 256 QAM_RB100@0	18.64	18.44	0.070	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB106@0	20.10	19.90	0.098	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@1	21.40	21.20	0.132	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@104	21.40	21.20	0.132	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB53@26	21.55	21.35	0.136	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM 16 QAM_RB106@0	20.11	19.91	0.098	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM 64 QAM_RB106@0	19.62	19.42	0.087	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM 256 QAM_RB106@0	16.65	16.45	0.044	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.74	22.54	0.179	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.18	22.98	0.199	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.17	22.97	0.198	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.22	23.02	0.200	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB100@0	22.28	22.08	0.161	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.23	23.03	0.201	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@104	23.22	23.02	0.200	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB50@25	23.23	23.03	0.201	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB100@0	21.32	21.12	0.129	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB100@0	20.68	20.48	0.112	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB100@0	18.76	18.56	0.072	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB106@0	20.24	20.04	0.101	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.45	21.25	0.133	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@104	21.63	21.43	0.139	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB53@26	21.75	21.55	0.143	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB106@0	20.25	20.05	0.101	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB106@0	19.77	19.57	0.091	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB106@0	16.77	16.57	0.045	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.68	22.48	0.177	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.98	22.78	0.190	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.17	22.97	0.198	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.18	22.98	0.199	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB100@0	22.16	21.96	0.157	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB1@1	23.07	22.87	0.194	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB1@104	23.22	23.02	0.200	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB50@25	23.13	22.93	0.196	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM 16 QAM_RB100@0	21.20	21.00	0.126	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM 64 QAM_RB100@0	20.77	20.57	0.114	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM 256 QAM_RB100@0	18.73	18.53	0.071	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB106@0	20.23	20.03	0.101	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB1@1	21.44	21.24	0.133	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB1@104	21.66	21.46	0.140	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB53@26	21.68	21.48	0.141	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM 16 QAM_RB106@0	20.21	20.01	0.100	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM 64 QAM_RB106@0	19.72	19.52	0.090	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM 256 QAM_RB106@0	16.70	16.50	0.045	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.56	22.36	0.172	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23	22.80	0.191	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	23.13	22.93	0.196	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	23.13	22.93	0.196	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB128@0	22.14	21.94	0.156	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	22.99	22.79	0.190	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@131	23.20	23.00	0.200	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB64@32	23.09	22.89	0.195	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 16 QAM_RB128@0	21.13	20.93	0.124	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 64 QAM_RB128@0	20.63	20.43	0.110	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 256 QAM_RB128@0	18.69	18.49	0.071	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB133@0	20.17	19.97	0.099	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@1	21.31	21.11	0.129	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@131	21.48	21.28	0.134	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB67@33	21.63	21.43	0.139	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM 16 QAM_RB133@0	20.14	19.94	0.099	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM 64 QAM_RB133@0	19.65	19.45	0.088	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM 256 QAM_RB133@0	16.71	16.51	0.045	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.76	22.56	0.180	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.22	23.02	0.200	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	23.16	22.96	0.198	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	23.39	23.19	0.208	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB128@0	22.33	22.13	0.163	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.27	23.07	0.203	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@131	23.22	23.02	0.200	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB64@32	23.27	23.07	0.203	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB128@0	21.28	21.08	0.128	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB128@0	20.77	20.57	0.114	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB128@0	18.79	18.59	0.072	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB133@0	20.24	20.04	0.101	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.50	21.30	0.135	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@131	21.38	21.18	0.131	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB67@33	21.68	21.48	0.141	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB133@0	20.21	20.01	0.100	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB133@0	19.73	19.53	0.090	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB133@0	16.78	16.58	0.045	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.73	22.53	0.179	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.96	22.76	0.189	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	23.17	22.97	0.198	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	23.20	23.00	0.200	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB128@0	22.15	21.95	0.157	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB1@1	22.99	22.79	0.190	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB1@131	23.21	23.01	0.200	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB64@32	23.17	22.97	0.198	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM 16 QAM_RB128@0	21.18	20.98	0.125	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM 64 QAM_RB128@0	20.70	20.50	0.112	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM 256 QAM_RB128@0	18.72	18.52	0.071	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB133@0	20.15	19.95	0.099	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB1@1	21.38	21.18	0.131	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB1@131	21.48	21.28	0.134	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB67@33	21.63	21.43	0.139	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM 16 QAM_RB133@0	20.16	19.96	0.099	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM 64 QAM_RB133@0	19.69	19.49	0.089	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM 256 QAM_RB133@0	16.68	16.48	0.044	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.57	22.37	0.173	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.88	22.68	0.185	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	23.14	22.94	0.197	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	23.06	22.86	0.193	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB162@0	22.03	21.83	0.152	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@1	22.93	22.73	0.187	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@160	23.17	22.97	0.198	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB81@40	23.04	22.84	0.192	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 16 QAM_RB162@0	21.10	20.90	0.123	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 64 QAM_RB162@0	20.64	20.44	0.111	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 256 QAM_RB162@0	18.61	18.41	0.069	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB162@0	20.10	19.90	0.098	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@1	21.27	21.07	0.128	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@160	21.56	21.36	0.137	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB81@40	21.58	21.38	0.137	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_60MHz_30kHz_3730MHz_CP-OFDM 16 QAM_RB162@0	20.05	19.85	0.097	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM 64 QAM_RB162@0	19.62	19.42	0.087	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM 256 QAM_RB162@0	16.65	16.45	0.044	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.80	22.60	0.182	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.16	22.96	0.198	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	23.21	23.01	0.200	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	23.24	23.04	0.201	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB162@0	22.25	22.05	0.160	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.17	22.97	0.198	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@160	23.23	23.03	0.201	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB81@40	23.27	23.07	0.203	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB162@0	21.29	21.09	0.129	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB162@0	20.77	20.57	0.114	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB162@0	18.74	18.54	0.071	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB162@0	20.19	19.99	0.100	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.58	21.38	0.137	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@160	21.51	21.31	0.135	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB81@40	21.74	21.54	0.143	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB162@0	20.20	20.00	0.100	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB162@0	19.70	19.50	0.089	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB162@0	16.74	16.54	0.045	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.67	22.47	0.177	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.94	22.74	0.188	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	23.21	23.01	0.200	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	23.25	23.05	0.202	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB162@0	22.24	22.04	0.160	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB1@1	22.96	22.76	0.189	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB1@160	23.26	23.06	0.202	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB81@40	23.17	22.97	0.198	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM 16 QAM_RB162@0	21.24	21.04	0.127	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM 64 QAM_RB162@0	20.76	20.56	0.114	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM 256 QAM_RB162@0	18.74	18.54	0.071	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB162@0	20.18	19.98	0.100	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB1@1	21.36	21.16	0.131	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB1@160	21.63	21.43	0.139	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB81@40	21.71	21.51	0.142	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM 16 QAM_RB162@0	20.16	19.96	0.099	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM 64 QAM_RB162@0	19.70	19.50	0.089	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM 256 QAM_RB162@0	16.67	16.47	0.044	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.72	22.52	0.179	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.05	22.85	0.193	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	23.22	23.02	0.200	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	23.18	22.98	0.199	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB180@0	22.23	22.03	0.160	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@1	23.06	22.86	0.193	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@187	23.32	23.12	0.205	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB90@45	23.18	22.98	0.199	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 16 QAM_RB180@0	21.24	21.04	0.127	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 64 QAM_RB180@0	20.76	20.56	0.114	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 256 QAM_RB180@0	18.90	18.70	0.074	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB189@0	20.44	20.24	0.106	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@1	21.45	21.25	0.133	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@187	21.69	21.49	0.141	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB95@47	21.70	21.50	0.141	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM 16 QAM_RB189@0	20.41	20.21	0.105	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM 64 QAM_RB189@0	19.89	19.69	0.093	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM 256 QAM_RB189@0	16.87	16.67	0.046	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.79	22.59	0.182	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.16	22.96	0.198	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	23.19	22.99	0.199	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	23.33	23.13	0.206	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB180@0	22.25	22.05	0.160	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.24	23.04	0.201	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@187	23.18	22.98	0.199	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB90@45	23.31	23.11	0.205	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB180@0	21.30	21.10	0.129	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB180@0	20.79	20.59	0.115	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB180@0	18.93	18.73	0.075	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB189@0	20.41	20.21	0.105	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.53	21.33	0.136	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@187	21.52	21.32	0.136	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB95@47	21.78	21.58	0.144	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB189@0	20.40	20.20	0.105	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB189@0	19.90	19.70	0.093	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB189@0	16.92	16.72	0.047	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.71	22.51	0.178	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.08	22.88	0.194	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	23.30	23.10	0.204	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	23.23	23.03	0.201	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB180@0	22.22	22.02	0.159	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB1@1	23.11	22.91	0.195	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB1@187	23.34	23.14	0.206	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB90@45	23.23	23.03	0.201	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM 16 QAM_RB180@0	21.27	21.07	0.128	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM 64 QAM_RB180@0	20.75	20.55	0.114	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM 256 QAM_RB180@0	18.93	18.73	0.075	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB189@0	20.46	20.26	0.106	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB1@1	21.47	21.27	0.134	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB1@187	21.65	21.45	0.140	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB95@47	21.70	21.50	0.141	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM 16 QAM_RB189@0	20.43	20.23	0.105	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM 64 QAM_RB189@0	19.92	19.72	0.094	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM 256 QAM_RB189@0	16.92	16.72	0.047	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	23.17	22.97	0.198	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.02	22.82	0.191	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	23.31	23.11	0.205	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.64	22.44	0.175	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB108@54	23.18	22.98	0.199	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@1	23.06	22.86	0.193	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@215	23.30	23.10	0.204	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB216@0	22.25	22.05	0.160	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 16 QAM_RB216@0	21.21	21.01	0.126	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 64 QAM_RB216@0	20.72	20.52	0.113	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 256 QAM_RB216@0	18.91	18.71	0.074	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB109@54	21.68	21.48	0.141	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@1	21.47	21.27	0.134	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@215	21.69	21.49	0.141	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB217@0	20.35	20.15	0.104	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM 16 QAM_RB217@0	20.39	20.19	0.104	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM 64 QAM_RB217@0	19.87	19.67	0.093	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM 256 QAM_RB217@0	16.89	16.69	0.047	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	23.31	23.11	0.205	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.23	23.03	0.201	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	23.29	23.09	0.204	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.75	22.55	0.180	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB108@54	23.23	23.03	0.201	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.26	23.06	0.202	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@215	23.30	23.10	0.204	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB216@0	22.29	22.09	0.162	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB216@0	21.33	21.13	0.130	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB216@0	20.81	20.61	0.115	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB216@0	18.91	18.71	0.074	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB109@54	21.71	21.51	0.142	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.60	21.40	0.138	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@215	21.67	21.47	0.140	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB217@0	20.41	20.21	0.105	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_80MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB217@0	20.39	20.19	0.104	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB217@0	19.91	19.71	0.094	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB217@0	16.90	16.70	0.047	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	23.14	22.94	0.197	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.99	22.79	0.190	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	23.29	23.09	0.204	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.60	22.40	0.174	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB108@54	23.07	22.87	0.194	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB1@1	23.08	22.88	0.194	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB1@215	23.28	23.08	0.203	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB216@0	22.16	21.96	0.157	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM 16 QAM_RB216@0	21.20	21.00	0.126	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM 64 QAM_RB216@0	20.71	20.51	0.112	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM 256 QAM_RB216@0	18.85	18.65	0.073	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB109@54	21.63	21.43	0.139	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB1@1	21.37	21.17	0.131	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB1@215	21.64	21.44	0.139	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB217@0	20.33	20.13	0.103	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM 16 QAM_RB217@0	20.33	20.13	0.103	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM 64 QAM_RB217@0	19.78	19.58	0.091	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM 256 QAM_RB217@0	16.81	16.61	0.046	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	23.12	22.92	0.196	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.95	22.75	0.188	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	23.26	23.06	0.202	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.71	22.51	0.178	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB120@60	23.23	23.03	0.201	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@1	23.06	22.86	0.193	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@243	23.30	23.10	0.204	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB243@0	22.17	21.97	0.157	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 16 QAM_RB243@0	21.21	21.01	0.126	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 64 QAM_RB243@0	20.74	20.54	0.113	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 256 QAM_RB243@0	18.94	18.74	0.075	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB123@61	21.66	21.46	0.140	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@1	21.45	21.25	0.133	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@243	21.67	21.47	0.140	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB245@0	20.35	20.15	0.104	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM 16 QAM_RB245@0	20.34	20.14	0.103	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM 64 QAM_RB245@0	19.86	19.66	0.092	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM 256 QAM_RB245@0	16.90	16.70	0.047	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	23.26	23.06	0.202	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.16	22.96	0.198	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	23.21	23.01	0.200	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.68	22.48	0.177	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB120@60	23.24	23.04	0.201	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.21	23.01	0.200	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@243	23.26	23.06	0.202	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB243@0	22.23	22.03	0.160	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB243@0	21.23	21.03	0.127	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB243@0	20.81	20.61	0.115	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB243@0	18.96	18.76	0.075	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB123@61	21.79	21.59	0.144	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.61	21.41	0.138	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@243	21.50	21.30	0.135	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB245@0	20.38	20.18	0.104	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB245@0	20.39	20.19	0.104	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB245@0	19.89	19.69	0.093	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB245@0	16.89	16.69	0.047	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	23.05	22.85	0.193	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.95	22.75	0.188	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	23.20	23.00	0.200	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.56	22.36	0.172	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB120@60	23.11	22.91	0.195	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB1@1	22.97	22.77	0.189	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB1@243	23.28	23.08	0.203	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB243@0	22.13	21.93	0.156	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM 16 QAM_RB243@0	21.17	20.97	0.125	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM 64 QAM_RB243@0	20.72	20.52	0.113	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM 256 QAM_RB243@0	18.83	18.63	0.073	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB123@61	21.61	21.41	0.138	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB1@1	21.43	21.23	0.133	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB1@243	21.77	21.57	0.144	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB245@0	20.30	20.10	0.102	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM 16 QAM_RB245@0	20.22	20.02	0.100	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM 64 QAM_RB245@0	19.75	19.55	0.090	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM 256 QAM_RB245@0	16.81	16.61	0.046	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	23.12	22.92	0.196	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.93	22.73	0.187	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	23.29	23.09	0.204	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.65	22.45	0.176	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB135@67	23.21	23.01	0.200	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	23	22.80	0.191	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@271	23.33	23.13	0.206	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB270@0	22.19	21.99	0.158	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB270@0	21.18	20.98	0.125	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB270@0	20.74	20.54	0.113	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB270@0	18.87	18.67	0.074	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB137@68	21.72	21.52	0.142	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.41	21.21	0.132	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@271	21.68	21.48	0.141	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB273@0	20.34	20.14	0.103	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB273@0	20.33	20.13	0.103	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB273@0	19.84	19.64	0.092	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB273@0	16.85	16.65	0.046	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	23.20	23.00	0.200	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.14	22.94	0.197	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	23.28	23.08	0.203	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.67	22.47	0.177	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB135@67	23.30	23.10	0.204	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	23.21	23.01	0.200	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@271	23.26	23.06	0.202	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB270@0	22.24	22.04	0.160	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB270@0	21.29	21.09	0.129	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB270@0	20.74	20.54	0.113	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB270@0	18.88	18.68	0.074	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB137@68	21.74	21.54	0.143	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.60	21.40	0.138	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@271	21.71	21.51	0.142	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB273@0	20.37	20.17	0.104	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB273@0	20.35	20.15	0.104	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB273@0	19.86	19.66	0.092	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB273@0	16.84	16.64	0.046	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	23.02	22.82	0.191	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.95	22.75	0.188	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	23.28	23.08	0.203	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.55	22.35	0.172	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB135@67	23.13	22.93	0.196	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB1@1	22.95	22.75	0.188	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB1@271	23.35	23.15	0.207	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB270@0	22.13	21.93	0.156	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM 16 QAM_RB270@0	21.18	20.98	0.125	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM 64 QAM_RB270@0	20.72	20.52	0.113	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM 256 QAM_RB270@0	18.85	18.65	0.073	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB137@68	21.57	21.37	0.137	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB1@1	21.27	21.07	0.128	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB1@271	21.85	21.65	0.146	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB273@0	20.34	20.14	0.103	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_100MHz_30kHz_3930MHz_CP-OFDM 16 QAM_RB273@0	20.28	20.08	0.102	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM 64 QAM_RB273@0	19.79	19.59	0.091	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM 256 QAM_RB273@0	16.76	16.56	0.045	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n77_3:

1.Ant Gain = -0.2dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n78_1

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.93	22.73	0.187	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.93	22.73	0.187	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.92	22.72	0.187	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.42	22.22	0.167	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB12@6	23.07	22.87	0.194	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@1	22.99	22.79	0.190	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@22	22.98	22.78	0.190	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB24@0	21.86	21.66	0.147	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 16 QAM_RB24@0	20.98	20.78	0.120	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 64 QAM_RB24@0	20.38	20.18	0.104	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 256 QAM_RB24@0	18.61	18.41	0.069	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB12@6	21.31	21.11	0.129	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@1	21.30	21.10	0.129	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@22	21.34	21.14	0.130	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB24@0	20.01	19.81	0.096	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM 16 QAM_RB24@0	19.97	19.77	0.095	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM 64 QAM_RB24@0	19.59	19.39	0.087	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM 256 QAM_RB24@0	16.50	16.30	0.043	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.58	22.38	0.173	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.70	22.50	0.178	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.76	22.56	0.180	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.20	22.00	0.158	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB12@6	22.79	22.59	0.182	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.71	22.51	0.178	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@22	22.78	22.58	0.181	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB24@0	21.74	21.54	0.143	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB24@0	20.70	20.50	0.112	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB24@0	20.25	20.05	0.101	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB24@0	18.34	18.14	0.065	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB12@6	21.16	20.96	0.125	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.11	20.91	0.123	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@22	21.12	20.92	0.124	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB24@0	19.78	19.58	0.091	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB24@0	19.77	19.57	0.091	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_10MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB24@0	19.43	19.23	0.084	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB24@0	16.33	16.13	0.041	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.62	22.42	0.175	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.79	22.59	0.182	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.76	22.56	0.180	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.21	22.01	0.159	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB12@6	22.81	22.61	0.182	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	22.73	22.53	0.179	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@22	22.69	22.49	0.177	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB24@0	21.69	21.49	0.141	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 16 QAM_RB24@0	20.73	20.53	0.113	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 64 QAM_RB24@0	20.27	20.07	0.102	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 256 QAM_RB24@0	18.43	18.23	0.067	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB12@6	21.18	20.98	0.125	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@1	21	20.80	0.120	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@22	21.07	20.87	0.122	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB24@0	19.88	19.68	0.093	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM 16 QAM_RB24@0	19.86	19.66	0.092	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM 64 QAM_RB24@0	19.49	19.29	0.085	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM 256 QAM_RB24@0	16.44	16.24	0.042	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.99	22.79	0.190	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.98	22.78	0.190	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.92	22.72	0.187	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.52	22.32	0.171	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB18@9	22.98	22.78	0.190	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@1	22.99	22.79	0.190	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@36	22.96	22.76	0.189	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB36@0	22	21.80	0.151	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 16 QAM_RB36@0	20.97	20.77	0.119	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.41	20.21	0.105	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.58	18.38	0.069	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB19@9	21.39	21.19	0.132	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@1	21.39	21.19	0.132	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@36	21.31	21.11	0.129	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB38@0	20.08	19.88	0.097	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM 16 QAM_RB38@0	20.12	19.92	0.098	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM 64 QAM_RB38@0	19.61	19.41	0.087	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM 256 QAM_RB38@0	16.62	16.42	0.044	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.74	22.54	0.179	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.69	22.49	0.177	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.78	22.58	0.181	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.24	22.04	0.160	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB18@9	23.04	22.84	0.192	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.76	22.56	0.180	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@36	22.83	22.63	0.183	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@0	21.78	21.58	0.144	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB36@0	20.76	20.56	0.114	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB36@0	20.29	20.09	0.102	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB36@0	18.38	18.18	0.066	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB19@9	21.20	21.00	0.126	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.14	20.94	0.124	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@36	21.10	20.90	0.123	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB38@0	19.90	19.70	0.093	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB38@0	19.90	19.70	0.093	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB38@0	19.45	19.25	0.084	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB38@0	16.52	16.32	0.043	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.74	22.54	0.179	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.72	22.52	0.179	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.68	22.48	0.177	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.27	22.07	0.161	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB18@9	22.76	22.56	0.180	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	22.77	22.57	0.181	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@36	22.76	22.56	0.180	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@0	21.74	21.54	0.143	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB36@0	20.67	20.47	0.111	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.38	20.18	0.104	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.41	18.21	0.066	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB19@9	21.27	21.07	0.128	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	21.14	20.94	0.124	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@36	21.14	20.94	0.124	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB38@0	19.89	19.69	0.093	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM 16 QAM_RB38@0	19.98	19.78	0.095	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM 64 QAM_RB38@0	19.47	19.27	0.085	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM 256 QAM_RB38@0	16.57	16.37	0.043	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.99	22.79	0.190	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.93	22.73	0.187	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.96	22.76	0.189	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.54	22.34	0.171	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@1	22.95	22.75	0.188	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@49	22.93	22.73	0.187	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB25@12	22.98	22.78	0.190	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB50@0	22	21.80	0.151	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 16 QAM_RB50@0	20.95	20.75	0.119	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 64 QAM_RB50@0	20.44	20.24	0.106	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 256 QAM_RB50@0	18.60	18.40	0.069	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@1	21.49	21.29	0.135	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@49	21.39	21.19	0.132	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB25@12	21.51	21.31	0.135	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB51@0	20.06	19.86	0.097	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM 16 QAM_RB51@0	20.12	19.92	0.098	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM 64 QAM_RB51@0	19.56	19.36	0.086	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM 256 QAM_RB51@0	16.64	16.44	0.044	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.70	22.50	0.178	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.71	22.51	0.178	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.83	22.63	0.183	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.31	22.11	0.163	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.70	22.50	0.178	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@49	22.84	22.64	0.184	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB25@12	22.86	22.66	0.185	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@0	21.82	21.62	0.145	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB50@0	20.76	20.56	0.114	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB50@0	20.23	20.03	0.101	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB50@0	18.35	18.15	0.065	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.01	20.81	0.121	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@49	21.08	20.88	0.122	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB25@12	21.34	21.14	0.130	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB51@0	19.85	19.65	0.092	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB51@0	19.93	19.73	0.094	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB51@0	19.41	19.21	0.083	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB51@0	16.44	16.24	0.042	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.72	22.52	0.179	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.69	22.49	0.177	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.71	22.51	0.178	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.31	22.11	0.163	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@1	22.75	22.55	0.180	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@49	22.63	22.43	0.175	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB25@12	22.75	22.55	0.180	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB50@0	21.75	21.55	0.143	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 16 QAM_RB50@0	20.72	20.52	0.113	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 64 QAM_RB50@0	20.26	20.06	0.101	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 256 QAM_RB50@0	18.36	18.16	0.065	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@1	21.14	20.94	0.124	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@49	21.14	20.94	0.124	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB25@12	21.29	21.09	0.129	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB51@0	19.91	19.71	0.094	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM 16 QAM_RB51@0	19.93	19.73	0.094	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_20MHz_30kHz_3540MHz_CP-OFDM 64 QAM_RB51@0	19.40	19.20	0.083	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM 256 QAM_RB51@0	16.48	16.28	0.042	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.92	22.72	0.187	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.68	22.48	0.177	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.96	22.76	0.189	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.36	22.16	0.164	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@1	22.97	22.77	0.189	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@76	22.76	22.56	0.180	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB36@18	22.87	22.67	0.185	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB75@0	21.97	21.77	0.150	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 16 QAM_RB75@0	20.92	20.72	0.118	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 64 QAM_RB75@0	20.46	20.26	0.106	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 256 QAM_RB75@0	18.35	18.15	0.065	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@1	21.24	21.04	0.127	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@76	21.07	20.87	0.122	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB39@19	21.47	21.27	0.134	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB78@0	19.90	19.70	0.093	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM 16 QAM_RB78@0	19.95	19.75	0.094	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM 64 QAM_RB78@0	19.43	19.23	0.084	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM 256 QAM_RB78@0	16.46	16.26	0.042	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.64	22.44	0.175	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.81	22.61	0.182	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.82	22.62	0.183	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.30	22.10	0.162	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.70	22.50	0.178	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@76	22.89	22.69	0.186	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@18	22.77	22.57	0.181	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB75@0	21.81	21.61	0.145	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB75@0	20.77	20.57	0.114	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB75@0	20.39	20.19	0.104	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB75@0	18.37	18.17	0.066	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.09	20.89	0.123	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@76	21.20	21.00	0.126	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB39@19	21.03	20.83	0.121	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB78@0	19.85	19.65	0.092	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB78@0	19.90	19.70	0.093	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB78@0	19.39	19.19	0.083	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB78@0	16.36	16.16	0.041	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.82	22.62	0.183	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.73	22.53	0.179	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.86	22.66	0.185	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.31	22.11	0.163	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@1	22.86	22.66	0.185	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@76	22.77	22.57	0.181	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB36@18	22.79	22.59	0.182	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB75@0	21.87	21.67	0.147	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 16 QAM_RB75@0	20.85	20.65	0.116	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 64 QAM_RB75@0	20.45	20.25	0.106	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 256 QAM_RB75@0	18.40	18.20	0.066	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@1	21.24	21.04	0.127	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@76	21.12	20.92	0.124	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB39@19	21.34	21.14	0.130	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB78@0	19.93	19.73	0.094	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM 16 QAM_RB78@0	20	19.80	0.095	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM 64 QAM_RB78@0	19.45	19.25	0.084	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM 256 QAM_RB78@0	16.46	16.26	0.042	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.31	22.11	0.163	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.89	22.69	0.186	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.66	22.46	0.176	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.84	22.64	0.184	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB100@0	21.80	21.60	0.145	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@1	22.93	22.73	0.187	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@104	22.69	22.49	0.177	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB50@25	22.80	22.60	0.182	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 16 QAM_RB100@0	20.84	20.64	0.116	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 64 QAM_RB100@0	20.32	20.12	0.103	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 256 QAM_RB100@0	18.39	18.19	0.066	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB106@0	19.85	19.65	0.092	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@1	21.31	21.11	0.129	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@104	21.11	20.91	0.123	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB53@26	21.35	21.15	0.130	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM 16 QAM_RB106@0	19.83	19.63	0.092	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM 64 QAM_RB106@0	19.38	19.18	0.083	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM 256 QAM_RB106@0	16.31	16.11	0.041	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.20	22.00	0.158	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.59	22.39	0.173	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.76	22.56	0.180	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.68	22.48	0.177	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB100@0	21.79	21.59	0.144	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.67	22.47	0.177	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@104	22.82	22.62	0.183	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@25	22.67	22.47	0.177	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB100@0	20.73	20.53	0.113	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB100@0	20.23	20.03	0.101	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB100@0	18.36	18.16	0.065	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB106@0	19.86	19.66	0.092	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.11	20.91	0.123	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@104	21.18	20.98	0.125	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB53@26	21.30	21.10	0.129	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	19.86	19.66	0.092	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	19.35	19.15	0.082	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	16.34	16.14	0.041	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.37	22.17	0.165	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.56	22.36	0.172	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.74	22.54	0.179	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.87	22.67	0.185	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB100@0	21.92	21.72	0.149	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@1	22.88	22.68	0.185	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@104	22.77	22.57	0.181	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB50@25	22.78	22.58	0.181	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 16 QAM_RB100@0	20.86	20.66	0.116	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 64 QAM_RB100@0	20.43	20.23	0.105	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 256 QAM_RB100@0	18.43	18.23	0.067	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB106@0	19.92	19.72	0.094	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@1	21.23	21.03	0.127	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@104	21.02	20.82	0.121	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB53@26	21.31	21.11	0.129	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM 16 QAM_RB106@0	19.95	19.75	0.094	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM 64 QAM_RB106@0	19.46	19.26	0.084	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM 256 QAM_RB106@0	16.45	16.25	0.042	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.25	22.05	0.160	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.87	22.67	0.185	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.40	22.20	0.166	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.80	22.60	0.182	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB128@0	21.84	21.64	0.146	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	22.94	22.74	0.188	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@131	22.71	22.51	0.178	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB64@32	22.79	22.59	0.182	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 16 QAM_RB128@0	20.85	20.65	0.116	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 64 QAM_RB128@0	20.35	20.15	0.104	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 256 QAM_RB128@0	18.40	18.20	0.066	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB133@0	19.80	19.60	0.091	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@1	21.27	21.07	0.128	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@131	21.04	20.84	0.121	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB67@33	21.29	21.09	0.129	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM 16 QAM_RB133@0	19.83	19.63	0.092	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_50MHz_30kHz_3475MHz_CP-OFDM 64 QAM_RB133@0	19.34	19.14	0.082	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM 256 QAM_RB133@0	16.36	16.16	0.041	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.23	22.03	0.160	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.62	22.42	0.175	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.82	22.62	0.183	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.74	22.54	0.179	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB128@0	21.80	21.60	0.145	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.77	22.57	0.181	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@131	22.80	22.60	0.182	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@32	22.77	22.57	0.181	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB128@0	20.79	20.59	0.115	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB128@0	20.32	20.12	0.103	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB128@0	18.38	18.18	0.066	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB133@0	19.79	19.59	0.091	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.02	20.82	0.121	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@131	21.14	20.94	0.124	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB67@33	21.16	20.96	0.125	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB133@0	19.80	19.60	0.091	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB133@0	19.31	19.11	0.081	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB133@0	16.32	16.12	0.041	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.30	22.10	0.162	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.67	22.47	0.177	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.71	22.51	0.178	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.84	22.64	0.184	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB128@0	21.88	21.68	0.147	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	22.75	22.55	0.180	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@131	22.77	22.57	0.181	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB64@32	22.84	22.64	0.184	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 16 QAM_RB128@0	20.88	20.68	0.117	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 64 QAM_RB128@0	20.41	20.21	0.105	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 256 QAM_RB128@0	18.40	18.20	0.066	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB133@0	19.85	19.65	0.092	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@1	21.04	20.84	0.121	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@131	20.96	20.76	0.119	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB67@33	21.29	21.09	0.129	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM 16 QAM_RB133@0	19.90	19.70	0.093	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM 64 QAM_RB133@0	19.38	19.18	0.083	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM 256 QAM_RB133@0	16.43	16.23	0.042	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.34	22.14	0.164	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.92	22.72	0.187	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.79	22.59	0.182	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.77	22.57	0.181	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB162@0	21.80	21.60	0.145	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@1	22.90	22.70	0.186	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@160	22.82	22.62	0.183	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB81@40	22.75	22.55	0.180	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 16 QAM_RB162@0	20.82	20.62	0.115	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 64 QAM_RB162@0	20.44	20.24	0.106	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 256 QAM_RB162@0	18.41	18.21	0.066	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB162@0	19.84	19.64	0.092	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@1	21.36	21.16	0.131	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@160	21.23	21.03	0.127	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB81@40	21.25	21.05	0.127	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM 16 QAM_RB162@0	19.87	19.67	0.093	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM 64 QAM_RB162@0	19.39	19.19	0.083	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM 256 QAM_RB162@0	16.37	16.17	0.041	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.25	22.05	0.160	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.76	22.56	0.180	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.71	22.51	0.178	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.75	22.55	0.180	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB162@0	21.78	21.58	0.144	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.78	22.58	0.181	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@160	22.73	22.53	0.179	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB81@40	22.71	22.51	0.178	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB162@0	20.79	20.59	0.115	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB162@0	20.30	20.10	0.102	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB162@0	18.36	18.16	0.065	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB162@0	19.77	19.57	0.091	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.15	20.95	0.124	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@160	21.22	21.02	0.126	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB81@40	21.30	21.10	0.129	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB162@0	19.82	19.62	0.092	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB162@0	19.31	19.11	0.081	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB162@0	16.30	16.10	0.041	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.30	22.10	0.162	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.64	22.44	0.175	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.68	22.48	0.177	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.84	22.64	0.184	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB162@0	21.79	21.59	0.144	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@1	22.66	22.46	0.176	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@160	22.71	22.51	0.178	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB81@40	22.89	22.69	0.186	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 16 QAM_RB162@0	20.86	20.66	0.116	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 64 QAM_RB162@0	20.34	20.14	0.103	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 256 QAM_RB162@0	18.41	18.21	0.066	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB162@0	19.90	19.70	0.093	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@1	21.10	20.90	0.123	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@160	21.09	20.89	0.123	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB81@40	21.40	21.20	0.132	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM 16 QAM_RB162@0	19.87	19.67	0.093	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM 64 QAM_RB162@0	19.36	19.16	0.082	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM 256 QAM_RB162@0	16.44	16.24	0.042	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.45	22.25	0.168	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.08	22.88	0.194	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.81	22.61	0.182	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.86	22.66	0.185	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB180@0	21.92	21.72	0.149	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@1	23.09	22.89	0.195	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@187	22.85	22.65	0.184	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB90@45	22.84	22.64	0.184	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 16 QAM_RB180@0	20.95	20.75	0.119	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 64 QAM_RB180@0	20.46	20.26	0.106	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 256 QAM_RB180@0	18.63	18.43	0.070	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB189@0	20.10	19.90	0.098	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@1	21.46	21.26	0.134	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@187	21.20	21.00	0.126	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB95@47	21.45	21.25	0.133	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM 16 QAM_RB189@0	20.05	19.85	0.097	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM 64 QAM_RB189@0	19.60	19.40	0.087	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM 256 QAM_RB189@0	16.58	16.38	0.043	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.39	22.19	0.166	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.01	22.81	0.191	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.79	22.59	0.182	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.87	22.67	0.185	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB180@0	21.91	21.71	0.148	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.05	22.85	0.193	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@187	22.75	22.55	0.180	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB90@45	22.82	22.62	0.183	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB180@0	20.88	20.68	0.117	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB180@0	20.42	20.22	0.105	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB180@0	18.58	18.38	0.069	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB189@0	20.07	19.87	0.097	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.29	21.09	0.129	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@187	21.06	20.86	0.122	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB95@47	21.33	21.13	0.130	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB189@0	20.08	19.88	0.097	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_70MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB189@0	19.57	19.37	0.086	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB189@0	16.55	16.35	0.043	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.34	22.14	0.164	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.81	22.61	0.182	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.78	22.58	0.181	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.90	22.70	0.186	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB180@0	21.94	21.74	0.149	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@1	22.91	22.71	0.187	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@187	22.85	22.65	0.184	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB90@45	22.86	22.66	0.185	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 16 QAM_RB180@0	20.88	20.68	0.117	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 64 QAM_RB180@0	20.40	20.20	0.105	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 256 QAM_RB180@0	18.63	18.43	0.070	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB189@0	20.13	19.93	0.098	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@1	21.10	20.90	0.123	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@187	21.20	21.00	0.126	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB95@47	21.41	21.21	0.132	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM 16 QAM_RB189@0	20.10	19.90	0.098	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM 64 QAM_RB189@0	19.59	19.39	0.087	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM 256 QAM_RB189@0	16.57	16.37	0.043	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.82	22.62	0.183	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.10	22.90	0.195	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.85	22.65	0.184	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.39	22.19	0.166	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB108@54	22.86	22.66	0.185	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@1	23.19	22.99	0.199	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@215	22.95	22.75	0.188	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB216@0	21.89	21.69	0.148	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 16 QAM_RB216@0	20.99	20.79	0.120	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 64 QAM_RB216@0	20.47	20.27	0.106	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 256 QAM_RB216@0	18.60	18.40	0.069	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB109@54	21.31	21.11	0.129	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@1	21.59	21.39	0.138	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@215	21.29	21.09	0.129	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB217@0	20.06	19.86	0.097	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM 16 QAM_RB217@0	20.04	19.84	0.096	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM 64 QAM_RB217@0	19.57	19.37	0.086	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM 256 QAM_RB217@0	16.58	16.38	0.043	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.87	22.67	0.185	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.07	22.87	0.194	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.70	22.50	0.178	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.36	22.16	0.164	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	22.86	22.66	0.185	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.12	22.92	0.196	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@215	22.88	22.68	0.185	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	21.96	21.76	0.150	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB216@0	20.85	20.65	0.116	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB216@0	20.42	20.22	0.105	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB216@0	18.59	18.39	0.069	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB109@54	21.33	21.13	0.130	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.46	21.26	0.134	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@215	21.25	21.05	0.127	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB217@0	20.08	19.88	0.097	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB217@0	20.03	19.83	0.096	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB217@0	19.54	19.34	0.086	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB217@0	16.56	16.36	0.043	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.83	22.63	0.183	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.92	22.72	0.187	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.76	22.56	0.180	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.33	22.13	0.163	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB108@54	22.84	22.64	0.184	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@1	23	22.80	0.191	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@215	22.81	22.61	0.182	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB216@0	21.86	21.66	0.147	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 16 QAM_RB216@0	20.79	20.59	0.115	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 64 QAM_RB216@0	20.43	20.23	0.105	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 256 QAM_RB216@0	18.62	18.42	0.070	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB109@54	21.33	21.13	0.130	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@1	21.33	21.13	0.130	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@215	21.25	21.05	0.127	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB217@0	20.07	19.87	0.097	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM 16 QAM_RB217@0	20.09	19.89	0.097	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM 64 QAM_RB217@0	19.53	19.33	0.086	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM 256 QAM_RB217@0	16.57	16.37	0.043	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.71	22.51	0.178	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.07	22.87	0.194	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.82	22.62	0.183	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.37	22.17	0.165	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB120@60	22.87	22.67	0.185	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@1	23.12	22.92	0.196	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@243	22.76	22.56	0.180	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB243@0	21.94	21.74	0.149	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 16 QAM_RB243@0	20.94	20.74	0.119	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 64 QAM_RB243@0	20.49	20.29	0.107	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 256 QAM_RB243@0	18.62	18.42	0.070	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB123@61	21.32	21.12	0.129	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@1	21.53	21.33	0.136	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@243	21.03	20.83	0.121	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB245@0	20.04	19.84	0.096	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM 16 QAM_RB245@0	19.98	19.78	0.095	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM 64 QAM_RB245@0	19.50	19.30	0.085	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM 256 QAM_RB245@0	16.53	16.33	0.043	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.89	22.69	0.186	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.04	22.84	0.192	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.79	22.59	0.182	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.30	22.10	0.162	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB120@60	22.95	22.75	0.188	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.21	23.01	0.200	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@243	22.89	22.69	0.186	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB243@0	22.02	21.82	0.152	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB243@0	20.95	20.75	0.119	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB243@0	20.52	20.32	0.108	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB243@0	18.60	18.40	0.069	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB123@61	21.36	21.16	0.131	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.47	21.27	0.134	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@243	21.12	20.92	0.124	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB245@0	20.08	19.88	0.097	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB245@0	20.03	19.83	0.096	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB245@0	19.50	19.30	0.085	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB245@0	16.52	16.32	0.043	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.72	22.52	0.179	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.09	22.89	0.195	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.80	22.60	0.182	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.38	22.18	0.165	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB120@60	22.81	22.61	0.182	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@1	23.08	22.88	0.194	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@243	22.87	22.67	0.185	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB243@0	21.93	21.73	0.149	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 16 QAM_RB243@0	20.95	20.75	0.119	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 64 QAM_RB243@0	20.49	20.29	0.107	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 256 QAM_RB243@0	18.63	18.43	0.070	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB123@61	21.32	21.12	0.129	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@1	21.50	21.30	0.135	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@243	21.35	21.15	0.130	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB245@0	20.10	19.90	0.098	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM 16 QAM_RB245@0	20.05	19.85	0.097	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_90MHz_30kHz_3505MHz_CP-OFDM 64 QAM_RB245@0	19.58	19.38	0.087	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM 256 QAM_RB245@0	16.61	16.41	0.044	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.75	22.55	0.180	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.07	22.87	0.194	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.76	22.56	0.180	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.28	22.08	0.161	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB135@67	22.81	22.61	0.182	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.05	22.85	0.193	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@271	22.82	22.62	0.183	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB270@0	21.81	21.61	0.145	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB270@0	20.89	20.69	0.117	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB270@0	20.45	20.25	0.106	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB270@0	18.55	18.35	0.068	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB137@68	21.23	21.03	0.127	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.49	21.29	0.135	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@271	21.14	20.94	0.124	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB273@0	20.11	19.91	0.098	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB273@0	20.05	19.85	0.097	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB273@0	19.53	19.33	0.086	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB273@0	16.51	16.31	0.043	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C (dB) + G_T (dBi)

n78_1:

1.Ant Gain = -0.2dBi;

2. C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n78_3

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23	22.80	0.191	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.93	22.73	0.187	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.91	22.71	0.187	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.48	22.28	0.169	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB12@6	22.80	22.60	0.182	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	22.96	22.76	0.189	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@22	22.94	22.74	0.188	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB24@0	21.94	21.74	0.149	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 16 QAM_RB24@0	21.04	20.84	0.121	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 64 QAM_RB24@0	20.42	20.22	0.105	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 256 QAM_RB24@0	18.55	18.35	0.068	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB12@6	21.42	21.22	0.132	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@1	21.29	21.09	0.129	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@22	21.29	21.09	0.129	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB24@0	20.04	19.84	0.096	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM 16 QAM_RB24@0	19.95	19.75	0.094	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM 64 QAM_RB24@0	19.61	19.41	0.087	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_10MHz_30kHz_3705MHz_CP-OFDM 256 QAM_RB24@0	16.53	16.33	0.043	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.87	22.67	0.185	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.93	22.73	0.187	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.97	22.77	0.189	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.52	22.32	0.171	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB12@6	23.04	22.84	0.192	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.93	22.73	0.187	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@22	22.99	22.79	0.190	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB24@0	21.98	21.78	0.151	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB24@0	21.01	20.81	0.121	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB24@0	20.62	20.42	0.110	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB24@0	18.50	18.30	0.068	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB12@6	21.41	21.21	0.132	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.33	21.13	0.130	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@22	21.30	21.10	0.129	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB24@0	19.99	19.79	0.095	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB24@0	20.02	19.82	0.096	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB24@0	19.58	19.38	0.087	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB24@0	16.52	16.32	0.043	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.07	22.87	0.194	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.12	22.92	0.196	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	23.15	22.95	0.197	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.67	22.47	0.177	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB12@6	23.23	23.03	0.201	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB1@1	23.15	22.95	0.197	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB1@22	23.18	22.98	0.199	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB24@0	22.16	21.96	0.157	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM 16 QAM_RB24@0	21.27	21.07	0.128	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM 64 QAM_RB24@0	20.77	20.57	0.114	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM 256 QAM_RB24@0	18.73	18.53	0.071	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB12@6	21.51	21.31	0.135	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB1@1	21.60	21.40	0.138	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB1@22	21.52	21.32	0.136	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB24@0	20.19	19.99	0.100	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM 16 QAM_RB24@0	20.10	19.90	0.098	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM 64 QAM_RB24@0	19.81	19.61	0.091	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM 256 QAM_RB24@0	16.82	16.62	0.046	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	21.90	21.70	0.148	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.66	22.46	0.176	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.40	22.20	0.166	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	21.92	21.72	0.149	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB18@9	22.44	22.24	0.167	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	22.28	22.08	0.161	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@36	22.43	22.23	0.167	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@0	21.52	21.32	0.136	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB36@0	20.51	20.31	0.107	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.14	19.94	0.099	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.38	18.18	0.066	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB19@9	21.57	21.37	0.137	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	21.57	21.37	0.137	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@36	21.63	21.43	0.139	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB38@0	20.25	20.05	0.101	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM 16 QAM_RB38@0	20.22	20.02	0.100	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM 64 QAM_RB38@0	19.74	19.54	0.090	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM 256 QAM_RB38@0	16.54	16.34	0.043	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	23	22.80	0.191	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.27	23.07	0.203	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	23	22.80	0.191	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.51	22.31	0.170	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB18@9	23.24	23.04	0.201	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.90	22.70	0.186	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@36	23.08	22.88	0.194	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB36@0	22.08	21.88	0.154	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB36@0	20.97	20.77	0.119	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB36@0	20.51	20.31	0.107	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB36@0	18.62	18.42	0.070	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB19@9	21.47	21.27	0.134	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.32	21.12	0.129	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@36	21.41	21.21	0.132	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB38@0	20.08	19.88	0.097	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB38@0	20.08	19.88	0.097	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB38@0	19.60	19.40	0.087	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB38@0	16.69	16.49	0.045	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	23.20	23.00	0.200	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.77	22.57	0.181	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	23.10	22.90	0.195	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.68	22.48	0.177	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB18@9	23.22	23.02	0.200	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB1@1	23.17	22.97	0.198	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB1@36	23.13	22.93	0.196	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB36@0	22.22	22.02	0.159	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.21	21.01	0.126	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.71	20.51	0.112	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.66	18.46	0.070	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB19@9	21.68	21.48	0.141	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB1@1	21.35	21.15	0.130	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB1@36	21.52	21.32	0.136	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB38@0	20.18	19.98	0.100	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM 16 QAM_RB38@0	20.26	20.06	0.101	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM 64 QAM_RB38@0	19.78	19.58	0.091	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM 256 QAM_RB38@0	16.86	16.66	0.046	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.90	22.70	0.186	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.79	22.59	0.182	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.89	22.69	0.186	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.51	22.31	0.170	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@1	22.87	22.67	0.185	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@49	22.85	22.65	0.184	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB25@12	22.99	22.79	0.190	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB50@0	21.99	21.79	0.151	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 16 QAM_RB50@0	20.99	20.79	0.120	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 64 QAM_RB50@0	20.44	20.24	0.106	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 256 QAM_RB50@0	18.54	18.34	0.068	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@1	21.34	21.14	0.130	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@49	21.32	21.12	0.129	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB25@12	21.48	21.28	0.134	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB51@0	20.06	19.86	0.097	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM 16 QAM_RB51@0	20.08	19.88	0.097	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM 64 QAM_RB51@0	19.57	19.37	0.086	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM 256 QAM_RB51@0	16.60	16.40	0.044	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.76	22.56	0.180	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	23.01	22.81	0.191	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.08	22.88	0.194	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.51	22.31	0.170	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.83	22.63	0.183	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@49	23.02	22.82	0.191	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB25@12	23.03	22.83	0.192	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB50@0	22.10	21.90	0.155	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB50@0	20.97	20.77	0.119	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB50@0	20.42	20.22	0.105	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB50@0	18.52	18.32	0.068	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.36	21.16	0.131	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@49	21.41	21.21	0.132	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB25@12	21.57	21.37	0.137	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB51@0	19.92	19.72	0.094	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB51@0	20.03	19.83	0.096	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB51@0	19.52	19.32	0.086	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_20MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB51@0	16.58	16.38	0.043	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.14	22.94	0.197	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	23.18	22.98	0.199	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.33	23.13	0.206	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.80	22.60	0.182	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB1@1	23.11	22.91	0.195	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB1@49	23.17	22.97	0.198	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB25@12	23.28	23.08	0.203	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB50@0	22.31	22.11	0.163	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM 16 QAM_RB50@0	21.26	21.06	0.128	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM 64 QAM_RB50@0	20.72	20.52	0.113	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM 256 QAM_RB50@0	18.79	18.59	0.072	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB1@1	21.55	21.35	0.136	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB1@49	21.66	21.46	0.140	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB25@12	21.75	21.55	0.143	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB51@0	20.21	20.01	0.100	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM 16 QAM_RB51@0	20.31	20.11	0.103	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM 64 QAM_RB51@0	19.81	19.61	0.091	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM 256 QAM_RB51@0	16.90	16.70	0.047	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.90	22.70	0.186	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.84	22.64	0.184	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.95	22.75	0.188	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.45	22.25	0.168	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@1	22.97	22.77	0.189	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@76	22.89	22.69	0.186	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB36@18	22.91	22.71	0.187	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB75@0	21.94	21.74	0.149	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 16 QAM_RB75@0	21	20.80	0.120	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 64 QAM_RB75@0	20.54	20.34	0.108	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 256 QAM_RB75@0	18.52	18.32	0.068	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@1	21.37	21.17	0.131	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@76	21.14	20.94	0.124	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB39@19	21.45	21.25	0.133	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB78@0	19.99	19.79	0.095	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM 16 QAM_RB78@0	20.06	19.86	0.097	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM 64 QAM_RB78@0	19.49	19.29	0.085	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM 256 QAM_RB78@0	16.55	16.35	0.043	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.32	23.12	0.205	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	23.07	22.87	0.194	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.05	22.85	0.193	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.51	22.31	0.170	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.93	22.73	0.187	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@76	23.18	22.98	0.199	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB36@18	23.01	22.81	0.191	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB75@0	22.11	21.91	0.155	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB75@0	21.07	20.87	0.122	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB75@0	20.68	20.48	0.112	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB75@0	18.58	18.38	0.069	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.32	21.12	0.129	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@76	21.59	21.39	0.138	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB39@19	21.53	21.33	0.136	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB78@0	20.05	19.85	0.097	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB78@0	20.13	19.93	0.098	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB78@0	19.56	19.36	0.086	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB78@0	16.59	16.39	0.044	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.19	22.99	0.199	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	23.23	23.03	0.201	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.24	23.04	0.201	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.73	22.53	0.179	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB1@1	23.20	23.00	0.200	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB1@76	23.20	23.00	0.200	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB36@18	23.17	22.97	0.198	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB75@0	22.24	22.04	0.160	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM 16 QAM_RB75@0	21.23	21.03	0.127	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM 64 QAM_RB75@0	20.82	20.62	0.115	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM 256 QAM_RB75@0	18.75	18.55	0.072	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB1@1	21.58	21.38	0.137	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB1@76	21.60	21.40	0.138	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB39@19	21.67	21.47	0.140	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB78@0	20.27	20.07	0.102	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM 16 QAM_RB78@0	20.28	20.08	0.102	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM 64 QAM_RB78@0	19.78	19.58	0.091	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM 256 QAM_RB78@0	16.76	16.56	0.045	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.52	22.32	0.171	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.94	22.74	0.188	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.97	22.77	0.189	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.95	22.75	0.188	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB100@0	22.04	21.84	0.153	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	22.92	22.72	0.187	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@104	22.97	22.77	0.189	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB50@25	22.94	22.74	0.188	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 16 QAM_RB100@0	21.05	20.85	0.122	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 64 QAM_RB100@0	20.48	20.28	0.107	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 256 QAM_RB100@0	18.51	18.31	0.068	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB106@0	19.97	19.77	0.095	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@1	21.38	21.18	0.131	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@104	21.39	21.19	0.132	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB53@26	21.48	21.28	0.134	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM 16 QAM_RB106@0	20.01	19.81	0.096	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM 64 QAM_RB106@0	19.54	19.34	0.086	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM 256 QAM_RB106@0	16.52	16.32	0.043	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.58	22.38	0.173	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.27	23.07	0.203	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.15	22.95	0.197	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.05	22.85	0.193	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB100@0	22.06	21.86	0.153	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.82	22.62	0.183	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@104	23.17	22.97	0.198	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB50@25	23.03	22.83	0.192	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB100@0	21.05	20.85	0.122	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB100@0	20.53	20.33	0.108	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB100@0	18.56	18.36	0.069	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB106@0	20.08	19.88	0.097	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.21	21.01	0.126	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@104	21.46	21.26	0.134	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB53@26	21.66	21.46	0.140	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB106@0	20.08	19.88	0.097	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB106@0	19.54	19.34	0.086	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB106@0	16.54	16.34	0.043	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.73	22.53	0.179	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.17	22.97	0.198	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.18	22.98	0.199	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.19	22.99	0.199	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB100@0	22.23	22.03	0.160	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB1@1	23.20	23.00	0.200	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB1@104	23.22	23.02	0.200	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB50@25	23.25	23.05	0.202	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM 16 QAM_RB100@0	21.27	21.07	0.128	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM 64 QAM_RB100@0	20.72	20.52	0.113	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM 256 QAM_RB100@0	18.75	18.55	0.072	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB106@0	20.19	19.99	0.100	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB1@1	21.62	21.42	0.139	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB1@104	21.51	21.31	0.135	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB53@26	21.69	21.49	0.141	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM 16 QAM_RB106@0	20.24	20.04	0.101	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM 64 QAM_RB106@0	19.73	19.53	0.090	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_40MHz_30kHz_3780MHz_CP-OFDM 256 QAM_RB106@0	16.76	16.56	0.045	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.52	22.32	0.171	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.91	22.71	0.187	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.98	22.78	0.190	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.92	22.72	0.187	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB128@0	21.96	21.76	0.150	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	22.97	22.77	0.189	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@131	23.05	22.85	0.193	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB64@32	22.94	22.74	0.188	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 16 QAM_RB128@0	21	20.80	0.120	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 64 QAM_RB128@0	20.59	20.39	0.109	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 256 QAM_RB128@0	18.54	18.34	0.068	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB133@0	19.96	19.76	0.095	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@1	21.28	21.08	0.128	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@131	21.32	21.12	0.129	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB67@33	21.43	21.23	0.133	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM 16 QAM_RB133@0	19.96	19.76	0.095	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM 64 QAM_RB133@0	19.47	19.27	0.085	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM 256 QAM_RB133@0	16.49	16.29	0.043	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.55	22.35	0.172	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.81	22.61	0.182	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	23.17	22.97	0.198	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	23.11	22.91	0.195	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB128@0	22.02	21.82	0.152	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.87	22.67	0.185	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@131	23.18	22.98	0.199	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB64@32	23.05	22.85	0.193	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB128@0	21.07	20.87	0.122	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB128@0	20.61	20.41	0.110	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB128@0	18.57	18.37	0.069	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB133@0	20.05	19.85	0.097	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.11	20.91	0.123	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@131	21.55	21.35	0.136	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB67@33	21.52	21.32	0.136	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB133@0	20.09	19.89	0.097	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB133@0	19.58	19.38	0.087	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB133@0	16.61	16.41	0.044	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.66	22.46	0.176	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.92	22.72	0.187	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	23.14	22.94	0.197	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	23.22	23.02	0.200	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB128@0	22.16	21.96	0.157	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB1@1	23.06	22.86	0.193	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB1@131	23.24	23.04	0.201	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB64@32	23.22	23.02	0.200	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM 16 QAM_RB128@0	21.21	21.01	0.126	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM 64 QAM_RB128@0	20.73	20.53	0.113	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM 256 QAM_RB128@0	18.72	18.52	0.071	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB133@0	20.19	19.99	0.100	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB1@1	21.46	21.26	0.134	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB1@131	21.42	21.22	0.132	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB67@33	21.70	21.50	0.141	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM 16 QAM_RB133@0	20.19	19.99	0.100	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM 64 QAM_RB133@0	19.69	19.49	0.089	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM 256 QAM_RB133@0	16.73	16.53	0.045	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.50	22.30	0.170	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.81	22.61	0.182	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	23.03	22.83	0.192	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.94	22.74	0.188	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB162@0	22.01	21.81	0.152	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@1	22.84	22.64	0.184	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@160	23.16	22.96	0.198	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB81@40	22.88	22.68	0.185	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 16 QAM_RB162@0	20.98	20.78	0.120	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 64 QAM_RB162@0	20.45	20.25	0.106	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 256 QAM_RB162@0	18.51	18.31	0.068	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB162@0	19.97	19.77	0.095	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@1	21.16	20.96	0.125	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@160	21.57	21.37	0.137	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB81@40	21.38	21.18	0.131	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM 16 QAM_RB162@0	19.97	19.77	0.095	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM 64 QAM_RB162@0	19.46	19.26	0.084	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM 256 QAM_RB162@0	16.49	16.29	0.043	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.57	22.37	0.173	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.78	22.58	0.181	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	23.12	22.92	0.196	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	23.13	22.93	0.196	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB162@0	22.05	21.85	0.153	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.74	22.54	0.179	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@160	23.22	23.02	0.200	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB81@40	23	22.80	0.191	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB162@0	21.04	20.84	0.121	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB162@0	20.59	20.39	0.109	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB162@0	18.59	18.39	0.069	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB162@0	20.04	19.84	0.096	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.15	20.95	0.124	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@160	21.53	21.33	0.136	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB81@40	21.53	21.33	0.136	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB162@0	20.03	19.83	0.096	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB162@0	19.56	19.36	0.086	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB162@0	16.56	16.36	0.043	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.68	22.48	0.177	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.82	22.62	0.183	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	23.16	22.96	0.198	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	23.25	23.05	0.202	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB162@0	22.17	21.97	0.157	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB1@1	22.89	22.69	0.186	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB1@160	23.24	23.04	0.201	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB81@40	23.19	22.99	0.199	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM 16 QAM_RB162@0	21.14	20.94	0.124	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM 64 QAM_RB162@0	20.69	20.49	0.112	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM 256 QAM_RB162@0	18.69	18.49	0.071	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB162@0	20.17	19.97	0.099	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB1@1	21.31	21.11	0.129	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB1@160	21.58	21.38	0.137	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB81@40	21.73	21.53	0.142	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM 16 QAM_RB162@0	20.15	19.95	0.099	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM 64 QAM_RB162@0	19.66	19.46	0.088	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM 256 QAM_RB162@0	16.69	16.49	0.045	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.60	22.40	0.174	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.01	22.81	0.191	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	23.29	23.09	0.204	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	23.02	22.82	0.191	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB180@0	22.07	21.87	0.154	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@1	23.01	22.81	0.191	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@187	23.34	23.14	0.206	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB90@45	22.97	22.77	0.189	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 16 QAM_RB180@0	21.15	20.95	0.124	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 64 QAM_RB180@0	20.64	20.44	0.111	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 256 QAM_RB180@0	18.75	18.55	0.072	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB189@0	20.25	20.05	0.101	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@1	21.41	21.21	0.132	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@187	21.67	21.47	0.140	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB95@47	21.58	21.38	0.137	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM 16 QAM_RB189@0	20.24	20.04	0.101	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM 64 QAM_RB189@0	19.75	19.55	0.090	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_70MHz_30kHz_3735MHz_CP-OFDM 256 QAM_RB189@0	16.74	16.54	0.045	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.63	22.43	0.175	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.87	22.67	0.185	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	23.23	23.03	0.201	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	23.13	22.93	0.196	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB180@0	22.12	21.92	0.156	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.98	22.78	0.190	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@187	23.23	23.03	0.201	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB90@45	23.18	22.98	0.199	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB180@0	21.04	20.84	0.121	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB180@0	20.71	20.51	0.112	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB180@0	18.79	18.59	0.072	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB189@0	20.27	20.07	0.102	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.26	21.06	0.128	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@187	21.66	21.46	0.140	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB95@47	21.67	21.47	0.140	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB189@0	20.29	20.09	0.102	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB189@0	19.76	19.56	0.090	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB189@0	16.75	16.55	0.045	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.58	22.38	0.173	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.94	22.74	0.188	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	23.28	23.08	0.203	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	23.29	23.09	0.204	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB180@0	22.18	21.98	0.158	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB1@1	23.01	22.81	0.191	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB1@187	23.27	23.07	0.203	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB90@45	23.24	23.04	0.201	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM 16 QAM_RB180@0	21.20	21.00	0.126	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM 64 QAM_RB180@0	20.69	20.49	0.112	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM 256 QAM_RB180@0	18.88	18.68	0.074	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB189@0	20.36	20.16	0.104	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB1@1	21.39	21.19	0.132	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB1@187	21.63	21.43	0.139	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB95@47	21.72	21.52	0.142	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM 16 QAM_RB189@0	20.33	20.13	0.103	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM 64 QAM_RB189@0	19.82	19.62	0.092	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM 256 QAM_RB189@0	16.84	16.64	0.046	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	23.09	22.89	0.195	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.97	22.77	0.189	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	23.25	23.05	0.202	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.57	22.37	0.173	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB108@54	23.07	22.87	0.194	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@1	23.02	22.82	0.191	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@215	23.29	23.09	0.204	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB216@0	22.11	21.91	0.155	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 16 QAM_RB216@0	21.13	20.93	0.124	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 64 QAM_RB216@0	20.61	20.41	0.110	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 256 QAM_RB216@0	18.77	18.57	0.072	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB109@54	21.55	21.35	0.136	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@1	21.40	21.20	0.132	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@215	21.67	21.47	0.140	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB217@0	20.23	20.03	0.101	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM 16 QAM_RB217@0	20.23	20.03	0.101	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM 64 QAM_RB217@0	19.74	19.54	0.090	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM 256 QAM_RB217@0	16.76	16.56	0.045	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	23.07	22.87	0.194	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.96	22.76	0.189	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	23.22	23.02	0.200	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.57	22.37	0.173	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB108@54	23.10	22.90	0.195	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	23.02	22.82	0.191	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@215	23.25	23.05	0.202	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB216@0	22.15	21.95	0.157	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB216@0	21.15	20.95	0.124	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB216@0	20.62	20.42	0.110	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB216@0	18.79	18.59	0.072	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB109@54	21.63	21.43	0.139	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.34	21.14	0.130	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@215	21.60	21.40	0.138	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB217@0	20.22	20.02	0.100	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB217@0	20.22	20.02	0.100	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB217@0	19.76	19.56	0.090	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB217@0	16.77	16.57	0.045	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	23.18	22.98	0.199	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.91	22.71	0.187	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	23.24	23.04	0.201	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.65	22.45	0.176	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB108@54	23.22	23.02	0.200	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB1@1	23	22.80	0.191	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB1@215	23.33	23.13	0.206	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB216@0	22.19	21.99	0.158	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM 16 QAM_RB216@0	21.12	20.92	0.124	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM 64 QAM_RB216@0	20.62	20.42	0.110	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM 256 QAM_RB216@0	18.80	18.60	0.072	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB109@54	21.80	21.60	0.145	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB1@1	21.36	21.16	0.131	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB1@215	21.67	21.47	0.140	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB217@0	20.24	20.04	0.101	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM 16 QAM_RB217@0	20.29	20.09	0.102	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM 64 QAM_RB217@0	19.77	19.57	0.091	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM 256 QAM_RB217@0	16.77	16.57	0.045	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	23.09	22.89	0.195	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.95	22.75	0.188	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	23.25	23.05	0.202	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.64	22.44	0.175	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB120@60	23.13	22.93	0.196	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@1	22.94	22.74	0.188	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@243	23.31	23.11	0.205	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB243@0	22.10	21.90	0.155	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 16 QAM_RB243@0	21.08	20.88	0.122	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 64 QAM_RB243@0	20.67	20.47	0.111	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 256 QAM_RB243@0	18.80	18.60	0.072	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB123@61	21.57	21.37	0.137	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@1	21.44	21.24	0.133	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@243	21.66	21.46	0.140	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB245@0	20.28	20.08	0.102	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM 16 QAM_RB245@0	20.27	20.07	0.102	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM 64 QAM_RB245@0	19.79	19.59	0.091	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM 256 QAM_RB245@0	16.78	16.58	0.045	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	23.07	22.87	0.194	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.90	22.70	0.186	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	23.19	22.99	0.199	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.63	22.43	0.175	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB120@60	23.10	22.90	0.195	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	23.01	22.81	0.191	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@243	23.28	23.08	0.203	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB243@0	22.13	21.93	0.156	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB243@0	21.12	20.92	0.124	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB243@0	20.68	20.48	0.112	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB243@0	18.80	18.60	0.072	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB123@61	21.63	21.43	0.139	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.34	21.14	0.130	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@243	21.66	21.46	0.140	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB245@0	20.26	20.06	0.101	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB245@0	20.22	20.02	0.100	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB245@0	19.78	19.58	0.091	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_90MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB245@0	16.76	16.56	0.045	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	23.12	22.92	0.196	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.91	22.71	0.187	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	23.17	22.97	0.198	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.58	22.38	0.173	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB120@60	23.19	22.99	0.199	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB1@1	22.96	22.76	0.189	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB1@243	23.28	23.08	0.203	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB243@0	22.16	21.96	0.157	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM 16 QAM_RB243@0	21.15	20.95	0.124	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM 64 QAM_RB243@0	20.69	20.49	0.112	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM 256 QAM_RB243@0	18.81	18.61	0.073	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB123@61	21.66	21.46	0.140	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB1@1	21.31	21.11	0.129	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB1@243	21.79	21.59	0.144	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB245@0	20.22	20.02	0.100	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM 16 QAM_RB245@0	20.20	20.00	0.100	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM 64 QAM_RB245@0	19.70	19.50	0.089	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM 256 QAM_RB245@0	16.76	16.56	0.045	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	23.05	22.85	0.193	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.94	22.74	0.188	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	23.29	23.09	0.204	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.54	22.34	0.171	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB135@67	23.10	22.90	0.195	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	23.04	22.84	0.192	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@271	23.25	23.05	0.202	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB270@0	22.17	21.97	0.157	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB270@0	21.07	20.87	0.122	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB270@0	20.67	20.47	0.111	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB270@0	18.75	18.55	0.072	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB137@68	21.56	21.36	0.137	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	21.36	21.16	0.131	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@271	21.59	21.39	0.138	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB273@0	20.26	20.06	0.101	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB273@0	20.25	20.05	0.101	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB273@0	19.73	19.53	0.090	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB273@0	16.76	16.56	0.045	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C (dB) + G_T (dBi)

n78_3:

1.Ant Gain = -0.2dBi;

2. C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB