

Test Information:

Sample No.:	2VFZ-1	Test Date:	2025/01/12
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	24.5	Relative Humidity: (%)	34	ATM Pressure: (kPa)	101.5
-----------------------	------	---------------------------	----	------------------------	-------

Peak-to-average Ratio(PAR)

FCC Part 96

n77_2

Mode	Result (dB)	Limit (dB)	Verdict
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	7.26	13	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	8.06	13	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	8.76	13	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	8.99	13	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	9.12	13	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	10.44	13	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	10.55	13	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	10.65	13	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	10.88	13	Pass

n78_2

Mode	Result (dB)	Limit (dB)	Verdict
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	7.32	13	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	8.14	13	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	8.83	13	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	9.11	13	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	9.16	13	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	10.50	13	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	10.61	13	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	10.75	13	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	10.99	13	Pass