



Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax20 RU26-0 High Channel 5240MHz Band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5350.000	43.81	9.34	53.15	74.00	20.85	Peak
2	5350.000	31.91	9.34	41.25	54.00	12.75	Average

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax40 RU26-0 Low Channel 5190MHz Band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	44.09	9.49	53.58	74.00	20.42	Peak
2	5150.000	32.05	9.49	41.54	54.00	12.46	Average

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax40 RU26-0 Low Channel 5190MHz Band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	44.19	9.49	53.68	74.00	20.32	Peak
2	5150.000	32.07	9.49	41.56	54.00	12.44	Average

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax40 RU26-0 High Channel 5230MHz Band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5350.000	43.43	9.34	52.77	74.00	21.23	Peak
2	5350.000	31.88	9.34	41.22	54.00	12.78	Average

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax40 RU26-0 High Channel 5230MHz Band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5350.000	43.66	9.34	53.00	74.00	21.00	Peak
2	5350.000	32.11	9.34	41.45	54.00	12.55	Average

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax80 RU26-0 Middle Channel 5210MHz Band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	43.79	9.49	53.28	74.00	20.72	Peak
2	5150.000	31.76	9.49	41.25	54.00	12.75	Average
3	5350.000	43.71	9.34	53.05	74.00	20.95	Peak
4	5350.000	32.35	9.34	41.69	54.00	12.31	Average

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax80 RU26-0 Middle Channel 5210MHz Band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	43.64	9.49	53.13	74.00	20.87	Peak
2	5150.000	32.05	9.49	41.54	54.00	12.46	Average
3	5350.000	44.13	9.34	53.47	74.00	20.53	Peak
4	5350.000	32.13	9.34	41.47	54.00	12.53	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: a Low Channel 5260MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	44.47	9.49	53.96	74.00	20.04	Peak
2	5150.000	31.39	9.49	40.88	54.00	13.12	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: a Low Channel 5260MHz Band 2




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: a High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5350.000	43.88	9.34	53.22	74.00	20.78	Peak
2	5350.000	31.55	9.34	40.89	54.00	13.11	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: a High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5350.000	44.62	9.34	53.96	74.00	20.04	Peak
2	5350.000	31.54	9.34	40.88	54.00	13.12	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: n20 Low Channel 5260MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	44.48	9.49	53.97	74.00	20.03	Peak
2	5150.000	31.71	9.49	41.20	54.00	12.80	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: n20 Low Channel 5260MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	43.80	9.49	53.29	74.00	20.71	Peak
2	5150.000	31.06	9.49	40.55	54.00	13.45	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: n20 High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5350.000	44.69	9.34	54.03	74.00	19.97	Peak
2	5350.000	31.94	9.34	41.28	54.00	12.72	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: n20 High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5350.000	44.23	9.34	53.57	74.00	20.43	Peak
2	5350.000	31.22	9.34	40.56	54.00	13.44	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: n40 Low Channel 5270MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	43.81	9.49	53.30	74.00	20.70	Peak
2	5150.000	32.62	9.49	42.11	54.00	11.89	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: n40 Low Channel 5270MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	44.13	9.49	53.62	74.00	20.38	Peak
2	5150.000	31.73	9.49	41.22	54.00	12.78	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: n40 High Channel 5310MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5350.000	44.12	9.34	53.46	74.00	20.54	Peak
2	5350.000	31.48	9.34	40.82	54.00	13.18	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: n40 High Channel 5310MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5350.000	43.92	9.34	53.26	74.00	20.74	Peak
2	5350.000	31.23	9.34	40.57	54.00	13.43	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ac80 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	44.77	9.49	54.26	74.00	19.74	Peak
2	5150.000	32.07	9.49	41.56	54.00	12.44	Average
3	5350.000	44.74	9.34	54.08	74.00	19.92	Peak
4	5350.000	32.00	9.34	41.34	54.00	12.66	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ac80 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	43.82	9.49	53.31	74.00	20.69	Peak
2	5150.000	31.26	9.49	40.75	54.00	13.25	Average
3	5350.000	44.74	9.34	54.08	74.00	19.92	Peak
4	5350.000	32.32	9.34	41.66	54.00	12.34	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax20 Low Channel 5260MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	43.88	9.49	53.37	74.00	20.63	Peak
2	5150.000	31.90	9.49	41.39	54.00	12.61	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax20 Low Channel 5260MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	43.54	9.49	53.03	74.00	20.97	Peak
2	5150.000	31.95	9.49	41.44	54.00	12.56	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax20 High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5350.000	44.26	9.34	53.60	74.00	20.40	Peak
2	5350.000	32.32	9.34	41.66	54.00	12.34	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax20 High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5350.000	43.89	9.34	53.23	74.00	20.77	Peak
2	5350.000	32.23	9.34	41.57	54.00	12.43	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax40 Low Channel 5270MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	43.60	9.49	53.09	74.00	20.91	Peak
2	5150.000	31.76	9.49	41.25	54.00	12.75	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax40 Low Channel 5270MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	43.63	9.49	53.12	74.00	20.88	Peak
2	5150.000	32.10	9.49	41.59	54.00	12.41	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax40 High Channel 5310MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5350.000	44.58	9.34	53.92	74.00	20.08	Peak
2	5350.000	32.44	9.34	41.78	54.00	12.22	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax40 High Channel 5310MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5350.000	44.20	9.34	53.54	74.00	20.46	Peak
2	5350.000	32.19	9.34	41.53	54.00	12.47	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax80 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5149.990	44.25	9.49	53.74	74.00	20.26	Peak
2	5149.990	32.09	9.49	41.58	54.00	12.42	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax80 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	43.90	9.49	53.39	74.00	20.61	Peak
2	5150.000	32.06	9.49	41.55	54.00	12.45	Average
3	5350.000	44.32	9.34	53.66	74.00	20.34	Peak
4	5350.000	32.35	9.34	41.69	54.00	12.31	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax160 Middle Channel 5250MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5113.573	46.47	9.18	55.65	74.00	18.35	Peak
2	5113.573	32.70	9.18	41.88	54.00	12.12	Average
3	5150.000	44.50	9.49	53.99	74.00	20.01	Peak
4	5150.000	32.61	9.49	42.10	54.00	11.90	Average
5	5350.000	44.31	9.34	53.65	74.00	20.35	Peak
6	5350.000	32.44	9.34	41.78	54.00	12.22	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax160 Middle Channel 5250MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5106.571	47.55	9.14	56.69	74.00	17.31	Peak
2	5106.571	33.06	9.14	42.20	54.00	11.80	Average
3	5150.000	45.27	9.49	54.76	74.00	19.24	Peak
4	5150.000	32.39	9.49	41.88	54.00	12.12	Average
5	5350.000	44.00	9.34	53.34	74.00	20.66	Peak
6	5350.000	32.35	9.34	41.69	54.00	12.31	Average

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax20 RU26-0 Low Channel 5260MHz Band2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	44.52	9.49	54.01	74.00	19.99	Peak
2	5150.000	31.71	9.49	41.20	54.00	12.80	Average

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax20 RU26-0 Low Channel 5260MHz Band2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	44.29	9.49	53.78	74.00	20.22	Peak
2	5150.000	31.95	9.49	41.44	54.00	12.56	Average

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax20 RU26-0 High Channel 5320MHz Band2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5350.000	44.65	9.34	53.99	74.00	20.01	Peak
2	5350.000	32.13	9.34	41.47	54.00	12.53	Average

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax20 RU26-0 High Channel 5320MHz Band2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5350.000	44.01	9.34	53.35	74.00	20.65	Peak
2	5350.000	32.18	9.34	41.52	54.00	12.48	Average

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax40 RU26-0 Low Channel 5270MHz Band2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	43.40	9.49	52.89	74.00	21.11	Peak
2	5150.000	31.80	9.49	41.29	54.00	12.71	Average

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax40 RU26-0 Low Channel 5270MHz Band2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	43.57	9.49	53.06	74.00	20.94	Peak
2	5150.000	31.88	9.49	41.37	54.00	12.63	Average

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax40 RU26-0 High Channel 5310MHz Band2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5350.000	43.15	9.34	52.49	74.00	21.51	Peak
2	5350.000	31.54	9.34	40.88	54.00	13.12	Average

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax40 RU26-0 High Channel 5310MHz Band2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5350.000	44.21	9.34	53.55	74.00	20.45	Peak
2	5350.000	31.99	9.34	41.33	54.00	12.67	Average

Project No.: 2403Z104805E-RF
 Tester: Tao zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Horizontal
 Note: ax80 RU26-0 Middle Channel 5290MHz Band2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	43.01	9.49	52.50	74.00	21.50	Peak
2	5150.000	31.87	9.49	41.36	54.00	12.64	Average
3	5350.000	43.16	9.34	52.50	74.00	21.50	Peak
4	5350.000	31.94	9.34	41.28	54.00	12.72	Average

Project No.: 2403Z104805E-RF
 Tester: Tao zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Vertical
 Note: ax80 RU26-0 Middle Channel 5290MHz Band2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBUV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	43.47	9.49	52.96	74.00	21.04	Peak
2	5150.000	32.09	9.49	41.58	54.00	12.42	Average
3	5350.000	43.84	9.34	53.18	74.00	20.82	Peak
4	5350.000	31.95	9.34	41.29	54.00	12.71	Average

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax160 RU26-0 Middle Channel 5250MHz Band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	45.53	9.49	55.02	74.00	18.98	Peak
2	5150.000	31.76	9.49	41.25	74.00	32.75	Peak
3	5350.000	44.55	9.34	53.89	74.00	20.11	Peak
4	5350.000	31.99	9.34	41.33	74.00	32.67	Peak

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax160 RU26-0 Middle Channel 5250MHz Band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5150.000	47.99	9.49	57.48	74.00	16.52	Peak
2	5150.000	32.62	9.49	42.11	54.00	11.89	Average
3	5350.000	43.50	9.34	52.84	74.00	21.16	Peak
4	5350.000	32.35	9.34	41.69	54.00	12.31	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: a Low Channel 5500MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5460.000	43.99	10.09	54.08	74.00	19.92	Peak
2	5460.000	31.46	10.09	41.55	54.00	12.45	Average
3	5470.000	44.79	10.09	54.88	68.20	13.32	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: a Low Channel 5500MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5460.000	43.77	10.09	53.86	74.00	20.14	Peak
2	5460.000	31.69	10.09	41.78	54.00	12.22	Average
3	5470.000	43.56	10.09	53.65	68.20	14.55	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: a High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.000	45.04	9.40	54.44	68.20	13.76	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: a High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.000	44.64	9.40	54.04	68.20	14.16	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: n20 Low Channel 5500MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5460.000	44.56	10.09	54.65	74.00	19.35	Peak
2	5460.000	31.48	10.09	41.57	54.00	12.43	Average
3	5470.000	43.92	10.09	54.01	68.20	14.19	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: n20 Low Channel 5500MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5460.000	44.00	10.09	54.09	74.00	19.91	Peak
2	5460.000	31.54	10.09	41.63	54.00	12.37	Average
3	5470.000	43.64	10.09	53.73	68.20	14.47	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: n20 High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.000	45.53	9.40	54.93	68.20	13.27	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: n20 High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBUV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.000	45.43	9.40	54.83	68.20	13.37	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Horizontal
 Note: n40 Low Channel 5510MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5460.000	43.74	10.09	53.83	74.00	20.17	Peak
2	5460.000	31.60	10.09	41.69	54.00	12.31	Average
3	5470.000	44.53	10.09	54.62	68.20	13.58	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: n40 Low Channel 5510MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5460.000	44.14	10.09	54.23	74.00	19.77	Peak
2	5460.000	31.55	10.09	41.64	54.00	12.36	Average
3	5470.000	44.32	10.09	54.41	68.20	13.79	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: n40 High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.000	45.14	9.40	54.54	68.20	13.66	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: n40 High Channel 5670MHz Band 3



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.000	45.07	9.40	54.47	68.20	13.73	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ac80 Low Channel 5530MHz Band 3



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5434.410	48.17	10.03	58.20	74.00	15.80	Peak
2	5434.410	35.17	10.03	45.20	54.00	8.80	Average
3	5460.000	45.96	10.09	56.05	74.00	17.95	Peak
4	5460.000	33.79	10.09	43.88	54.00	10.12	Average
5	5464.650	47.15	10.09	57.24	68.20	10.96	Peak
6	5470.000	45.70	10.09	55.79	68.20	12.41	Peak