



Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax40 RU26-0 High Channel 5230MHz Band1




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax40 RU26-0 High Channel 5230MHz Band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10460.000	33.29	14.00	47.29	68.20	20.91	Peak
2	15690.000	37.74	15.99	53.73	74.00	20.27	Peak
3	15690.000	25.33	15.99	41.32	54.00	12.68	Average
4	17709.600	34.36	25.89	60.25	74.00	13.75	Peak
5	17709.600	21.62	25.89	47.51	54.00	6.49	Average

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: vertical
 Note: ax40 RU26-0 High Channel 5230MHz Band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10460.000	33.54	14.00	47.54	68.20	20.66	Peak
2	15690.000	37.41	15.99	53.40	74.00	20.60	Peak
3	15690.000	25.63	15.99	41.62	54.00	12.38	Average
4	17827.200	33.84	25.72	59.56	74.00	14.44	Peak
5	17827.200	21.75	25.72	47.47	54.00	6.53	Average


Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax80 RU26-0 Middle Channel 5210MHz Band1



Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax80 RU26-0 Middle Channel 5210MHz Band1




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax80 RU26-0 Middle Channel 5210MHz Band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10420.000	33.64	13.74	47.38	68.20	20.82	Peak
2	15630.000	36.45	16.37	52.82	74.00	21.18	Peak
3	15630.000	24.31	16.37	40.68	54.00	13.32	Average
4	17733.600	33.78	25.87	59.65	74.00	14.35	Peak
5	17733.600	21.71	25.87	47.58	54.00	6.42	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax80 RU26-0 Middle Channel 5210MHz Band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10420.000	33.22	13.74	46.96	68.20	21.24	Peak
2	15630.000	37.82	16.37	54.19	74.00	19.81	Peak
3	15630.000	25.71	16.37	42.08	54.00	11.92	Average
4	17724.000	33.68	25.87	59.55	74.00	14.45	Peak
5	17724.000	21.78	25.87	47.65	54.00	6.35	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: a High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5970.000	34.26	10.14	44.40	68.20	23.80	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: a High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5965.000	34.36	10.13	44.49	68.20	23.71	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: a High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10640.000	34.38	13.87	48.25	74.00	25.75	Peak
2	10640.000	22.19	13.87	36.06	54.00	17.94	Average
3	15960.000	35.70	17.44	53.14	74.00	20.86	Peak
4	15960.000	23.32	17.44	40.76	54.00	13.24	Average
5	17728.800	34.22	25.87	60.09	74.00	13.91	Peak
6	17728.800	21.60	25.87	47.47	54.00	6.53	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: a High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10640.000	34.14	13.87	48.01	74.00	25.99	Peak
2	10640.000	22.64	13.87	36.51	54.00	17.49	Average
3	15960.000	36.09	17.44	53.53	74.00	20.47	Peak
4	15960.000	24.17	17.44	41.61	54.00	12.39	Average
5	17839.200	33.76	25.71	59.47	74.00	14.53	Peak
6	17839.200	22.00	25.71	47.71	54.00	6.29	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: n20 High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5938.000	34.24	9.95	44.19	68.20	24.01	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: n20 High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5957.000	34.43	10.09	44.52	68.20	23.68	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: n20 High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10640.000	34.06	13.87	47.93	74.00	26.07	Peak
2	10640.000	22.23	13.87	36.10	54.00	17.90	Average
3	15960.000	36.26	17.44	53.70	74.00	20.30	Peak
4	15960.000	24.35	17.44	41.79	54.00	12.21	Average
5	17728.800	33.14	25.87	59.01	74.00	14.99	Peak
6	17728.800	21.83	25.87	47.70	54.00	6.30	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: n20 High Channel 5320MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10640.000	34.54	13.87	48.41	74.00	25.59	Peak
2	10640.000	22.29	13.87	36.16	54.00	17.84	Average
3	15960.000	36.62	17.44	54.06	74.00	19.94	Peak
4	15960.000	24.47	17.44	41.91	54.00	12.09	Average
5	17829.600	33.83	25.72	59.55	74.00	14.45	Peak
6	17829.600	22.02	25.72	47.74	54.00	6.26	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: n40 High Channel 5310MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5938.000	35.65	9.95	45.60	68.20	22.60	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: n40 High Channel 5310MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5951.000	35.00	10.06	45.06	68.20	23.14	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: n40 High Channel 5310MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10620.000	33.71	14.29	48.00	74.00	26.00	Peak
2	10620.000	21.54	14.29	35.83	54.00	18.17	Average
3	15930.000	36.18	17.53	53.71	74.00	20.29	Peak
4	15930.000	24.38	17.53	41.91	54.00	12.09	Average
5	17719.200	33.84	25.89	59.73	74.00	14.27	Peak
6	17719.200	21.60	25.89	47.49	54.00	6.51	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: n40 High Channel 5310MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10620.000	34.24	14.29	48.53	74.00	25.47	Peak
2	10620.000	22.21	14.29	36.50	54.00	17.50	Average
3	15930.000	36.11	17.53	53.64	74.00	20.36	Peak
4	15930.000	23.30	17.53	40.83	54.00	13.17	Average
5	17625.600	35.52	24.82	60.34	68.20	7.86	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ac80 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5955.000	34.63	10.09	44.72	68.20	23.48	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ac80 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5879.000	34.57	9.46	44.03	68.20	24.17	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ac80 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10580.000	33.79	14.62	48.41	68.20	19.79	Peak
2	15870.000	34.52	17.34	51.86	74.00	22.14	Peak
3	15870.000	22.29	17.34	39.63	54.00	14.37	Average
4	17791.200	33.89	25.78	59.67	74.00	14.33	Peak
5	17791.200	21.77	25.78	47.55	54.00	6.45	Average

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: vertical
 Note: ac80 Middle Channel 5290MHz Band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10580.000	33.84	14.62	48.46	68.20	19.74	Peak
2	15870.000	35.63	17.34	52.97	74.00	21.03	Peak
3	15870.000	22.53	17.34	39.87	54.00	14.13	Average
4	17726.400	33.34	25.87	59.21	74.00	14.79	Peak
5	17726.400	21.91	25.87	47.78	54.00	6.22	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax20 High Channel 5320MHz band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5982.000	34.42	10.19	44.61	68.20	23.59	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 High Channel 5320MHz band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5963.000	34.30	10.12	44.42	68.20	23.78	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax20 High Channel 5320MHz band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10640.000	34.25	13.87	48.12	74.00	25.88	Peak
2	10640.000	22.58	13.87	36.45	54.00	17.55	Average
3	15960.000	36.44	17.44	53.88	74.00	20.12	Peak
4	15960.000	24.29	17.44	41.73	54.00	12.27	Average
5	17784.000	33.83	25.79	59.62	74.00	14.38	Peak
6	17784.000	21.80	25.79	47.59	54.00	6.41	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 High Channel 5320MHz band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10640.000	34.63	13.87	48.50	74.00	25.50	Peak
2	10640.000	22.58	13.87	36.45	54.00	17.55	Average
3	15960.000	36.97	17.44	54.41	74.00	19.59	Peak
4	15960.000	24.71	17.44	42.15	54.00	11.85	Average
5	17719.200	33.74	25.89	59.63	74.00	14.37	Peak
6	17719.200	21.68	25.89	47.57	54.00	6.43	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax40 High Channel 5310MHz band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5802.000	34.62	9.54	44.16	68.20	24.04	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax40 High Channel 5310MHz band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5826.000	34.42	9.41	43.83	68.20	24.37	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax40 High Channel 5310MHz band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10620.000	33.85	14.29	48.14	74.00	25.86	Peak
2	10620.000	21.47	14.29	35.76	54.00	18.24	Average
3	15930.000	36.66	17.53	54.19	74.00	19.81	Peak
4	15930.000	24.37	17.53	41.90	54.00	12.10	Average
5	17721.600	33.89	25.87	59.76	74.00	14.24	Peak
6	17721.600	21.67	25.87	47.54	54.00	6.46	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax40 High Channel 5310MHz band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10620.000	34.56	14.29	48.85	74.00	25.15	Peak
2	10620.000	22.45	14.29	36.74	54.00	17.26	Average
3	15930.000	36.45	17.53	53.98	74.00	20.02	Peak
4	15930.000	23.34	17.53	40.87	54.00	13.13	Average
5	17776.800	33.33	25.80	59.13	74.00	14.87	Peak
6	17776.800	21.75	25.80	47.55	54.00	6.45	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax80 Middle Channel 5290MHz band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5802.000	34.30	9.54	43.84	68.20	24.36	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax80 Middle Channel 5290MHz band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5798.000	35.47	9.54	45.01	68.20	23.19	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax80 Middle Channel 5290MHz band 2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10580.000	33.41	14.62	48.03	68.20	20.17	Peak
2	15870.000	34.54	17.34	51.88	74.00	22.12	Peak
3	15870.000	22.36	17.34	39.70	54.00	14.30	Average
4	17649.600	34.39	25.18	59.57	68.20	8.63	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax80 Middle Channel 5290MHz band 2



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10580.000	33.55	14.62	48.17	68.20	20.03	Peak
2	15870.000	35.48	17.34	52.82	74.00	21.18	Peak
3	15870.000	22.69	17.34	40.03	74.00	33.97	Peak
4	17664.000	34.08	25.39	59.47	68.20	8.73	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax160 Middle Channel 5250MHz band 1



Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax160 Middle Channel 5250MHz band 1

