



Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax160 Middle Channel 5250MHz band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10500.000	33.69	14.26	47.95	68.20	20.25	Peak
2	15750.000	36.70	16.33	53.03	74.00	20.97	Peak
3	15750.000	24.40	16.33	40.73	54.00	13.27	Average
4	17740.800	33.94	25.85	59.79	74.00	14.21	Peak
5	17740.800	21.73	25.85	47.58	54.00	6.42	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax160 Middle Channel 5250MHz band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10500.000	33.87	14.26	48.13	68.20	20.07	Peak
2	15750.000	36.51	16.33	52.84	74.00	21.16	Peak
3	15750.000	24.35	16.33	40.68	54.00	13.32	Average
4	17798.400	33.76	25.78	59.54	74.00	14.46	Peak
5	17798.400	21.80	25.78	47.58	54.00	6.42	Average


Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax20 RU26-0 High Channel 5320MHz Band2



Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 RU26-0 High Channel 5320MHz Band2




Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: horizontal
 Note: ax20 RU26-0 High Channel 5320MHz Band2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10640.000	34.82	13.87	48.69	74.00	25.31	Peak
2	10640.000	22.11	13.87	35.98	54.00	18.02	Average
3	15960.000	35.25	17.44	52.69	74.00	21.31	Peak
4	15960.000	23.56	17.44	41.00	54.00	13.00	Average
5	17716.800	34.29	25.89	60.18	74.00	13.82	Peak
6	17716.800	21.44	25.89	47.33	54.00	6.67	Average

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: vertical
 Note: ax20 RU26-0 High Channel 5320MHz Band2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10640.000	34.75	13.87	48.62	74.00	25.38	Peak
2	10640.000	22.32	13.87	36.19	54.00	17.81	Average
3	15960.000	36.70	17.44	54.14	74.00	19.86	Peak
4	15960.000	24.39	17.44	41.83	54.00	12.17	Average
5	17776.800	33.65	25.80	59.45	74.00	14.55	Peak
6	17776.800	21.68	25.80	47.48	54.00	6.52	Average


Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax40 RU26-0 High Channel 5310MHz Band2



Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax40 RU26-0 High Channel 5310MHz Band2




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax40 RU26-0 High Channel 5310MHz Band2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10620.000	33.56	14.29	47.85	74.00	26.15	Peak
2	10620.000	21.41	14.29	35.70	54.00	18.30	Average
3	15930.000	36.68	17.53	54.21	74.00	19.79	Peak
4	15930.000	24.40	17.53	41.93	54.00	12.07	Average
5	17563.200	35.46	23.84	59.30	68.20	8.90	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax40 RU26-0 High Channel 5310MHz Band2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10620.000	34.33	14.29	48.62	74.00	25.38	Peak
2	10620.000	22.47	14.29	36.76	54.00	17.24	Average
3	15930.000	36.42	17.53	53.95	74.00	20.05	Peak
4	15930.000	23.37	17.53	40.90	54.00	13.10	Average
5	17774.400	33.29	25.81	59.10	74.00	14.90	Peak
6	17774.400	21.62	25.81	47.43	54.00	6.57	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax80 RU26-0 Middle Channel 5290MHz Band2




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax80 RU26-0 Middle Channel 5290MHz Band2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5938.000	34.09	9.95	44.04	68.20	24.16	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax80 RU26-0 Middle Channel 5290MHz Band2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10580.000	33.51	14.62	48.13	68.20	20.07	Peak
2	15870.000	34.37	17.34	51.71	74.00	22.29	Peak
3	15870.000	22.50	17.34	39.84	54.00	14.16	Average
4	17721.600	33.57	25.87	59.44	74.00	14.56	Peak
5	17721.600	21.41	25.87	47.28	54.00	6.72	Average

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: vertical
 Note: ax80 RU26-0 Middle Channel 5290MHz Band2




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10580.000	33.71	14.62	48.33	68.20	19.87	Peak
2	15870.000	35.44	17.34	52.78	74.00	21.22	Peak
3	15870.000	22.65	17.34	39.99	54.00	14.01	Average
4	17700.000	33.46	25.91	59.37	68.20	8.83	Peak
5	17700.000	21.52	25.91	47.43	54.00	6.57	Average


Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax160 RU26-0 Middle Channel 5250MHz Band1



Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax160 RU26-0 Middle Channel 5250MHz Band1




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax160 RU26-0 Middle Channel 5250MHz Band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10500.000	33.74	14.26	48.00	68.20	20.20	Peak
2	15700.000	36.91	15.93	52.84	74.00	21.16	Peak
3	15700.000	24.84	15.93	40.77	54.00	13.23	Average
4	17750.400	33.66	25.84	59.50	74.00	14.50	Peak
5	17750.400	21.41	25.84	47.25	54.00	6.75	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax160 RU26-0 Middle Channel 5250MHz Band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10500.000	33.81	14.26	48.07	68.20	20.13	Peak
2	15750.000	36.62	16.33	52.95	74.00	21.05	Peak
3	15750.000	24.33	16.33	40.66	54.00	13.34	Average
4	17733.600	33.65	25.87	59.52	74.00	14.48	Peak
5	17733.600	21.42	25.87	47.29	54.00	6.71	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: a High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5800.000	35.32	9.55	44.87	68.20	23.33	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: a High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5932.000	34.38	9.90	44.28	68.20	23.92	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: a High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11400.000	33.87	13.60	47.47	74.00	26.53	Peak
2	11400.000	21.69	13.60	35.29	54.00	18.71	Average
3	17100.000	33.82	21.60	55.42	68.20	12.78	Peak
4	17767.200	33.43	25.81	59.24	74.00	14.76	Peak
5	17767.200	21.90	25.81	47.71	54.00	6.29	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: a High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11400.000	33.76	13.60	47.36	74.00	26.64	Peak
2	11400.000	21.49	13.60	35.09	54.00	18.91	Average
3	17100.000	34.28	21.60	55.88	68.20	12.32	Peak
4	17728.800	33.79	25.87	59.66	74.00	14.34	Peak
5	17728.800	21.63	25.87	47.50	54.00	6.50	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: n20 High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5941.000	34.36	9.97	44.33	68.20	23.87	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: n20 High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5799.000	34.78	9.54	44.32	68.20	23.88	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: n20 High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11400.000	33.10	13.60	46.70	74.00	27.30	Peak
2	11400.000	21.20	13.60	34.80	54.00	19.20	Average
3	17100.000	33.51	21.60	55.11	68.20	13.09	Peak
4	17721.600	33.95	25.87	59.82	74.00	14.18	Peak
5	17721.600	21.72	25.87	47.59	54.00	6.41	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: n20 High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11400.000	33.38	13.60	46.98	74.00	27.02	Peak
2	11400.000	21.56	13.60	35.16	54.00	18.84	Average
3	17100.000	33.76	21.60	55.36	68.20	12.84	Peak
4	17745.600	33.46	25.85	59.31	74.00	14.69	Peak
5	17745.600	21.84	25.85	47.69	54.00	6.31	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: n40 High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5964.000	34.18	10.12	44.30	68.20	23.90	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: n40 High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5972.000	34.81	10.15	44.96	68.20	23.24	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: n40 High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11340.000	34.34	14.40	48.74	74.00	25.26	Peak
2	11340.000	22.29	14.40	36.69	54.00	17.31	Average
3	17010.000	34.39	20.11	54.50	68.20	13.70	Peak
4	17829.600	33.27	25.72	58.99	74.00	15.01	Peak
5	17829.600	21.82	25.72	47.54	54.00	6.46	Average

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: vertical
 Note: n40 High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11340.000	34.79	14.40	49.19	74.00	24.81	Peak
2	11340.000	22.51	14.40	36.91	54.00	17.09	Average
3	17010.000	34.15	20.11	54.26	68.20	13.94	Peak
4	17728.800	34.11	25.87	59.98	74.00	14.02	Peak
5	17728.800	21.57	25.87	47.44	54.00	6.56	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ac80 Low Channel 5530MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5941.000	34.70	9.97	44.67	68.20	23.53	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ac80 Low Channel 5530MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5968.000	34.46	10.14	44.60	68.20	23.60	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ac80 Low Channel 5530MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11060.000	33.81	14.36	48.17	74.00	25.83	Peak
2	11060.000	21.29	14.36	35.65	54.00	18.35	Average
3	16590.000	35.00	19.18	54.18	68.20	14.02	Peak
4	17668.800	33.95	25.46	59.41	68.20	8.79	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ac80 Low Channel 5530MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11060.000	33.36	14.36	47.72	74.00	26.28	Peak
2	11060.000	21.58	14.36	35.94	54.00	18.06	Average
3	16590.000	34.69	19.18	53.87	68.20	14.33	Peak
4	17724.000	33.46	25.87	59.33	74.00	14.67	Peak
5	17724.000	21.62	25.87	47.49	54.00	6.51	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax20 High Channel 5700MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5812.000	34.71	9.49	44.20	68.20	24.00	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 High Channel 5700MHz band 3



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5818.000	34.58	9.45	44.03	68.20	24.17	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax20 High Channel 5700MHz band 3



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11400.000	33.43	13.60	47.03	74.00	26.97	Peak
2	11400.000	21.42	13.60	35.02	54.00	18.98	Average
3	17100.000	33.57	21.60	55.17	68.20	13.03	Peak
4	17889.600	33.52	25.62	59.14	74.00	14.86	Peak
5	17889.600	21.96	25.62	47.58	54.00	6.42	Average