



Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 High Channel 5700MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11400.000	33.66	13.60	47.26	74.00	26.74	Peak
2	11400.000	21.43	13.60	35.03	54.00	18.97	Average
3	17100.000	33.63	21.60	55.23	68.20	12.97	Peak
4	17666.400	33.94	25.42	59.36	68.20	8.84	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax40 High Channel 5670MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5935.000	34.10	9.92	44.02	68.20	24.18	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax40 High Channel 5670MHz band 3




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax40 High Channel 5670MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11340.000	34.41	14.40	48.81	74.00	25.19	Peak
2	11340.000	22.74	14.40	37.14	54.00	16.86	Average
3	17010.000	34.29	20.11	54.40	68.20	13.80	Peak
4	17716.800	33.47	25.89	59.36	74.00	14.64	Peak
5	17716.800	21.65	25.89	47.54	54.00	6.46	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax40 High Channel 5670MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11340.000	34.62	14.40	49.02	74.00	24.98	Peak
2	11340.000	22.40	14.40	36.80	54.00	17.20	Average
3	17010.000	34.51	20.11	54.62	68.20	13.58	Peak
4	17664.000	34.66	25.39	60.05	68.20	8.15	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax80 High Channel 5610MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5966.000	34.52	10.13	44.65	68.20	23.55	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax80 High Channel 5610MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5963.000	33.46	10.12	43.58	68.20	24.62	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax80 High Channel 5610MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11220.000	34.57	14.95	49.52	74.00	24.48	Peak
2	11220.000	22.25	14.95	37.20	54.00	16.80	Average
3	16830.000	34.52	18.92	53.44	68.20	14.76	Peak
4	17724.000	33.58	25.87	59.45	74.00	14.55	Peak
5	17724.000	21.69	25.87	47.56	54.00	6.44	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax80 High Channel 5610MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11220.000	33.64	14.95	48.59	74.00	25.41	Peak
2	11220.000	21.41	14.95	36.36	54.00	17.64	Average
3	16830.000	34.72	18.92	53.64	68.20	14.56	Peak
4	17800.800	34.10	25.77	59.87	74.00	14.13	Peak
5	17800.800	21.74	25.77	47.51	54.00	6.49	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax160 Middle Channel 5570MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5945.000	34.38	10.01	44.39	68.20	23.81	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax160 Middle Channel 5570MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5937.000	33.83	9.94	43.77	68.20	24.43	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: horizontal
 Note: ax160 Middle Channel 5570MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11140.000	34.47	14.49	48.96	74.00	25.04	Peak
2	11140.000	22.41	14.49	36.90	54.00	17.10	Average
3	16710.000	35.35	18.25	53.60	68.20	14.60	Peak
4	17736.000	34.28	25.86	60.14	74.00	13.86	Peak
5	17736.000	21.25	25.86	47.11	54.00	6.89	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax160 Middle Channel 5570MHz band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11140.000	34.47	14.49	48.96	74.00	25.04	Peak
2	11140.000	22.36	14.49	36.85	54.00	17.15	Average
3	16710.000	35.11	18.25	53.36	68.20	14.84	Peak
4	17560.800	35.35	23.79	59.14	68.20	9.06	Peak


Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax20 RU26-0 High Channel 5700MHz Band3



Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 RU26-0 High Channel 5700MHz Band3




Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: horizontal
 Note: ax20 RU26-0 High Channel 5700MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11400.000	33.70	13.60	47.30	74.00	26.70	Peak
2	11400.000	21.35	13.60	34.95	54.00	19.05	Average
3	17100.000	33.40	21.60	55.00	68.20	13.20	Peak
4	17726.400	33.23	25.87	59.10	74.00	14.90	Peak
5	17726.400	21.27	25.87	47.14	54.00	6.86	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 RU26-0 High Channel 5700MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11400.000	33.29	13.60	46.89	74.00	27.11	Peak
2	11400.000	21.51	13.60	35.11	54.00	18.89	Average
3	17100.000	33.76	21.60	55.36	68.20	12.84	Peak
4	17721.600	32.36	25.87	58.23	74.00	15.77	Peak
5	17721.600	21.33	25.87	47.20	54.00	6.80	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax40 RU26-0 High Channel 5670MHz Band3




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax40 RU26-0 High Channel 5670MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5967.000	34.29	10.13	44.42	68.20	23.78	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax40 RU26-0 High Channel 5670MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11340.000	34.19	14.40	48.59	74.00	25.41	Peak
2	11340.000	22.55	14.40	36.95	54.00	17.05	Average
3	17010.000	34.69	20.11	54.80	68.20	13.40	Peak
4	17740.800	34.18	25.85	60.03	74.00	13.97	Peak
5	17740.800	21.62	25.85	47.47	54.00	6.53	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax40 RU26-0 High Channel 5670MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11340.000	34.67	14.40	49.07	74.00	24.93	Peak
2	11340.000	22.46	14.40	36.86	54.00	17.14	Average
3	17010.000	34.32	20.11	54.43	68.20	13.77	Peak
4	17724.000	33.42	25.87	59.29	74.00	14.71	Peak
5	17724.000	21.34	25.87	47.21	54.00	6.79	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax80 RU26-0 High Channel 5610MHz Band3




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax80 RU26-0 High Channel 5610MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5951.000	33.84	10.06	43.90	68.20	24.30	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: horizontal
 Note: ax80 RU26-0 High Channel 5610MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11220.000	34.55	14.95	49.50	74.00	24.50	Peak
2	11220.000	22.63	14.95	37.58	54.00	16.42	Average
3	16830.000	34.63	18.92	53.55	68.20	14.65	Peak
4	17659.200	34.76	25.31	60.07	68.20	8.13	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax80 RU26-0 High Channel 5610MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11220.000	33.25	14.95	48.20	74.00	25.80	Peak
2	11220.000	21.47	14.95	36.42	54.00	17.58	Average
3	16830.000	34.42	18.92	53.34	68.20	14.86	Peak
4	17750.400	33.48	25.84	59.32	74.00	14.68	Peak
5	17750.400	21.45	25.84	47.29	54.00	6.71	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax160 RU26-0 Middle Channel 5570MHz Band3




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax160 RU26-0 Middle Channel 5570MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5952.000	34.31	10.06	44.37	68.20	23.83	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax160 RU26-0 Middle Channel 5570MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11140.000	34.57	14.49	49.06	74.00	24.94	Peak
2	11140.000	22.45	14.49	36.94	54.00	17.06	Average
3	16710.000	35.43	18.25	53.68	68.20	14.52	Peak
4	17748.000	34.22	25.83	60.05	74.00	13.95	Peak
5	17748.000	21.71	25.83	47.54	54.00	6.46	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax160 RU26-0 Middle Channel 5570MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11140.000	34.44	14.49	48.93	74.00	25.07	Peak
2	11140.000	22.71	14.49	37.20	54.00	16.80	Average
3	16710.000	35.29	18.25	53.54	68.20	14.66	Peak
4	17745.600	33.95	25.85	59.80	74.00	14.20	Peak
5	17745.600	21.56	25.85	47.41	54.00	6.59	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: a High Channel 5825MHz Band 4




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: a High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5945.000	34.84	10.01	44.85	68.20	23.35	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: a High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11650.000	34.41	15.54	49.95	74.00	24.05	Peak
2	11650.000	22.25	15.54	37.79	54.00	16.21	Average
3	17475.000	34.62	22.53	57.15	68.20	11.05	Peak
4	17630.400	33.99	24.89	58.88	68.20	9.32	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: a High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11650.000	34.38	15.54	49.92	74.00	24.08	Peak
2	11650.000	22.44	15.54	37.98	54.00	16.02	Average
3	17475.000	34.58	22.53	57.11	68.20	11.09	Peak
4	17731.200	33.78	25.87	59.65	74.00	14.35	Peak
5	17731.200	21.83	25.87	47.70	54.00	6.30	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: n20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5952.000	34.79	10.06	44.85	68.20	23.35	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: n20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5931.000	34.79	9.88	44.67	68.20	23.53	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: n20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11650.000	34.09	15.54	49.63	74.00	24.37	Peak
2	11650.000	22.21	15.54	37.75	54.00	16.25	Average
3	17475.000	34.08	22.53	56.61	68.20	11.59	Peak
4	17733.600	34.02	25.87	59.89	74.00	14.11	Peak
5	17733.600	21.83	25.87	47.70	54.00	6.30	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: n20 High Channel 5825MHz Band 4



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11650.000	34.24	15.54	49.78	74.00	24.22	Peak
2	11650.000	22.08	15.54	37.62	54.00	16.38	Average
3	17475.000	34.11	22.53	56.64	68.20	11.56	Peak
4	17652.000	34.22	25.22	59.44	68.20	8.76	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: n40 High Channel 5795MHz Band 4



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5946.000	34.78	10.02	44.80	68.20	23.40	Peak