



Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: n40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5968.000	34.31	10.14	44.45	68.20	23.75	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: n40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11590.000	34.13	15.84	49.97	74.00	24.03	Peak
2	11590.000	22.57	15.84	38.41	54.00	15.59	Average
3	17385.000	33.37	21.68	55.05	68.20	13.15	Peak
4	17726.400	33.52	25.87	59.39	74.00	14.61	Peak
5	17726.400	21.79	25.87	47.66	54.00	6.34	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: n40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11590.000	34.25	15.84	50.09	74.00	23.91	Peak
2	11590.000	22.69	15.84	38.53	54.00	15.47	Average
3	17385.000	33.31	21.68	54.99	68.20	13.21	Peak
4	17654.400	35.19	25.25	60.44	68.20	7.76	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ac80 Middle Channel 5775MHz Band 4




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ac80 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5937.000	35.07	9.94	45.01	68.20	23.19	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ac80 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11550.000	34.97	15.07	50.04	74.00	23.96	Peak
2	11550.000	22.84	15.07	37.91	54.00	16.09	Average
3	17325.000	34.60	21.27	55.87	68.20	12.33	Peak
4	17709.600	33.84	25.89	59.73	74.00	14.27	Peak
5	17709.600	21.50	25.89	47.39	54.00	6.61	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ac80 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11550.000	34.63	15.07	49.70	74.00	24.30	Peak
2	11550.000	22.49	15.07	37.56	54.00	16.44	Average
3	17325.000	34.24	21.27	55.51	68.20	12.69	Peak
4	17728.800	34.30	25.87	60.17	74.00	13.83	Peak
5	17728.800	22.01	25.87	47.88	54.00	6.12	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax20 High Channel 5825MHz band 4




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 High Channel 5825MHz band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5971.000	34.38	10.15	44.53	68.20	23.67	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax20 High Channel 5825MHz band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11650.000	34.55	15.54	50.09	74.00	23.91	Peak
2	11650.000	22.33	15.54	37.87	54.00	16.13	Average
3	17475.000	34.71	22.53	57.24	68.20	10.96	Peak
4	17769.600	33.94	25.81	59.75	74.00	14.25	Peak
5	17769.600	21.85	25.81	47.66	54.00	6.34	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 High Channel 5825MHz band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11650.000	34.74	15.54	50.28	74.00	23.72	Peak
2	11650.000	22.86	15.54	38.40	54.00	15.60	Average
3	17475.000	34.63	22.53	57.16	68.20	11.04	Peak
4	17916.000	33.22	25.60	58.82	74.00	15.18	Peak
5	17916.000	21.51	25.60	47.11	54.00	6.89	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax20 High Channel 5825MHz band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	20055.300	50.67	6.99	57.66	74.00	16.34	Peak
2	20055.300	38.21	6.99	45.20	54.00	8.80	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 High Channel 5825MHz band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	19849.600	49.79	7.96	57.75	74.00	16.25	Peak
2	19849.600	37.67	7.96	45.63	54.00	8.37	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax20 High Channel 5825MHz band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	39789.400	53.05	7.38	60.43	74.00	13.57	Peak
2	39789.400	40.44	7.38	47.82	54.00	6.18	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 High Channel 5825MHz band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	39786.700	52.73	7.37	60.10	74.00	13.90	Peak
2	39786.700	40.37	7.37	47.74	54.00	6.26	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax40 High Channel 5795MHz band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5968.000	33.74	10.14	43.88	68.20	24.32	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax40 High Channel 5795MHz band 4




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax40 High Channel 5795MHz band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11590.000	34.62	15.84	50.46	74.00	23.54	Peak
2	11590.000	22.37	15.84	38.21	54.00	15.79	Average
3	17385.000	33.52	21.68	55.20	68.20	13.00	Peak
4	17781.600	33.25	25.79	59.04	74.00	14.96	Peak
5	17781.600	21.80	25.79	47.59	54.00	6.41	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax40 High Channel 5795MHz band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11590.000	34.62	15.84	50.46	74.00	23.54	Peak
2	11590.000	22.41	15.84	38.25	54.00	15.75	Average
3	17385.000	33.29	21.68	54.97	68.20	13.23	Peak
4	17767.200	34.24	25.81	60.05	74.00	13.95	Peak
5	17767.200	21.46	25.81	47.27	54.00	6.73	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax80 Middle Channel 5775MHz band 4




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax80 Middle Channel 5775MHz band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5934.000	33.72	9.92	43.64	68.20	24.56	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax80 Middle Channel 5775MHz band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11550.000	34.48	15.07	49.55	74.00	24.45	Peak
2	11550.000	22.64	15.07	37.71	54.00	16.29	Average
3	17325.000	34.37	21.27	55.64	68.20	12.56	Peak
4	17740.800	33.38	25.85	59.23	74.00	14.77	Peak
5	17740.800	21.61	25.85	47.46	54.00	6.54	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax80 Middle Channel 5775MHz band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11550.000	34.52	15.07	49.59	74.00	24.41	Peak
2	11550.000	22.40	15.07	37.47	54.00	16.53	Average
3	17325.000	34.59	21.27	55.86	68.20	12.34	Peak
4	17721.600	33.43	25.87	59.30	74.00	14.70	Peak
5	17721.600	21.82	25.87	47.69	54.00	6.31	Average


Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax20 RU26-0 High Channel 5825MHz Band4



Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 RU26-0 High Channel 5825MHz Band4




Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: horizontal
 Note: ax20 RU26-0 High Channel 5825MHz Band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11650.000	34.68	15.54	50.22	74.00	23.78	Peak
2	11650.000	22.47	15.54	38.01	54.00	15.99	Average
3	17475.000	34.66	22.53	57.19	68.20	11.01	Peak
4	17767.200	33.53	25.81	59.34	74.00	14.66	Peak
5	17767.200	21.52	25.81	47.33	54.00	6.67	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 RU26-0 High Channel 5825MHz Band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11650.000	34.85	15.54	50.39	74.00	23.61	Peak
2	11650.000	22.69	15.54	38.23	54.00	15.77	Average
3	17475.000	34.63	22.53	57.16	68.20	11.04	Peak
4	17726.400	33.20	25.87	59.07	74.00	14.93	Peak
5	17726.400	21.53	25.87	47.40	54.00	6.60	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax20 RU26-0 High Channel 5825MHz Band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	19902.300	50.00	7.96	57.96	74.00	16.04	Peak
2	19902.300	37.70	7.96	45.66	54.00	8.34	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 RU26-0 High Channel 5825MHz Band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	20068.900	50.54	6.89	57.43	74.00	16.57	Peak
2	20068.900	38.31	6.89	45.20	54.00	8.80	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax20 RU26-0 High Channel 5825MHz Band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	39894.700	53.04	7.21	60.25	74.00	13.75	Peak
2	39894.700	41.66	7.21	48.87	54.00	5.13	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 RU26-0 High Channel 5825MHz Band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	39935.200	52.82	7.12	59.94	74.00	14.06	Peak
2	39935.200	41.10	7.12	48.22	54.00	5.78	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax40 RU26-0 High Channel 5795MHz Band4




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax40 RU26-0 High Channel 5795MHz Band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5969.000	34.13	10.14	44.27	68.20	23.93	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax40 RU26-0 High Channel 5795MHz Band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11590.000	34.59	15.84	50.43	74.00	23.57	Peak
2	11590.000	22.54	15.84	38.38	54.00	15.62	Average
3	17385.000	34.16	21.68	55.84	68.20	12.36	Peak
4	17757.600	33.66	25.83	59.49	74.00	14.51	Peak
5	17757.600	21.64	25.83	47.47	54.00	6.53	Average

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: vertical
 Note: ax40 RU26-0 High Channel 5795MHz Band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11590.000	34.69	15.84	50.53	74.00	23.47	Peak
2	11590.000	22.58	15.84	38.42	54.00	15.58	Average
3	17385.000	34.29	21.68	55.97	68.20	12.23	Peak
4	17805.600	33.89	25.76	59.65	74.00	14.35	Peak
5	17805.600	21.73	25.76	47.49	54.00	6.51	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax80 RU26-0 Middle Channel 5775MHz Band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5977.000	34.51	10.17	44.68	68.20	23.52	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax80 RU26-0 Middle Channel 5775MHz Band4



Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax80 RU26-0 Middle Channel 5775MHz Band4



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	11550.000	35.02	15.07	50.09	74.00	23.91	Peak
2	11550.000	22.87	15.07	37.94	54.00	16.06	Average
3	17325.000	34.55	21.27	55.82	68.20	12.38	Peak
4	17724.000	33.53	25.87	59.40	74.00	14.60	Peak
5	17724.000	21.69	25.87	47.56	54.00	6.44	Average