1_20MHz_Middle_16QAM_100@0

Occupied Bandwidth



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:11:34

26dB Bandwidth



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:12:07

1_20MHz_High_QPSK_100@0

Occupied Bandwidth



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:13:00

26dB Bandwidth



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:13:30

1_20MHz_High_16QAM_100@0

Occupied Bandwidth



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:14:24

26dB Bandwidth



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:14:55

RF Output Power

FCC Part 22H

B5 , Normal

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
1.4MHz_Low_QPSK_1@0	23.37	15.02	0.032	7	Pass
1.4MHz_Low_QPSK_1@3	23.32	14.97	0.031	7	Pass
1.4MHz_Low_QPSK_1@5	23.35	15.00	0.032	7	Pass
1.4MHz_Low_QPSK_3@0	23.41	15.06	0.032	7	Pass
1.4MHz_Low_QPSK_3@1	23.40	15.05	0.032	7	Pass
1.4MHz_Low_QPSK_3@3	23.46	15.11	0.032	7	Pass
1.4MHz_Low_QPSK_6@0	22.51	14.16	0.026	7	Pass
1.4MHz_Low_16QAM_1@0	22.25	13.90	0.025	7	Pass
1.4MHz_Low_16QAM_1@3	22.19	13.84	0.024	7	Pass
1.4MHz_Low_16QAM_1@5	22.24	13.89	0.024	7	Pass
1.4MHz_Low_16QAM_3@0	22.57	14.22	0.026	7	Pass
1.4MHz_Low_16QAM_3@1	22.57	14.22	0.026	7	Pass
1.4MHz_Low_16QAM_3@3	22.57	14.22	0.026	7	Pass
1.4MHz_Low_16QAM_6@0	21.65	13.30	0.021	7	Pass
1.4MHz_Middle_QPSK_1@0	23.88	15.53	0.036	7	Pass
1.4MHz_Middle_QPSK_1@3	23.88	15.53	0.036	7	Pass
1.4MHz_Middle_QPSK_1@5	23.87	15.52	0.036	7	Pass
1.4MHz_Middle_QPSK_3@0	23.88	15.53	0.036	7	Pass
1.4MHz_Middle_QPSK_3@1	23.91	15.56	0.036	7	Pass
1.4MHz_Middle_QPSK_3@3	23.87	15.52	0.036	7	Pass
1.4MHz_Middle_QPSK_6@0	22.84	14.49	0.028	7	Pass
1.4MHz_Middle_16QAM_1@0	22.79	14.44	0.028	7	Pass
1.4MHz_Middle_16QAM_1@3	22.69	14.34	0.027	7	Pass
1.4MHz_Middle_16QAM_1@5	22.65	14.30	0.027	7	Pass
1.4MHz_Middle_16QAM_3@0	22.98	14.63	0.029	7	Pass
1.4MHz_Middle_16QAM_3@1	23.02	14.67	0.029	7	Pass
1.4MHz_Middle_16QAM_3@3	22.98	14.63	0.029	7	Pass
1.4MHz_Middle_16QAM_6@0	22.05	13.70	0.023	7	Pass
1.4MHz_High_QPSK_1@0	23.67	15.32	0.034	7	Pass
1.4MHz_High_QPSK_1@3	23.59	15.24	0.033	7	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
1.4MHz_High_QPSK_1@5	23.58	15.23	0.033	7	Pass
1.4MHz_High_QPSK_3@0	23.50	15.15	0.033	7	Pass
1.4MHz_High_QPSK_3@1	23.48	15.13	0.033	7	Pass
1.4MHz_High_QPSK_3@3	23.42	15.07	0.032	7	Pass
1.4MHz_High_QPSK_6@0	22.47	14.12	0.026	7	Pass
1.4MHz_High_16QAM_1@0	22.98	14.63	0.029	7	Pass
1.4MHz_High_16QAM_1@3	22.90	14.55	0.029	7	Pass
1.4MHz_High_16QAM_1@5	22.94	14.59	0.029	7	Pass
1.4MHz_High_16QAM_3@0	22.79	14.44	0.028	7	Pass
1.4MHz_High_16QAM_3@1	22.75	14.40	0.028	7	Pass
1.4MHz_High_16QAM_3@3	22.79	14.44	0.028	7	Pass
1.4MHz_High_16QAM_6@0	21.39	13.04	0.020	7	Pass
3MHz_Low_QPSK_1@0	23.20	14.85	0.031	7	Pass
3MHz_Low_QPSK_1@14	23.21	14.86	0.031	7	Pass
3MHz_Low_QPSK_1@8	23.20	14.85	0.031	7	Pass
3MHz_Low_QPSK_15@0	22.20	13.85	0.024	7	Pass
3MHz_Low_QPSK_8@0	22.23	13.88	0.024	7	Pass
3MHz_Low_QPSK_8@4	22.21	13.86	0.024	7	Pass
3MHz_Low_QPSK_8@7	22.21	13.86	0.024	7	Pass
3MHz_Low_16QAM_1@0	22.14	13.79	0.024	7	Pass
3MHz_Low_16QAM_1@14	22.07	13.72	0.024	7	Pass
3MHz_Low_16QAM_1@8	22.09	13.74	0.024	7	Pass
3MHz_Low_16QAM_15@0	21.27	12.92	0.020	7	Pass
3MHz_Low_16QAM_8@0	21.25	12.90	0.019	7	Pass
3MHz_Low_16QAM_8@4	21.26	12.91	0.020	7	Pass
3MHz_Low_16QAM_8@7	21.22	12.87	0.019	7	Pass
3MHz_Middle_QPSK_1@0	23.49	15.14	0.033	7	Pass
3MHz_Middle_QPSK_1@14	23.39	15.04	0.032	7	Pass
3MHz_Middle_QPSK_1@8	23.49	15.14	0.033	7	Pass
3MHz_Middle_QPSK_15@0	22.32	13.97	0.025	7	Pass
3MHz_Middle_QPSK_8@0	22.30	13.95	0.025	7	Pass
3MHz_Middle_QPSK_8@4	22.31	13.96	0.025	7	Pass
3MHz_Middle_QPSK_8@7	22.30	13.95	0.025	7	Pass
3MHz_Middle_16QAM_1@0	22.67	14.32	0.027	7	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
3MHz_Middle_16QAM_1@14	22.68	14.33	0.027	7	Pass
3MHz_Middle_16QAM_1@8	22.79	14.44	0.028	7	Pass
3MHz_Middle_16QAM_15@0	21.33	12.98	0.020	7	Pass
3MHz_Middle_16QAM_8@0	21.43	13.08	0.020	7	Pass
3MHz_Middle_16QAM_8@4	21.42	13.07	0.020	7	Pass
3MHz_Middle_16QAM_8@7	21.36	13.01	0.020	7	Pass
3MHz_High_QPSK_1@0	22.96	14.61	0.029	7	Pass
3MHz_High_QPSK_1@14	23	14.65	0.029	7	Pass
3MHz_High_QPSK_1@8	23	14.65	0.029	7	Pass
3MHz_High_QPSK_15@0	22.14	13.79	0.024	7	Pass
3MHz_High_QPSK_8@0	22.15	13.80	0.024	7	Pass
3MHz_High_QPSK_8@4	22.13	13.78	0.024	7	Pass
3MHz_High_QPSK_8@7	22.11	13.76	0.024	7	Pass
3MHz_High_16QAM_1@0	22.02	13.67	0.023	7	Pass
3MHz_High_16QAM_1@14	21.94	13.59	0.023	7	Pass
3MHz_High_16QAM_1@8	21.86	13.51	0.022	7	Pass
3MHz_High_16QAM_15@0	21.11	12.76	0.019	7	Pass
3MHz_High_16QAM_8@0	21.13	12.78	0.019	7	Pass
3MHz_High_16QAM_8@4	21.13	12.78	0.019	7	Pass
3MHz_High_16QAM_8@7	21.12	12.77	0.019	7	Pass
5MHz_Low_QPSK_1@0	23.40	15.05	0.032	7	Pass
5MHz_Low_QPSK_1@12	23.39	15.04	0.032	7	Pass
5MHz_Low_QPSK_1@24	23.39	15.04	0.032	7	Pass
5MHz_Low_QPSK_12@0	22.49	14.14	0.026	7	Pass
5MHz_Low_QPSK_12@13	22.53	14.18	0.026	7	Pass
5MHz_Low_QPSK_12@7	22.49	14.14	0.026	7	Pass
5MHz_Low_QPSK_25@0	22.54	14.19	0.026	7	Pass
5MHz_Low_16QAM_1@0	22.49	14.14	0.026	7	Pass
5MHz_Low_16QAM_1@12	22.47	14.12	0.026	7	Pass
5MHz_Low_16QAM_1@24	22.44	14.09	0.026	7	Pass
5MHz_Low_16QAM_12@0	21.64	13.29	0.021	7	Pass
5MHz_Low_16QAM_12@13	21.62	13.27	0.021	7	Pass
5MHz_Low_16QAM_12@7	21.61	13.26	0.021	7	Pass
5MHz_Low_16QAM_25@0	21.51	13.16	0.021	7	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
5MHz_Middle_QPSK_1@0	23.99	15.64	0.037	7	Pass
5MHz_Middle_QPSK_1@12	23.99	15.64	0.037	7	Pass
5MHz_Middle_QPSK_1@24	23.93	15.58	0.036	7	Pass
5MHz_Middle_QPSK_12@0	22.89	14.54	0.028	7	Pass
5MHz_Middle_QPSK_12@13	22.85	14.50	0.028	7	Pass
5MHz_Middle_QPSK_12@7	22.82	14.47	0.028	7	Pass
5MHz_Middle_QPSK_25@0	22.92	14.57	0.029	7	Pass
5MHz_Middle_16QAM_1@0	23.01	14.66	0.029	7	Pass
5MHz_Middle_16QAM_1@12	23	14.65	0.029	7	Pass
5MHz_Middle_16QAM_1@24	22.87	14.52	0.028	7	Pass
5MHz_Middle_16QAM_12@0	21.97	13.62	0.023	7	Pass
5MHz_Middle_16QAM_12@13	21.91	13.56	0.023	7	Pass
5MHz_Middle_16QAM_12@7	21.93	13.58	0.023	7	Pass
5MHz_Middle_16QAM_25@0	21.90	13.55	0.023	7	Pass
5MHz_High_QPSK_1@0	23.55	15.20	0.033	7	Pass
5MHz_High_QPSK_1@12	23.51	15.16	0.033	7	Pass
5MHz_High_QPSK_1@24	23.37	15.02	0.032	7	Pass
5MHz_High_QPSK_12@0	22.61	14.26	0.027	7	Pass
5MHz_High_QPSK_12@13	22.60	14.25	0.027	7	Pass
5MHz_High_QPSK_12@7	22.59	14.24	0.027	7	Pass
5MHz_High_QPSK_25@0	22.63	14.28	0.027	7	Pass
5MHz_High_16QAM_1@0	23.24	14.89	0.031	7	Pass
5MHz_High_16QAM_1@12	23.22	14.87	0.031	7	Pass
5MHz_High_16QAM_1@24	23.25	14.90	0.031	7	Pass
5MHz_High_16QAM_12@0	21.70	13.35	0.022	7	Pass
5MHz_High_16QAM_12@13	21.69	13.34	0.022	7	Pass
5MHz_High_16QAM_12@7	21.69	13.34	0.022	7	Pass
5MHz_High_16QAM_25@0	21.70	13.35	0.022	7	Pass
10MHz_Low_QPSK_1@0	23.35	15.00	0.032	7	Pass
10MHz_Low_QPSK_1@25	23.30	14.95	0.031	7	Pass
10MHz_Low_QPSK_1@49	22.89	14.54	0.028	7	Pass
10MHz_Low_QPSK_25@0	22.52	14.17	0.026	7	Pass
10MHz_Low_QPSK_25@12	22.51	14.16	0.026	7	Pass
10MHz_Low_QPSK_25@25	22.46	14.11	0.026	7	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
10MHz_Low_QPSK_50@0	22.51	14.16	0.026	7	Pass
10MHz_Low_16QAM_1@0	22.24	13.89	0.024	7	Pass
10MHz_Low_16QAM_1@25	22.24	13.89	0.024	7	Pass
10MHz_Low_16QAM_1@49	22.20	13.85	0.024	7	Pass
10MHz_Low_16QAM_25@12	21.58	13.23	0.021	7	Pass
10MHz_Low_16QAM_25@25	21.54	13.19	0.021	7	Pass
10MHz_Low_16QAM_50@0	21.50	13.15	0.021	7	Pass
10MHz_Middle_QPSK_1@0	23.97	15.62	0.036	7	Pass
10MHz_Middle_QPSK_1@25	23.96	15.61	0.036	7	Pass
10MHz_Middle_QPSK_1@49	23.25	14.90	0.031	7	Pass
10MHz_Middle_QPSK_25@0	22.90	14.55	0.029	7	Pass
10MHz_Middle_QPSK_25@12	22.90	14.55	0.029	7	Pass
10MHz_Middle_QPSK_25@25	22.83	14.48	0.028	7	Pass
10MHz_Middle_QPSK_50@0	22.85	14.50	0.028	7	Pass
10MHz_Middle_16QAM_1@0	22.81	14.46	0.028	7	Pass
10MHz_Middle_16QAM_1@25	22.84	14.49	0.028	7	Pass
10MHz_Middle_16QAM_1@49	22.71	14.36	0.027	7	Pass
10MHz_Middle_16QAM_25@12	21.96	13.61	0.023	7	Pass
10MHz_Middle_16QAM_25@25	21.85	13.50	0.022	7	Pass
10MHz_Middle_16QAM_50@0	21.82	13.47	0.022	7	Pass
10MHz_High_QPSK_1@0	24.04	15.69	0.037	7	Pass
10MHz_High_QPSK_1@25	23.92	15.57	0.036	7	Pass
10MHz_High_QPSK_1@49	23.09	14.74	0.030	7	Pass
10MHz_High_QPSK_25@0	22.88	14.53	0.028	7	Pass
10MHz_High_QPSK_25@12	22.83	14.48	0.028	7	Pass
10MHz_High_QPSK_25@25	22.74	14.39	0.027	7	Pass
10MHz_High_QPSK_50@0	22.82	14.47	0.028	7	Pass
10MHz_High_16QAM_1@0	23.22	14.87	0.031	7	Pass
10MHz_High_16QAM_1@25	23.24	14.89	0.031	7	Pass
10MHz_High_16QAM_1@49	23.15	14.80	0.030	7	Pass
10MHz_High_16QAM_25@12	21.87	13.52	0.022	7	Pass
10MHz_High_16QAM_25@25	21.79	13.44	0.022	7	Pass
10MHz_High_16QAM_50@0	21.80	13.45	0.022	7	Pass

Note:

ERP = Average Conducted Power(dBm) - L_C(dB) + G_T(dBd)

G_T(dBd) = G_T(dBi) - 2.15

5:

1.Ant Gain = -6.2dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

FCC Part 24E

B2 , Normal

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
1.4MHz_Low_QPSK_1@0	16.30	12.50	0.018	2	Pass
1.4MHz_Low_QPSK_1@3	16.22	12.42	0.017	2	Pass
1.4MHz_Low_QPSK_1@5	16.28	12.48	0.018	2	Pass
1.4MHz_Low_QPSK_3@0	16.10	12.30	0.017	2	Pass
1.4MHz_Low_QPSK_3@1	16.09	12.29	0.017	2	Pass
1.4MHz_Low_QPSK_3@3	16.10	12.30	0.017	2	Pass
1.4MHz_Low_QPSK_6@0	15.04	11.24	0.013	2	Pass
1.4MHz_Low_16QAM_1@0	15.48	11.68	0.015	2	Pass
1.4MHz_Low_16QAM_1@3	15.44	11.64	0.015	2	Pass
1.4MHz_Low_16QAM_1@5	15.45	11.65	0.015	2	Pass
1.4MHz_Low_16QAM_3@0	15.38	11.58	0.014	2	Pass
1.4MHz_Low_16QAM_3@1	15.38	11.58	0.014	2	Pass
1.4MHz_Low_16QAM_3@3	15.39	11.59	0.014	2	Pass
1.4MHz_Low_16QAM_6@0	13.97	10.17	0.010	2	Pass
1.4MHz_Middle_QPSK_1@0	15.27	11.47	0.014	2	Pass
1.4MHz_Middle_QPSK_1@3	15.23	11.43	0.014	2	Pass
1.4MHz_Middle_QPSK_1@5	15.27	11.47	0.014	2	Pass
1.4MHz_Middle_QPSK_3@0	15.31	11.51	0.014	2	Pass
1.4MHz_Middle_QPSK_3@1	15.31	11.51	0.014	2	Pass
1.4MHz_Middle_QPSK_3@3	15.32	11.52	0.014	2	Pass
1.4MHz_Middle_QPSK_6@0	14.35	10.55	0.011	2	Pass
1.4MHz_Middle_16QAM_1@0	14.16	10.36	0.011	2	Pass
1.4MHz_Middle_16QAM_1@3	14.11	10.31	0.011	2	Pass
1.4MHz_Middle_16QAM_1@5	14.16	10.36	0.011	2	Pass
1.4MHz_Middle_16QAM_3@0	14.44	10.64	0.012	2	Pass
1.4MHz_Middle_16QAM_3@1	14.45	10.65	0.012	2	Pass
1.4MHz_Middle_16QAM_3@3	14.46	10.66	0.012	2	Pass
1.4MHz_Middle_16QAM_6@0	13.52	9.72	0.009	2	Pass
1.4MHz_High_QPSK_1@0	15.79	11.99	0.016	2	Pass
1.4MHz_High_QPSK_1@3	15.37	11.57	0.014	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
1.4MHz_High_QPSK_1@5	15.40	11.60	0.014	2	Pass
1.4MHz_High_QPSK_3@0	15.44	11.64	0.015	2	Pass
1.4MHz_High_QPSK_3@1	15.42	11.62	0.015	2	Pass
1.4MHz_High_QPSK_3@3	15.46	11.66	0.015	2	Pass
1.4MHz_High_QPSK_6@0	14.44	10.64	0.012	2	Pass
1.4MHz_High_16QAM_1@0	14.09	10.29	0.011	2	Pass
1.4MHz_High_16QAM_1@3	14.26	10.46	0.011	2	Pass
1.4MHz_High_16QAM_1@5	14.26	10.46	0.011	2	Pass
1.4MHz_High_16QAM_3@0	14.57	10.77	0.012	2	Pass
1.4MHz_High_16QAM_3@1	14.60	10.80	0.012	2	Pass
1.4MHz_High_16QAM_3@3	14.62	10.82	0.012	2	Pass
1.4MHz_High_16QAM_6@0	13.62	9.82	0.010	2	Pass
3MHz_Low_QPSK_1@0	15.67	11.87	0.015	2	Pass
3MHz_Low_QPSK_1@14	15.67	11.87	0.015	2	Pass
3MHz_Low_QPSK_1@8	15.63	11.83	0.015	2	Pass
3MHz_Low_QPSK_15@0	14.74	10.94	0.012	2	Pass
3MHz_Low_QPSK_8@0	14.77	10.97	0.013	2	Pass
3MHz_Low_QPSK_8@4	14.72	10.92	0.012	2	Pass
3MHz_Low_QPSK_8@7	14.72	10.92	0.012	2	Pass
3MHz_Low_16QAM_1@0	14.61	10.81	0.012	2	Pass
3MHz_Low_16QAM_1@14	14.55	10.75	0.012	2	Pass
3MHz_Low_16QAM_1@8	14.50	10.70	0.012	2	Pass
3MHz_Low_16QAM_15@0	13.71	9.91	0.010	2	Pass
3MHz_Low_16QAM_8@0	13.76	9.96	0.010	2	Pass
3MHz_Low_16QAM_8@4	13.74	9.94	0.010	2	Pass
3MHz_Low_16QAM_8@7	13.75	9.95	0.010	2	Pass
3MHz_Middle_QPSK_1@0	15.25	11.45	0.014	2	Pass
3MHz_Middle_QPSK_1@14	15.30	11.50	0.014	2	Pass
3MHz_Middle_QPSK_1@8	15.30	11.50	0.014	2	Pass
3MHz_Middle_QPSK_15@0	14.34	10.54	0.011	2	Pass
3MHz_Middle_QPSK_8@0	14.30	10.50	0.011	2	Pass
3MHz_Middle_QPSK_8@4	14.34	10.54	0.011	2	Pass
3MHz_Middle_QPSK_8@7	14.35	10.55	0.011	2	Pass
3MHz_Middle_16QAM_1@0	14.24	10.44	0.011	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
3MHz_Middle_16QAM_1@14	14.21	10.41	0.011	2	Pass
3MHz_Middle_16QAM_1@8	14.23	10.43	0.011	2	Pass
3MHz_Middle_16QAM_15@0	13.39	9.59	0.009	2	Pass
3MHz_Middle_16QAM_8@0	13.36	9.56	0.009	2	Pass
3MHz_Middle_16QAM_8@4	13.38	9.58	0.009	2	Pass
3MHz_Middle_16QAM_8@7	13.36	9.56	0.009	2	Pass
3MHz_High_QPSK_1@0	15.71	11.91	0.016	2	Pass
3MHz_High_QPSK_1@14	15.73	11.93	0.016	2	Pass
3MHz_High_QPSK_1@8	15.69	11.89	0.015	2	Pass
3MHz_High_QPSK_15@0	14.50	10.70	0.012	2	Pass
3MHz_High_QPSK_8@0	14.55	10.75	0.012	2	Pass
3MHz_High_QPSK_8@4	14.53	10.73	0.012	2	Pass
3MHz_High_QPSK_8@7	14.49	10.69	0.012	2	Pass
3MHz_High_16QAM_1@0	14.86	11.06	0.013	2	Pass
3MHz_High_16QAM_1@14	15.08	11.28	0.013	2	Pass
3MHz_High_16QAM_1@8	14.80	11.00	0.013	2	Pass
3MHz_High_16QAM_15@0	13.54	9.74	0.009	2	Pass
3MHz_High_16QAM_8@0	13.69	9.89	0.010	2	Pass
3MHz_High_16QAM_8@4	13.64	9.84	0.010	2	Pass
3MHz_High_16QAM_8@7	13.64	9.84	0.010	2	Pass
5MHz_Low_QPSK_1@0	15.61	11.81	0.015	2	Pass
5MHz_Low_QPSK_1@12	15.65	11.85	0.015	2	Pass
5MHz_Low_QPSK_1@24	15.63	11.83	0.015	2	Pass
5MHz_Low_QPSK_12@0	14.61	10.81	0.012	2	Pass
5MHz_Low_QPSK_12@13	14.61	10.81	0.012	2	Pass
5MHz_Low_QPSK_12@7	14.58	10.78	0.012	2	Pass
5MHz_Low_QPSK_25@0	14.62	10.82	0.012	2	Pass
5MHz_Low_16QAM_1@0	14.69	10.89	0.012	2	Pass
5MHz_Low_16QAM_1@12	14.67	10.87	0.012	2	Pass
5MHz_Low_16QAM_1@24	14.67	10.87	0.012	2	Pass
5MHz_Low_16QAM_12@0	13.69	9.89	0.010	2	Pass
5MHz_Low_16QAM_12@13	13.68	9.88	0.010	2	Pass
5MHz_Low_16QAM_12@7	13.67	9.87	0.010	2	Pass
5MHz_Low_16QAM_25@0	13.61	9.81	0.010	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
5MHz_Middle_QPSK_1@0	15.27	11.47	0.014	2	Pass
5MHz_Middle_QPSK_1@12	15.36	11.56	0.014	2	Pass
5MHz_Middle_QPSK_1@24	15.33	11.53	0.014	2	Pass
5MHz_Middle_QPSK_12@0	14.27	10.47	0.011	2	Pass
5MHz_Middle_QPSK_12@13	14.28	10.48	0.011	2	Pass
5MHz_Middle_QPSK_12@7	14.27	10.47	0.011	2	Pass
5MHz_Middle_QPSK_25@0	14.32	10.52	0.011	2	Pass
5MHz_Middle_16QAM_1@0	14.30	10.50	0.011	2	Pass
5MHz_Middle_16QAM_1@12	14.39	10.59	0.011	2	Pass
5MHz_Middle_16QAM_1@24	14.35	10.55	0.011	2	Pass
5MHz_Middle_16QAM_12@0	13.34	9.54	0.009	2	Pass
5MHz_Middle_16QAM_12@13	13.34	9.54	0.009	2	Pass
5MHz_Middle_16QAM_12@7	13.32	9.52	0.009	2	Pass
5MHz_Middle_16QAM_25@0	13.31	9.51	0.009	2	Pass
5MHz_High_QPSK_1@0	15.01	11.21	0.013	2	Pass
5MHz_High_QPSK_1@12	15.20	11.40	0.014	2	Pass
5MHz_High_QPSK_1@24	14.96	11.16	0.013	2	Pass
5MHz_High_QPSK_12@0	14.04	10.24	0.011	2	Pass
5MHz_High_QPSK_12@13	13.95	10.15	0.010	2	Pass
5MHz_High_QPSK_12@7	13.98	10.18	0.010	2	Pass
5MHz_High_QPSK_25@0	14.03	10.23	0.011	2	Pass
5MHz_High_16QAM_1@0	14.58	10.78	0.012	2	Pass
5MHz_High_16QAM_1@12	14.59	10.79	0.012	2	Pass
5MHz_High_16QAM_1@24	14.53	10.73	0.012	2	Pass
5MHz_High_16QAM_12@0	13.15	9.35	0.009	2	Pass
5MHz_High_16QAM_12@13	13.07	9.27	0.008	2	Pass
5MHz_High_16QAM_12@7	13.09	9.29	0.008	2	Pass
5MHz_High_16QAM_25@0	13.09	9.29	0.008	2	Pass
10MHz_Low_QPSK_1@0	15.59	11.79	0.015	2	Pass
10MHz_Low_QPSK_1@25	15.56	11.76	0.015	2	Pass
10MHz_Low_QPSK_1@49	15.60	11.80	0.015	2	Pass
10MHz_Low_QPSK_25@0	14.69	10.89	0.012	2	Pass
10MHz_Low_QPSK_25@12	14.70	10.90	0.012	2	Pass
10MHz_Low_QPSK_25@25	14.70	10.90	0.012	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
10MHz_Low_QPSK_50@0	14.71	10.91	0.012	2	Pass
10MHz_Low_16QAM_1@0	14.50	10.70	0.012	2	Pass
10MHz_Low_16QAM_1@25	14.49	10.69	0.012	2	Pass
10MHz_Low_16QAM_1@49	14.48	10.68	0.012	2	Pass
10MHz_Low_16QAM_25@12	13.79	9.99	0.010	2	Pass
10MHz_Low_16QAM_25@25	13.80	10.00	0.010	2	Pass
10MHz_Low_16QAM_50@0	13.76	9.96	0.010	2	Pass
10MHz_Middle_QPSK_1@0	15.13	11.33	0.014	2	Pass
10MHz_Middle_QPSK_1@25	15.19	11.39	0.014	2	Pass
10MHz_Middle_QPSK_1@49	15.18	11.38	0.014	2	Pass
10MHz_Middle_QPSK_25@0	14.22	10.42	0.011	2	Pass
10MHz_Middle_QPSK_25@12	14.20	10.40	0.011	2	Pass
10MHz_Middle_QPSK_25@25	14.19	10.39	0.011	2	Pass
10MHz_Middle_QPSK_50@0	14.20	10.40	0.011	2	Pass
10MHz_Middle_16QAM_1@0	14.14	10.34	0.011	2	Pass
10MHz_Middle_16QAM_1@25	14.20	10.40	0.011	2	Pass
10MHz_Middle_16QAM_1@49	14.17	10.37	0.011	2	Pass
10MHz_Middle_16QAM_25@12	13.29	9.49	0.009	2	Pass
10MHz_Middle_16QAM_25@25	13.28	9.48	0.009	2	Pass
10MHz_Middle_16QAM_50@0	13.19	9.39	0.009	2	Pass
10MHz_High_QPSK_1@0	14.87	11.07	0.013	2	Pass
10MHz_High_QPSK_1@25	14.81	11.01	0.013	2	Pass
10MHz_High_QPSK_1@49	14.80	11.00	0.013	2	Pass
10MHz_High_QPSK_25@0	13.72	9.92	0.010	2	Pass
10MHz_High_QPSK_25@12	13.66	9.86	0.010	2	Pass
10MHz_High_QPSK_25@25	13.60	9.80	0.010	2	Pass
10MHz_High_QPSK_50@0	13.65	9.85	0.010	2	Pass
10MHz_High_16QAM_1@0	14.08	10.28	0.011	2	Pass
10MHz_High_16QAM_1@25	13.98	10.18	0.010	2	Pass
10MHz_High_16QAM_1@49	13.97	10.17	0.010	2	Pass
10MHz_High_16QAM_25@12	12.70	8.90	0.008	2	Pass
10MHz_High_16QAM_25@25	12.64	8.84	0.008	2	Pass
10MHz_High_16QAM_50@0	12.65	8.85	0.008	2	Pass
15MHz_Low_QPSK_1@0	16.22	12.42	0.017	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
15MHz_Low_QPSK_1@37	16.20	12.40	0.017	2	Pass
15MHz_Low_QPSK_1@74	16.09	12.29	0.017	2	Pass
15MHz_Low_QPSK_36@0	15.12	11.32	0.014	2	Pass
15MHz_Low_QPSK_36@20	15.09	11.29	0.013	2	Pass
15MHz_Low_QPSK_36@39	15.06	11.26	0.013	2	Pass
15MHz_Low_QPSK_75@0	15.10	11.30	0.013	2	Pass
15MHz_Low_16QAM_1@0	15.33	11.53	0.014	2	Pass
15MHz_Low_16QAM_1@37	15.29	11.49	0.014	2	Pass
15MHz_Low_16QAM_1@74	15.17	11.37	0.014	2	Pass
15MHz_Low_16QAM_36@0	14.13	10.33	0.011	2	Pass
15MHz_Low_16QAM_36@20	14.08	10.28	0.011	2	Pass
15MHz_Low_16QAM_36@39	14.04	10.24	0.011	2	Pass
15MHz_Low_16QAM_75@0	14.10	10.30	0.011	2	Pass
15MHz_Middle_QPSK_1@0	15.30	11.50	0.014	2	Pass
15MHz_Middle_QPSK_1@37	15.32	11.52	0.014	2	Pass
15MHz_Middle_QPSK_1@74	15.22	11.42	0.014	2	Pass
15MHz_Middle_QPSK_36@0	14.33	10.53	0.011	2	Pass
15MHz_Middle_QPSK_36@20	14.32	10.52	0.011	2	Pass
15MHz_Middle_QPSK_36@39	14.29	10.49	0.011	2	Pass
15MHz_Middle_QPSK_75@0	14.30	10.50	0.011	2	Pass
15MHz_Middle_16QAM_1@0	14.30	10.50	0.011	2	Pass
15MHz_Middle_16QAM_1@37	14.34	10.54	0.011	2	Pass
15MHz_Middle_16QAM_1@74	14.24	10.44	0.011	2	Pass
15MHz_Middle_16QAM_36@0	13.35	9.55	0.009	2	Pass
15MHz_Middle_16QAM_36@20	13.32	9.52	0.009	2	Pass
15MHz_Middle_16QAM_36@39	13.30	9.50	0.009	2	Pass
15MHz_Middle_16QAM_75@0	13.34	9.54	0.009	2	Pass
15MHz_High_QPSK_1@0	15.52	11.72	0.015	2	Pass
15MHz_High_QPSK_1@37	15.47	11.67	0.015	2	Pass
15MHz_High_QPSK_1@74	15.40	11.60	0.014	2	Pass
15MHz_High_QPSK_36@0	14.33	10.53	0.011	2	Pass
15MHz_High_QPSK_36@20	14.28	10.48	0.011	2	Pass
15MHz_High_QPSK_36@39	14.20	10.40	0.011	2	Pass
15MHz_High_QPSK_75@0	14.31	10.51	0.011	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
15MHz_High_16QAM_1@0	14.67	10.87	0.012	2	Pass
15MHz_High_16QAM_1@37	14.66	10.86	0.012	2	Pass
15MHz_High_16QAM_1@74	14.50	10.70	0.012	2	Pass
15MHz_High_16QAM_36@0	13.37	9.57	0.009	2	Pass
15MHz_High_16QAM_36@20	13.30	9.50	0.009	2	Pass
15MHz_High_16QAM_36@39	13.24	9.44	0.009	2	Pass
15MHz_High_16QAM_75@0	13.33	9.53	0.009	2	Pass
20MHz_Low_QPSK_1@0	15.63	11.83	0.015	2	Pass
20MHz_Low_QPSK_1@49	15.51	11.71	0.015	2	Pass
20MHz_Low_QPSK_1@99	15.56	11.76	0.015	2	Pass
20MHz_Low_QPSK_100@0	14.74	10.94	0.012	2	Pass
20MHz_Low_QPSK_50@0	14.75	10.95	0.012	2	Pass
20MHz_Low_QPSK_50@24	14.70	10.90	0.012	2	Pass
20MHz_Low_QPSK_50@50	14.69	10.89	0.012	2	Pass
20MHz_Low_16QAM_1@0	15.01	11.21	0.013	2	Pass
20MHz_Low_16QAM_1@49	14.93	11.13	0.013	2	Pass
20MHz_Low_16QAM_1@99	14.94	11.14	0.013	2	Pass
20MHz_Low_16QAM_100@0	13.74	9.94	0.010	2	Pass
20MHz_Low_16QAM_50@0	13.73	9.93	0.010	2	Pass
20MHz_Low_16QAM_50@24	13.67	9.87	0.010	2	Pass
20MHz_Low_16QAM_50@50	13.66	9.86	0.010	2	Pass
20MHz_Middle_QPSK_1@0	16.18	12.38	0.017	2	Pass
20MHz_Middle_QPSK_1@49	16.11	12.31	0.017	2	Pass
20MHz_Middle_QPSK_1@99	16.07	12.27	0.017	2	Pass
20MHz_Middle_QPSK_100@0	15.11	11.31	0.014	2	Pass
20MHz_Middle_QPSK_50@0	15.18	11.38	0.014	2	Pass
20MHz_Middle_QPSK_50@24	15.11	11.31	0.014	2	Pass
20MHz_Middle_QPSK_50@50	15.07	11.27	0.013	2	Pass
20MHz_Middle_16QAM_1@0	14.73	10.93	0.012	2	Pass
20MHz_Middle_16QAM_1@49	15.40	11.60	0.014	2	Pass
20MHz_Middle_16QAM_1@99	15.35	11.55	0.014	2	Pass
20MHz_Middle_16QAM_100@0	13.79	9.99	0.010	2	Pass
20MHz_Middle_16QAM_50@0	13.86	10.06	0.010	2	Pass
20MHz_Middle_16QAM_50@24	13.81	10.01	0.010	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
20MHz_Middle_16QAM_50@50	13.76	9.96	0.010	2	Pass
20MHz_High_QPSK_1@0	15.55	11.75	0.015	2	Pass
20MHz_High_QPSK_1@49	15.51	11.71	0.015	2	Pass
20MHz_High_QPSK_1@99	15.44	11.64	0.015	2	Pass
20MHz_High_QPSK_100@0	14.56	10.76	0.012	2	Pass
20MHz_High_QPSK_50@0	14.60	10.80	0.012	2	Pass
20MHz_High_QPSK_50@24	14.60	10.80	0.012	2	Pass
20MHz_High_QPSK_50@50	14.50	10.70	0.012	2	Pass
20MHz_High_16QAM_1@0	14.98	11.18	0.013	2	Pass
20MHz_High_16QAM_1@49	14.92	11.12	0.013	2	Pass
20MHz_High_16QAM_1@99	14.87	11.07	0.013	2	Pass
20MHz_High_16QAM_100@0	13.58	9.78	0.010	2	Pass
20MHz_High_16QAM_50@0	13.64	9.84	0.010	2	Pass
20MHz_High_16QAM_50@24	13.63	9.83	0.010	2	Pass
20MHz_High_16QAM_50@50	13.54	9.74	0.009	2	Pass

Note:

EIRP = Average Conducted Power(dBm) - L_C(dB) + G_T(dBi)

2:

1.Ant Gain = -3dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0.8dB

FCC Part 27

B4 , Normal

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
1.4MHz_Low_QPSK_1@0	18.60	20.30	0.107	1	Pass
1.4MHz_Low_QPSK_1@3	18.50	20.20	0.105	1	Pass
1.4MHz_Low_QPSK_1@5	18.57	20.27	0.106	1	Pass
1.4MHz_Low_QPSK_3@0	18.38	20.08	0.102	1	Pass
1.4MHz_Low_QPSK_3@1	18.41	20.11	0.103	1	Pass
1.4MHz_Low_QPSK_3@3	18.39	20.09	0.102	1	Pass
1.4MHz_Low_QPSK_6@0	17.36	19.06	0.081	1	Pass
1.4MHz_Low_16QAM_1@0	17.80	19.50	0.089	1	Pass
1.4MHz_Low_16QAM_1@3	17.73	19.43	0.088	1	Pass
1.4MHz_Low_16QAM_1@5	17.75	19.45	0.088	1	Pass
1.4MHz_Low_16QAM_3@0	17.69	19.39	0.087	1	Pass
1.4MHz_Low_16QAM_3@1	17.69	19.39	0.087	1	Pass
1.4MHz_Low_16QAM_3@3	17.68	19.38	0.087	1	Pass
1.4MHz_Low_16QAM_6@0	16.30	18.00	0.063	1	Pass
1.4MHz_Middle_QPSK_1@0	17.88	19.58	0.091	1	Pass
1.4MHz_Middle_QPSK_1@3	17.99	19.69	0.093	1	Pass
1.4MHz_Middle_QPSK_1@5	18.05	19.75	0.094	1	Pass
1.4MHz_Middle_QPSK_3@0	18.07	19.77	0.095	1	Pass
1.4MHz_Middle_QPSK_3@1	18.11	19.81	0.096	1	Pass
1.4MHz_Middle_QPSK_3@3	18.13	19.83	0.096	1	Pass
1.4MHz_Middle_QPSK_6@0	17.13	18.83	0.076	1	Pass
1.4MHz_Middle_16QAM_1@0	16.91	18.61	0.073	1	Pass
1.4MHz_Middle_16QAM_1@3	16.83	18.53	0.071	1	Pass
1.4MHz_Middle_16QAM_1@5	16.94	18.64	0.073	1	Pass
1.4MHz_Middle_16QAM_3@0	17.26	18.96	0.079	1	Pass
1.4MHz_Middle_16QAM_3@1	17.27	18.97	0.079	1	Pass
1.4MHz_Middle_16QAM_3@3	17.26	18.96	0.079	1	Pass
1.4MHz_Middle_16QAM_6@0	16.29	17.99	0.063	1	Pass
1.4MHz_High_QPSK_1@0	18.76	20.46	0.111	1	Pass
1.4MHz_High_QPSK_1@3	18.70	20.40	0.110	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
1.4MHz_High_QPSK_1@5	18.75	20.45	0.111	1	Pass
1.4MHz_High_QPSK_3@0	18.74	20.44	0.111	1	Pass
1.4MHz_High_QPSK_3@1	18.73	20.43	0.110	1	Pass
1.4MHz_High_QPSK_3@3	18.75	20.45	0.111	1	Pass
1.4MHz_High_QPSK_6@0	17.74	19.44	0.088	1	Pass
1.4MHz_High_16QAM_1@0	17.60	19.30	0.085	1	Pass
1.4MHz_High_16QAM_1@3	17.57	19.27	0.085	1	Pass
1.4MHz_High_16QAM_1@5	17.62	19.32	0.086	1	Pass
1.4MHz_High_16QAM_3@0	17.91	19.61	0.091	1	Pass
1.4MHz_High_16QAM_3@1	17.92	19.62	0.092	1	Pass
1.4MHz_High_16QAM_3@3	17.93	19.63	0.092	1	Pass
1.4MHz_High_16QAM_6@0	16.91	18.61	0.073	1	Pass
3MHz_Low_QPSK_1@0	18.61	20.31	0.107	1	Pass
3MHz_Low_QPSK_1@14	18.62	20.32	0.108	1	Pass
3MHz_Low_QPSK_1@8	18.61	20.31	0.107	1	Pass
3MHz_Low_QPSK_15@0	17.70	19.40	0.087	1	Pass
3MHz_Low_QPSK_8@0	17.71	19.41	0.087	1	Pass
3MHz_Low_QPSK_8@4	17.67	19.37	0.086	1	Pass
3MHz_Low_QPSK_8@7	17.69	19.39	0.087	1	Pass
3MHz_Low_16QAM_1@0	17.55	19.25	0.084	1	Pass
3MHz_Low_16QAM_1@14	17.50	19.20	0.083	1	Pass
3MHz_Low_16QAM_1@8	17.46	19.16	0.082	1	Pass
3MHz_Low_16QAM_15@0	16.64	18.34	0.068	1	Pass
3MHz_Low_16QAM_8@0	16.69	18.39	0.069	1	Pass
3MHz_Low_16QAM_8@4	16.70	18.40	0.069	1	Pass
3MHz_Low_16QAM_8@7	16.71	18.41	0.069	1	Pass
3MHz_Middle_QPSK_1@0	18.87	20.57	0.114	1	Pass
3MHz_Middle_QPSK_1@14	18.86	20.56	0.114	1	Pass
3MHz_Middle_QPSK_1@8	18.84	20.54	0.113	1	Pass
3MHz_Middle_QPSK_15@0	17.89	19.59	0.091	1	Pass
3MHz_Middle_QPSK_8@0	17.91	19.61	0.091	1	Pass
3MHz_Middle_QPSK_8@4	17.91	19.61	0.091	1	Pass
3MHz_Middle_QPSK_8@7	17.92	19.62	0.092	1	Pass
3MHz_Middle_16QAM_1@0	17.58	19.28	0.085	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
3MHz_Middle_16QAM_1@14	17.81	19.51	0.089	1	Pass
3MHz_Middle_16QAM_1@8	17.81	19.51	0.089	1	Pass
3MHz_Middle_16QAM_15@0	16.96	18.66	0.073	1	Pass
3MHz_Middle_16QAM_8@0	16.94	18.64	0.073	1	Pass
3MHz_Middle_16QAM_8@4	16.93	18.63	0.073	1	Pass
3MHz_Middle_16QAM_8@7	16.96	18.66	0.073	1	Pass
3MHz_High_QPSK_1@0	18.11	19.81	0.096	1	Pass
3MHz_High_QPSK_1@14	18.21	19.91	0.098	1	Pass
3MHz_High_QPSK_1@8	18.17	19.87	0.097	1	Pass
3MHz_High_QPSK_15@0	16.98	18.68	0.074	1	Pass
3MHz_High_QPSK_8@0	16.96	18.66	0.073	1	Pass
3MHz_High_QPSK_8@4	16.93	18.63	0.073	1	Pass
3MHz_High_QPSK_8@7	16.97	18.67	0.074	1	Pass
3MHz_High_16QAM_1@0	17.35	19.05	0.080	1	Pass
3MHz_High_16QAM_1@14	17.38	19.08	0.081	1	Pass
3MHz_High_16QAM_1@8	17.36	19.06	0.081	1	Pass
3MHz_High_16QAM_15@0	15.98	17.68	0.059	1	Pass
3MHz_High_16QAM_8@0	16.11	17.81	0.060	1	Pass
3MHz_High_16QAM_8@4	16.11	17.81	0.060	1	Pass
3MHz_High_16QAM_8@7	16.11	17.81	0.060	1	Pass
5MHz_Low_QPSK_1@0	18.39	20.09	0.102	1	Pass
5MHz_Low_QPSK_1@12	18.81	20.51	0.112	1	Pass
5MHz_Low_QPSK_1@24	18.48	20.18	0.104	1	Pass
5MHz_Low_QPSK_12@0	17.84	19.54	0.090	1	Pass
5MHz_Low_QPSK_12@13	17.85	19.55	0.090	1	Pass
5MHz_Low_QPSK_12@7	17.83	19.53	0.090	1	Pass
5MHz_Low_QPSK_25@0	17.85	19.55	0.090	1	Pass
5MHz_Low_16QAM_1@0	17.90	19.60	0.091	1	Pass
5MHz_Low_16QAM_1@12	17.94	19.64	0.092	1	Pass
5MHz_Low_16QAM_1@24	17.91	19.61	0.091	1	Pass
5MHz_Low_16QAM_12@0	16.95	18.65	0.073	1	Pass
5MHz_Low_16QAM_12@13	16.94	18.64	0.073	1	Pass
5MHz_Low_16QAM_12@7	16.93	18.63	0.073	1	Pass
5MHz_Low_16QAM_25@0	16.84	18.54	0.071	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
5MHz_Middle_QPSK_1@0	18.92	20.62	0.115	1	Pass
5MHz_Middle_QPSK_1@12	18.51	20.21	0.105	1	Pass
5MHz_Middle_QPSK_1@24	18.56	20.26	0.106	1	Pass
5MHz_Middle_QPSK_12@0	17.48	19.18	0.083	1	Pass
5MHz_Middle_QPSK_12@13	17.50	19.20	0.083	1	Pass
5MHz_Middle_QPSK_12@7	17.51	19.21	0.083	1	Pass
5MHz_Middle_QPSK_25@0	17.54	19.24	0.084	1	Pass
5MHz_Middle_16QAM_1@0	17.38	19.08	0.081	1	Pass
5MHz_Middle_16QAM_1@12	17.55	19.25	0.084	1	Pass
5MHz_Middle_16QAM_1@24	17.57	19.27	0.085	1	Pass
5MHz_Middle_16QAM_12@0	16.55	18.25	0.067	1	Pass
5MHz_Middle_16QAM_12@13	16.55	18.25	0.067	1	Pass
5MHz_Middle_16QAM_12@7	16.58	18.28	0.067	1	Pass
5MHz_Middle_16QAM_25@0	16.52	18.22	0.066	1	Pass
5MHz_High_QPSK_1@0	19.08	20.78	0.120	1	Pass
5MHz_High_QPSK_1@12	19.01	20.71	0.118	1	Pass
5MHz_High_QPSK_1@24	19.06	20.76	0.119	1	Pass
5MHz_High_QPSK_12@0	18.04	19.74	0.094	1	Pass
5MHz_High_QPSK_12@13	18.01	19.71	0.094	1	Pass
5MHz_High_QPSK_12@7	18.01	19.71	0.094	1	Pass
5MHz_High_QPSK_25@0	18.06	19.76	0.095	1	Pass
5MHz_High_16QAM_1@0	18.62	20.32	0.108	1	Pass
5MHz_High_16QAM_1@12	18.63	20.33	0.108	1	Pass
5MHz_High_16QAM_1@24	18.59	20.29	0.107	1	Pass
5MHz_High_16QAM_12@0	17.15	18.85	0.077	1	Pass
5MHz_High_16QAM_12@13	17.12	18.82	0.076	1	Pass
5MHz_High_16QAM_12@7	17.12	18.82	0.076	1	Pass
5MHz_High_16QAM_25@0	17.13	18.83	0.076	1	Pass
10MHz_Low_QPSK_1@0	18.68	20.38	0.109	1	Pass
10MHz_Low_QPSK_1@25	18.42	20.12	0.103	1	Pass
10MHz_Low_QPSK_1@49	18.53	20.23	0.105	1	Pass
10MHz_Low_QPSK_25@0	17.62	19.32	0.086	1	Pass
10MHz_Low_QPSK_25@12	17.64	19.34	0.086	1	Pass
10MHz_Low_QPSK_25@25	17.61	19.31	0.085	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
10MHz_Low_QPSK_50@0	17.60	19.30	0.085	1	Pass
10MHz_Low_16QAM_1@0	17.39	19.09	0.081	1	Pass
10MHz_Low_16QAM_1@25	17.39	19.09	0.081	1	Pass
10MHz_Low_16QAM_1@49	17.43	19.13	0.082	1	Pass
10MHz_Low_16QAM_25@12	16.69	18.39	0.069	1	Pass
10MHz_Low_16QAM_25@25	16.69	18.39	0.069	1	Pass
10MHz_Low_16QAM_50@0	16.62	18.32	0.068	1	Pass
10MHz_Middle_QPSK_1@0	18.17	19.87	0.097	1	Pass
10MHz_Middle_QPSK_1@25	18.11	19.81	0.096	1	Pass
10MHz_Middle_QPSK_1@49	18.20	19.90	0.098	1	Pass
10MHz_Middle_QPSK_25@0	17.18	18.88	0.077	1	Pass
10MHz_Middle_QPSK_25@12	17.17	18.87	0.077	1	Pass
10MHz_Middle_QPSK_25@25	17.21	18.91	0.078	1	Pass
10MHz_Middle_QPSK_50@0	17.20	18.90	0.078	1	Pass
10MHz_Middle_16QAM_1@0	17.15	18.85	0.077	1	Pass
10MHz_Middle_16QAM_1@25	17.18	18.88	0.077	1	Pass
10MHz_Middle_16QAM_1@49	17.22	18.92	0.078	1	Pass
10MHz_Middle_16QAM_25@12	16.26	17.96	0.063	1	Pass
10MHz_Middle_16QAM_25@25	16.69	18.39	0.069	1	Pass
10MHz_Middle_16QAM_50@0	16.20	17.90	0.062	1	Pass
10MHz_High_QPSK_1@0	18.49	20.19	0.104	1	Pass
10MHz_High_QPSK_1@25	18.45	20.15	0.104	1	Pass
10MHz_High_QPSK_1@49	18.48	20.18	0.104	1	Pass
10MHz_High_QPSK_25@0	17.60	19.30	0.085	1	Pass
10MHz_High_QPSK_25@12	17.24	18.94	0.078	1	Pass
10MHz_High_QPSK_25@25	17.22	18.92	0.078	1	Pass
10MHz_High_QPSK_50@0	17.26	18.96	0.079	1	Pass
10MHz_High_16QAM_1@0	17.65	19.35	0.086	1	Pass
10MHz_High_16QAM_1@25	17.60	19.30	0.085	1	Pass
10MHz_High_16QAM_1@49	17.64	19.34	0.086	1	Pass
10MHz_High_16QAM_25@12	16.64	18.34	0.068	1	Pass
10MHz_High_16QAM_25@25	16.44	18.14	0.065	1	Pass
10MHz_High_16QAM_50@0	16.20	17.90	0.062	1	Pass
15MHz_Low_QPSK_1@0	19.33	21.03	0.127	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
15MHz_Low_QPSK_1@37	19.03	20.73	0.118	1	Pass
15MHz_Low_QPSK_1@74	18.95	20.65	0.116	1	Pass
15MHz_Low_QPSK_36@0	17.91	19.61	0.091	1	Pass
15MHz_Low_QPSK_36@20	17.89	19.59	0.091	1	Pass
15MHz_Low_QPSK_36@39	17.86	19.56	0.090	1	Pass
15MHz_Low_QPSK_75@0	17.91	19.61	0.091	1	Pass
15MHz_Low_16QAM_1@0	17.96	19.66	0.092	1	Pass
15MHz_Low_16QAM_1@37	18.06	19.76	0.095	1	Pass
15MHz_Low_16QAM_1@74	18.02	19.72	0.094	1	Pass
15MHz_Low_16QAM_36@0	16.88	18.58	0.072	1	Pass
15MHz_Low_16QAM_36@20	16.88	18.58	0.072	1	Pass
15MHz_Low_16QAM_36@39	16.85	18.55	0.072	1	Pass
15MHz_Low_16QAM_75@0	16.89	18.59	0.072	1	Pass
15MHz_Middle_QPSK_1@0	18.06	19.76	0.095	1	Pass
15MHz_Middle_QPSK_1@37	18.03	19.73	0.094	1	Pass
15MHz_Middle_QPSK_1@74	18.03	19.73	0.094	1	Pass
15MHz_Middle_QPSK_36@0	17.06	18.76	0.075	1	Pass
15MHz_Middle_QPSK_36@20	17.10	18.80	0.076	1	Pass
15MHz_Middle_QPSK_36@39	17.12	18.82	0.076	1	Pass
15MHz_Middle_QPSK_75@0	17.12	18.82	0.076	1	Pass
15MHz_Middle_16QAM_1@0	17.36	19.06	0.081	1	Pass
15MHz_Middle_16QAM_1@37	17.07	18.77	0.075	1	Pass
15MHz_Middle_16QAM_1@74	17.05	18.75	0.075	1	Pass
15MHz_Middle_16QAM_36@0	16.10	17.80	0.060	1	Pass
15MHz_Middle_16QAM_36@20	16.10	17.80	0.060	1	Pass
15MHz_Middle_16QAM_36@39	16.13	17.83	0.061	1	Pass
15MHz_Middle_16QAM_75@0	16.11	17.81	0.060	1	Pass
15MHz_High_QPSK_1@0	19	20.70	0.117	1	Pass
15MHz_High_QPSK_1@37	19.02	20.72	0.118	1	Pass
15MHz_High_QPSK_1@74	18.92	20.62	0.115	1	Pass
15MHz_High_QPSK_36@0	17.77	19.47	0.089	1	Pass
15MHz_High_QPSK_36@20	17.72	19.42	0.087	1	Pass
15MHz_High_QPSK_36@39	17.71	19.41	0.087	1	Pass
15MHz_High_QPSK_75@0	17.74	19.44	0.088	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
15MHz_High_16QAM_1@0	18.02	19.72	0.094	1	Pass
15MHz_High_16QAM_1@37	18.09	19.79	0.095	1	Pass
15MHz_High_16QAM_1@74	18.10	19.80	0.095	1	Pass
15MHz_High_16QAM_36@0	16.81	18.51	0.071	1	Pass
15MHz_High_16QAM_36@20	16.76	18.46	0.070	1	Pass
15MHz_High_16QAM_36@39	16.75	18.45	0.070	1	Pass
15MHz_High_16QAM_75@0	16.76	18.46	0.070	1	Pass
20MHz_Low_QPSK_1@0	18.47	20.17	0.104	1	Pass
20MHz_Low_QPSK_1@49	18.32	20.02	0.100	1	Pass
20MHz_Low_QPSK_1@99	18.30	20.00	0.100	1	Pass
20MHz_Low_QPSK_100@0	17.43	19.13	0.082	1	Pass
20MHz_Low_QPSK_50@0	17.43	19.13	0.082	1	Pass
20MHz_Low_QPSK_50@24	17.43	19.13	0.082	1	Pass
20MHz_Low_QPSK_50@50	17.39	19.09	0.081	1	Pass
20MHz_Low_16QAM_1@0	17.63	19.33	0.086	1	Pass
20MHz_Low_16QAM_1@49	17.56	19.26	0.084	1	Pass
20MHz_Low_16QAM_1@99	17.69	19.39	0.087	1	Pass
20MHz_Low_16QAM_100@0	16.41	18.11	0.065	1	Pass
20MHz_Low_16QAM_50@0	16.40	18.10	0.065	1	Pass
20MHz_Low_16QAM_50@24	16.39	18.09	0.064	1	Pass
20MHz_Low_16QAM_50@50	16.34	18.04	0.064	1	Pass
20MHz_Middle_QPSK_1@0	18.87	20.57	0.114	1	Pass
20MHz_Middle_QPSK_1@49	18.79	20.49	0.112	1	Pass
20MHz_Middle_QPSK_1@99	18.82	20.52	0.113	1	Pass
20MHz_Middle_QPSK_100@0	17.81	19.51	0.089	1	Pass
20MHz_Middle_QPSK_50@0	17.78	19.48	0.089	1	Pass
20MHz_Middle_QPSK_50@24	17.80	19.50	0.089	1	Pass
20MHz_Middle_QPSK_50@50	17.97	19.67	0.093	1	Pass
20MHz_Middle_16QAM_1@0	18.20	19.90	0.098	1	Pass
20MHz_Middle_16QAM_1@49	18.35	20.05	0.101	1	Pass
20MHz_Middle_16QAM_1@99	18.40	20.10	0.102	1	Pass
20MHz_Middle_16QAM_100@0	16.79	18.49	0.071	1	Pass
20MHz_Middle_16QAM_50@0	16.79	18.49	0.071	1	Pass
20MHz_Middle_16QAM_50@24	16.80	18.50	0.071	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
20MHz_Middle_16QAM_50@50	16.92	18.62	0.073	1	Pass
20MHz_High_QPSK_1@0	17.97	19.67	0.093	1	Pass
20MHz_High_QPSK_1@49	18	19.70	0.093	1	Pass
20MHz_High_QPSK_1@99	18	19.70	0.093	1	Pass
20MHz_High_QPSK_100@0	17.43	19.13	0.082	1	Pass
20MHz_High_QPSK_50@0	17.13	18.83	0.076	1	Pass
20MHz_High_QPSK_50@24	17.07	18.77	0.075	1	Pass
20MHz_High_QPSK_50@50	17.07	18.77	0.075	1	Pass
20MHz_High_16QAM_1@0	17.32	19.02	0.080	1	Pass
20MHz_High_16QAM_1@49	17.41	19.11	0.081	1	Pass
20MHz_High_16QAM_1@99	17.43	19.13	0.082	1	Pass
20MHz_High_16QAM_100@0	16.30	18.00	0.063	1	Pass
20MHz_High_16QAM_50@0	16.16	17.86	0.061	1	Pass
20MHz_High_16QAM_50@24	16.10	17.80	0.060	1	Pass
20MHz_High_16QAM_50@50	16.01	17.71	0.059	1	Pass

Note:

EIRP = Average Conducted Power(dBm) - L_C(dB) + G_T(dBi)

4:

1.Ant Gain = 1.7dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

B12 , Normal

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
1.4MHz_Low_QPSK_1@0	23.79	14.64	0.029	3	Pass
1.4MHz_Low_QPSK_1@3	23.65	14.50	0.028	3	Pass
1.4MHz_Low_QPSK_1@5	23.71	14.56	0.029	3	Pass
1.4MHz_Low_QPSK_3@0	23.60	14.45	0.028	3	Pass
1.4MHz_Low_QPSK_3@1	23.61	14.46	0.028	3	Pass
1.4MHz_Low_QPSK_3@3	23.59	14.44	0.028	3	Pass
1.4MHz_Low_QPSK_6@0	22.61	13.46	0.022	3	Pass
1.4MHz_Low_16QAM_1@0	23.04	13.89	0.024	3	Pass
1.4MHz_Low_16QAM_1@3	23	13.85	0.024	3	Pass
1.4MHz_Low_16QAM_1@5	23.01	13.86	0.024	3	Pass
1.4MHz_Low_16QAM_3@0	22.89	13.74	0.024	3	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
1.4MHz_Low_16QAM_3@1	22.83	13.68	0.023	3	Pass
1.4MHz_Low_16QAM_3@3	22.92	13.77	0.024	3	Pass
1.4MHz_Low_16QAM_6@0	21.53	12.38	0.017	3	Pass
1.4MHz_Middle_QPSK_1@0	23.32	14.17	0.026	3	Pass
1.4MHz_Middle_QPSK_1@3	23.28	14.13	0.026	3	Pass
1.4MHz_Middle_QPSK_1@5	23.28	14.13	0.026	3	Pass
1.4MHz_Middle_QPSK_3@0	23.33	14.18	0.026	3	Pass
1.4MHz_Middle_QPSK_3@1	23.33	14.18	0.026	3	Pass
1.4MHz_Middle_QPSK_3@3	23.39	14.24	0.027	3	Pass
1.4MHz_Middle_QPSK_6@0	22.43	13.28	0.021	3	Pass
1.4MHz_Middle_16QAM_1@0	22.17	13.02	0.020	3	Pass
1.4MHz_Middle_16QAM_1@3	22.19	13.04	0.020	3	Pass
1.4MHz_Middle_16QAM_1@5	22.31	13.16	0.021	3	Pass
1.4MHz_Middle_16QAM_3@0	22.48	13.33	0.022	3	Pass
1.4MHz_Middle_16QAM_3@1	22.49	13.34	0.022	3	Pass
1.4MHz_Middle_16QAM_3@3	22.53	13.38	0.022	3	Pass
1.4MHz_Middle_16QAM_6@0	21.57	12.42	0.017	3	Pass
1.4MHz_High_QPSK_1@0	0	-9.15	0.000	3	Pass
1.4MHz_High_QPSK_1@3	23.33	14.18	0.026	3	Pass
1.4MHz_High_QPSK_1@5	23.33	14.18	0.026	3	Pass
1.4MHz_High_QPSK_3@0	23.39	14.24	0.027	3	Pass
1.4MHz_High_QPSK_3@1	23.40	14.25	0.027	3	Pass
1.4MHz_High_QPSK_3@3	23.40	14.25	0.027	3	Pass
1.4MHz_High_QPSK_6@0	22.48	13.33	0.022	3	Pass
1.4MHz_High_16QAM_1@0	22.29	13.14	0.021	3	Pass
1.4MHz_High_16QAM_1@3	22.39	13.24	0.021	3	Pass
1.4MHz_High_16QAM_1@5	22.19	13.04	0.020	3	Pass
1.4MHz_High_16QAM_3@0	22.62	13.47	0.022	3	Pass
1.4MHz_High_16QAM_3@1	22.62	13.47	0.022	3	Pass
1.4MHz_High_16QAM_3@3	22.60	13.45	0.022	3	Pass
1.4MHz_High_16QAM_6@0	21.68	12.53	0.018	3	Pass
3MHz_Low_QPSK_1@0	23.38	14.23	0.026	3	Pass
3MHz_Low_QPSK_1@14	23.42	14.27	0.027	3	Pass
3MHz_Low_QPSK_1@8	23.37	14.22	0.026	3	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
3MHz_Low_QPSK_15@0	22.56	13.41	0.022	3	Pass
3MHz_Low_QPSK_8@0	22.55	13.40	0.022	3	Pass
3MHz_Low_QPSK_8@4	22.53	13.38	0.022	3	Pass
3MHz_Low_QPSK_8@7	22.54	13.39	0.022	3	Pass
3MHz_Low_16QAM_1@0	22.48	13.33	0.022	3	Pass
3MHz_Low_16QAM_1@14	22.29	13.14	0.021	3	Pass
3MHz_Low_16QAM_1@8	22.21	13.06	0.020	3	Pass
3MHz_Low_16QAM_15@0	21.52	12.37	0.017	3	Pass
3MHz_Low_16QAM_8@0	21.55	12.40	0.017	3	Pass
3MHz_Low_16QAM_8@4	21.55	12.40	0.017	3	Pass
3MHz_Low_16QAM_8@7	21.58	12.43	0.017	3	Pass
3MHz_Middle_QPSK_1@0	23.61	14.46	0.028	3	Pass
3MHz_Middle_QPSK_1@14	23.64	14.49	0.028	3	Pass
3MHz_Middle_QPSK_1@8	23.66	14.51	0.028	3	Pass
3MHz_Middle_QPSK_15@0	22.59	13.44	0.022	3	Pass
3MHz_Middle_QPSK_8@0	22.62	13.47	0.022	3	Pass
3MHz_Middle_QPSK_8@4	22.59	13.44	0.022	3	Pass
3MHz_Middle_QPSK_8@7	22.58	13.43	0.022	3	Pass
3MHz_Middle_16QAM_1@0	22.52	13.37	0.022	3	Pass
3MHz_Middle_16QAM_1@14	22.46	13.31	0.021	3	Pass
3MHz_Middle_16QAM_1@8	22.50	13.35	0.022	3	Pass
3MHz_Middle_16QAM_15@0	21.66	12.51	0.018	3	Pass
3MHz_Middle_16QAM_8@0	21.67	12.52	0.018	3	Pass
3MHz_Middle_16QAM_8@4	21.64	12.49	0.018	3	Pass
3MHz_Middle_16QAM_8@7	21.62	12.47	0.018	3	Pass
3MHz_High_QPSK_1@0	23.70	14.55	0.029	3	Pass
3MHz_High_QPSK_1@14	23.61	14.46	0.028	3	Pass
3MHz_High_QPSK_1@8	23.69	14.54	0.028	3	Pass
3MHz_High_QPSK_15@0	22.54	13.39	0.022	3	Pass
3MHz_High_QPSK_8@0	22.59	13.44	0.022	3	Pass
3MHz_High_QPSK_8@4	22.55	13.40	0.022	3	Pass
3MHz_High_QPSK_8@7	22.50	13.35	0.022	3	Pass
3MHz_High_16QAM_1@0	22.90	13.75	0.024	3	Pass
3MHz_High_16QAM_1@14	22.89	13.74	0.024	3	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
3MHz_High_16QAM_1@8	22.98	13.83	0.024	3	Pass
3MHz_High_16QAM_15@0	21.57	12.42	0.017	3	Pass
3MHz_High_16QAM_8@0	21.68	12.53	0.018	3	Pass
3MHz_High_16QAM_8@4	21.64	12.49	0.018	3	Pass
3MHz_High_16QAM_8@7	21.56	12.41	0.017	3	Pass
5MHz_Low_QPSK_1@0	23.94	14.79	0.030	3	Pass
5MHz_Low_QPSK_1@12	24.01	14.86	0.031	3	Pass
5MHz_Low_QPSK_1@24	23.89	14.74	0.030	3	Pass
5MHz_Low_QPSK_12@0	23.09	13.94	0.025	3	Pass
5MHz_Low_QPSK_12@13	23.05	13.90	0.025	3	Pass
5MHz_Low_QPSK_12@7	23.12	13.97	0.025	3	Pass
5MHz_Low_QPSK_25@0	23.12	13.97	0.025	3	Pass
5MHz_Low_16QAM_1@0	23.02	13.87	0.024	3	Pass
5MHz_Low_16QAM_1@12	23.08	13.93	0.025	3	Pass
5MHz_Low_16QAM_1@24	22.95	13.80	0.024	3	Pass
5MHz_Low_16QAM_12@0	22.19	13.04	0.020	3	Pass
5MHz_Low_16QAM_12@13	22.17	13.02	0.020	3	Pass
5MHz_Low_16QAM_12@7	22.22	13.07	0.020	3	Pass
5MHz_Low_16QAM_25@0	22.09	12.94	0.020	3	Pass
5MHz_Middle_QPSK_1@0	24.10	14.95	0.031	3	Pass
5MHz_Middle_QPSK_1@12	24.16	15.01	0.032	3	Pass
5MHz_Middle_QPSK_1@24	24.21	15.06	0.032	3	Pass
5MHz_Middle_QPSK_12@0	23.05	13.90	0.025	3	Pass
5MHz_Middle_QPSK_12@13	23.06	13.91	0.025	3	Pass
5MHz_Middle_QPSK_12@7	23.02	13.87	0.024	3	Pass
5MHz_Middle_QPSK_25@0	23.09	13.94	0.025	3	Pass
5MHz_Middle_16QAM_1@0	23.05	13.90	0.025	3	Pass
5MHz_Middle_16QAM_1@12	23.13	13.98	0.025	3	Pass
5MHz_Middle_16QAM_1@24	23.17	14.02	0.025	3	Pass
5MHz_Middle_16QAM_12@0	22.13	12.98	0.020	3	Pass
5MHz_Middle_16QAM_12@13	22.10	12.95	0.020	3	Pass
5MHz_Middle_16QAM_12@7	22.10	12.95	0.020	3	Pass
5MHz_Middle_16QAM_25@0	22.08	12.93	0.020	3	Pass
5MHz_High_QPSK_1@0	23.19	14.04	0.025	3	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
5MHz_High_QPSK_1@12	23.24	14.09	0.026	3	Pass
5MHz_High_QPSK_1@24	23.11	13.96	0.025	3	Pass
5MHz_High_QPSK_12@0	22.33	13.18	0.021	3	Pass
5MHz_High_QPSK_12@13	22.31	13.16	0.021	3	Pass
5MHz_High_QPSK_12@7	22.36	13.21	0.021	3	Pass
5MHz_High_QPSK_25@0	22.37	13.22	0.021	3	Pass
5MHz_High_16QAM_1@0	22.87	13.72	0.024	3	Pass
5MHz_High_16QAM_1@12	22.99	13.84	0.024	3	Pass
5MHz_High_16QAM_1@24	22.88	13.73	0.024	3	Pass
5MHz_High_16QAM_12@0	21.43	12.28	0.017	3	Pass
5MHz_High_16QAM_12@13	21.41	12.26	0.017	3	Pass
5MHz_High_16QAM_12@7	21.46	12.31	0.017	3	Pass
5MHz_High_16QAM_25@0	21.69	12.54	0.018	3	Pass
10MHz_Low_QPSK_1@0	23.80	14.65	0.029	3	Pass
10MHz_Low_QPSK_1@25	23.71	14.56	0.029	3	Pass
10MHz_Low_QPSK_1@49	23.83	14.68	0.029	3	Pass
10MHz_Low_QPSK_25@0	22.62	13.47	0.022	3	Pass
10MHz_Low_QPSK_25@12	22.62	13.47	0.022	3	Pass
10MHz_Low_QPSK_25@25	22.64	13.49	0.022	3	Pass
10MHz_Low_QPSK_50@0	22.63	13.48	0.022	3	Pass
10MHz_Low_16QAM_1@0	22.93	13.78	0.024	3	Pass
10MHz_Low_16QAM_1@25	22.88	13.73	0.024	3	Pass
10MHz_Low_16QAM_1@49	22.98	13.83	0.024	3	Pass
10MHz_Low_16QAM_25@12	21.67	12.52	0.018	3	Pass
10MHz_Low_16QAM_25@25	21.70	12.55	0.018	3	Pass
10MHz_Low_16QAM_50@0	21.64	12.49	0.018	3	Pass
10MHz_Middle_QPSK_1@0	23.35	14.20	0.026	3	Pass
10MHz_Middle_QPSK_1@25	23.47	14.32	0.027	3	Pass
10MHz_Middle_QPSK_1@49	23.37	14.22	0.026	3	Pass
10MHz_Middle_QPSK_25@0	22.54	13.39	0.022	3	Pass
10MHz_Middle_QPSK_25@12	22.60	13.45	0.022	3	Pass
10MHz_Middle_QPSK_25@25	22.53	13.38	0.022	3	Pass
10MHz_Middle_QPSK_50@0	22.56	13.41	0.022	3	Pass
10MHz_Middle_16QAM_1@0	22.17	13.02	0.020	3	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
10MHz_Middle_16QAM_1@25	22.35	13.20	0.021	3	Pass
10MHz_Middle_16QAM_1@49	22.20	13.05	0.020	3	Pass
10MHz_Middle_16QAM_25@12	21.70	12.55	0.018	3	Pass
10MHz_Middle_16QAM_25@25	21.63	12.48	0.018	3	Pass
10MHz_Middle_16QAM_50@0	21.57	12.42	0.017	3	Pass
10MHz_High_QPSK_1@0	23.34	14.19	0.026	3	Pass
10MHz_High_QPSK_1@25	23.23	14.08	0.026	3	Pass
10MHz_High_QPSK_1@49	23.29	14.14	0.026	3	Pass
10MHz_High_QPSK_25@0	22.34	13.19	0.021	3	Pass
10MHz_High_QPSK_25@12	22.25	13.10	0.020	3	Pass
10MHz_High_QPSK_25@25	22.19	13.04	0.020	3	Pass
10MHz_High_QPSK_50@0	22.25	13.10	0.020	3	Pass
10MHz_High_16QAM_1@0	22.22	13.07	0.020	3	Pass
10MHz_High_16QAM_1@25	22.10	12.95	0.020	3	Pass
10MHz_High_16QAM_1@49	22.11	12.96	0.020	3	Pass
10MHz_High_16QAM_25@12	21.31	12.16	0.016	3	Pass
10MHz_High_16QAM_25@25	21.24	12.09	0.016	3	Pass
10MHz_High_16QAM_50@0	21.23	12.08	0.016	3	Pass

Note:

ERP = Average Conducted Power(dBm) - L_C(dB) + G_T(dBd)

G_T(dBd) = G_T(dBi) - 2.15

12:

1.Ant Gain = -6.5dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB

B17 , Normal

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
5MHz_Low_QPSK_1@0	23.55	14.40	0.028	3	Pass
5MHz_Low_QPSK_1@12	23.70	14.55	0.029	3	Pass
5MHz_Low_QPSK_1@24	23.53	14.38	0.027	3	Pass
5MHz_Low_QPSK_12@0	22.73	13.58	0.023	3	Pass
5MHz_Low_QPSK_12@13	22.78	13.63	0.023	3	Pass
5MHz_Low_QPSK_12@7	22.76	13.61	0.023	3	Pass
5MHz_Low_QPSK_25@0	22.75	13.60	0.023	3	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
5MHz_Low_16QAM_1@0	23.33	14.18	0.026	3	Pass
5MHz_Low_16QAM_1@12	23.53	14.38	0.027	3	Pass
5MHz_Low_16QAM_1@24	23.57	14.42	0.028	3	Pass
5MHz_Low_16QAM_12@0	21.84	12.69	0.019	3	Pass
5MHz_Low_16QAM_12@13	21.86	12.71	0.019	3	Pass
5MHz_Low_16QAM_12@7	21.85	12.70	0.019	3	Pass
5MHz_Low_16QAM_25@0	21.85	12.70	0.019	3	Pass
5MHz_Middle_QPSK_1@0	23.85	14.70	0.030	3	Pass
5MHz_Middle_QPSK_1@12	23.67	14.52	0.028	3	Pass
5MHz_Middle_QPSK_1@24	23.53	14.38	0.027	3	Pass
5MHz_Middle_QPSK_12@0	22.98	13.83	0.024	3	Pass
5MHz_Middle_QPSK_12@13	22.89	13.74	0.024	3	Pass
5MHz_Middle_QPSK_12@7	22.90	13.75	0.024	3	Pass
5MHz_Middle_QPSK_25@0	22.95	13.80	0.024	3	Pass
5MHz_Middle_16QAM_1@0	22.92	13.77	0.024	3	Pass
5MHz_Middle_16QAM_1@12	22.85	13.70	0.023	3	Pass
5MHz_Middle_16QAM_1@24	22.93	13.78	0.024	3	Pass
5MHz_Middle_16QAM_12@0	22.08	12.93	0.020	3	Pass
5MHz_Middle_16QAM_12@13	21.97	12.82	0.019	3	Pass
5MHz_Middle_16QAM_12@7	21.99	12.84	0.019	3	Pass
5MHz_Middle_16QAM_25@0	21.93	12.78	0.019	3	Pass
5MHz_High_QPSK_1@0	24.15	15.00	0.032	3	Pass
5MHz_High_QPSK_1@12	23.98	14.83	0.030	3	Pass
5MHz_High_QPSK_1@24	23.34	14.19	0.026	3	Pass
5MHz_High_QPSK_12@0	23.22	14.07	0.026	3	Pass
5MHz_High_QPSK_12@13	23.17	14.02	0.025	3	Pass
5MHz_High_QPSK_12@7	23.17	14.02	0.025	3	Pass
5MHz_High_QPSK_25@0	23.22	14.07	0.026	3	Pass
5MHz_High_16QAM_1@0	23.33	14.18	0.026	3	Pass
5MHz_High_16QAM_1@12	23.25	14.10	0.026	3	Pass
5MHz_High_16QAM_1@24	23.25	14.10	0.026	3	Pass
5MHz_High_16QAM_12@0	22.30	13.15	0.021	3	Pass
5MHz_High_16QAM_12@13	22.24	13.09	0.020	3	Pass
5MHz_High_16QAM_12@7	22.27	13.12	0.021	3	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
5MHz_High_16QAM_25@0	22.23	13.08	0.020	3	Pass
10MHz_Low_QPSK_1@0	23.29	14.14	0.026	3	Pass
10MHz_Low_QPSK_1@25	23.25	14.10	0.026	3	Pass
10MHz_Low_QPSK_1@49	22.35	13.20	0.021	3	Pass
10MHz_Low_QPSK_25@0	22.52	13.37	0.022	3	Pass
10MHz_Low_QPSK_25@12	22.57	13.42	0.022	3	Pass
10MHz_Low_QPSK_25@25	22.49	13.34	0.022	3	Pass
10MHz_Low_QPSK_50@0	22.51	13.36	0.022	3	Pass
10MHz_Low_16QAM_1@0	22.16	13.01	0.020	3	Pass
10MHz_Low_16QAM_1@25	22.49	13.34	0.022	3	Pass
10MHz_Low_16QAM_1@49	22.14	12.99	0.020	3	Pass
10MHz_Low_16QAM_25@12	21.64	12.49	0.018	3	Pass
10MHz_Low_16QAM_25@25	21.59	12.44	0.018	3	Pass
10MHz_Low_16QAM_50@0	21.55	12.40	0.017	3	Pass
10MHz_Middle_QPSK_1@0	23.47	14.32	0.027	3	Pass
10MHz_Middle_QPSK_1@25	23.15	14.00	0.025	3	Pass
10MHz_Middle_QPSK_1@49	22.15	13.00	0.020	3	Pass
10MHz_Middle_QPSK_25@0	22.60	13.45	0.022	3	Pass
10MHz_Middle_QPSK_25@12	22.57	13.42	0.022	3	Pass
10MHz_Middle_QPSK_25@25	22.51	13.36	0.022	3	Pass
10MHz_Middle_QPSK_50@0	22.53	13.38	0.022	3	Pass
10MHz_Middle_16QAM_1@0	22.53	13.38	0.022	3	Pass
10MHz_Middle_16QAM_1@25	22.43	13.28	0.021	3	Pass
10MHz_Middle_16QAM_1@49	22.08	12.93	0.020	3	Pass
10MHz_Middle_16QAM_25@12	21.63	12.48	0.018	3	Pass
10MHz_Middle_16QAM_25@25	21.56	12.41	0.017	3	Pass
10MHz_Middle_16QAM_50@0	21.52	12.37	0.017	3	Pass
10MHz_High_QPSK_1@0	24.04	14.89	0.031	3	Pass
10MHz_High_QPSK_1@25	23.63	14.48	0.028	3	Pass
10MHz_High_QPSK_1@49	22.62	13.47	0.022	3	Pass
10MHz_High_QPSK_25@0	22.97	13.82	0.024	3	Pass
10MHz_High_QPSK_25@12	22.94	13.79	0.024	3	Pass
10MHz_High_QPSK_25@25	22.87	13.72	0.024	3	Pass
10MHz_High_QPSK_50@0	22.92	13.77	0.024	3	Pass

Mode	Average Conducted Power(dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
10MHz_High_16QAM_1@0	23.33	14.18	0.026	3	Pass
10MHz_High_16QAM_1@25	23.21	14.06	0.025	3	Pass
10MHz_High_16QAM_1@49	22.76	13.61	0.023	3	Pass
10MHz_High_16QAM_25@12	21.98	12.83	0.019	3	Pass
10MHz_High_16QAM_25@25	21.92	12.77	0.019	3	Pass
10MHz_High_16QAM_50@0	21.91	12.76	0.019	3	Pass

Note:

ERP = Average Conducted Power(dBm) - L_C(dB) + G_T(dBd)

G_T(dBd) = G_T(dBi) - 2.15

17:

1.Ant Gain = -6.5dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB

B38 , Normal

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
5MHz_Low_QPSK_1@0	14.23	10.03	0.010	2	Pass
5MHz_Low_QPSK_1@12	14.31	10.11	0.010	2	Pass
5MHz_Low_QPSK_1@24	14.25	10.05	0.010	2	Pass
5MHz_Low_QPSK_12@0	13.10	8.90	0.008	2	Pass
5MHz_Low_QPSK_12@13	13.12	8.92	0.008	2	Pass
5MHz_Low_QPSK_12@7	13.07	8.87	0.008	2	Pass
5MHz_Low_QPSK_25@0	13.15	8.95	0.008	2	Pass
5MHz_Low_16QAM_1@0	13.57	9.37	0.009	2	Pass
5MHz_Low_16QAM_1@12	13.64	9.44	0.009	2	Pass
5MHz_Low_16QAM_1@24	13.62	9.42	0.009	2	Pass
5MHz_Low_16QAM_12@0	12.26	8.06	0.006	2	Pass
5MHz_Low_16QAM_12@13	12.25	8.05	0.006	2	Pass
5MHz_Low_16QAM_12@7	12.23	8.03	0.006	2	Pass
5MHz_Low_16QAM_25@0	12.10	7.90	0.006	2	Pass
5MHz_Middle_QPSK_1@0	14.30	10.10	0.010	2	Pass
5MHz_Middle_QPSK_1@12	14.28	10.08	0.010	2	Pass
5MHz_Middle_QPSK_1@24	14.25	10.05	0.010	2	Pass
5MHz_Middle_QPSK_12@0	13.21	9.01	0.008	2	Pass
5MHz_Middle_QPSK_12@13	13.17	8.97	0.008	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
5MHz_Middle_QPSK_12@7	13.15	8.95	0.008	2	Pass
5MHz_Middle_QPSK_25@0	13.18	8.98	0.008	2	Pass
5MHz_Middle_16QAM_1@0	13.46	9.26	0.008	2	Pass
5MHz_Middle_16QAM_1@12	13.48	9.28	0.008	2	Pass
5MHz_Middle_16QAM_1@24	13.40	9.20	0.008	2	Pass
5MHz_Middle_16QAM_12@0	12.22	8.02	0.006	2	Pass
5MHz_Middle_16QAM_12@13	12.18	7.98	0.006	2	Pass
5MHz_Middle_16QAM_12@7	12.15	7.95	0.006	2	Pass
5MHz_Middle_16QAM_25@0	12.17	7.97	0.006	2	Pass
5MHz_High_QPSK_1@0	14.69	10.49	0.011	2	Pass
5MHz_High_QPSK_1@12	14.67	10.47	0.011	2	Pass
5MHz_High_QPSK_1@24	14.74	10.54	0.011	2	Pass
5MHz_High_QPSK_12@0	13.52	9.32	0.009	2	Pass
5MHz_High_QPSK_12@13	13.53	9.33	0.009	2	Pass
5MHz_High_QPSK_12@7	13.49	9.29	0.008	2	Pass
5MHz_High_QPSK_25@0	13.57	9.37	0.009	2	Pass
5MHz_High_16QAM_1@0	13.82	9.62	0.009	2	Pass
5MHz_High_16QAM_1@12	13.81	9.61	0.009	2	Pass
5MHz_High_16QAM_1@24	13.83	9.63	0.009	2	Pass
5MHz_High_16QAM_12@0	12.51	8.31	0.007	2	Pass
5MHz_High_16QAM_12@13	12.53	8.33	0.007	2	Pass
5MHz_High_16QAM_12@7	12.46	8.26	0.007	2	Pass
5MHz_High_16QAM_25@0	12.61	8.41	0.007	2	Pass
10MHz_Low_QPSK_1@0	14.18	9.98	0.010	2	Pass
10MHz_Low_QPSK_1@25	14.19	9.99	0.010	2	Pass
10MHz_Low_QPSK_1@49	14.22	10.02	0.010	2	Pass
10MHz_Low_QPSK_25@0	13.13	8.93	0.008	2	Pass
10MHz_Low_QPSK_25@12	13.14	8.94	0.008	2	Pass
10MHz_Low_QPSK_25@25	13.13	8.93	0.008	2	Pass
10MHz_Low_QPSK_50@0	13.14	8.94	0.008	2	Pass
10MHz_Low_16QAM_1@0	13.36	9.16	0.008	2	Pass
10MHz_Low_16QAM_1@25	13.37	9.17	0.008	2	Pass
10MHz_Low_16QAM_1@49	13.40	9.20	0.008	2	Pass
10MHz_Low_16QAM_25@12	12.15	7.95	0.006	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
10MHz_Low_16QAM_25@25	12.15	7.95	0.006	2	Pass
10MHz_Low_16QAM_50@0	12.16	7.96	0.006	2	Pass
10MHz_Middle_QPSK_1@0	14.27	10.07	0.010	2	Pass
10MHz_Middle_QPSK_1@25	14.29	10.09	0.010	2	Pass
10MHz_Middle_QPSK_1@49	14.21	10.01	0.010	2	Pass
10MHz_Middle_QPSK_25@0	13.36	9.16	0.008	2	Pass
10MHz_Middle_QPSK_25@12	13.35	9.15	0.008	2	Pass
10MHz_Middle_QPSK_25@25	13.33	9.13	0.008	2	Pass
10MHz_Middle_QPSK_50@0	13.32	9.12	0.008	2	Pass
10MHz_Middle_16QAM_1@0	13.52	9.32	0.009	2	Pass
10MHz_Middle_16QAM_1@25	13.52	9.32	0.009	2	Pass
10MHz_Middle_16QAM_1@49	13.48	9.28	0.008	2	Pass
10MHz_Middle_16QAM_25@12	12.32	8.12	0.006	2	Pass
10MHz_Middle_16QAM_25@25	12.28	8.08	0.006	2	Pass
10MHz_Middle_16QAM_50@0	12.32	8.12	0.006	2	Pass
10MHz_High_QPSK_1@0	14.31	10.11	0.010	2	Pass
10MHz_High_QPSK_1@25	14.26	10.06	0.010	2	Pass
10MHz_High_QPSK_1@49	14.33	10.13	0.010	2	Pass
10MHz_High_QPSK_25@0	13.26	9.06	0.008	2	Pass
10MHz_High_QPSK_25@12	13.19	8.99	0.008	2	Pass
10MHz_High_QPSK_25@25	13.20	9.00	0.008	2	Pass
10MHz_High_QPSK_50@0	13.19	8.99	0.008	2	Pass
10MHz_High_16QAM_1@0	13.64	9.44	0.009	2	Pass
10MHz_High_16QAM_1@25	13.60	9.40	0.009	2	Pass
10MHz_High_16QAM_1@49	13.66	9.46	0.009	2	Pass
10MHz_High_16QAM_25@12	12.19	7.99	0.006	2	Pass
10MHz_High_16QAM_25@25	12.18	7.98	0.006	2	Pass
10MHz_High_16QAM_50@0	12.23	8.03	0.006	2	Pass
15MHz_Low_QPSK_1@0	14.85	10.65	0.012	2	Pass
15MHz_Low_QPSK_1@37	14.92	10.72	0.012	2	Pass
15MHz_Low_QPSK_1@74	14.90	10.70	0.012	2	Pass
15MHz_Low_QPSK_36@0	13.78	9.58	0.009	2	Pass
15MHz_Low_QPSK_36@20	13.76	9.56	0.009	2	Pass
15MHz_Low_QPSK_36@39	13.75	9.55	0.009	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
15MHz_Low_QPSK_75@0	13.80	9.60	0.009	2	Pass
15MHz_Low_16QAM_1@0	14.22	10.02	0.010	2	Pass
15MHz_Low_16QAM_1@37	14.24	10.04	0.010	2	Pass
15MHz_Low_16QAM_1@74	14.25	10.05	0.010	2	Pass
15MHz_Low_16QAM_36@0	12.86	8.66	0.007	2	Pass
15MHz_Low_16QAM_36@20	12.84	8.64	0.007	2	Pass
15MHz_Low_16QAM_36@39	12.86	8.66	0.007	2	Pass
15MHz_Low_16QAM_75@0	12.78	8.58	0.007	2	Pass
15MHz_Middle_QPSK_1@0	14.30	10.10	0.010	2	Pass
15MHz_Middle_QPSK_1@37	14.37	10.17	0.010	2	Pass
15MHz_Middle_QPSK_1@74	14.23	10.03	0.010	2	Pass
15MHz_Middle_QPSK_36@0	13.38	9.18	0.008	2	Pass
15MHz_Middle_QPSK_36@20	13.34	9.14	0.008	2	Pass
15MHz_Middle_QPSK_36@39	13.33	9.13	0.008	2	Pass
15MHz_Middle_QPSK_75@0	13.40	9.20	0.008	2	Pass
15MHz_Middle_16QAM_1@0	13.58	9.38	0.009	2	Pass
15MHz_Middle_16QAM_1@37	13.68	9.48	0.009	2	Pass
15MHz_Middle_16QAM_1@74	13.50	9.30	0.009	2	Pass
15MHz_Middle_16QAM_36@0	12.44	8.24	0.007	2	Pass
15MHz_Middle_16QAM_36@20	12.41	8.21	0.007	2	Pass
15MHz_Middle_16QAM_36@39	12.39	8.19	0.007	2	Pass
15MHz_Middle_16QAM_75@0	12.40	8.20	0.007	2	Pass
15MHz_High_QPSK_1@0	14.70	10.50	0.011	2	Pass
15MHz_High_QPSK_1@37	14.78	10.58	0.011	2	Pass
15MHz_High_QPSK_1@74	14.71	10.51	0.011	2	Pass
15MHz_High_QPSK_36@0	13.64	9.44	0.009	2	Pass
15MHz_High_QPSK_36@20	13.59	9.39	0.009	2	Pass
15MHz_High_QPSK_36@39	13.61	9.41	0.009	2	Pass
15MHz_High_QPSK_75@0	13.64	9.44	0.009	2	Pass
15MHz_High_16QAM_1@0	14.08	9.88	0.010	2	Pass
15MHz_High_16QAM_1@37	14.09	9.89	0.010	2	Pass
15MHz_High_16QAM_1@74	14.09	9.89	0.010	2	Pass
15MHz_High_16QAM_36@0	12.56	8.36	0.007	2	Pass
15MHz_High_16QAM_36@20	12.52	8.32	0.007	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
15MHz_High_16QAM_36@39	12.52	8.32	0.007	2	Pass
15MHz_High_16QAM_75@0	12.65	8.45	0.007	2	Pass
20MHz_Low_QPSK_1@0	14.17	9.97	0.010	2	Pass
20MHz_Low_QPSK_1@49	14.22	10.02	0.010	2	Pass
20MHz_Low_QPSK_1@99	14.24	10.04	0.010	2	Pass
20MHz_Low_QPSK_100@0	13.06	8.86	0.008	2	Pass
20MHz_Low_QPSK_50@0	13.10	8.90	0.008	2	Pass
20MHz_Low_QPSK_50@24	13.11	8.91	0.008	2	Pass
20MHz_Low_QPSK_50@50	13.09	8.89	0.008	2	Pass
20MHz_Low_16QAM_1@0	13.24	9.04	0.008	2	Pass
20MHz_Low_16QAM_1@49	13.31	9.11	0.008	2	Pass
20MHz_Low_16QAM_1@99	13.33	9.13	0.008	2	Pass
20MHz_Low_16QAM_100@0	12.08	7.88	0.006	2	Pass
20MHz_Low_16QAM_50@0	12.12	7.92	0.006	2	Pass
20MHz_Low_16QAM_50@24	12.10	7.90	0.006	2	Pass
20MHz_Low_16QAM_50@50	12.08	7.88	0.006	2	Pass
20MHz_Middle_QPSK_1@0	14.59	10.39	0.011	2	Pass
20MHz_Middle_QPSK_1@49	14.65	10.45	0.011	2	Pass
20MHz_Middle_QPSK_1@99	14.59	10.39	0.011	2	Pass
20MHz_Middle_QPSK_100@0	13.44	9.24	0.008	2	Pass
20MHz_Middle_QPSK_50@0	13.47	9.27	0.008	2	Pass
20MHz_Middle_QPSK_50@24	13.42	9.22	0.008	2	Pass
20MHz_Middle_QPSK_50@50	13.40	9.20	0.008	2	Pass
20MHz_Middle_16QAM_1@0	13.75	9.55	0.009	2	Pass
20MHz_Middle_16QAM_1@49	13.80	9.60	0.009	2	Pass
20MHz_Middle_16QAM_1@99	13.69	9.49	0.009	2	Pass
20MHz_Middle_16QAM_100@0	12.42	8.22	0.007	2	Pass
20MHz_Middle_16QAM_50@0	12.46	8.26	0.007	2	Pass
20MHz_Middle_16QAM_50@24	12.40	8.20	0.007	2	Pass
20MHz_Middle_16QAM_50@50	12.37	8.17	0.007	2	Pass
20MHz_High_QPSK_1@0	14.81	10.61	0.012	2	Pass
20MHz_High_QPSK_1@49	14.78	10.58	0.011	2	Pass
20MHz_High_QPSK_1@99	14.78	10.58	0.011	2	Pass
20MHz_High_QPSK_100@0	13.80	9.60	0.009	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
20MHz_High_QPSK_50@0	13.87	9.67	0.009	2	Pass
20MHz_High_QPSK_50@24	13.80	9.60	0.009	2	Pass
20MHz_High_QPSK_50@50	13.78	9.58	0.009	2	Pass
20MHz_High_16QAM_1@0	14.07	9.87	0.010	2	Pass
20MHz_High_16QAM_1@49	14.07	9.87	0.010	2	Pass
20MHz_High_16QAM_1@99	14.04	9.84	0.010	2	Pass
20MHz_High_16QAM_100@0	12.81	8.61	0.007	2	Pass
20MHz_High_16QAM_50@0	12.85	8.65	0.007	2	Pass
20MHz_High_16QAM_50@24	12.80	8.60	0.007	2	Pass
20MHz_High_16QAM_50@50	12.76	8.56	0.007	2	Pass

Note:

EIRP = Average Conducted Power(dBm) - L_C(dB) + G_T(dBi)

38:

1.Ant Gain = -3.2dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 1dB

B41 , Normal

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
5MHz_Low_QPSK_1@0	14.69	10.49	0.011	2	Pass
5MHz_Low_QPSK_1@12	14.69	10.49	0.011	2	Pass
5MHz_Low_QPSK_1@24	14.64	10.44	0.011	2	Pass
5MHz_Low_QPSK_12@0	14.51	10.31	0.011	2	Pass
5MHz_Low_QPSK_12@13	14.47	10.27	0.011	2	Pass
5MHz_Low_QPSK_12@7	14.45	10.25	0.011	2	Pass
5MHz_Low_QPSK_25@0	14.50	10.30	0.011	2	Pass
5MHz_Low_16QAM_1@0	14.83	10.63	0.012	2	Pass
5MHz_Low_16QAM_1@12	14.84	10.64	0.012	2	Pass
5MHz_Low_16QAM_1@24	14.76	10.56	0.011	2	Pass
5MHz_Low_16QAM_12@0	14.51	10.31	0.011	2	Pass
5MHz_Low_16QAM_12@13	14.47	10.27	0.011	2	Pass
5MHz_Low_16QAM_12@7	14.47	10.27	0.011	2	Pass
5MHz_Low_16QAM_25@0	14.54	10.34	0.011	2	Pass
5MHz_Middle_QPSK_1@0	15.39	11.19	0.013	2	Pass
5MHz_Middle_QPSK_1@12	15.39	11.19	0.013	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
5MHz_Middle_QPSK_1@24	15.33	11.13	0.013	2	Pass
5MHz_Middle_QPSK_12@0	15.24	11.04	0.013	2	Pass
5MHz_Middle_QPSK_12@13	15.23	11.03	0.013	2	Pass
5MHz_Middle_QPSK_12@7	15.22	11.02	0.013	2	Pass
5MHz_Middle_QPSK_25@0	15.23	11.03	0.013	2	Pass
5MHz_Middle_16QAM_1@0	15.74	11.54	0.014	2	Pass
5MHz_Middle_16QAM_1@12	15.83	11.63	0.015	2	Pass
5MHz_Middle_16QAM_1@24	15.75	11.55	0.014	2	Pass
5MHz_Middle_16QAM_12@0	15.42	11.22	0.013	2	Pass
5MHz_Middle_16QAM_12@13	15.37	11.17	0.013	2	Pass
5MHz_Middle_16QAM_12@7	15.40	11.20	0.013	2	Pass
5MHz_Middle_16QAM_25@0	15.24	11.04	0.013	2	Pass
5MHz_High_QPSK_1@0	15.32	11.12	0.013	2	Pass
5MHz_High_QPSK_1@12	15.36	11.16	0.013	2	Pass
5MHz_High_QPSK_1@24	15.38	11.18	0.013	2	Pass
5MHz_High_QPSK_12@0	15.32	11.12	0.013	2	Pass
5MHz_High_QPSK_12@13	15.30	11.10	0.013	2	Pass
5MHz_High_QPSK_12@7	15.30	11.10	0.013	2	Pass
5MHz_High_QPSK_25@0	15.32	11.12	0.013	2	Pass
5MHz_High_16QAM_1@0	15.52	11.32	0.014	2	Pass
5MHz_High_16QAM_1@12	15.55	11.35	0.014	2	Pass
5MHz_High_16QAM_1@24	15.58	11.38	0.014	2	Pass
5MHz_High_16QAM_12@0	15.34	11.14	0.013	2	Pass
5MHz_High_16QAM_12@13	15.35	11.15	0.013	2	Pass
5MHz_High_16QAM_12@7	15.35	11.15	0.013	2	Pass
5MHz_High_16QAM_25@0	15.32	11.12	0.013	2	Pass
10MHz_Low_QPSK_1@0	15.16	10.96	0.012	2	Pass
10MHz_Low_QPSK_1@25	15.09	10.89	0.012	2	Pass
10MHz_Low_QPSK_1@49	15.10	10.90	0.012	2	Pass
10MHz_Low_QPSK_25@0	15.03	10.83	0.012	2	Pass
10MHz_Low_QPSK_25@12	15.04	10.84	0.012	2	Pass
10MHz_Low_QPSK_25@25	15.05	10.85	0.012	2	Pass
10MHz_Low_QPSK_50@0	15.03	10.83	0.012	2	Pass
10MHz_Low_16QAM_1@0	15.38	11.18	0.013	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
10MHz_Low_16QAM_1@25	15.36	11.16	0.013	2	Pass
10MHz_Low_16QAM_1@49	15.33	11.13	0.013	2	Pass
10MHz_Low_16QAM_25@12	15.07	10.87	0.012	2	Pass
10MHz_Low_16QAM_25@25	15.07	10.87	0.012	2	Pass
10MHz_Low_16QAM_50@0	15.09	10.89	0.012	2	Pass
10MHz_Middle_QPSK_1@0	14.66	10.46	0.011	2	Pass
10MHz_Middle_QPSK_1@25	14.66	10.46	0.011	2	Pass
10MHz_Middle_QPSK_1@49	14.64	10.44	0.011	2	Pass
10MHz_Middle_QPSK_25@0	14.80	10.60	0.011	2	Pass
10MHz_Middle_QPSK_25@12	14.76	10.56	0.011	2	Pass
10MHz_Middle_QPSK_25@25	14.74	10.54	0.011	2	Pass
10MHz_Middle_QPSK_50@0	14.76	10.56	0.011	2	Pass
10MHz_Middle_16QAM_1@0	14.94	10.74	0.012	2	Pass
10MHz_Middle_16QAM_1@25	14.97	10.77	0.012	2	Pass
10MHz_Middle_16QAM_1@49	14.93	10.73	0.012	2	Pass
10MHz_Middle_16QAM_25@12	14.73	10.53	0.011	2	Pass
10MHz_Middle_16QAM_25@25	14.71	10.51	0.011	2	Pass
10MHz_Middle_16QAM_50@0	14.76	10.56	0.011	2	Pass
10MHz_High_QPSK_1@0	15.28	11.08	0.013	2	Pass
10MHz_High_QPSK_1@25	15.25	11.05	0.013	2	Pass
10MHz_High_QPSK_1@49	15.33	11.13	0.013	2	Pass
10MHz_High_QPSK_25@0	15.24	11.04	0.013	2	Pass
10MHz_High_QPSK_25@12	15.18	10.98	0.013	2	Pass
10MHz_High_QPSK_25@25	15.16	10.96	0.012	2	Pass
10MHz_High_QPSK_50@0	15.18	10.98	0.013	2	Pass
10MHz_High_16QAM_1@0	15.62	11.42	0.014	2	Pass
10MHz_High_16QAM_1@25	15.62	11.42	0.014	2	Pass
10MHz_High_16QAM_1@49	15.68	11.48	0.014	2	Pass
10MHz_High_16QAM_25@12	15.19	10.99	0.013	2	Pass
10MHz_High_16QAM_25@25	15.16	10.96	0.012	2	Pass
10MHz_High_16QAM_50@0	15.23	11.03	0.013	2	Pass
15MHz_Low_QPSK_1@0	15.14	10.94	0.012	2	Pass
15MHz_Low_QPSK_1@37	15.13	10.93	0.012	2	Pass
15MHz_Low_QPSK_1@74	15.07	10.87	0.012	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
15MHz_Low_QPSK_36@0	15.02	10.82	0.012	2	Pass
15MHz_Low_QPSK_36@20	14.97	10.77	0.012	2	Pass
15MHz_Low_QPSK_36@39	15	10.80	0.012	2	Pass
15MHz_Low_QPSK_75@0	15.05	10.85	0.012	2	Pass
15MHz_Low_16QAM_1@0	15.52	11.32	0.014	2	Pass
15MHz_Low_16QAM_1@37	15.47	11.27	0.013	2	Pass
15MHz_Low_16QAM_1@74	15.44	11.24	0.013	2	Pass
15MHz_Low_16QAM_36@0	15.09	10.89	0.012	2	Pass
15MHz_Low_16QAM_36@20	15.06	10.86	0.012	2	Pass
15MHz_Low_16QAM_36@39	15.08	10.88	0.012	2	Pass
15MHz_Low_16QAM_75@0	15.04	10.84	0.012	2	Pass
15MHz_Middle_QPSK_1@0	14.75	10.55	0.011	2	Pass
15MHz_Middle_QPSK_1@37	14.82	10.62	0.012	2	Pass
15MHz_Middle_QPSK_1@74	14.68	10.48	0.011	2	Pass
15MHz_Middle_QPSK_36@0	14.86	10.66	0.012	2	Pass
15MHz_Middle_QPSK_36@20	14.79	10.59	0.011	2	Pass
15MHz_Middle_QPSK_36@39	14.81	10.61	0.012	2	Pass
15MHz_Middle_QPSK_75@0	14.87	10.67	0.012	2	Pass
15MHz_Middle_16QAM_1@0	15.03	10.83	0.012	2	Pass
15MHz_Middle_16QAM_1@37	15.15	10.95	0.012	2	Pass
15MHz_Middle_16QAM_1@74	14.98	10.78	0.012	2	Pass
15MHz_Middle_16QAM_36@0	14.96	10.76	0.012	2	Pass
15MHz_Middle_16QAM_36@20	14.90	10.70	0.012	2	Pass
15MHz_Middle_16QAM_36@39	14.90	10.70	0.012	2	Pass
15MHz_Middle_16QAM_75@0	14.93	10.73	0.012	2	Pass
15MHz_High_QPSK_1@0	14.63	10.43	0.011	2	Pass
15MHz_High_QPSK_1@37	14.74	10.54	0.011	2	Pass
15MHz_High_QPSK_1@74	14.72	10.52	0.011	2	Pass
15MHz_High_QPSK_36@0	14.59	10.39	0.011	2	Pass
15MHz_High_QPSK_36@20	14.57	10.37	0.011	2	Pass
15MHz_High_QPSK_36@39	14.60	10.40	0.011	2	Pass
15MHz_High_QPSK_75@0	14.62	10.42	0.011	2	Pass
15MHz_High_16QAM_1@0	15.03	10.83	0.012	2	Pass
15MHz_High_16QAM_1@37	15.10	10.90	0.012	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
15MHz_High_16QAM_1@74	15.09	10.89	0.012	2	Pass
15MHz_High_16QAM_36@0	14.52	10.32	0.011	2	Pass
15MHz_High_16QAM_36@20	14.49	10.29	0.011	2	Pass
15MHz_High_16QAM_36@39	14.50	10.30	0.011	2	Pass
15MHz_High_16QAM_75@0	14.66	10.46	0.011	2	Pass
20MHz_Low_QPSK_1@0	14.75	10.55	0.011	2	Pass
20MHz_Low_QPSK_1@49	14.73	10.53	0.011	2	Pass
20MHz_Low_QPSK_1@99	14.76	10.56	0.011	2	Pass
20MHz_Low_QPSK_100@0	14.59	10.39	0.011	2	Pass
20MHz_Low_QPSK_50@0	14.57	10.37	0.011	2	Pass
20MHz_Low_QPSK_50@24	14.51	10.31	0.011	2	Pass
20MHz_Low_QPSK_50@50	14.55	10.35	0.011	2	Pass
20MHz_Low_16QAM_1@0	14.92	10.72	0.012	2	Pass
20MHz_Low_16QAM_1@49	14.90	10.70	0.012	2	Pass
20MHz_Low_16QAM_1@99	14.93	10.73	0.012	2	Pass
20MHz_Low_16QAM_100@0	14.56	10.36	0.011	2	Pass
20MHz_Low_16QAM_50@0	14.59	10.39	0.011	2	Pass
20MHz_Low_16QAM_50@24	14.55	10.35	0.011	2	Pass
20MHz_Low_16QAM_50@50	14.56	10.36	0.011	2	Pass
20MHz_Middle_QPSK_1@0	15.53	11.33	0.014	2	Pass
20MHz_Middle_QPSK_1@49	15.60	11.40	0.014	2	Pass
20MHz_Middle_QPSK_1@99	15.50	11.30	0.013	2	Pass
20MHz_Middle_QPSK_100@0	15.56	11.36	0.014	2	Pass
20MHz_Middle_QPSK_50@0	15.62	11.42	0.014	2	Pass
20MHz_Middle_QPSK_50@24	15.56	11.36	0.014	2	Pass
20MHz_Middle_QPSK_50@50	15.50	11.30	0.013	2	Pass
20MHz_Middle_16QAM_1@0	15.81	11.61	0.014	2	Pass
20MHz_Middle_16QAM_1@49	15.86	11.66	0.015	2	Pass
20MHz_Middle_16QAM_1@99	15.78	11.58	0.014	2	Pass
20MHz_Middle_16QAM_100@0	15.54	11.34	0.014	2	Pass
20MHz_Middle_16QAM_50@0	15.66	11.46	0.014	2	Pass
20MHz_Middle_16QAM_50@24	15.59	11.39	0.014	2	Pass
20MHz_Middle_16QAM_50@50	15.51	11.31	0.014	2	Pass
20MHz_High_QPSK_1@0	15.62	11.42	0.014	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
20MHz_High_QPSK_1@49	15.69	11.49	0.014	2	Pass
20MHz_High_QPSK_1@99	15.75	11.55	0.014	2	Pass
20MHz_High_QPSK_100@0	15.54	11.34	0.014	2	Pass
20MHz_High_QPSK_50@0	15.58	11.38	0.014	2	Pass
20MHz_High_QPSK_50@24	15.57	11.37	0.014	2	Pass
20MHz_High_QPSK_50@50	15.55	11.35	0.014	2	Pass
20MHz_High_16QAM_1@0	15.73	11.53	0.014	2	Pass
20MHz_High_16QAM_1@49	15.78	11.58	0.014	2	Pass
20MHz_High_16QAM_1@99	15.86	11.66	0.015	2	Pass
20MHz_High_16QAM_100@0	15.59	11.39	0.014	2	Pass
20MHz_High_16QAM_50@0	15.58	11.38	0.014	2	Pass
20MHz_High_16QAM_50@24	15.57	11.37	0.014	2	Pass
20MHz_High_16QAM_50@50	15.57	11.37	0.014	2	Pass

Note:

EIRP = Average Conducted Power(dBm) - L_C(dB) + G_T(dBi)

41:

1.Ant Gain = -3.2dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 1dB

B66 , Normal

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
1.4MHz_Low_QPSK_1@0	18.59	20.29	0.107	1	Pass
1.4MHz_Low_QPSK_1@3	18.51	20.21	0.105	1	Pass
1.4MHz_Low_QPSK_1@5	18.56	20.26	0.106	1	Pass
1.4MHz_Low_QPSK_3@0	18.33	20.03	0.101	1	Pass
1.4MHz_Low_QPSK_3@1	18.36	20.06	0.101	1	Pass
1.4MHz_Low_QPSK_3@3	18.34	20.04	0.101	1	Pass
1.4MHz_Low_QPSK_6@0	17.31	19.01	0.080	1	Pass
1.4MHz_Low_16QAM_1@0	17.77	19.47	0.089	1	Pass
1.4MHz_Low_16QAM_1@3	17.77	19.47	0.089	1	Pass
1.4MHz_Low_16QAM_1@5	17.75	19.45	0.088	1	Pass
1.4MHz_Low_16QAM_3@0	17.66	19.36	0.086	1	Pass
1.4MHz_Low_16QAM_3@1	17.64	19.34	0.086	1	Pass
1.4MHz_Low_16QAM_3@3	17.65	19.35	0.086	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
1.4MHz_Low_16QAM_6@0	16.24	17.94	0.062	1	Pass
1.4MHz_Middle_QPSK_1@0	18.16	19.86	0.097	1	Pass
1.4MHz_Middle_QPSK_1@3	18.09	19.79	0.095	1	Pass
1.4MHz_Middle_QPSK_1@5	18.12	19.82	0.096	1	Pass
1.4MHz_Middle_QPSK_3@0	18.13	19.83	0.096	1	Pass
1.4MHz_Middle_QPSK_3@1	18.13	19.83	0.096	1	Pass
1.4MHz_Middle_QPSK_3@3	18.15	19.85	0.097	1	Pass
1.4MHz_Middle_QPSK_6@0	17.14	18.84	0.077	1	Pass
1.4MHz_Middle_16QAM_1@0	16.98	18.68	0.074	1	Pass
1.4MHz_Middle_16QAM_1@3	16.93	18.63	0.073	1	Pass
1.4MHz_Middle_16QAM_1@5	17	18.70	0.074	1	Pass
1.4MHz_Middle_16QAM_3@0	17.30	19.00	0.079	1	Pass
1.4MHz_Middle_16QAM_3@1	17.28	18.98	0.079	1	Pass
1.4MHz_Middle_16QAM_3@3	17.30	19.00	0.079	1	Pass
1.4MHz_Middle_16QAM_6@0	16.30	18.00	0.063	1	Pass
1.4MHz_High_QPSK_1@0	18.70	20.40	0.110	1	Pass
1.4MHz_High_QPSK_1@3	18.63	20.33	0.108	1	Pass
1.4MHz_High_QPSK_1@5	18.68	20.38	0.109	1	Pass
1.4MHz_High_QPSK_3@0	18.49	20.19	0.104	1	Pass
1.4MHz_High_QPSK_3@1	18.50	20.20	0.105	1	Pass
1.4MHz_High_QPSK_3@3	18.49	20.19	0.104	1	Pass
1.4MHz_High_QPSK_6@0	17.51	19.21	0.083	1	Pass
1.4MHz_High_16QAM_1@0	17.90	19.60	0.091	1	Pass
1.4MHz_High_16QAM_1@3	17.87	19.57	0.091	1	Pass
1.4MHz_High_16QAM_1@5	17.86	19.56	0.090	1	Pass
1.4MHz_High_16QAM_3@0	17.78	19.48	0.089	1	Pass
1.4MHz_High_16QAM_3@1	17.77	19.47	0.089	1	Pass
1.4MHz_High_16QAM_3@3	17.79	19.49	0.089	1	Pass
1.4MHz_High_16QAM_6@0	16.39	18.09	0.064	1	Pass
3MHz_Low_QPSK_1@0	18.41	20.11	0.103	1	Pass
3MHz_Low_QPSK_1@14	18.59	20.29	0.107	1	Pass
3MHz_Low_QPSK_1@8	18.56	20.26	0.106	1	Pass
3MHz_Low_QPSK_15@0	17.64	19.34	0.086	1	Pass
3MHz_Low_QPSK_8@0	17.67	19.37	0.086	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
3MHz_Low_QPSK_8@4	17.63	19.33	0.086	1	Pass
3MHz_Low_QPSK_8@7	17.65	19.35	0.086	1	Pass
3MHz_Low_16QAM_1@0	17.52	19.22	0.084	1	Pass
3MHz_Low_16QAM_1@14	17.51	19.21	0.083	1	Pass
3MHz_Low_16QAM_1@8	17.46	19.16	0.082	1	Pass
3MHz_Low_16QAM_15@0	16.61	18.31	0.068	1	Pass
3MHz_Low_16QAM_8@0	16.66	18.36	0.069	1	Pass
3MHz_Low_16QAM_8@4	16.63	18.33	0.068	1	Pass
3MHz_Low_16QAM_8@7	16.64	18.34	0.068	1	Pass
3MHz_Middle_QPSK_1@0	18.81	20.51	0.112	1	Pass
3MHz_Middle_QPSK_1@14	18.81	20.51	0.112	1	Pass
3MHz_Middle_QPSK_1@8	18.81	20.51	0.112	1	Pass
3MHz_Middle_QPSK_15@0	17.85	19.55	0.090	1	Pass
3MHz_Middle_QPSK_8@0	17.89	19.59	0.091	1	Pass
3MHz_Middle_QPSK_8@4	17.87	19.57	0.091	1	Pass
3MHz_Middle_QPSK_8@7	17.86	19.56	0.090	1	Pass
3MHz_Middle_16QAM_1@0	17.73	19.43	0.088	1	Pass
3MHz_Middle_16QAM_1@14	17.81	19.51	0.089	1	Pass
3MHz_Middle_16QAM_1@8	17.80	19.50	0.089	1	Pass
3MHz_Middle_16QAM_15@0	16.89	18.59	0.072	1	Pass
3MHz_Middle_16QAM_8@0	16.93	18.63	0.073	1	Pass
3MHz_Middle_16QAM_8@4	16.87	18.57	0.072	1	Pass
3MHz_Middle_16QAM_8@7	16.89	18.59	0.072	1	Pass
3MHz_High_QPSK_1@0	18.28	19.98	0.100	1	Pass
3MHz_High_QPSK_1@14	18.30	20.00	0.100	1	Pass
3MHz_High_QPSK_1@8	18.29	19.99	0.100	1	Pass
3MHz_High_QPSK_15@0	17.01	18.71	0.074	1	Pass
3MHz_High_QPSK_8@0	17.19	18.89	0.077	1	Pass
3MHz_High_QPSK_8@4	17.15	18.85	0.077	1	Pass
3MHz_High_QPSK_8@7	17	18.70	0.074	1	Pass
3MHz_High_16QAM_1@0	17.48	19.18	0.083	1	Pass
3MHz_High_16QAM_1@14	17.45	19.15	0.082	1	Pass
3MHz_High_16QAM_1@8	17.45	19.15	0.082	1	Pass
3MHz_High_16QAM_15@0	16.06	17.76	0.060	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
3MHz_High_16QAM_8@0	16.15	17.85	0.061	1	Pass
3MHz_High_16QAM_8@4	16.27	17.97	0.063	1	Pass
3MHz_High_16QAM_8@7	16.19	17.89	0.062	1	Pass
5MHz_Low_QPSK_1@0	18.98	20.68	0.117	1	Pass
5MHz_Low_QPSK_1@12	18.64	20.34	0.108	1	Pass
5MHz_Low_QPSK_1@24	18.66	20.36	0.109	1	Pass
5MHz_Low_QPSK_12@0	17.59	19.29	0.085	1	Pass
5MHz_Low_QPSK_12@13	17.58	19.28	0.085	1	Pass
5MHz_Low_QPSK_12@7	17.59	19.29	0.085	1	Pass
5MHz_Low_QPSK_25@0	17.59	19.29	0.085	1	Pass
5MHz_Low_16QAM_1@0	17.82	19.52	0.090	1	Pass
5MHz_Low_16QAM_1@12	17.65	19.35	0.086	1	Pass
5MHz_Low_16QAM_1@24	17.67	19.37	0.086	1	Pass
5MHz_Low_16QAM_12@0	16.69	18.39	0.069	1	Pass
5MHz_Low_16QAM_12@13	16.67	18.37	0.069	1	Pass
5MHz_Low_16QAM_12@7	16.66	18.36	0.069	1	Pass
5MHz_Low_16QAM_25@0	16.58	18.28	0.067	1	Pass
5MHz_Middle_QPSK_1@0	18.34	20.04	0.101	1	Pass
5MHz_Middle_QPSK_1@12	18.33	20.03	0.101	1	Pass
5MHz_Middle_QPSK_1@24	18.35	20.05	0.101	1	Pass
5MHz_Middle_QPSK_12@0	17.34	19.04	0.080	1	Pass
5MHz_Middle_QPSK_12@13	17.29	18.99	0.079	1	Pass
5MHz_Middle_QPSK_12@7	17.27	18.97	0.079	1	Pass
5MHz_Middle_QPSK_25@0	17.32	19.02	0.080	1	Pass
5MHz_Middle_16QAM_1@0	17.36	19.06	0.081	1	Pass
5MHz_Middle_16QAM_1@12	17.35	19.05	0.080	1	Pass
5MHz_Middle_16QAM_1@24	17.37	19.07	0.081	1	Pass
5MHz_Middle_16QAM_12@0	16.40	18.10	0.065	1	Pass
5MHz_Middle_16QAM_12@13	16.34	18.04	0.064	1	Pass
5MHz_Middle_16QAM_12@7	16.33	18.03	0.064	1	Pass
5MHz_Middle_16QAM_25@0	16.31	18.01	0.063	1	Pass
5MHz_High_QPSK_1@0	18.88	20.58	0.114	1	Pass
5MHz_High_QPSK_1@12	18.86	20.56	0.114	1	Pass
5MHz_High_QPSK_1@24	18.83	20.53	0.113	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
5MHz_High_QPSK_12@0	18.04	19.74	0.094	1	Pass
5MHz_High_QPSK_12@13	17.90	19.60	0.091	1	Pass
5MHz_High_QPSK_12@7	17.65	19.35	0.086	1	Pass
5MHz_High_QPSK_25@0	17.55	19.25	0.084	1	Pass
5MHz_High_16QAM_1@0	18.42	20.12	0.103	1	Pass
5MHz_High_16QAM_1@12	18.43	20.13	0.103	1	Pass
5MHz_High_16QAM_1@24	18.44	20.14	0.103	1	Pass
5MHz_High_16QAM_12@0	16.97	18.67	0.074	1	Pass
5MHz_High_16QAM_12@13	16.92	18.62	0.073	1	Pass
5MHz_High_16QAM_12@7	16.99	18.69	0.074	1	Pass
5MHz_High_16QAM_25@0	16.95	18.65	0.073	1	Pass
10MHz_Low_QPSK_1@0	18.79	20.49	0.112	1	Pass
10MHz_Low_QPSK_1@25	18.76	20.46	0.111	1	Pass
10MHz_Low_QPSK_1@49	18.69	20.39	0.109	1	Pass
10MHz_Low_QPSK_25@0	17.87	19.57	0.091	1	Pass
10MHz_Low_QPSK_25@12	17.88	19.58	0.091	1	Pass
10MHz_Low_QPSK_25@25	17.84	19.54	0.090	1	Pass
10MHz_Low_QPSK_50@0	17.84	19.54	0.090	1	Pass
10MHz_Low_16QAM_1@0	17.72	19.42	0.087	1	Pass
10MHz_Low_16QAM_1@25	17.69	19.39	0.087	1	Pass
10MHz_Low_16QAM_1@49	17.60	19.30	0.085	1	Pass
10MHz_Low_16QAM_25@12	16.96	18.66	0.073	1	Pass
10MHz_Low_16QAM_25@25	16.92	18.62	0.073	1	Pass
10MHz_Low_16QAM_50@0	16.87	18.57	0.072	1	Pass
10MHz_Middle_QPSK_1@0	18.22	19.92	0.098	1	Pass
10MHz_Middle_QPSK_1@25	18.14	19.84	0.096	1	Pass
10MHz_Middle_QPSK_1@49	18.19	19.89	0.097	1	Pass
10MHz_Middle_QPSK_25@0	17.15	18.85	0.077	1	Pass
10MHz_Middle_QPSK_25@12	17.24	18.94	0.078	1	Pass
10MHz_Middle_QPSK_25@25	17.38	19.08	0.081	1	Pass
10MHz_Middle_QPSK_50@0	17.24	18.94	0.078	1	Pass
10MHz_Middle_16QAM_1@0	17.26	18.96	0.079	1	Pass
10MHz_Middle_16QAM_1@25	17.19	18.89	0.077	1	Pass
10MHz_Middle_16QAM_1@49	17.22	18.92	0.078	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
10MHz_Middle_16QAM_25@12	16.32	18.02	0.063	1	Pass
10MHz_Middle_16QAM_25@25	16.59	18.29	0.067	1	Pass
10MHz_Middle_16QAM_50@0	16.21	17.91	0.062	1	Pass
10MHz_High_QPSK_1@0	18.81	20.51	0.112	1	Pass
10MHz_High_QPSK_1@25	18.87	20.57	0.114	1	Pass
10MHz_High_QPSK_1@49	18.86	20.56	0.114	1	Pass
10MHz_High_QPSK_25@0	17.67	19.37	0.086	1	Pass
10MHz_High_QPSK_25@12	17.48	19.18	0.083	1	Pass
10MHz_High_QPSK_25@25	17.61	19.31	0.085	1	Pass
10MHz_High_QPSK_50@0	17.74	19.44	0.088	1	Pass
10MHz_High_16QAM_1@0	17.99	19.69	0.093	1	Pass
10MHz_High_16QAM_1@25	18.05	19.75	0.094	1	Pass
10MHz_High_16QAM_1@49	18.05	19.75	0.094	1	Pass
10MHz_High_16QAM_25@12	16.55	18.25	0.067	1	Pass
10MHz_High_16QAM_25@25	16.66	18.36	0.069	1	Pass
10MHz_High_16QAM_50@0	16.68	18.38	0.069	1	Pass
15MHz_Low_QPSK_1@0	18.35	20.05	0.101	1	Pass
15MHz_Low_QPSK_1@37	18.29	19.99	0.100	1	Pass
15MHz_Low_QPSK_1@74	18.31	20.01	0.100	1	Pass
15MHz_Low_QPSK_36@0	17.25	18.95	0.079	1	Pass
15MHz_Low_QPSK_36@20	17.21	18.91	0.078	1	Pass
15MHz_Low_QPSK_36@39	17.21	18.91	0.078	1	Pass
15MHz_Low_QPSK_75@0	17.23	18.93	0.078	1	Pass
15MHz_Low_16QAM_1@0	17.51	19.21	0.083	1	Pass
15MHz_Low_16QAM_1@37	17.37	19.07	0.081	1	Pass
15MHz_Low_16QAM_1@74	17.39	19.09	0.081	1	Pass
15MHz_Low_16QAM_36@0	16.25	17.95	0.062	1	Pass
15MHz_Low_16QAM_36@20	16.23	17.93	0.062	1	Pass
15MHz_Low_16QAM_36@39	16.20	17.90	0.062	1	Pass
15MHz_Low_16QAM_75@0	16.24	17.94	0.062	1	Pass
15MHz_Middle_QPSK_1@0	18.72	20.42	0.110	1	Pass
15MHz_Middle_QPSK_1@37	18.68	20.38	0.109	1	Pass
15MHz_Middle_QPSK_1@74	18.60	20.30	0.107	1	Pass
15MHz_Middle_QPSK_36@0	17.76	19.46	0.088	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
15MHz_Middle_QPSK_36@20	17.73	19.43	0.088	1	Pass
15MHz_Middle_QPSK_36@39	17.73	19.43	0.088	1	Pass
15MHz_Middle_QPSK_75@0	17.74	19.44	0.088	1	Pass
15MHz_Middle_16QAM_1@0	17.61	19.31	0.085	1	Pass
15MHz_Middle_16QAM_1@37	17.70	19.40	0.087	1	Pass
15MHz_Middle_16QAM_1@74	17.65	19.35	0.086	1	Pass
15MHz_Middle_16QAM_36@0	16.81	18.51	0.071	1	Pass
15MHz_Middle_16QAM_36@20	16.74	18.44	0.070	1	Pass
15MHz_Middle_16QAM_36@39	16.73	18.43	0.070	1	Pass
15MHz_Middle_16QAM_75@0	16.76	18.46	0.070	1	Pass
15MHz_High_QPSK_1@0	19	20.70	0.117	1	Pass
15MHz_High_QPSK_1@37	19.18	20.88	0.122	1	Pass
15MHz_High_QPSK_1@74	19.18	20.88	0.122	1	Pass
15MHz_High_QPSK_36@0	17.95	19.65	0.092	1	Pass
15MHz_High_QPSK_36@20	17.95	19.65	0.092	1	Pass
15MHz_High_QPSK_36@39	18.14	19.84	0.096	1	Pass
15MHz_High_QPSK_75@0	17.97	19.67	0.093	1	Pass
15MHz_High_16QAM_1@0	18.29	19.99	0.100	1	Pass
15MHz_High_16QAM_1@37	18.33	20.03	0.101	1	Pass
15MHz_High_16QAM_1@74	18.34	20.04	0.101	1	Pass
15MHz_High_16QAM_36@0	17	18.70	0.074	1	Pass
15MHz_High_16QAM_36@20	16.99	18.69	0.074	1	Pass
15MHz_High_16QAM_36@39	16.98	18.68	0.074	1	Pass
15MHz_High_16QAM_75@0	17.01	18.71	0.074	1	Pass
20MHz_Low_QPSK_1@0	18.93	20.63	0.116	1	Pass
20MHz_Low_QPSK_1@49	18.31	20.01	0.100	1	Pass
20MHz_Low_QPSK_1@99	18.48	20.18	0.104	1	Pass
20MHz_Low_QPSK_100@0	17.59	19.29	0.085	1	Pass
20MHz_Low_QPSK_50@0	17.63	19.33	0.086	1	Pass
20MHz_Low_QPSK_50@24	17.62	19.32	0.086	1	Pass
20MHz_Low_QPSK_50@50	17.58	19.28	0.085	1	Pass
20MHz_Low_16QAM_1@0	17.84	19.54	0.090	1	Pass
20MHz_Low_16QAM_1@49	17.63	19.33	0.086	1	Pass
20MHz_Low_16QAM_1@99	17.88	19.58	0.091	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
20MHz_Low_16QAM_100@0	16.58	18.28	0.067	1	Pass
20MHz_Low_16QAM_50@0	16.58	18.28	0.067	1	Pass
20MHz_Low_16QAM_50@24	16.54	18.24	0.067	1	Pass
20MHz_Low_16QAM_50@50	16.51	18.21	0.066	1	Pass
20MHz_Middle_QPSK_1@0	18.44	20.14	0.103	1	Pass
20MHz_Middle_QPSK_1@49	18.36	20.06	0.101	1	Pass
20MHz_Middle_QPSK_1@99	18.31	20.01	0.100	1	Pass
20MHz_Middle_QPSK_100@0	17.52	19.22	0.084	1	Pass
20MHz_Middle_QPSK_50@0	17.93	19.63	0.092	1	Pass
20MHz_Middle_QPSK_50@24	17.56	19.26	0.084	1	Pass
20MHz_Middle_QPSK_50@50	17.37	19.07	0.081	1	Pass
20MHz_Middle_16QAM_1@0	18.06	19.76	0.095	1	Pass
20MHz_Middle_16QAM_1@49	17.97	19.67	0.093	1	Pass
20MHz_Middle_16QAM_1@99	17.87	19.57	0.091	1	Pass
20MHz_Middle_16QAM_100@0	16.56	18.26	0.067	1	Pass
20MHz_Middle_16QAM_50@0	16.53	18.23	0.067	1	Pass
20MHz_Middle_16QAM_50@24	16.60	18.30	0.068	1	Pass
20MHz_Middle_16QAM_50@50	16.44	18.14	0.065	1	Pass
20MHz_High_QPSK_1@0	18.88	20.58	0.114	1	Pass
20MHz_High_QPSK_1@49	18.91	20.61	0.115	1	Pass
20MHz_High_QPSK_1@99	18.97	20.67	0.117	1	Pass
20MHz_High_QPSK_100@0	18.08	19.78	0.095	1	Pass
20MHz_High_QPSK_50@0	18.05	19.75	0.094	1	Pass
20MHz_High_QPSK_50@24	18.12	19.82	0.096	1	Pass
20MHz_High_QPSK_50@50	17.99	19.69	0.093	1	Pass
20MHz_High_16QAM_1@0	18.24	19.94	0.099	1	Pass
20MHz_High_16QAM_1@49	18.30	20.00	0.100	1	Pass
20MHz_High_16QAM_1@99	18.39	20.09	0.102	1	Pass
20MHz_High_16QAM_100@0	17.28	18.98	0.079	1	Pass
20MHz_High_16QAM_50@0	17.06	18.76	0.075	1	Pass
20MHz_High_16QAM_50@24	17.14	18.84	0.077	1	Pass
20MHz_High_16QAM_50@50	17.04	18.74	0.075	1	Pass

Note:

EIRP = Average Conducted Power(dBm) - L_C(dB) + G_T(dBi)

66:

1.Ant Gain = 1.7dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

B7 , Normal

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
5MHz_Low_QPSK_1@0	11.35	7.15	0.005	2	Pass
5MHz_Low_QPSK_1@12	11.41	7.21	0.005	2	Pass
5MHz_Low_QPSK_1@24	11.51	7.31	0.005	2	Pass
5MHz_Low_QPSK_12@0	10.56	6.36	0.004	2	Pass
5MHz_Low_QPSK_12@13	10.58	6.38	0.004	2	Pass
5MHz_Low_QPSK_12@7	10.53	6.33	0.004	2	Pass
5MHz_Low_QPSK_25@0	10.58	6.38	0.004	2	Pass
5MHz_Low_16QAM_1@0	10.58	6.38	0.004	2	Pass
5MHz_Low_16QAM_1@12	10.58	6.38	0.004	2	Pass
5MHz_Low_16QAM_1@24	10.62	6.42	0.004	2	Pass
5MHz_Low_16QAM_12@0	9.63	5.43	0.003	2	Pass
5MHz_Low_16QAM_12@13	9.63	5.43	0.003	2	Pass
5MHz_Low_16QAM_12@7	9.61	5.41	0.003	2	Pass
5MHz_Low_16QAM_25@0	9.58	5.38	0.003	2	Pass
5MHz_Middle_QPSK_1@0	12.67	8.47	0.007	2	Pass
5MHz_Middle_QPSK_1@12	12.66	8.46	0.007	2	Pass
5MHz_Middle_QPSK_1@24	12.67	8.47	0.007	2	Pass
5MHz_Middle_QPSK_12@0	11.76	7.56	0.006	2	Pass
5MHz_Middle_QPSK_12@13	11.74	7.54	0.006	2	Pass
5MHz_Middle_QPSK_12@7	11.72	7.52	0.006	2	Pass
5MHz_Middle_QPSK_25@0	11.75	7.55	0.006	2	Pass
5MHz_Middle_16QAM_1@0	12.32	8.12	0.006	2	Pass
5MHz_Middle_16QAM_1@12	12.35	8.15	0.007	2	Pass
5MHz_Middle_16QAM_1@24	12.30	8.10	0.006	2	Pass
5MHz_Middle_16QAM_12@0	10.85	6.65	0.005	2	Pass
5MHz_Middle_16QAM_12@13	10.83	6.63	0.005	2	Pass
5MHz_Middle_16QAM_12@7	10.83	6.63	0.005	2	Pass
5MHz_Middle_16QAM_25@0	10.84	6.64	0.005	2	Pass
5MHz_High_QPSK_1@0	12.69	8.49	0.007	2	Pass
5MHz_High_QPSK_1@12	12.73	8.53	0.007	2	Pass
5MHz_High_QPSK_1@24	12.72	8.52	0.007	2	Pass
5MHz_High_QPSK_12@0	11.80	7.60	0.006	2	Pass
5MHz_High_QPSK_12@13	11.80	7.60	0.006	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
5MHz_High_QPSK_12@7	11.78	7.58	0.006	2	Pass
5MHz_High_QPSK_25@0	11.81	7.61	0.006	2	Pass
5MHz_High_16QAM_1@0	11.82	7.62	0.006	2	Pass
5MHz_High_16QAM_1@12	11.81	7.61	0.006	2	Pass
5MHz_High_16QAM_1@24	11.81	7.61	0.006	2	Pass
5MHz_High_16QAM_12@0	10.87	6.67	0.005	2	Pass
5MHz_High_16QAM_12@13	10.88	6.68	0.005	2	Pass
5MHz_High_16QAM_12@7	10.85	6.65	0.005	2	Pass
5MHz_High_16QAM_25@0	10.79	6.59	0.005	2	Pass
10MHz_Low_QPSK_1@0	11.80	7.60	0.006	2	Pass
10MHz_Low_QPSK_1@25	11.94	7.74	0.006	2	Pass
10MHz_Low_QPSK_1@49	11.97	7.77	0.006	2	Pass
10MHz_Low_QPSK_25@0	11.16	6.96	0.005	2	Pass
10MHz_Low_QPSK_25@12	11.18	6.98	0.005	2	Pass
10MHz_Low_QPSK_25@25	11.16	6.96	0.005	2	Pass
10MHz_Low_QPSK_50@0	11.19	6.99	0.005	2	Pass
10MHz_Low_16QAM_1@0	10.92	6.72	0.005	2	Pass
10MHz_Low_16QAM_1@25	10.91	6.71	0.005	2	Pass
10MHz_Low_16QAM_1@49	10.91	6.71	0.005	2	Pass
10MHz_Low_16QAM_25@12	10.27	6.07	0.004	2	Pass
10MHz_Low_16QAM_25@25	10.24	6.04	0.004	2	Pass
10MHz_Low_16QAM_50@0	10.22	6.02	0.004	2	Pass
10MHz_Middle_QPSK_1@0	12.66	8.46	0.007	2	Pass
10MHz_Middle_QPSK_1@25	12.66	8.46	0.007	2	Pass
10MHz_Middle_QPSK_1@49	12.77	8.57	0.007	2	Pass
10MHz_Middle_QPSK_25@0	11.74	7.54	0.006	2	Pass
10MHz_Middle_QPSK_25@12	11.77	7.57	0.006	2	Pass
10MHz_Middle_QPSK_25@25	11.78	7.58	0.006	2	Pass
10MHz_Middle_QPSK_50@0	11.74	7.54	0.006	2	Pass
10MHz_Middle_16QAM_1@0	11.72	7.52	0.006	2	Pass
10MHz_Middle_16QAM_1@25	11.72	7.52	0.006	2	Pass
10MHz_Middle_16QAM_1@49	11.70	7.50	0.006	2	Pass
10MHz_Middle_16QAM_25@12	10.86	6.66	0.005	2	Pass
10MHz_Middle_16QAM_25@25	10.83	6.63	0.005	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
10MHz_Middle_16QAM_50@0	10.73	6.53	0.004	2	Pass
10MHz_High_QPSK_1@0	12.83	8.63	0.007	2	Pass
10MHz_High_QPSK_1@25	12.82	8.62	0.007	2	Pass
10MHz_High_QPSK_1@49	12.84	8.64	0.007	2	Pass
10MHz_High_QPSK_25@0	11.74	7.54	0.006	2	Pass
10MHz_High_QPSK_25@12	11.72	7.52	0.006	2	Pass
10MHz_High_QPSK_25@25	11.71	7.51	0.006	2	Pass
10MHz_High_QPSK_50@0	11.71	7.51	0.006	2	Pass
10MHz_High_16QAM_1@0	12.05	7.85	0.006	2	Pass
10MHz_High_16QAM_1@25	12.03	7.83	0.006	2	Pass
10MHz_High_16QAM_1@49	12.06	7.86	0.006	2	Pass
10MHz_High_16QAM_25@12	10.75	6.55	0.005	2	Pass
10MHz_High_16QAM_25@25	10.75	6.55	0.005	2	Pass
10MHz_High_16QAM_50@0	10.74	6.54	0.005	2	Pass
15MHz_Low_QPSK_1@0	12.41	8.21	0.007	2	Pass
15MHz_Low_QPSK_1@37	12.51	8.31	0.007	2	Pass
15MHz_Low_QPSK_1@74	12.56	8.36	0.007	2	Pass
15MHz_Low_QPSK_36@0	11.52	7.32	0.005	2	Pass
15MHz_Low_QPSK_36@20	11.50	7.30	0.005	2	Pass
15MHz_Low_QPSK_36@39	11.49	7.29	0.005	2	Pass
15MHz_Low_QPSK_75@0	11.50	7.30	0.005	2	Pass
15MHz_Low_16QAM_1@0	11.65	7.45	0.006	2	Pass
15MHz_Low_16QAM_1@37	11.64	7.44	0.006	2	Pass
15MHz_Low_16QAM_1@74	11.67	7.47	0.006	2	Pass
15MHz_Low_16QAM_36@0	10.51	6.31	0.004	2	Pass
15MHz_Low_16QAM_36@20	10.48	6.28	0.004	2	Pass
15MHz_Low_16QAM_36@39	10.49	6.29	0.004	2	Pass
15MHz_Low_16QAM_75@0	10.48	6.28	0.004	2	Pass
15MHz_Middle_QPSK_1@0	12.67	8.47	0.007	2	Pass
15MHz_Middle_QPSK_1@37	12.72	8.52	0.007	2	Pass
15MHz_Middle_QPSK_1@74	12.67	8.47	0.007	2	Pass
15MHz_Middle_QPSK_36@0	11.75	7.55	0.006	2	Pass
15MHz_Middle_QPSK_36@20	11.76	7.56	0.006	2	Pass
15MHz_Middle_QPSK_36@39	11.77	7.57	0.006	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
15MHz_Middle_QPSK_75@0	11.76	7.56	0.006	2	Pass
15MHz_Middle_16QAM_1@0	11.73	7.53	0.006	2	Pass
15MHz_Middle_16QAM_1@37	11.75	7.55	0.006	2	Pass
15MHz_Middle_16QAM_1@74	11.70	7.50	0.006	2	Pass
15MHz_Middle_16QAM_36@0	10.77	6.57	0.005	2	Pass
15MHz_Middle_16QAM_36@20	10.78	6.58	0.005	2	Pass
15MHz_Middle_16QAM_36@39	10.80	6.60	0.005	2	Pass
15MHz_Middle_16QAM_75@0	10.79	6.59	0.005	2	Pass
15MHz_High_QPSK_1@0	12.15	7.95	0.006	2	Pass
15MHz_High_QPSK_1@37	12.19	7.99	0.006	2	Pass
15MHz_High_QPSK_1@74	12.15	7.95	0.006	2	Pass
15MHz_High_QPSK_36@0	11.02	6.82	0.005	2	Pass
15MHz_High_QPSK_36@20	11	6.80	0.005	2	Pass
15MHz_High_QPSK_36@39	10.99	6.79	0.005	2	Pass
15MHz_High_QPSK_75@0	11.03	6.83	0.005	2	Pass
15MHz_High_16QAM_1@0	11.37	7.17	0.005	2	Pass
15MHz_High_16QAM_1@37	11.37	7.17	0.005	2	Pass
15MHz_High_16QAM_1@74	11.33	7.13	0.005	2	Pass
15MHz_High_16QAM_36@0	10.04	5.84	0.004	2	Pass
15MHz_High_16QAM_36@20	10.04	5.84	0.004	2	Pass
15MHz_High_16QAM_36@39	10.03	5.83	0.004	2	Pass
15MHz_High_16QAM_75@0	10.05	5.85	0.004	2	Pass
20MHz_Low_QPSK_1@0	11.60	7.40	0.005	2	Pass
20MHz_Low_QPSK_1@49	11.71	7.51	0.006	2	Pass
20MHz_Low_QPSK_1@99	11.81	7.61	0.006	2	Pass
20MHz_Low_QPSK_100@0	10.92	6.72	0.005	2	Pass
20MHz_Low_QPSK_50@0	10.92	6.72	0.005	2	Pass
20MHz_Low_QPSK_50@24	10.92	6.72	0.005	2	Pass
20MHz_Low_QPSK_50@50	10.88	6.68	0.005	2	Pass
20MHz_Low_16QAM_1@0	11.14	6.94	0.005	2	Pass
20MHz_Low_16QAM_1@49	11.10	6.90	0.005	2	Pass
20MHz_Low_16QAM_1@99	11.24	7.04	0.005	2	Pass
20MHz_Low_16QAM_100@0	9.92	5.72	0.004	2	Pass
20MHz_Low_16QAM_50@0	9.87	5.67	0.004	2	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
20MHz_Low_16QAM_50@24	9.86	5.66	0.004	2	Pass
20MHz_Low_16QAM_50@50	9.85	5.65	0.004	2	Pass
20MHz_Middle_QPSK_1@0	12.25	8.05	0.006	2	Pass
20MHz_Middle_QPSK_1@49	12.31	8.11	0.006	2	Pass
20MHz_Middle_QPSK_1@99	12.30	8.10	0.006	2	Pass
20MHz_Middle_QPSK_100@0	11.37	7.17	0.005	2	Pass
20MHz_Middle_QPSK_50@0	11.37	7.17	0.005	2	Pass
20MHz_Middle_QPSK_50@24	11.39	7.19	0.005	2	Pass
20MHz_Middle_QPSK_50@50	11.40	7.20	0.005	2	Pass
20MHz_Middle_16QAM_1@0	11.96	7.76	0.006	2	Pass
20MHz_Middle_16QAM_1@49	11.99	7.79	0.006	2	Pass
20MHz_Middle_16QAM_1@99	12.01	7.81	0.006	2	Pass
20MHz_Middle_16QAM_100@0	10.35	6.15	0.004	2	Pass
20MHz_Middle_16QAM_50@0	10.38	6.18	0.004	2	Pass
20MHz_Middle_16QAM_50@24	10.41	6.21	0.004	2	Pass
20MHz_Middle_16QAM_50@50	10.42	6.22	0.004	2	Pass
20MHz_High_QPSK_1@0	11.90	7.70	0.006	2	Pass
20MHz_High_QPSK_1@49	11.89	7.69	0.006	2	Pass
20MHz_High_QPSK_1@99	11.90	7.70	0.006	2	Pass
20MHz_High_QPSK_100@0	11.03	6.83	0.005	2	Pass
20MHz_High_QPSK_50@0	11.07	6.87	0.005	2	Pass
20MHz_High_QPSK_50@24	11.01	6.81	0.005	2	Pass
20MHz_High_QPSK_50@50	10.99	6.79	0.005	2	Pass
20MHz_High_16QAM_1@0	11.33	7.13	0.005	2	Pass
20MHz_High_16QAM_1@49	11.33	7.13	0.005	2	Pass
20MHz_High_16QAM_1@99	11.35	7.15	0.005	2	Pass
20MHz_High_16QAM_100@0	10.02	5.82	0.004	2	Pass
20MHz_High_16QAM_50@0	10.08	5.88	0.004	2	Pass
20MHz_High_16QAM_50@24	10.03	5.83	0.004	2	Pass
20MHz_High_16QAM_50@50	10.05	5.85	0.004	2	Pass

Note:

EIRP = Average Conducted Power(dBm) - L_C(dB) + G_T(dBi)

7:

1.Ant Gain = -3.2dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 1dB

B42_1 , Normal

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
1_5MHz_Low_QPSK_1@0	15.18	15.18	0.033	1	Pass
1_5MHz_Low_QPSK_1@12	15.22	15.22	0.033	1	Pass
1_5MHz_Low_QPSK_1@24	15.25	15.25	0.033	1	Pass
1_5MHz_Low_QPSK_12@0	14.06	14.06	0.025	1	Pass
1_5MHz_Low_QPSK_12@13	14.10	14.10	0.026	1	Pass
1_5MHz_Low_QPSK_12@7	14.08	14.08	0.026	1	Pass
1_5MHz_Low_QPSK_25@0	14.12	14.12	0.026	1	Pass
1_5MHz_Low_16QAM_1@0	14.54	14.54	0.028	1	Pass
1_5MHz_Low_16QAM_1@12	14.60	14.60	0.029	1	Pass
1_5MHz_Low_16QAM_1@24	14.62	14.62	0.029	1	Pass
1_5MHz_Low_16QAM_12@0	13.17	13.17	0.021	1	Pass
1_5MHz_Low_16QAM_12@13	13.20	13.20	0.021	1	Pass
1_5MHz_Low_16QAM_12@7	13.14	13.14	0.021	1	Pass
1_5MHz_Low_16QAM_25@0	13.06	13.06	0.020	1	Pass
1_5MHz_Middle_QPSK_1@0	15.49	15.49	0.035	1	Pass
1_5MHz_Middle_QPSK_1@12	15.48	15.48	0.035	1	Pass
1_5MHz_Middle_QPSK_1@24	15.54	15.54	0.036	1	Pass
1_5MHz_Middle_QPSK_12@0	14.41	14.41	0.028	1	Pass
1_5MHz_Middle_QPSK_12@13	14.44	14.44	0.028	1	Pass
1_5MHz_Middle_QPSK_12@7	14.40	14.40	0.028	1	Pass
1_5MHz_Middle_QPSK_25@0	14.44	14.44	0.028	1	Pass
1_5MHz_Middle_16QAM_1@0	14.67	14.67	0.029	1	Pass
1_5MHz_Middle_16QAM_1@12	14.72	14.72	0.030	1	Pass
1_5MHz_Middle_16QAM_1@24	14.70	14.70	0.030	1	Pass
1_5MHz_Middle_16QAM_12@0	13.43	13.43	0.022	1	Pass
1_5MHz_Middle_16QAM_12@13	13.45	13.45	0.022	1	Pass
1_5MHz_Middle_16QAM_12@7	13.44	13.44	0.022	1	Pass
1_5MHz_Middle_16QAM_25@0	13.44	13.44	0.022	1	Pass
1_5MHz_High_QPSK_1@0	15.42	15.42	0.035	1	Pass
1_5MHz_High_QPSK_1@12	15.42	15.42	0.035	1	Pass
1_5MHz_High_QPSK_1@24	15.46	15.46	0.035	1	Pass
1_5MHz_High_QPSK_12@0	14.26	14.26	0.027	1	Pass
1_5MHz_High_QPSK_12@13	14.28	14.28	0.027	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
1_5MHz_High_QPSK_12@7	14.25	14.25	0.027	1	Pass
1_5MHz_High_QPSK_25@0	14.27	14.27	0.027	1	Pass
1_5MHz_High_16QAM_1@0	14.53	14.53	0.028	1	Pass
1_5MHz_High_16QAM_1@12	14.54	14.54	0.028	1	Pass
1_5MHz_High_16QAM_1@24	14.56	14.56	0.029	1	Pass
1_5MHz_High_16QAM_12@0	13.22	13.22	0.021	1	Pass
1_5MHz_High_16QAM_12@13	13.27	13.27	0.021	1	Pass
1_5MHz_High_16QAM_12@7	13.24	13.24	0.021	1	Pass
1_5MHz_High_16QAM_25@0	13.29	13.29	0.021	1	Pass
1_10MHz_Low_QPSK_1@0	14.99	14.99	0.032	1	Pass
1_10MHz_Low_QPSK_1@25	15.02	15.02	0.032	1	Pass
1_10MHz_Low_QPSK_1@49	15.06	15.06	0.032	1	Pass
1_10MHz_Low_QPSK_25@0	13.90	13.90	0.025	1	Pass
1_10MHz_Low_QPSK_25@12	13.90	13.90	0.025	1	Pass
1_10MHz_Low_QPSK_25@25	13.92	13.92	0.025	1	Pass
1_10MHz_Low_QPSK_50@0	13.90	13.90	0.025	1	Pass
1_10MHz_Low_16QAM_1@0	14.29	14.29	0.027	1	Pass
1_10MHz_Low_16QAM_1@25	14.31	14.31	0.027	1	Pass
1_10MHz_Low_16QAM_1@49	14.36	14.36	0.027	1	Pass
1_10MHz_Low_16QAM_25@12	12.90	12.90	0.019	1	Pass
1_10MHz_Low_16QAM_25@25	12.89	12.89	0.019	1	Pass
1_10MHz_Low_16QAM_50@0	12.93	12.93	0.020	1	Pass
1_10MHz_Middle_QPSK_1@0	15.44	15.44	0.035	1	Pass
1_10MHz_Middle_QPSK_1@25	15.54	15.54	0.036	1	Pass
1_10MHz_Middle_QPSK_1@49	15.47	15.47	0.035	1	Pass
1_10MHz_Middle_QPSK_25@0	14.38	14.38	0.027	1	Pass
1_10MHz_Middle_QPSK_25@12	14.41	14.41	0.028	1	Pass
1_10MHz_Middle_QPSK_25@25	14.41	14.41	0.028	1	Pass
1_10MHz_Middle_QPSK_50@0	14.37	14.37	0.027	1	Pass
1_10MHz_Middle_16QAM_1@0	14.65	14.65	0.029	1	Pass
1_10MHz_Middle_16QAM_1@25	14.71	14.71	0.030	1	Pass
1_10MHz_Middle_16QAM_1@49	14.70	14.70	0.030	1	Pass
1_10MHz_Middle_16QAM_25@12	13.42	13.42	0.022	1	Pass
1_10MHz_Middle_16QAM_25@25	13.42	13.42	0.022	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
1_10MHz_Middle_16QAM_50@0	13.42	13.42	0.022	1	Pass
1_10MHz_High_QPSK_1@0	15.48	15.48	0.035	1	Pass
1_10MHz_High_QPSK_1@25	15.48	15.48	0.035	1	Pass
1_10MHz_High_QPSK_1@49	15.53	15.53	0.036	1	Pass
1_10MHz_High_QPSK_25@0	14.55	14.55	0.029	1	Pass
1_10MHz_High_QPSK_25@12	14.57	14.57	0.029	1	Pass
1_10MHz_High_QPSK_25@25	14.58	14.58	0.029	1	Pass
1_10MHz_High_QPSK_50@0	14.56	14.56	0.029	1	Pass
1_10MHz_High_16QAM_1@0	14.75	14.75	0.030	1	Pass
1_10MHz_High_16QAM_1@25	14.69	14.69	0.029	1	Pass
1_10MHz_High_16QAM_1@49	14.78	14.78	0.030	1	Pass
1_10MHz_High_16QAM_25@12	13.51	13.51	0.022	1	Pass
1_10MHz_High_16QAM_25@25	13.53	13.53	0.023	1	Pass
1_10MHz_High_16QAM_50@0	13.54	13.54	0.023	1	Pass
1_15MHz_Low_QPSK_1@0	14.51	14.51	0.028	1	Pass
1_15MHz_Low_QPSK_1@37	14.66	14.66	0.029	1	Pass
1_15MHz_Low_QPSK_1@74	14.63	14.63	0.029	1	Pass
1_15MHz_Low_QPSK_36@0	13.46	13.46	0.022	1	Pass
1_15MHz_Low_QPSK_36@20	13.48	13.48	0.022	1	Pass
1_15MHz_Low_QPSK_36@39	13.52	13.52	0.022	1	Pass
1_15MHz_Low_QPSK_75@0	13.50	13.50	0.022	1	Pass
1_15MHz_Low_16QAM_1@0	13.88	13.88	0.024	1	Pass
1_15MHz_Low_16QAM_1@37	14.02	14.02	0.025	1	Pass
1_15MHz_Low_16QAM_1@74	13.99	13.99	0.025	1	Pass
1_15MHz_Low_16QAM_36@0	12.41	12.41	0.017	1	Pass
1_15MHz_Low_16QAM_36@20	12.42	12.42	0.017	1	Pass
1_15MHz_Low_16QAM_36@39	12.45	12.45	0.018	1	Pass
1_15MHz_Low_16QAM_75@0	12.52	12.52	0.018	1	Pass
1_15MHz_Middle_QPSK_1@0	15.27	15.27	0.034	1	Pass
1_15MHz_Middle_QPSK_1@37	15.36	15.36	0.034	1	Pass
1_15MHz_Middle_QPSK_1@74	15.43	15.43	0.035	1	Pass
1_15MHz_Middle_QPSK_36@0	14.19	14.19	0.026	1	Pass
1_15MHz_Middle_QPSK_36@20	14.25	14.25	0.027	1	Pass
1_15MHz_Middle_QPSK_36@39	14.26	14.26	0.027	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
1_15MHz_Middle_QPSK_75@0	14.22	14.22	0.026	1	Pass
1_15MHz_Middle_16QAM_1@0	14.60	14.60	0.029	1	Pass
1_15MHz_Middle_16QAM_1@37	14.74	14.74	0.030	1	Pass
1_15MHz_Middle_16QAM_1@74	14.73	14.73	0.030	1	Pass
1_15MHz_Middle_16QAM_36@0	13.27	13.27	0.021	1	Pass
1_15MHz_Middle_16QAM_36@20	13.31	13.31	0.021	1	Pass
1_15MHz_Middle_16QAM_36@39	13.32	13.32	0.021	1	Pass
1_15MHz_Middle_16QAM_75@0	13.24	13.24	0.021	1	Pass
1_15MHz_High_QPSK_1@0	15.40	15.40	0.035	1	Pass
1_15MHz_High_QPSK_1@37	15.42	15.42	0.035	1	Pass
1_15MHz_High_QPSK_1@74	15.47	15.47	0.035	1	Pass
1_15MHz_High_QPSK_36@0	14.49	14.49	0.028	1	Pass
1_15MHz_High_QPSK_36@20	14.46	14.46	0.028	1	Pass
1_15MHz_High_QPSK_36@39	14.49	14.49	0.028	1	Pass
1_15MHz_High_QPSK_75@0	14.57	14.57	0.029	1	Pass
1_15MHz_High_16QAM_1@0	14.68	14.68	0.029	1	Pass
1_15MHz_High_16QAM_1@37	14.71	14.71	0.030	1	Pass
1_15MHz_High_16QAM_1@74	14.72	14.72	0.030	1	Pass
1_15MHz_High_16QAM_36@0	13.54	13.54	0.023	1	Pass
1_15MHz_High_16QAM_36@20	13.53	13.53	0.023	1	Pass
1_15MHz_High_16QAM_36@39	13.55	13.55	0.023	1	Pass
1_15MHz_High_16QAM_75@0	13.55	13.55	0.023	1	Pass
1_20MHz_Low_QPSK_1@0	14.80	14.80	0.030	1	Pass
1_20MHz_Low_QPSK_1@49	14.87	14.87	0.031	1	Pass
1_20MHz_Low_QPSK_1@99	14.90	14.90	0.031	1	Pass
1_20MHz_Low_QPSK_100@0	13.88	13.88	0.024	1	Pass
1_20MHz_Low_QPSK_50@0	13.84	13.84	0.024	1	Pass
1_20MHz_Low_QPSK_50@24	13.86	13.86	0.024	1	Pass
1_20MHz_Low_QPSK_50@50	13.89	13.89	0.024	1	Pass
1_20MHz_Low_16QAM_1@0	14.04	14.04	0.025	1	Pass
1_20MHz_Low_16QAM_1@49	14.12	14.12	0.026	1	Pass
1_20MHz_Low_16QAM_1@99	14.15	14.15	0.026	1	Pass
1_20MHz_Low_16QAM_100@0	12.84	12.84	0.019	1	Pass
1_20MHz_Low_16QAM_50@0	12.85	12.85	0.019	1	Pass

Mode	Average Conducted Power(dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
1_20MHz_Low_16QAM_50@24	12.86	12.86	0.019	1	Pass
1_20MHz_Low_16QAM_50@50	12.85	12.85	0.019	1	Pass
1_20MHz_Middle_QPSK_1@0	15.41	15.41	0.035	1	Pass
1_20MHz_Middle_QPSK_1@49	15.48	15.48	0.035	1	Pass
1_20MHz_Middle_QPSK_1@99	15.51	15.51	0.036	1	Pass
1_20MHz_Middle_QPSK_100@0	14.33	14.33	0.027	1	Pass
1_20MHz_Middle_QPSK_50@0	14.30	14.30	0.027	1	Pass
1_20MHz_Middle_QPSK_50@24	14.33	14.33	0.027	1	Pass
1_20MHz_Middle_QPSK_50@50	14.37	14.37	0.027	1	Pass
1_20MHz_Middle_16QAM_1@0	14.46	14.46	0.028	1	Pass
1_20MHz_Middle_16QAM_1@49	14.55	14.55	0.029	1	Pass
1_20MHz_Middle_16QAM_1@99	14.60	14.60	0.029	1	Pass
1_20MHz_Middle_16QAM_100@0	13.33	13.33	0.022	1	Pass
1_20MHz_Middle_16QAM_50@0	13.28	13.28	0.021	1	Pass
1_20MHz_Middle_16QAM_50@24	13.30	13.30	0.021	1	Pass
1_20MHz_Middle_16QAM_50@50	13.33	13.33	0.022	1	Pass
1_20MHz_High_QPSK_1@0	15.67	15.67	0.037	1	Pass
1_20MHz_High_QPSK_1@49	15.63	15.63	0.037	1	Pass
1_20MHz_High_QPSK_1@99	15.72	15.72	0.037	1	Pass
1_20MHz_High_QPSK_100@0	14.50	14.50	0.028	1	Pass
1_20MHz_High_QPSK_50@0	14.52	14.52	0.028	1	Pass
1_20MHz_High_QPSK_50@24	14.50	14.50	0.028	1	Pass
1_20MHz_High_QPSK_50@50	14.50	14.50	0.028	1	Pass
1_20MHz_High_16QAM_1@0	14.80	14.80	0.030	1	Pass
1_20MHz_High_16QAM_1@49	14.79	14.79	0.030	1	Pass
1_20MHz_High_16QAM_1@99	14.83	14.83	0.030	1	Pass
1_20MHz_High_16QAM_100@0	13.45	13.45	0.022	1	Pass
1_20MHz_High_16QAM_50@0	13.48	13.48	0.022	1	Pass
1_20MHz_High_16QAM_50@24	13.46	13.46	0.022	1	Pass
1_20MHz_High_16QAM_50@50	13.46	13.46	0.022	1	Pass

Note:

EIRP = Average Conducted Power(dBm) - L_C(dB) + G_T(dBi)

B42_1:

1.Ant Gain = 0dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

Peak-to-average Ratio(PAR)

FCC Part 22H

B5 , Normal

Mode	Result (dB)	Limit (dB)
10MHz_Low_QPSK_1@0	4.17	13
10MHz_Low_QPSK_50@0	5.45	13
10MHz_Low_16QAM_1@0	5.10	13
10MHz_Low_16QAM_50@0	6.31	13
10MHz_Middle_QPSK_1@0	5	13
10MHz_Middle_QPSK_50@0	5.48	13
10MHz_Middle_16QAM_1@0	5.71	13
10MHz_Middle_16QAM_50@0	6.28	13
10MHz_High_QPSK_1@0	4.04	13
10MHz_High_QPSK_50@0	5.38	13
10MHz_High_16QAM_1@0	4.90	13
10MHz_High_16QAM_50@0	6.19	13

Note:worst case.

FCC Part 24E

B2 , Normal

Mode	Result (dB)	Limit (dB)
10MHz_Low_QPSK_1@0	6.15	13
10MHz_Low_QPSK_50@0	5.71	13
10MHz_Low_16QAM_1@0	7.05	13
10MHz_Low_16QAM_50@0	6.44	13
10MHz_Middle_QPSK_1@0	5.99	13
10MHz_Middle_QPSK_50@0	5.58	13
10MHz_Middle_16QAM_1@0	7.12	13
10MHz_Middle_16QAM_50@0	6.44	13
10MHz_High_QPSK_1@0	6.44	13
10MHz_High_QPSK_50@0	5.74	13
10MHz_High_16QAM_1@0	6.60	13
10MHz_High_16QAM_50@0	6.51	13

Note:worst case.

FCC Part 27

B4 , Normal

Mode	Result (dB)	Limit (dB)
10MHz_Low_QPSK_1@0	6.19	13
10MHz_Low_QPSK_50@0	5.74	13
10MHz_Low_16QAM_1@0	7.02	13
10MHz_Low_16QAM_50@0	6.51	13
10MHz_Middle_QPSK_1@0	6.28	13
10MHz_Middle_QPSK_50@0	5.71	13
10MHz_Middle_16QAM_1@0	7.31	13
10MHz_Middle_16QAM_50@0	6.54	13
10MHz_High_QPSK_1@0	6.57	13
10MHz_High_QPSK_50@0	5.77	13
10MHz_High_16QAM_1@0	7.12	13
10MHz_High_16QAM_50@0	6.54	13

B12 , Normal

Mode	Result (dB)	Limit (dB)
10MHz_Low_QPSK_1@0	4.04	13
10MHz_Low_QPSK_50@0	5.29	13
10MHz_Low_16QAM_1@0	5	13
10MHz_Low_16QAM_50@0	6.15	13
10MHz_Middle_QPSK_1@0	3.49	13
10MHz_Middle_QPSK_50@0	5.29	13
10MHz_Middle_16QAM_1@0	4.26	13
10MHz_Middle_16QAM_50@0	6.15	13
10MHz_High_QPSK_1@0	4.23	13
10MHz_High_QPSK_50@0	5.35	13
10MHz_High_16QAM_1@0	5	13
10MHz_High_16QAM_50@0	6.22	13

B17 , Normal

Mode	Result (dB)	Limit (dB)
10MHz_Low_QPSK_1@0	4.07	13
10MHz_Low_QPSK_50@0	5.32	13
10MHz_Low_16QAM_1@0	4.62	13
10MHz_Low_16QAM_50@0	6.22	13
10MHz_Middle_QPSK_1@0	4.26	13
10MHz_Middle_QPSK_50@0	5.38	13
10MHz_Middle_16QAM_1@0	4.71	13
10MHz_Middle_16QAM_50@0	6.25	13
10MHz_High_QPSK_1@0	4.26	13
10MHz_High_QPSK_50@0	5.35	13
10MHz_High_16QAM_1@0	4.94	13
10MHz_High_16QAM_50@0	6.25	13

B38 , Normal

Mode	Result (dB)	Limit (dB)
10MHz_Low_QPSK_1@0	10.13	13
10MHz_Low_QPSK_50@0	8.97	13
10MHz_Low_16QAM_1@0	10.67	13
10MHz_Low_16QAM_50@0	9.78	13
10MHz_Middle_QPSK_1@0	10.03	13
10MHz_Middle_QPSK_50@0	9.04	13
10MHz_Middle_16QAM_1@0	10.77	13
10MHz_Middle_16QAM_50@0	9.71	13
10MHz_High_QPSK_1@0	8.81	13
10MHz_High_QPSK_50@0	9.01	13
10MHz_High_16QAM_1@0	10.83	13
10MHz_High_16QAM_50@0	9.78	13

B41 , Normal

Mode	Result (dB)	Limit (dB)
10MHz_Low_QPSK_1@0	9.78	13
10MHz_Low_QPSK_50@0	9.04	13
10MHz_Low_16QAM_1@0	9.94	13
10MHz_Low_16QAM_50@0	9.84	13
10MHz_Middle_QPSK_1@0	9.39	13
10MHz_Middle_QPSK_50@0	9.01	13
10MHz_Middle_16QAM_1@0	9.74	13
10MHz_Middle_16QAM_50@0	9.78	13
10MHz_High_QPSK_1@0	9.49	13
10MHz_High_QPSK_50@0	8.94	13
10MHz_High_16QAM_1@0	10.54	13
10MHz_High_16QAM_50@0	9.81	13

B66 , Normal

Mode	Result (dB)	Limit (dB)
10MHz_Low_QPSK_1@0	6.12	13
10MHz_Low_QPSK_50@0	5.74	13
10MHz_Low_16QAM_1@0	7.02	13
10MHz_Low_16QAM_50@0	6.51	13
10MHz_Middle_QPSK_1@0	6.22	13
10MHz_Middle_QPSK_50@0	5.71	13
10MHz_Middle_16QAM_1@0	7.37	13
10MHz_Middle_16QAM_50@0	6.57	13
10MHz_High_QPSK_1@0	6.41	13
10MHz_High_QPSK_50@0	5.77	13
10MHz_High_16QAM_1@0	6.73	13
10MHz_High_16QAM_50@0	6.54	13

B7 , Normal

Mode	Result (dB)	Limit (dB)
10MHz_Low_QPSK_1@0	6.09	13
10MHz_Low_QPSK_50@0	5.71	13
10MHz_Low_16QAM_1@0	6.76	13
10MHz_Low_16QAM_50@0	6.41	13
10MHz_Middle_QPSK_1@0	5.99	13
10MHz_Middle_QPSK_50@0	5.61	13
10MHz_Middle_16QAM_1@0	6.96	13
10MHz_Middle_16QAM_50@0	6.51	13
10MHz_High_QPSK_1@0	6.41	13
10MHz_High_QPSK_50@0	5.71	13
10MHz_High_16QAM_1@0	6.47	13
10MHz_High_16QAM_50@0	6.51	13

B42_1 , Normal

Mode	Result (dB)	Limit (dB)
1_10MHz_Low_QPSK_1@0	10.71	13
1_10MHz_Low_QPSK_50@0	9.13	13
1_10MHz_Low_16QAM_1@0	10.29	13
1_10MHz_Low_16QAM_50@0	9.87	13
1_10MHz_Middle_QPSK_1@0	9.94	13
1_10MHz_Middle_QPSK_50@0	9.07	13
1_10MHz_Middle_16QAM_1@0	10.80	13
1_10MHz_Middle_16QAM_50@0	9.74	13
1_10MHz_High_QPSK_1@0	9.65	13
1_10MHz_High_QPSK_50@0	9.04	13
1_10MHz_High_16QAM_1@0	10.87	13
1_10MHz_High_16QAM_50@0	9.87	13

Note:worst case.

Out of band emission,Band Edge

FCC Part 22H

B5 , Normal

1.4MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
812.600 M	823.000 M	100.00 k	823.000000 M	-43.73	-30.73
823.000 M	824.000 M	50.00 k	823.992500 M	-23.43	-10.43
824.000 M	825.400 M	100.00 k	824.247800 M	20.85	-29.15

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:38:41

1.4MHz_Low_QPSK_6@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
812.600 M	823.000 M	100.00 k	822.979200 M	-37.18	-24.18
823.000 M	824.000 M	50.00 k	823.999500 M	-29.87	-16.87
824.000 M	825.400 M	100.00 k	824.473200 M	11.85	-38.15

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:39:31

1.4MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
812.600 M	823.000 M	100.00 k	822.979200 M	-43.85	-30.85
823.000 M	824.000 M	50.00 k	823.996000 M	-25.91	-12.91
824.000 M	825.400 M	100.00 k	824.256200 M	19.75	-30.25

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:40:20

1.4MHz_Low_16QAM_6@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
812.600 M	823.000 M	100.00 k	822.989600 M	-38.18	-25.18
823.000 M	824.000 M	50.00 k	823.997000 M	-31.96	-18.96
824.000 M	825.400 M	100.00 k	824.784000 M	10.94	-39.06

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:41:08

1.4MHz_High_QPSK_1@5



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
847.600 M	849.000 M	100.00 k	848.752900 M	20.91	-29.09
849.000 M	850.000 M	50.00 k	849.009500 M	-25.18	-12.18
850.000 M	860.400 M	100.00 k	850.062400 M	-43.90	-30.90

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:42:11

1.4MHz_High_QPSK_6@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
847.600 M	849.000 M	100.00 k	848.690600 M	11.88	-38.12
849.000 M	850.000 M	50.00 k	849.010500 M	-34.06	-21.06
850.000 M	860.400 M	100.00 k	850.052000 M	-38.94	-25.94

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:43:00

1.4MHz_High_16QAM_1@5



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
847.600 M	849.000 M	100.00 k	848.769000 M	20.08	-29.92
849.000 M	850.000 M	50.00 k	849.000500 M	-27.33	-14.33
850.000 M	860.400 M	100.00 k	850.020800 M	-43.92	-30.92

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:43:49

1.4MHz_High_16QAM_6@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
847.600 M	849.000 M	100.00 k	848.059900 M	11.14	-38.86
849.000 M	850.000 M	50.00 k	849.000500 M	-32.84	-19.84
850.000 M	860.400 M	100.00 k	850.046800 M	-38.41	-25.41

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:44:38

3MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
811.000 M	823.000 M	100.00 k	822.964000 M	-38.56	-25.56
823.000 M	824.000 M	100.00 k	823.999500 M	-14.21	-1.21
824.000 M	827.000 M	100.00 k	824.238500 M	21.21	-28.79

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:46:30

3MHz_Low_QPSK_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
811.000 M	823.000 M	100.00 k	822.964000 M	-35.08	-22.08
823.000 M	824.000 M	100.00 k	823.996500 M	-26.82	-13.82
824.000 M	827.000 M	100.00 k	824.603000 M	7.82	-42.18

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:47:22

3MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
811.000 M	823.000 M	100.00 k	822.976000 M	-39.29	-26.29
823.000 M	824.000 M	100.00 k	823.998500 M	-15.90	-2.90
824.000 M	827.000 M	100.00 k	824.243000 M	19.69	-30.31

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:48:14

3MHz_Low_16QAM_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
811.000 M	823.000 M	100.00 k	822.958000 M	-37.00	-24.00
823.000 M	824.000 M	100.00 k	823.999500 M	-28.02	-15.02
824.000 M	827.000 M	100.00 k	826.397000 M	6.95	-43.05

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:49:06

3MHz_High_QPSK_1@14



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
846.000 M	849.000 M	100.00 k	848.746500 M	21.06	-28.94
849.000 M	850.000 M	100.00 k	849.003500 M	-14.30	-1.30
850.000 M	862.000 M	100.00 k	850.006000 M	-39.17	-26.17

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:50:14

3MHz_High_QPSK_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
846.000 M	849.000 M	100.00 k	846.501000 M	8.51	-41.49
849.000 M	850.000 M	100.00 k	849.001500 M	-27.16	-14.16
850.000 M	862.000 M	100.00 k	850.198000 M	-37.30	-24.30

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:51:08

3MHz_High_16QAM_1@14



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
846.000 M	849.000 M	100.00 k	848.758500 M	19.92	-30.08
849.000 M	850.000 M	100.00 k	849.000500 M	-16.80	-3.80
850.000 M	862.000 M	100.00 k	850.024000 M	-39.30	-26.30

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:52:01

3MHz_High_16QAM_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
846.000 M	849.000 M	100.00 k	847.617000 M	7.28	-42.72
849.000 M	850.000 M	100.00 k	849.001500 M	-28.32	-15.32
850.000 M	862.000 M	100.00 k	850.054000 M	-38.03	-25.03

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:52:55

5MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
809.000 M	823.000 M	100.00 k	822.174000 M	-38.91	-25.91
823.000 M	824.000 M	100.00 k	823.995000 M	-26.65	-13.65
824.000 M	829.000 M	100.00 k	824.317500 M	20.88	-29.12

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:54:49

5MHz_Low_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
809.000 M	823.000 M	100.00 k	822.979000 M	-35.11	-22.11
823.000 M	824.000 M	100.00 k	823.981000 M	-31.37	-18.37
824.000 M	829.000 M	100.00 k	825.342500 M	5.45	-44.55

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:55:46

5MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
809.000 M	823.000 M	100.00 k	822.209000 M	-40.15	-27.15
823.000 M	824.000 M	100.00 k	823.997000 M	-27.79	-14.79
824.000 M	829.000 M	100.00 k	824.345000 M	19.84	-30.16

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:56:43

5MHz_Low_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
809.000 M	823.000 M	100.00 k	822.979000 M	-36.44	-23.44
823.000 M	824.000 M	100.00 k	823.995500 M	-32.74	-19.74
824.000 M	829.000 M	100.00 k	826.540000 M	4.70	-45.30

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:57:38

5MHz_High_QPSK_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
844.000 M	849.000 M	100.00 k	848.660000 M	20.75	-29.25
849.000 M	850.000 M	100.00 k	849.008000 M	-27.20	-14.20
850.000 M	864.000 M	100.00 k	850.826000 M	-39.39	-26.39

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:58:50

5MHz_High_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
844.000 M	849.000 M	100.00 k	845.462500 M	5.96	-44.04
849.000 M	850.000 M	100.00 k	849.008000 M	-34.76	-21.76
850.000 M	864.000 M	100.00 k	850.021000 M	-38.18	-25.18

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:59:47

5MHz_High_16QAM_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
844.000 M	849.000 M	100.00 k	848.660000 M	19.64	-30.36
849.000 M	850.000 M	100.00 k	849.003500 M	-27.22	-14.22
850.000 M	864.000 M	100.00 k	850.798000 M	-39.91	-26.91

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:00:43

5MHz_High_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
844.000 M	849.000 M	100.00 k	844.552500 M	4.82	-45.18
849.000 M	850.000 M	100.00 k	849.006500 M	-34.75	-21.75
850.000 M	864.000 M	100.00 k	850.056000 M	-38.96	-25.96

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:01:40

10MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
804.000 M	823.000 M	100.00 k	820.226000 M	-39.82	-26.82
823.000 M	824.000 M	200.00 k	823.999500 M	-16.29	-3.29
824.000 M	834.000 M	100.00 k	824.580000 M	20.67	-29.33

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:03:46

10MHz_Low_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
804.000 M	823.000 M	100.00 k	822.943000 M	-41.05	-28.05
823.000 M	824.000 M	200.00 k	823.994500 M	-32.12	-19.12
824.000 M	834.000 M	100.00 k	830.540000 M	3.00	-47.00

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:04:54

10MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
804.000 M	823.000 M	100.00 k	820.207000 M	-40.50	-27.50
823.000 M	824.000 M	200.00 k	823.999000 M	-16.82	-3.82
824.000 M	834.000 M	100.00 k	824.620000 M	19.15	-30.85

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:06:02

10MHz_Low_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
804.000 M	823.000 M	100.00 k	822.943000 M	-41.34	-28.34
823.000 M	824.000 M	200.00 k	823.995500 M	-32.85	-19.85
824.000 M	834.000 M	100.00 k	827.075000 M	1.76	-48.24

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:07:11

10MHz_High_QPSK_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
839.000 M	849.000 M	100.00 k	848.415000 M	20.13	-29.87
849.000 M	850.000 M	200.00 k	849.000500 M	-14.05	-1.05
850.000 M	869.000 M	100.00 k	852.802500 M	-40.62	-27.62

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:08:35

10MHz_High_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
839.000 M	849.000 M	100.00 k	842.420000 M	3.20	-46.80
849.000 M	850.000 M	200.00 k	849.002500 M	-29.88	-16.88
850.000 M	869.000 M	100.00 k	850.000000 M	-37.44	-24.44

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:09:44

10MHz_High_16QAM_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
839.000 M	849.000 M	100.00 k	848.425000 M	19.45	-30.55
849.000 M	850.000 M	200.00 k	849.000500 M	-15.01	-2.01
850.000 M	869.000 M	100.00 k	852.859500 M	-40.38	-27.38

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:10:53

10MHz_High_16QAM_25@25



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
839.000 M	849.000 M	100.00 k	844.630000 M	4.77	-45.23
849.000 M	850.000 M	200.00 k	849.005500 M	-28.55	-15.55
850.000 M	869.000 M	100.00 k	850.019000 M	-37.44	-24.44

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:12:03

10MHz_High_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
839.000 M	849.000 M	100.00 k	844.040000 M	1.66	-48.34
849.000 M	850.000 M	200.00 k	849.006000 M	-31.30	-18.30
850.000 M	869.000 M	100.00 k	850.076000 M	-38.62	-25.62

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:13:20

FCC Part 24E

B2 , Normal

1.4MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.839 G	1.849 G	1.00 M	1.848730 G	-35.85	-22.85
1.849 G	1.850 G	50.00 k	1.849995 G	-33.36	-20.36
1.850 G	1.851 G	100.00 k	1.850228 G	11.88	-38.12

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:03:39

1.4MHz_Low_QPSK_6@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.839 G	1.849 G	1.00 M	1.848948 G	-33.09	-20.09
1.849 G	1.850 G	50.00 k	1.849986 G	-39.49	-26.49
1.850 G	1.851 G	100.00 k	1.851028 G	3.01	-46.99

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:04:09

1.4MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.839 G	1.849 G	1.00 M	1.848974 G	-35.79	-22.79
1.849 G	1.850 G	50.00 k	1.849987 G	-35.52	-22.52
1.850 G	1.851 G	100.00 k	1.850236 G	11.16	-38.84

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:04:39

1.4MHz_Low_16QAM_6@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.839 G	1.849 G	1.00 M	1.848969 G	-34.11	-21.11
1.849 G	1.850 G	50.00 k	1.849999 G	-39.31	-26.31
1.850 G	1.851 G	100.00 k	1.851113 G	1.81	-48.19

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:05:08

1.4MHz_High_QPSK_1@5



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.909 G	1.910 G	100.00 k	1.909738 G	12.48	-37.52
1.910 G	1.911 G	50.00 k	1.910008 G	-32.69	-19.69
1.911 G	1.921 G	1.00 M	1.911036 G	-35.78	-22.78

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:36:24

1.4MHz_High_QPSK_6@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.909 G	1.910 G	100.00 k	1.909234 G	3.37	-46.63
1.910 G	1.911 G	50.00 k	1.910005 G	-39.58	-26.58
1.911 G	1.921 G	1.00 M	1.911010 G	-32.86	-19.86

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:36:55

1.4MHz_High_16QAM_1@5



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.909 G	1.910 G	100.00 k	1.909728 G	11.53	-38.47
1.910 G	1.911 G	50.00 k	1.910009 G	-34.71	-21.71
1.911 G	1.921 G	1.00 M	1.911016 G	-35.86	-22.86

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:37:26

1.4MHz_High_16QAM_6@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.909 G	1.910 G	100.00 k	1.909266 G	2.27	-47.73
1.910 G	1.911 G	50.00 k	1.910012 G	-39.30	-26.30
1.911 G	1.921 G	1.00 M	1.911005 G	-33.62	-20.62

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:37:56

3MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.837 G	1.849 G	1.00 M	1.848898 G	-35.64	-22.64
1.849 G	1.850 G	100.00 k	1.849998 G	-23.95	-10.95
1.850 G	1.853 G	100.00 k	1.850232 G	12.15	-37.85

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:39:09

3MHz_Low_QPSK_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.837 G	1.849 G	1.00 M	1.849000 G	-33.61	-20.61
1.849 G	1.850 G	100.00 k	1.849995 G	-35.52	-22.52
1.850 G	1.853 G	100.00 k	1.852691 G	-1.02	-51.02

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:39:38

3MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.837 G	1.849 G	1.00 M	1.848970 G	-35.82	-22.82
1.849 G	1.850 G	100.00 k	1.850000 G	-24.86	-11.86
1.850 G	1.853 G	100.00 k	1.850240 G	11.01	-38.99

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:40:07

3MHz_Low_16QAM_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.837 G	1.849 G	1.00 M	1.848988 G	-33.14	-20.14
1.849 G	1.850 G	100.00 k	1.849998 G	-36.31	-23.31
1.850 G	1.853 G	100.00 k	1.851528 G	-2.26	-52.26

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:40:36

3MHz_High_QPSK_1@14



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.907 G	1.910 G	100.00 k	1.909748 G	12.32	-37.68
1.910 G	1.911 G	100.00 k	1.910003 G	-22.95	-9.95
1.911 G	1.923 G	1.00 M	1.911090 G	-35.41	-22.41

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:41:17

3MHz_High_QPSK_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.907 G	1.910 G	100.00 k	1.908862 G	-0.29	-50.29
1.910 G	1.911 G	100.00 k	1.910003 G	-34.64	-21.64
1.911 G	1.923 G	1.00 M	1.912158 G	-33.23	-20.23

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:41:47

3MHz_High_16QAM_1@14



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.907 G	1.910 G	100.00 k	1.909789 G	11.66	-38.34
1.910 G	1.911 G	100.00 k	1.910001 G	-24.25	-11.25
1.911 G	1.923 G	1.00 M	1.911012 G	-35.69	-22.69

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:42:17

3MHz_High_16QAM_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.907 G	1.910 G	100.00 k	1.907599 G	-1.27	-51.27
1.910 G	1.911 G	100.00 k	1.910001 G	-35.24	-22.24
1.911 G	1.923 G	1.00 M	1.911084 G	-33.39	-20.39

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:42:48

5MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.835 G	1.849 G	1.00 M	1.848923 G	-35.76	-22.76
1.849 G	1.850 G	100.00 k	1.849999 G	-34.39	-21.39
1.850 G	1.855 G	100.00 k	1.850313 G	11.83	-38.17

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:44:08

5MHz_Low_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.835 G	1.849 G	1.00 M	1.848930 G	-34.06	-21.06
1.849 G	1.850 G	100.00 k	1.849989 G	-40.61	-27.61
1.850 G	1.855 G	100.00 k	1.852408 G	-3.00	-53.00

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:44:38

5MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.835 G	1.849 G	1.00 M	1.848986 G	-36.00	-23.00
1.849 G	1.850 G	100.00 k	1.849999 G	-35.93	-22.93
1.850 G	1.855 G	100.00 k	1.850343 G	10.79	-39.21

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:45:07

5MHz_Low_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.835 G	1.849 G	1.00 M	1.848972 G	-33.75	-20.75
1.849 G	1.850 G	100.00 k	1.849992 G	-40.01	-27.01
1.850 G	1.855 G	100.00 k	1.853563 G	-3.82	-53.82

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:45:37

5MHz_High_QPSK_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.905 G	1.910 G	100.00 k	1.909673 G	12.33	-37.67
1.910 G	1.911 G	100.00 k	1.910007 G	-34.78	-21.78
1.911 G	1.925 G	1.00 M	1.911399 G	-35.82	-22.82

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:46:20

5MHz_High_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.905 G	1.910 G	100.00 k	1.906030 G	-2.59	-52.59
1.910 G	1.911 G	100.00 k	1.910008 G	-40.90	-27.90
1.911 G	1.925 G	1.00 M	1.913324 G	-34.69	-21.69

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:46:51

5MHz_High_16QAM_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.905 G	1.910 G	100.00 k	1.909645 G	11.68	-38.32
1.910 G	1.911 G	100.00 k	1.910003 G	-35.05	-22.05
1.911 G	1.925 G	1.00 M	1.911049 G	-35.79	-22.79

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:47:22

5MHz_High_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.905 G	1.910 G	100.00 k	1.906478 G	-3.67	-53.67
1.910 G	1.911 G	100.00 k	1.910005 G	-40.83	-27.83
1.911 G	1.925 G	1.00 M	1.911091 G	-34.21	-21.21

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:47:53

10MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.830 G	1.849 G	1.00 M	1.838845 G	-36.12	-23.12
1.849 G	1.850 G	200.00 k	1.849999 G	-24.64	-11.64
1.850 G	1.860 G	100.00 k	1.850570 G	11.86	-38.14

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:49:16

10MHz_Low_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.830 G	1.849 G	1.00 M	1.848962 G	-34.94	-21.94
1.849 G	1.850 G	200.00 k	1.849995 G	-38.34	-25.34
1.850 G	1.860 G	100.00 k	1.859370 G	-5.87	-55.87

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:49:46

10MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.830 G	1.849 G	1.00 M	1.848744 G	-36.15	-23.15
1.849 G	1.850 G	200.00 k	1.849994 G	-25.89	-12.89
1.850 G	1.860 G	100.00 k	1.850615 G	11.02	-38.98

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:50:16

10MHz_Low_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.830 G	1.849 G	1.00 M	1.848981 G	-34.67	-21.67
1.849 G	1.850 G	200.00 k	1.849984 G	-38.67	-25.67
1.850 G	1.860 G	100.00 k	1.853560 G	-6.81	-56.81

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:50:45

10MHz_High_QPSK_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.900 G	1.910 G	100.00 k	1.909435 G	12.10	-37.90
1.910 G	1.911 G	200.00 k	1.910003 G	-22.28	-9.28
1.911 G	1.930 G	1.00 M	1.911152 G	-35.99	-22.99

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:51:27

10MHz_High_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.900 G	1.910 G	100.00 k	1.900870 G	-5.45	-55.45
1.910 G	1.911 G	200.00 k	1.910001 G	-37.97	-24.97
1.911 G	1.930 G	1.00 M	1.911076 G	-35.25	-22.25

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:51:58

10MHz_High_16QAM_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.900 G	1.910 G	100.00 k	1.909390 G	11.08	-38.92
1.910 G	1.911 G	200.00 k	1.910008 G	-23.16	-10.16
1.911 G	1.930 G	1.00 M	1.915275 G	-35.96	-22.96

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:52:29

10MHz_High_16QAM_25@25



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.900 G	1.910 G	100.00 k	1.905380 G	-3.73	-53.73
1.910 G	1.911 G	200.00 k	1.910005 G	-35.99	-22.99
1.911 G	1.930 G	1.00 M	1.911846 G	-34.28	-21.28

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:53:00

10MHz_High_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.900 G	1.910 G	100.00 k	1.901955 G	-6.16	-56.16
1.910 G	1.911 G	200.00 k	1.910001 G	-38.19	-25.19
1.911 G	1.930 G	1.00 M	1.911380 G	-35.00	-22.00

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:53:31

15MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.825 G	1.849 G	1.00 M	1.847800 G	-36.15	-23.15
1.849 G	1.850 G	200.00 k	1.849992 G	-36.11	-23.11
1.850 G	1.865 G	100.00 k	1.850840 G	12.20	-37.80

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:55:04

15MHz_Low_QPSK_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.825 G	1.849 G	1.00 M	1.848412 G	-35.12	-22.12
1.849 G	1.850 G	200.00 k	1.849977 G	-40.72	-27.72
1.850 G	1.865 G	100.00 k	1.861903 G	-7.51	-57.51

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:55:37

15MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.825 G	1.849 G	1.00 M	1.844032 G	-36.26	-23.26
1.849 G	1.850 G	200.00 k	1.849995 G	-36.73	-23.73
1.850 G	1.865 G	100.00 k	1.850863 G	10.43	-39.57

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:56:09

15MHz_Low_16QAM_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.825 G	1.849 G	1.00 M	1.848592 G	-34.71	-21.71
1.849 G	1.850 G	200.00 k	1.849944 G	-40.58	-27.58
1.850 G	1.865 G	100.00 k	1.860643 G	-8.64	-58.64

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:56:41

15MHz_High_QPSK_1@74



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.895 G	1.910 G	100.00 k	1.909137 G	12.32	-37.68
1.910 G	1.911 G	200.00 k	1.910012 G	-33.95	-20.95
1.911 G	1.935 G	1.00 M	1.915248 G	-35.88	-22.88

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:57:24

15MHz_High_QPSK_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.895 G	1.910 G	100.00 k	1.897415 G	-6.00	-56.00
1.910 G	1.911 G	200.00 k	1.910044 G	-41.09	-28.09
1.911 G	1.935 G	1.00 M	1.912368 G	-35.39	-22.39

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:57:56

15MHz_High_16QAM_1@74



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.895 G	1.910 G	100.00 k	1.909167 G	11.40	-38.60
1.910 G	1.911 G	200.00 k	1.910012 G	-34.45	-21.45
1.911 G	1.935 G	1.00 M	1.911072 G	-35.86	-22.86

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:58:28

15MHz_High_16QAM_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.895 G	1.910 G	100.00 k	1.895855 G	-7.43	-57.43
1.910 G	1.911 G	200.00 k	1.910021 G	-41.07	-28.07
1.911 G	1.935 G	1.00 M	1.911156 G	-35.27	-22.27

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 17:58:59

20MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.820 G	1.849 G	1.00 M	1.848956 G	-36.23	-23.23
1.849 G	1.850 G	300.00 k	1.849998 G	-32.72	-19.72
1.850 G	1.870 G	100.00 k	1.851070 G	12.18	-37.82

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:00:29

20MHz_Low_QPSK_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.820 G	1.849 G	1.00 M	1.848667 G	-35.27	-22.27
1.849 G	1.850 G	300.00 k	1.849968 G	-39.97	-26.97
1.850 G	1.870 G	100.00 k	1.864240 G	-8.45	-58.45

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:01:01

20MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.820 G	1.849 G	1.00 M	1.843345 G	-36.27	-23.27
1.849 G	1.850 G	300.00 k	1.849995 G	-33.91	-20.91
1.850 G	1.870 G	100.00 k	1.851080 G	10.84	-39.16

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:01:33

20MHz_Low_16QAM_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.820 G	1.849 G	1.00 M	1.848681 G	-35.34	-22.34
1.849 G	1.850 G	300.00 k	1.849965 G	-39.80	-26.80
1.850 G	1.870 G	100.00 k	1.863520 G	-9.56	-59.56

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:02:05

20MHz_High_QPSK_1@99



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.890 G	1.910 G	100.00 k	1.908910 G	12.54	-37.46
1.910 G	1.911 G	300.00 k	1.910006 G	-30.45	-17.45
1.911 G	1.940 G	1.00 M	1.911798 G	-35.99	-22.99

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:02:48

20MHz_High_QPSK_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.890 G	1.910 G	100.00 k	1.895860 G	-8.15	-58.15
1.910 G	1.911 G	300.00 k	1.910017 G	-40.02	-27.02
1.911 G	1.940 G	1.00 M	1.911464 G	-35.85	-22.85

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:03:19

20MHz_High_16QAM_1@99



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.890 G	1.910 G	100.00 k	1.908870 G	11.45	-38.55
1.910 G	1.911 G	300.00 k	1.910004 G	-31.42	-18.42
1.911 G	1.940 G	1.00 M	1.917394 G	-36.23	-23.23

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:03:50

20MHz_High_16QAM_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.890 G	1.910 G	100.00 k	1.899960 G	-8.39	-58.39
1.910 G	1.911 G	300.00 k	1.910070 G	-40.04	-27.04
1.911 G	1.940 G	1.00 M	1.911116 G	-35.48	-22.48

ProjectNo.:24032104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:04:22

FCC Part 27

B4 , Normal

1.4MHz_Low_QPSK_1@0



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:06:22

1.4MHz_Low_QPSK_6@0



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:06:53

1.4MHz_Low_16QAM_1@0



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:07:24

1.4MHz_Low_16QAM_6@0



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:07:55

1.4MHz_High_QPSK_1@5



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:08:37

1.4MHz_High_QPSK_6@0



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:09:07

1.4MHz_High_16QAM_1@5



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.754 G	1.755 G	100.00 k	1.754754 G	13.17	-36.83
1.755 G	1.756 G	50.00 k	1.755001 G	-31.92	-18.92
1.756 G	1.766 G	1.00 M	1.756161 G	-35.32	-22.32

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:09:38

1.4MHz_High_16QAM_6@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.754 G	1.755 G	100.00 k	1.753963 G	3.83	-46.17
1.755 G	1.756 G	50.00 k	1.755011 G	-36.41	-23.41
1.756 G	1.766 G	1.00 M	1.756026 G	-32.48	-19.48

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:10:07

3MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.697 G	1.709 G	1.00 M	1.708922 G	-35.04	-22.04
1.709 G	1.710 G	100.00 k	1.709999 G	-21.16	-8.16
1.710 G	1.713 G	100.00 k	1.710233 G	14.23	-35.77

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:11:38

3MHz_Low_QPSK_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.697 G	1.709 G	1.00 M	1.708664 G	-31.69	-18.69
1.709 G	1.710 G	100.00 k	1.709999 G	-33.01	-20.01
1.710 G	1.713 G	100.00 k	1.712358 G	1.36	-48.64

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:12:09

3MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.697 G	1.709 G	1.00 M	1.708910 G	-35.33	-22.33
1.709 G	1.710 G	100.00 k	1.709997 G	-21.80	-8.80
1.710 G	1.713 G	100.00 k	1.710228 G	13.13	-36.87

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:12:39

3MHz_Low_16QAM_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.697 G	1.709 G	1.00 M	1.708994 G	-31.08	-18.08
1.709 G	1.710 G	100.00 k	1.709999 G	-33.73	-20.73
1.710 G	1.713 G	100.00 k	1.711699 G	0.08	-49.92

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:13:10

3MHz_High_QPSK_1@14



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.752 G	1.755 G	100.00 k	1.754765 G	14.23	-35.77
1.755 G	1.756 G	100.00 k	1.755004 G	-22.29	-9.29
1.756 G	1.768 G	1.00 M	1.756096 G	-35.56	-22.56

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:13:51

3MHz_High_QPSK_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.752 G	1.755 G	100.00 k	1.752496 G	1.16	-48.84
1.755 G	1.756 G	100.00 k	1.755001 G	-32.97	-19.97
1.756 G	1.768 G	1.00 M	1.757026 G	-31.50	-18.50

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:14:21

3MHz_High_16QAM_1@14



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.752 G	1.755 G	100.00 k	1.754754 G	13.60	-36.40
1.755 G	1.756 G	100.00 k	1.755001 G	-22.42	-9.42
1.756 G	1.768 G	1.00 M	1.756258 G	-35.48	-22.48

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:14:50

3MHz_High_16QAM_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.752 G	1.755 G	100.00 k	1.753926 G	0.24	-49.76
1.755 G	1.756 G	100.00 k	1.755001 G	-33.35	-20.35
1.756 G	1.768 G	1.00 M	1.756018 G	-31.40	-18.40

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:15:20

5MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.695 G	1.709 G	1.00 M	1.708923 G	-35.42	-22.42
1.709 G	1.710 G	100.00 k	1.709980 G	-32.64	-19.64
1.710 G	1.715 G	100.00 k	1.710328 G	14.46	-35.54

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:16:30

5MHz_Low_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.695 G	1.709 G	1.00 M	1.708958 G	-32.50	-19.50
1.709 G	1.710 G	100.00 k	1.709987 G	-38.24	-25.24
1.710 G	1.715 G	100.00 k	1.713807 G	-0.75	-50.75

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:17:02

5MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.695 G	1.709 G	1.00 M	1.708951 G	-35.53	-22.53
1.709 G	1.710 G	100.00 k	1.709988 G	-34.12	-21.12
1.710 G	1.715 G	100.00 k	1.710363 G	13.28	-36.72

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:17:32

5MHz_Low_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.695 G	1.709 G	1.00 M	1.708972 G	-32.03	-19.03
1.709 G	1.710 G	100.00 k	1.709987 G	-38.16	-25.16
1.710 G	1.715 G	100.00 k	1.713580 G	-1.72	-51.72

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:18:03

5MHz_High_QPSK_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.750 G	1.755 G	100.00 k	1.754640 G	13.99	-36.01
1.755 G	1.756 G	100.00 k	1.755002 G	-33.95	-20.95
1.756 G	1.770 G	1.00 M	1.756014 G	-35.41	-22.41

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:18:44

5MHz_High_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.750 G	1.755 G	100.00 k	1.752900 G	-1.35	-51.35
1.755 G	1.756 G	100.00 k	1.755010 G	-39.11	-26.11
1.756 G	1.770 G	1.00 M	1.756105 G	-32.55	-19.55

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:19:13

5MHz_High_16QAM_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.750 G	1.755 G	100.00 k	1.754693 G	12.84	-37.16
1.755 G	1.756 G	100.00 k	1.755008 G	-33.96	-20.96
1.756 G	1.770 G	1.00 M	1.756119 G	-35.59	-22.59

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:19:42

5MHz_High_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.750 G	1.755 G	100.00 k	1.754172 G	-1.84	-51.84
1.755 G	1.756 G	100.00 k	1.755003 G	-38.59	-25.59
1.756 G	1.770 G	1.00 M	1.756217 G	-32.07	-19.07

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:20:12

10MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.690 G	1.709 G	1.00 M	1.709000 G	-35.76	-22.76
1.709 G	1.710 G	200.00 k	1.709999 G	-22.26	-9.26
1.710 G	1.720 G	100.00 k	1.710615 G	14.25	-35.75

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:21:50

10MHz_Low_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.690 G	1.709 G	1.00 M	1.708962 G	-34.01	-21.01
1.709 G	1.710 G	200.00 k	1.709999 G	-36.63	-23.63
1.710 G	1.720 G	100.00 k	1.718640 G	-3.70	-53.70

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:22:21

10MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.690 G	1.709 G	1.00 M	1.708943 G	-35.95	-22.95
1.709 G	1.710 G	200.00 k	1.709992 G	-24.00	-11.00
1.710 G	1.720 G	100.00 k	1.710595 G	13.02	-36.98

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:22:53

10MHz_Low_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.690 G	1.709 G	1.00 M	1.708658 G	-33.75	-20.75
1.709 G	1.710 G	200.00 k	1.709992 G	-36.93	-23.93
1.710 G	1.720 G	100.00 k	1.716485 G	-5.06	-55.06

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:23:24

10MHz_High_QPSK_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.745 G	1.755 G	100.00 k	1.754410 G	14.58	-35.42
1.755 G	1.756 G	200.00 k	1.755001 G	-20.32	-7.32
1.756 G	1.775 G	1.00 M	1.756123 G	-35.69	-22.69

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:24:06

10MHz_High_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.745 G	1.755 G	100.00 k	1.748390 G	-4.00	-54.00
1.755 G	1.756 G	200.00 k	1.755006 G	-35.81	-22.81
1.756 G	1.775 G	1.00 M	1.756161 G	-33.83	-20.83

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:24:36

10MHz_High_16QAM_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.745 G	1.755 G	100.00 k	1.754435 G	13.09	-36.91
1.755 G	1.756 G	200.00 k	1.755001 G	-21.13	-8.13
1.756 G	1.775 G	1.00 M	1.756067 G	-35.75	-22.75

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:25:06

10MHz_High_16QAM_25@25



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.745 G	1.755 G	100.00 k	1.750100 G	-2.43	-52.43
1.755 G	1.756 G	200.00 k	1.755001 G	-33.88	-20.88
1.756 G	1.775 G	1.00 M	1.756029 G	-32.00	-19.00

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:25:35

10MHz_High_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.745 G	1.755 G	100.00 k	1.747950 G	-5.10	-55.10
1.755 G	1.756 G	200.00 k	1.755001 G	-35.89	-22.89
1.756 G	1.775 G	1.00 M	1.756199 G	-33.24	-20.24

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:26:05

15MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.685 G	1.709 G	1.00 M	1.706396 G	-36.04	-23.04
1.709 G	1.710 G	200.00 k	1.709996 G	-34.80	-21.80
1.710 G	1.725 G	100.00 k	1.710810 G	14.10	-35.90

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:27:39

15MHz_Low_QPSK_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.685 G	1.709 G	1.00 M	1.708700 G	-34.58	-21.58
1.709 G	1.710 G	200.00 k	1.709992 G	-39.76	-26.76
1.710 G	1.725 G	100.00 k	1.717238 G	-5.63	-55.63

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:28:10

15MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.685 G	1.709 G	1.00 M	1.704692 G	-35.84	-22.84
1.709 G	1.710 G	200.00 k	1.709996 G	-34.76	-21.76
1.710 G	1.725 G	100.00 k	1.710855 G	13.04	-36.96

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:28:42

15MHz_Low_16QAM_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.685 G	1.709 G	1.00 M	1.708856 G	-34.14	-21.14
1.709 G	1.710 G	200.00 k	1.709998 G	-39.74	-26.74
1.710 G	1.725 G	100.00 k	1.719810 G	-6.98	-56.98

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:29:13

15MHz_High_QPSK_1@74



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.740 G	1.755 G	100.00 k	1.754160 G	13.95	-36.05
1.755 G	1.756 G	200.00 k	1.755005 G	-32.55	-19.55
1.756 G	1.780 G	1.00 M	1.756036 G	-35.75	-22.75

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:29:55

15MHz_High_QPSK_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.740 G	1.755 G	100.00 k	1.742933 G	-5.53	-55.53
1.755 G	1.756 G	200.00 k	1.755008 G	-39.47	-26.47
1.756 G	1.780 G	1.00 M	1.756372 G	-33.82	-20.82

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:30:25

15MHz_High_16QAM_1@74



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.740 G	1.755 G	100.00 k	1.754175 G	12.87	-37.13
1.755 G	1.756 G	200.00 k	1.755021 G	-33.06	-20.06
1.756 G	1.780 G	1.00 M	1.756036 G	-35.97	-22.97

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:30:56

15MHz_High_16QAM_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.740 G	1.755 G	100.00 k	1.747553 G	-6.92	-56.92
1.755 G	1.756 G	200.00 k	1.755048 G	-39.24	-26.24
1.756 G	1.780 G	1.00 M	1.756012 G	-33.41	-20.41

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:31:27

20MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.680 G	1.709 G	1.00 M	1.708870 G	-35.89	-22.89
1.709 G	1.710 G	300.00 k	1.709994 G	-31.13	-18.13
1.710 G	1.730 G	100.00 k	1.711070 G	14.14	-35.86

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:32:39

20MHz_Low_QPSK_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.680 G	1.709 G	1.00 M	1.708783 G	-35.14	-22.14
1.709 G	1.710 G	300.00 k	1.709994 G	-39.39	-26.39
1.710 G	1.730 G	100.00 k	1.717600 G	-6.88	-56.88

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:33:10

20MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.680 G	1.709 G	1.00 M	1.706752 G	-36.23	-23.23
1.709 G	1.710 G	300.00 k	1.709998 G	-31.51	-18.51
1.710 G	1.730 G	100.00 k	1.711070 G	13.06	-36.94

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:33:42

20MHz_Low_16QAM_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.680 G	1.709 G	1.00 M	1.708855 G	-34.91	-21.91
1.709 G	1.710 G	300.00 k	1.709975 G	-39.19	-26.19
1.710 G	1.730 G	100.00 k	1.713380 G	-8.08	-58.08

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:34:14

20MHz_High_QPSK_1@99



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.735 G	1.755 G	100.00 k	1.753890 G	13.88	-36.12
1.755 G	1.756 G	300.00 k	1.755008 G	-28.92	-15.92
1.756 G	1.785 G	1.00 M	1.763149 G	-36.11	-23.11

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:34:57

20MHz_High_QPSK_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.735 G	1.755 G	100.00 k	1.742480 G	-7.11	-57.11
1.755 G	1.756 G	300.00 k	1.755014 G	-38.55	-25.55
1.756 G	1.785 G	1.00 M	1.756957 G	-34.67	-21.67

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:35:28

20MHz_High_16QAM_1@99



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.735 G	1.755 G	100.00 k	1.753930 G	12.59	-37.41
1.755 G	1.756 G	300.00 k	1.755014 G	-29.82	-16.82
1.756 G	1.785 G	1.00 M	1.762887 G	-36.10	-23.10

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:35:59

B12 , Normal

20MHz_High_16QAM_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.735 G	1.755 G	100.00 k	1.752450 G	-7.89	-57.89
1.755 G	1.756 G	300.00 k	1.755033 G	-38.54	-25.54
1.756 G	1.785 G	1.00 M	1.756160 G	-34.21	-21.21

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:36:30

1.4MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
687.600 M	698.900 M	100.00 k	698.900000 M	-26.64	-13.64
698.900 M	699.000 M	30.00 k	698.999000 M	-21.87	-8.87
699.000 M	700.400 M	100.00 k	699.240100 M	20.54	-29.46

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:14:46

1.4MHz_Low_QPSK_6@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
687.600 M	698.900 M	100.00 k	698.900000 M	-26.30	-13.30
698.900 M	699.000 M	30.00 k	698.991700 M	-29.30	-16.30
699.000 M	700.400 M	100.00 k	699.804300 M	11.55	-38.45

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:15:39

1.4MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
687.600 M	698.900 M	100.00 k	698.900000 M	-28.54	-15.54
698.900 M	699.000 M	30.00 k	698.996350 M	-25.18	-12.18
699.000 M	700.400 M	100.00 k	699.256200 M	19.77	-30.23

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:16:31

1.4MHz_Low_16QAM_6@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
687.600 M	698.900 M	100.00 k	698.866100 M	-28.69	-15.69
698.900 M	699.000 M	30.00 k	698.999900 M	-30.97	-17.97
699.000 M	700.400 M	100.00 k	700.136100 M	10.39	-39.61

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:17:25

1.4MHz_High_QPSK_1@5



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
714.600 M	716.000 M	100.00 k	715.725600 M	20.54	-29.46
716.000 M	716.100 M	30.00 k	716.009900 M	-19.58	-6.58
716.100 M	727.400 M	100.00 k	716.100000 M	-24.39	-11.39

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:18:24

1.4MHz_High_QPSK_6@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
714.600 M	716.000 M	100.00 k	715.216000 M	11.99	-38.01
716.000 M	716.100 M	30.00 k	716.002200 M	-26.95	-13.95
716.100 M	727.400 M	100.00 k	716.105650 M	-22.04	-9.04

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:19:13

1.4MHz_High_16QAM_1@5



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
714.600 M	716.000 M	100.00 k	715.731200 M	19.36	-30.64
716.000 M	716.100 M	30.00 k	716.002850 M	-22.20	-9.20
716.100 M	727.400 M	100.00 k	716.100000 M	-24.78	-11.78

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:20:02

1.4MHz_High_16QAM_6@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
714.600 M	716.000 M	100.00 k	714.942300 M	10.94	-39.06
716.000 M	716.100 M	30.00 k	716.006500 M	-30.02	-17.02
716.100 M	727.400 M	100.00 k	716.128250 M	-25.00	-12.00

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:20:50

3MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
686.000 M	698.900 M	100.00 k	698.900000 M	-27.09	-14.09
698.900 M	699.000 M	30.00 k	698.997850 M	-22.17	-9.17
699.000 M	702.000 M	100.00 k	699.258000 M	20.01	-29.99

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:22:33

3MHz_Low_QPSK_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
686.000 M	698.900 M	100.00 k	698.900000 M	-28.52	-15.52
698.900 M	699.000 M	30.00 k	698.998700 M	-31.53	-18.53
699.000 M	702.000 M	100.00 k	699.426000 M	7.88	-42.12

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:23:31

3MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
686.000 M	698.900 M	100.00 k	698.900000 M	-28.17	-15.17
698.900 M	699.000 M	30.00 k	698.994600 M	-24.23	-11.23
699.000 M	702.000 M	100.00 k	699.213000 M	19.60	-30.40

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:24:28

3MHz_Low_16QAM_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
686.000 M	698.900 M	100.00 k	698.900000 M	-31.09	-18.09
698.900 M	699.000 M	30.00 k	698.997450 M	-32.99	-19.99
699.000 M	702.000 M	100.00 k	699.435000 M	6.56	-43.44

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:25:26

3MHz_High_QPSK_1@14



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
713.000 M	716.000 M	100.00 k	715.754000 M	20.54	-29.46
716.000 M	716.100 M	30.00 k	716.000450 M	-18.74	-5.74
716.100 M	729.000 M	100.00 k	716.106450 M	-24.02	-11.02

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:26:31

3MHz_High_QPSK_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
713.000 M	716.000 M	100.00 k	714.501500 M	7.92	-42.08
716.000 M	716.100 M	30.00 k	716.000200 M	-32.10	-19.10
716.100 M	729.000 M	100.00 k	716.112900 M	-27.86	-14.86

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:27:25

3MHz_High_16QAM_1@14



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
713.000 M	716.000 M	100.00 k	715.764500 M	19.28	-30.72
716.000 M	716.100 M	30.00 k	716.000200 M	-22.59	-9.59
716.100 M	729.000 M	100.00 k	716.100000 M	-24.25	-11.25

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:28:18

3MHz_High_16QAM_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
713.000 M	716.000 M	100.00 k	713.315000 M	6.35	-43.65
716.000 M	716.100 M	30.00 k	716.003050 M	-34.28	-21.28
716.100 M	729.000 M	100.00 k	716.164500 M	-30.85	-17.85

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:29:12

5MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
684.000 M	698.900 M	100.00 k	698.900000 M	-23.69	-10.69
698.900 M	699.000 M	30.00 k	698.999350 M	-27.76	-14.76
699.000 M	704.000 M	100.00 k	699.332500 M	19.88	-30.12

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:31:02

5MHz_Low_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
684.000 M	698.900 M	100.00 k	698.900000 M	-28.76	-15.76
698.900 M	699.000 M	30.00 k	698.997100 M	-33.27	-20.27
699.000 M	704.000 M	100.00 k	699.812500 M	4.68	-45.32

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:32:04

5MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
684.000 M	698.900 M	100.00 k	698.900000 M	-25.64	-12.64
698.900 M	699.000 M	30.00 k	698.995400 M	-29.44	-16.44
699.000 M	704.000 M	100.00 k	699.352500 M	19.25	-30.75

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:33:08

5MHz_Low_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
684.000 M	698.900 M	100.00 k	698.892550 M	-31.41	-18.41
698.900 M	699.000 M	30.00 k	698.989550 M	-35.30	-22.30
699.000 M	704.000 M	100.00 k	701.035000 M	3.96	-46.04

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:34:11

5MHz_High_QPSK_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
711.000 M	716.000 M	100.00 k	715.642500 M	19.96	-30.04
716.000 M	716.100 M	30.00 k	716.008700 M	-26.81	-13.81
716.100 M	731.000 M	100.00 k	716.100000 M	-21.97	-8.97

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:35:19

5MHz_High_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
711.000 M	716.000 M	100.00 k	712.522500 M	5.27	-44.73
716.000 M	716.100 M	30.00 k	716.006250 M	-35.39	-22.39
716.100 M	731.000 M	100.00 k	716.107450 M	-30.93	-17.93

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:36:17

5MHz_High_16QAM_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
711.000 M	716.000 M	100.00 k	715.660000 M	19.23	-30.77
716.000 M	716.100 M	30.00 k	716.000550 M	-26.68	-13.68
716.100 M	731.000 M	100.00 k	716.107450 M	-23.05	-10.05

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:37:15

5MHz_High_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
711.000 M	716.000 M	100.00 k	711.897500 M	4.58	-45.42
716.000 M	716.100 M	30.00 k	716.001750 M	-37.41	-24.41
716.100 M	731.000 M	100.00 k	716.107450 M	-32.65	-19.65

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:38:13

10MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
679.000 M	698.900 M	100.00 k	698.900000 M	-25.61	-12.61
698.900 M	699.000 M	30.00 k	698.984250 M	-34.98	-21.98
699.000 M	709.000 M	100.00 k	699.545000 M	20.19	-29.81

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:40:26

10MHz_Low_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
679.000 M	698.900 M	100.00 k	698.900000 M	-32.31	-19.31
698.900 M	699.000 M	30.00 k	698.998900 M	-37.77	-24.77
699.000 M	709.000 M	100.00 k	708.160000 M	2.65	-47.35

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:41:41

10MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
679.000 M	698.900 M	100.00 k	698.890050 M	-26.64	-13.64
698.900 M	699.000 M	30.00 k	698.999800 M	-33.75	-20.75
699.000 M	709.000 M	100.00 k	699.580000 M	19.43	-30.57

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:43:05

10MHz_Low_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
679.000 M	698.900 M	100.00 k	698.900000 M	-34.60	-21.60
698.900 M	699.000 M	30.00 k	698.984250 M	-40.10	-27.10
699.000 M	709.000 M	100.00 k	708.160000 M	1.80	-48.20

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:44:20

10MHz_High_QPSK_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
706.000 M	716.000 M	100.00 k	715.400000 M	20.66	-29.34
716.000 M	716.100 M	30.00 k	716.004900 M	-34.03	-21.03
716.100 M	736.000 M	100.00 k	716.109950 M	-26.27	-13.27

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:45:41

10MHz_High_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
706.000 M	716.000 M	100.00 k	710.620000 M	2.93	-47.07
716.000 M	716.100 M	30.00 k	716.042250 M	-41.58	-28.58
716.100 M	736.000 M	100.00 k	716.100000 M	-36.41	-23.41

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:46:51

10MHz_High_16QAM_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
706.000 M	716.000 M	100.00 k	715.420000 M	19.65	-30.35
716.000 M	716.100 M	30.00 k	716.005900 M	-34.18	-21.18
716.100 M	736.000 M	100.00 k	716.100000 M	-25.96	-12.96

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:48:00

10MHz_High_16QAM_25@25



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
706.000 M	716.000 M	100.00 k	712.000000 M	4.96	-45.04
716.000 M	716.100 M	30.00 k	716.003600 M	-40.31	-27.31
716.100 M	736.000 M	100.00 k	716.100000 M	-35.07	-22.07

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:49:09

10MHz_High_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
706.000 M	716.000 M	100.00 k	707.400000 M	2.02	-47.98
716.000 M	716.100 M	30.00 k	716.007000 M	-43.74	-30.74
716.100 M	736.000 M	100.00 k	716.109950 M	-38.58	-25.58

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:50:19

B17 , Normal

5MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
689.000 M	703.900 M	100.00 k	703.900000 M	-24.03	-11.03
703.900 M	704.000 M	30.00 k	703.995450 M	-27.75	-14.75
704.000 M	709.000 M	100.00 k	704.345000 M	20.41	-29.59

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:51:57

5MHz_Low_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
689.000 M	703.900 M	100.00 k	703.900000 M	-31.94	-18.94
703.900 M	704.000 M	30.00 k	703.998250 M	-35.68	-22.68
704.000 M	709.000 M	100.00 k	708.160000 M	5.58	-44.42

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:53:08

5MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
689.000 M	703.900 M	100.00 k	703.900000 M	-24.31	-11.31
703.900 M	704.000 M	30.00 k	703.998100 M	-27.18	-14.18
704.000 M	709.000 M	100.00 k	704.340000 M	19.92	-30.08

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:54:11

5MHz_Low_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
689.000 M	703.900 M	100.00 k	703.900000 M	-33.44	-20.44
703.900 M	704.000 M	30.00 k	703.993600 M	-36.64	-23.64
704.000 M	709.000 M	100.00 k	708.167500 M	4.80	-45.20

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:55:15

5MHz_High_QPSK_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
711.000 M	716.000 M	100.00 k	715.637500 M	19.18	-30.82
716.000 M	716.100 M	30.00 k	716.006250 M	-28.08	-15.08
716.100 M	731.000 M	100.00 k	716.100000 M	-24.18	-11.18

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:56:23

5MHz_High_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
711.000 M	716.000 M	100.00 k	711.355000 M	5.75	-44.25
716.000 M	716.100 M	30.00 k	716.006100 M	-36.05	-23.05
716.100 M	731.000 M	100.00 k	716.100000 M	-31.71	-18.71

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:57:22

5MHz_High_16QAM_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
711.000 M	716.000 M	100.00 k	715.650000 M	19.14	-30.86
716.000 M	716.100 M	30.00 k	716.000450 M	-27.16	-14.16
716.100 M	731.000 M	100.00 k	716.100000 M	-24.05	-11.05

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:58:20

5MHz_High_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
711.000 M	716.000 M	100.00 k	711.392500 M	4.72	-45.28
716.000 M	716.100 M	30.00 k	716.027500 M	-38.11	-25.11
716.100 M	731.000 M	100.00 k	716.100000 M	-33.60	-20.60

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 23:59:18

10MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
684.000 M	703.900 M	100.00 k	703.900000 M	-26.32	-13.32
703.900 M	704.000 M	30.00 k	703.987350 M	-34.10	-21.10
704.000 M	714.000 M	100.00 k	704.565000 M	19.87	-30.13

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:01:33

10MHz_Low_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
684.000 M	703.900 M	100.00 k	703.900000 M	-36.97	-23.97
703.900 M	704.000 M	30.00 k	703.991950 M	-41.98	-28.98
704.000 M	714.000 M	100.00 k	707.070000 M	2.91	-47.09

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:02:48

10MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
684.000 M	703.900 M	100.00 k	703.900000 M	-27.08	-14.08
703.900 M	704.000 M	30.00 k	703.996550 M	-33.69	-20.69
704.000 M	714.000 M	100.00 k	704.595000 M	19.27	-30.73

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:04:03

10MHz_Low_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
684.000 M	703.900 M	100.00 k	703.900000 M	-38.53	-25.53
703.900 M	704.000 M	30.00 k	703.991050 M	-43.49	-30.49
704.000 M	714.000 M	100.00 k	708.160000 M	1.83	-48.17

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:05:17

10MHz_High_QPSK_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
706.000 M	716.000 M	100.00 k	715.390000 M	18.76	-31.24
716.000 M	716.100 M	30.00 k	716.001400 M	-37.58	-24.58
716.100 M	736.000 M	100.00 k	716.100000 M	-28.81	-15.81

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:06:38

10MHz_High_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
706.000 M	716.000 M	100.00 k	708.160000 M	3.30	-46.70
716.000 M	716.100 M	30.00 k	716.028800 M	-41.92	-28.92
716.100 M	736.000 M	100.00 k	716.100000 M	-36.56	-23.56

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:07:48

10MHz_High_16QAM_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
706.000 M	716.000 M	100.00 k	715.425000 M	18.96	-31.04
716.000 M	716.100 M	30.00 k	716.013350 M	-36.72	-23.72
716.100 M	736.000 M	100.00 k	716.109950 M	-27.82	-14.82

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:08:58

10MHz_High_16QAM_25@25



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
706.000 M	716.000 M	100.00 k	711.125000 M	4.47	-45.53
716.000 M	716.100 M	30.00 k	716.013450 M	-40.23	-27.23
716.100 M	736.000 M	100.00 k	716.100000 M	-35.17	-22.17

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:10:08

B38 , Normal

10MHz_High_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
706.000 M	716.000 M	100.00 k	707.900000 M	1.88	-48.12
716.000 M	716.100 M	30.00 k	716.009600 M	-43.66	-30.66
716.100 M	736.000 M	100.00 k	716.100000 M	-38.54	-25.54

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:11:17

5MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.545 G	2.564 G	1.00 M	2.563943 G	-37.33	-12.33
2.564 G	2.565 G	1.00 M	2.564996 G	-34.24	-21.24
2.565 G	2.569 G	1.00 M	2.568994 G	-21.34	-11.34
2.569 G	2.570 G	50.00 k	2.569993 G	-21.90	-11.90
2.570 G	2.575 G	100.00 k	2.570335 G	13.51	-36.49

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:49:08

5MHz_Low_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.545 G	2.564 G	1.00 M	2.563867 G	-37.46	-12.46
2.564 G	2.565 G	1.00 M	2.564929 G	-33.10	-20.10
2.565 G	2.569 G	1.00 M	2.568976 G	-25.42	-15.42
2.569 G	2.570 G	50.00 k	2.569989 G	-34.42	-24.42
2.570 G	2.575 G	100.00 k	2.570670 G	1.06	-48.94

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:52:00

5MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.545 G	2.564 G	1.00 M	2.563896 G	-37.89	-12.89
2.564 G	2.565 G	1.00 M	2.564961 G	-35.50	-22.50
2.565 G	2.569 G	1.00 M	2.568986 G	-23.19	-13.19
2.569 G	2.570 G	50.00 k	2.569995 G	-22.54	-12.54
2.570 G	2.575 G	100.00 k	2.570350 G	13.37	-36.63

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:54:52

5MHz_Low_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.545 G	2.564 G	1.00 M	2.563867 G	-38.20	-13.20
2.564 G	2.565 G	1.00 M	2.564983 G	-34.86	-21.86
2.565 G	2.569 G	1.00 M	2.568954 G	-27.33	-17.33
2.569 G	2.570 G	50.00 k	2.569977 G	-32.90	-22.90
2.570 G	2.575 G	100.00 k	2.570772 G	0.20	-49.80

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:57:45

5MHz_High_QPSK_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.615 G	2.620 G	100.00 k	2.619673 G	13.55	-36.45
2.620 G	2.621 G	50.00 k	2.620032 G	-21.49	-11.49
2.621 G	2.625 G	1.00 M	2.621068 G	-22.76	-12.76
2.625 G	2.626 G	1.00 M	2.625001 G	-35.86	-22.86
2.626 G	2.645 G	1.00 M	2.626009 G	-38.99	-13.99

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:00:51

5MHz_High_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.615 G	2.620 G	100.00 k	2.617085 G	0.81	-49.19
2.620 G	2.621 G	50.00 k	2.620136 G	-34.67	-24.67
2.621 G	2.625 G	1.00 M	2.621212 G	-27.98	-17.98
2.625 G	2.626 G	1.00 M	2.625069 G	-35.64	-22.64
2.626 G	2.645 G	1.00 M	2.626180 G	-38.10	-13.10

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:03:44

5MHz_High_16QAM_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.615 G	2.620 G	100.00 k	2.619640 G	12.78	-37.22
2.620 G	2.621 G	50.00 k	2.620010 G	-23.55	-13.55
2.621 G	2.625 G	1.00 M	2.621012 G	-20.67	-10.67
2.625 G	2.626 G	1.00 M	2.625005 G	-34.63	-21.63
2.626 G	2.645 G	1.00 M	2.626038 G	-36.89	-11.89

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:06:36

5MHz_High_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.615 G	2.620 G	100.00 k	2.617085 G	-0.11	-50.11
2.620 G	2.621 G	50.00 k	2.620002 G	-35.73	-25.73
2.621 G	2.625 G	1.00 M	2.621096 G	-27.45	-17.45
2.625 G	2.626 G	1.00 M	2.625049 G	-34.99	-21.99
2.626 G	2.645 G	1.00 M	2.626266 G	-37.58	-12.58

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:09:29

10MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.545 G	2.560 G	1.00 M	2.559940 G	-39.12	-14.12
2.560 G	2.565 G	1.00 M	2.564878 G	-31.60	-18.60
2.565 G	2.569 G	1.00 M	2.568976 G	-21.33	-11.33
2.569 G	2.570 G	100.00 k	2.569990 G	-24.32	-14.32
2.570 G	2.580 G	100.00 k	2.570600 G	13.57	-36.43

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:13:03

10MHz_Low_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.545 G	2.560 G	1.00 M	2.559963 G	-40.63	-15.63
2.560 G	2.565 G	1.00 M	2.564988 G	-36.64	-23.64
2.565 G	2.569 G	1.00 M	2.568936 G	-31.98	-21.98
2.569 G	2.570 G	100.00 k	2.569984 G	-37.69	-27.69
2.570 G	2.580 G	100.00 k	2.572630 G	-1.79	-51.79

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:15:55

10MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.545 G	2.560 G	1.00 M	2.559985 G	-39.31	-14.31
2.560 G	2.565 G	1.00 M	2.564990 G	-32.10	-19.10
2.565 G	2.569 G	1.00 M	2.568986 G	-21.58	-11.58
2.569 G	2.570 G	100.00 k	2.569994 G	-24.49	-14.49
2.570 G	2.580 G	100.00 k	2.570595 G	13.47	-36.53

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:18:48

10MHz_Low_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.545 G	2.560 G	1.00 M	2.559985 G	-40.19	-15.19
2.560 G	2.565 G	1.00 M	2.564900 G	-35.37	-22.37
2.565 G	2.569 G	1.00 M	2.568930 G	-30.24	-20.24
2.569 G	2.570 G	100.00 k	2.569998 G	-36.63	-26.63
2.570 G	2.580 G	100.00 k	2.572470 G	-2.76	-52.76

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:21:41

10MHz_High_QPSK_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.610 G	2.620 G	100.00 k	2.619390 G	13.43	-36.57
2.620 G	2.621 G	100.00 k	2.620004 G	-25.54	-15.54
2.621 G	2.625 G	1.00 M	2.621096 G	-22.77	-12.77
2.625 G	2.630 G	1.00 M	2.625078 G	-32.63	-19.63
2.630 G	2.645 G	1.00 M	2.630105 G	-39.59	-14.59

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:24:53

10MHz_High_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.610 G	2.620 G	100.00 k	2.615805 G	-2.25	-52.25
2.620 G	2.621 G	100.00 k	2.620004 G	-33.26	-23.26
2.621 G	2.625 G	1.00 M	2.621026 G	-26.58	-16.58
2.625 G	2.630 G	1.00 M	2.625140 G	-34.29	-21.29
2.630 G	2.645 G	1.00 M	2.630068 G	-40.32	-15.32

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:27:45

10MHz_High_16QAM_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.610 G	2.620 G	100.00 k	2.619405 G	13.10	-36.90
2.620 G	2.621 G	100.00 k	2.620004 G	-26.33	-16.33
2.621 G	2.625 G	1.00 M	2.621096 G	-24.68	-14.68
2.625 G	2.630 G	1.00 M	2.625005 G	-34.23	-21.23
2.630 G	2.645 G	1.00 M	2.630405 G	-40.63	-15.63

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:30:36

10MHz_High_16QAM_25@25



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.610 G	2.620 G	100.00 k	2.616205 G	-0.51	-50.51
2.620 G	2.621 G	100.00 k	2.620159 G	-34.79	-24.79
2.621 G	2.625 G	1.00 M	2.621026 G	-29.92	-19.92
2.625 G	2.630 G	1.00 M	2.625190 G	-37.73	-24.73
2.630 G	2.645 G	1.00 M	2.630352 G	-41.49	-16.49

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:33:27

10MHz_High_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.610 G	2.620 G	100.00 k	2.615150 G	-3.30	-53.30
2.620 G	2.621 G	100.00 k	2.620001 G	-38.22	-28.22
2.621 G	2.625 G	1.00 M	2.621054 G	-33.22	-23.22
2.625 G	2.630 G	1.00 M	2.625443 G	-36.70	-23.70
2.630 G	2.645 G	1.00 M	2.630263 G	-40.91	-15.91

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:36:19

15MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.545 G	2.555 G	1.00 M	2.554960 G	-41.73	-16.73
2.555 G	2.565 G	1.00 M	2.564980 G	-33.09	-20.09
2.565 G	2.569 G	1.00 M	2.568962 G	-22.85	-12.85
2.569 G	2.570 G	200.00 k	2.569999 G	-23.37	-13.37
2.570 G	2.585 G	100.00 k	2.570863 G	13.68	-36.32

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:40:16

15MHz_Low_QPSK_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.545 G	2.555 G	1.00 M	2.547390 G	-41.64	-16.64
2.555 G	2.565 G	1.00 M	2.564665 G	-35.52	-22.52
2.565 G	2.569 G	1.00 M	2.568832 G	-29.53	-19.53
2.569 G	2.570 G	200.00 k	2.569984 G	-33.86	-23.86
2.570 G	2.585 G	100.00 k	2.573293 G	-3.38	-53.38

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:43:10

15MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.545 G	2.555 G	1.00 M	2.554910 G	-41.70	-16.70
2.555 G	2.565 G	1.00 M	2.564915 G	-32.52	-19.52
2.565 G	2.569 G	1.00 M	2.568978 G	-22.31	-12.31
2.569 G	2.570 G	200.00 k	2.569973 G	-24.07	-14.07
2.570 G	2.585 G	100.00 k	2.570840 G	13.24	-36.76

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:46:05

15MHz_Low_16QAM_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.545 G	2.555 G	1.00 M	2.549600 G	-41.86	-16.86
2.555 G	2.565 G	1.00 M	2.564850 G	-36.50	-23.50
2.565 G	2.569 G	1.00 M	2.568996 G	-30.64	-20.64
2.569 G	2.570 G	200.00 k	2.569989 G	-35.08	-25.08
2.570 G	2.585 G	100.00 k	2.572062 G	-3.94	-53.94

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:49:00

15MHz_High_QPSK_1@74



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.605 G	2.620 G	100.00 k	2.619183 G	13.23	-36.77
2.620 G	2.621 G	200.00 k	2.620014 G	-23.30	-13.30
2.621 G	2.625 G	1.00 M	2.621054 G	-22.55	-12.55
2.625 G	2.635 G	1.00 M	2.625315 G	-32.95	-19.95
2.635 G	2.645 G	1.00 M	2.635900 G	-41.36	-16.36

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:52:06

15MHz_High_QPSK_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.605 G	2.620 G	100.00 k	2.613430 G	-4.22	-54.22
2.620 G	2.621 G	200.00 k	2.620052 G	-33.23	-23.23
2.621 G	2.625 G	1.00 M	2.621096 G	-28.82	-18.82
2.625 G	2.635 G	1.00 M	2.625290 G	-35.58	-22.58
2.635 G	2.645 G	1.00 M	2.635770 G	-41.80	-16.80

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:54:58

15MHz_High_16QAM_1@74



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.605 G	2.620 G	100.00 k	2.619153 G	13.21	-36.79
2.620 G	2.621 G	200.00 k	2.620003 G	-24.46	-14.46
2.621 G	2.625 G	1.00 M	2.621068 G	-24.37	-14.37
2.625 G	2.635 G	1.00 M	2.625010 G	-34.25	-21.25
2.635 G	2.645 G	1.00 M	2.636750 G	-41.99	-16.99

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 20:57:51

15MHz_High_16QAM_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.605 G	2.620 G	100.00 k	2.615403 G	-5.07	-55.07
2.620 G	2.621 G	200.00 k	2.620003 G	-34.42	-24.42
2.621 G	2.625 G	1.00 M	2.621412 G	-30.21	-20.21
2.625 G	2.635 G	1.00 M	2.625160 G	-36.38	-23.38
2.635 G	2.645 G	1.00 M	2.639215 G	-41.93	-16.93

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:00:43

20MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.545 G	2.550 G	1.00 M	2.548468 G	-41.92	-16.92
2.550 G	2.565 G	1.00 M	2.564932 G	-31.53	-18.53
2.565 G	2.569 G	1.00 M	2.568994 G	-23.14	-13.14
2.569 G	2.570 G	200.00 k	2.569941 G	-25.43	-15.43
2.570 G	2.590 G	100.00 k	2.571100 G	13.64	-36.36

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:04:56

20MHz_Low_QPSK_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.545 G	2.550 G	1.00 M	2.549298 G	-41.59	-16.59
2.550 G	2.565 G	1.00 M	2.564678 G	-36.89	-23.89
2.565 G	2.569 G	1.00 M	2.568982 G	-32.13	-22.13
2.569 G	2.570 G	200.00 k	2.569974 G	-37.08	-27.08
2.570 G	2.590 G	100.00 k	2.580440 G	-4.24	-54.24

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:07:52

20MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.545 G	2.550 G	1.00 M	2.548538 G	-41.95	-16.95
2.550 G	2.565 G	1.00 M	2.564827 G	-35.27	-22.27
2.565 G	2.569 G	1.00 M	2.568734 G	-25.48	-15.48
2.569 G	2.570 G	200.00 k	2.569675 G	-27.85	-17.85
2.570 G	2.590 G	100.00 k	2.571090 G	13.66	-36.34

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:10:47

20MHz_Low_16QAM_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.545 G	2.550 G	1.00 M	2.549377 G	-41.66	-16.66
2.550 G	2.565 G	1.00 M	2.564580 G	-37.77	-24.77
2.565 G	2.569 G	1.00 M	2.568396 G	-35.86	-25.86
2.569 G	2.570 G	200.00 k	2.569999 G	-41.38	-31.38
2.570 G	2.590 G	100.00 k	2.571470 G	-5.16	-55.16

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:13:43

20MHz_High_QPSK_1@99



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.600 G	2.620 G	100.00 k	2.618910 G	12.89	-37.11
2.620 G	2.621 G	200.00 k	2.620003 G	-24.77	-14.77
2.621 G	2.625 G	1.00 M	2.621110 G	-22.73	-12.73
2.625 G	2.640 G	1.00 M	2.625045 G	-31.81	-18.81
2.640 G	2.645 G	1.00 M	2.640995 G	-41.84	-16.84

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:16:50

20MHz_High_QPSK_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.600 G	2.620 G	100.00 k	2.602000 G	-5.41	-55.41
2.620 G	2.621 G	200.00 k	2.620019 G	-39.05	-29.05
2.621 G	2.625 G	1.00 M	2.621068 G	-32.55	-22.55
2.625 G	2.640 G	1.00 M	2.625810 G	-36.22	-23.22
2.640 G	2.645 G	1.00 M	2.640157 G	-42.04	-17.04

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:19:42

20MHz_High_16QAM_1@99



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.600 G	2.620 G	100.00 k	2.618940 G	12.74	-37.26
2.620 G	2.621 G	200.00 k	2.620022 G	-25.41	-15.41
2.621 G	2.625 G	1.00 M	2.621082 G	-22.88	-12.88
2.625 G	2.640 G	1.00 M	2.625090 G	-32.96	-19.96
2.640 G	2.645 G	1.00 M	2.640873 G	-41.77	-16.77

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:22:35

20MHz_High_16QAM_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.600 G	2.620 G	100.00 k	2.604040 G	-5.83	-55.83
2.620 G	2.621 G	200.00 k	2.620038 G	-35.89	-25.89
2.621 G	2.625 G	1.00 M	2.621082 G	-30.48	-20.48
2.625 G	2.640 G	1.00 M	2.625195 G	-36.14	-23.14
2.640 G	2.645 G	1.00 M	2.644563 G	-41.86	-16.86

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:25:28

B41 , Normal

5MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.471 G	2.490 G	1.00 M	2.490412 G	-34.96	-9.96
2.490 G	2.495 G	1.00 M	2.494804 G	-20.17	-7.17
2.495 G	2.496 G	100.00 k	2.495983 G	-18.72	-5.72
2.496 G	2.501 G	100.00 k	2.496418 G	13.44	-36.56

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:27:43

5MHz_Low_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.471 G	2.490 G	1.00 M	2.490403 G	-33.60	-8.60
2.490 G	2.495 G	1.00 M	2.494831 G	-22.30	-9.30
2.495 G	2.496 G	100.00 k	2.495973 G	-30.15	-17.15
2.496 G	2.501 G	100.00 k	2.498407 G	2.25	-47.75

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:29:25

5MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.471 G	2.490 G	1.00 M	2.490471 G	-34.30	-9.30
2.490 G	2.495 G	1.00 M	2.494975 G	-18.67	-5.67
2.495 G	2.496 G	100.00 k	2.495997 G	-18.38	-5.38
2.496 G	2.501 G	100.00 k	2.496348 G	14.40	-35.60

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:31:07

5MHz_Low_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.471 G	2.490 G	1.00 M	2.490471 G	-32.60	-7.60
2.490 G	2.495 G	1.00 M	2.494935 G	-21.65	-8.65
2.495 G	2.496 G	100.00 k	2.495999 G	-28.28	-15.28
2.496 G	2.501 G	100.00 k	2.496765 G	2.36	-47.64

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:32:48

5MHz_High_QPSK_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.685 G	2.690 G	100.00 k	2.689675 G	14.67	-35.33
2.690 G	2.691 G	50.00 k	2.690037 G	-19.32	-9.32
2.691 G	2.695 G	1.00 M	2.691000 G	-20.11	-10.11
2.695 G	2.696 G	1.00 M	2.695015 G	-33.62	-20.62
2.696 G	2.715 G	1.00 M	2.696010 G	-36.91	-11.91

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:35:06

5MHz_High_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.685 G	2.690 G	100.00 k	2.687385 G	3.30	-46.70
2.690 G	2.691 G	50.00 k	2.690038 G	-28.45	-18.45
2.691 G	2.695 G	1.00 M	2.691008 G	-24.44	-14.44
2.695 G	2.696 G	1.00 M	2.695033 G	-32.96	-19.96
2.696 G	2.715 G	1.00 M	2.696086 G	-36.32	-11.32

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:37:09

5MHz_High_16QAM_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.685 G	2.690 G	100.00 k	2.689700 G	14.80	-35.20
2.690 G	2.691 G	50.00 k	2.690004 G	-19.34	-9.34
2.691 G	2.695 G	1.00 M	2.691008 G	-17.08	-7.08
2.695 G	2.696 G	1.00 M	2.695028 G	-31.20	-18.20
2.696 G	2.715 G	1.00 M	2.696076 G	-35.10	-10.10

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:39:11

5MHz_High_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.685 G	2.690 G	100.00 k	2.686225 G	3.42	-46.58
2.690 G	2.691 G	50.00 k	2.690004 G	-31.64	-21.64
2.691 G	2.695 G	1.00 M	2.691008 G	-22.93	-12.93
2.695 G	2.696 G	1.00 M	2.695003 G	-30.74	-17.74
2.696 G	2.715 G	1.00 M	2.696010 G	-34.09	-9.09

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:41:14

10MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.471 G	2.490 G	1.00 M	2.490432 G	-29.58	-4.58
2.490 G	2.495 G	1.00 M	2.494989 G	-17.35	-4.35
2.495 G	2.496 G	200.00 k	2.495999 G	-18.17	-5.17
2.496 G	2.506 G	100.00 k	2.496595 G	13.82	-36.18

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:43:53

10MHz_Low_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.471 G	2.490 G	1.00 M	2.490168 G	-34.62	-9.62
2.490 G	2.495 G	1.00 M	2.494924 G	-27.82	-14.82
2.495 G	2.496 G	200.00 k	2.495973 G	-31.12	-18.12
2.496 G	2.506 G	100.00 k	2.498230 G	-0.75	-50.75

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:45:36

10MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.471 G	2.490 G	1.00 M	2.490442 G	-29.43	-4.43
2.490 G	2.495 G	1.00 M	2.494935 G	-16.86	-3.86
2.495 G	2.496 G	200.00 k	2.495998 G	-17.62	-4.62
2.496 G	2.506 G	100.00 k	2.496580 G	14.42	-35.58

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:47:17

10MHz_Low_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.471 G	2.490 G	1.00 M	2.489857 G	-31.53	-6.53
2.490 G	2.495 G	1.00 M	2.494818 G	-25.01	-12.01
2.495 G	2.496 G	200.00 k	2.495983 G	-29.79	-16.79
2.496 G	2.506 G	100.00 k	2.499205 G	-0.08	-50.08

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:48:59

10MHz_High_QPSK_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.680 G	2.690 G	100.00 k	2.689395 G	14.23	-35.77
2.690 G	2.691 G	100.00 k	2.690001 G	-22.69	-12.69
2.691 G	2.695 G	1.00 M	2.691008 G	-19.53	-9.53
2.695 G	2.700 G	1.00 M	2.695067 G	-30.54	-17.54
2.700 G	2.715 G	1.00 M	2.700563 G	-38.15	-13.15

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:51:17

10MHz_High_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.680 G	2.690 G	100.00 k	2.682810 G	0.87	-49.13
2.690 G	2.691 G	100.00 k	2.690021 G	-29.53	-19.53
2.691 G	2.695 G	1.00 M	2.691038 G	-23.14	-13.14
2.695 G	2.700 G	1.00 M	2.695555 G	-31.36	-18.36
2.700 G	2.715 G	1.00 M	2.700090 G	-38.83	-13.83

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:53:20

10MHz_High_16QAM_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.680 G	2.690 G	100.00 k	2.689395 G	15.29	-34.71
2.690 G	2.691 G	100.00 k	2.690003 G	-23.16	-13.16
2.691 G	2.695 G	1.00 M	2.691018 G	-20.34	-10.34
2.695 G	2.700 G	1.00 M	2.695095 G	-31.22	-18.22
2.700 G	2.715 G	1.00 M	2.700368 G	-38.61	-13.61

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:55:23

10MHz_High_16QAM_25@25



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.680 G	2.690 G	100.00 k	2.686410 G	3.14	-46.86
2.690 G	2.691 G	100.00 k	2.690031 G	-28.34	-18.34
2.691 G	2.695 G	1.00 M	2.691018 G	-25.03	-15.03
2.695 G	2.700 G	1.00 M	2.695043 G	-34.05	-21.05
2.700 G	2.715 G	1.00 M	2.700053 G	-40.63	-15.63

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:57:27

10MHz_High_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.680 G	2.690 G	100.00 k	2.682920 G	0.07	-49.93
2.690 G	2.691 G	100.00 k	2.690002 G	-34.42	-24.42
2.691 G	2.695 G	1.00 M	2.691038 G	-28.98	-18.98
2.695 G	2.700 G	1.00 M	2.695463 G	-33.25	-20.25
2.700 G	2.715 G	1.00 M	2.700315 G	-38.51	-13.51

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 21:59:31

15MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.471 G	2.490 G	1.00 M	2.490471 G	-32.53	-7.53
2.490 G	2.495 G	1.00 M	2.494975 G	-20.94	-7.94
2.495 G	2.496 G	200.00 k	2.495998 G	-22.91	-9.91
2.496 G	2.511 G	100.00 k	2.496810 G	13.60	-36.40

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:02:20

15MHz_Low_QPSK_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.471 G	2.490 G	1.00 M	2.490237 G	-35.14	-10.14
2.490 G	2.495 G	1.00 M	2.494962 G	-26.97	-13.97
2.495 G	2.496 G	200.00 k	2.495995 G	-31.57	-18.57
2.496 G	2.511 G	100.00 k	2.504872 G	-1.78	-51.78

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:04:03

15MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.471 G	2.490 G	1.00 M	2.490471 G	-29.72	-6.72
2.490 G	2.495 G	1.00 M	2.494935 G	-17.31	-4.31
2.495 G	2.496 G	200.00 k	2.495997 G	-19.84	-6.84
2.496 G	2.511 G	100.00 k	2.496855 G	14.43	-35.57

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:05:46

15MHz_Low_16QAM_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.471 G	2.490 G	1.00 M	2.490403 G	-33.48	-8.48
2.490 G	2.495 G	1.00 M	2.494924 G	-25.99	-12.99
2.495 G	2.496 G	200.00 k	2.495939 G	-30.55	-17.55
2.496 G	2.511 G	100.00 k	2.509492 G	-1.82	-51.82

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:07:29

15MHz_High_QPSK_1@74



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.675 G	2.690 G	100.00 k	2.689153 G	14.24	-35.76
2.690 G	2.691 G	200.00 k	2.690009 G	-19.57	-9.57
2.691 G	2.695 G	1.00 M	2.691116 G	-19.96	-9.96
2.695 G	2.705 G	1.00 M	2.695075 G	-30.41	-17.41
2.705 G	2.715 G	1.00 M	2.705140 G	-40.79	-15.79

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:09:46

15MHz_High_QPSK_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.675 G	2.690 G	100.00 k	2.680640 G	-1.57	-51.57
2.690 G	2.691 G	200.00 k	2.690018 G	-29.14	-19.14
2.691 G	2.695 G	1.00 M	2.691156 G	-25.58	-15.58
2.695 G	2.705 G	1.00 M	2.695170 G	-32.51	-19.51
2.705 G	2.715 G	1.00 M	2.705335 G	-41.10	-16.10

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:11:49

15MHz_High_16QAM_1@74



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.675 G	2.690 G	100.00 k	2.689145 G	15.11	-34.89
2.690 G	2.691 G	200.00 k	2.690036 G	-20.77	-10.77
2.691 G	2.695 G	1.00 M	2.691076 G	-20.79	-10.79
2.695 G	2.705 G	1.00 M	2.695085 G	-30.95	-17.95
2.705 G	2.715 G	1.00 M	2.705010 G	-41.03	-16.03

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:13:53

15MHz_High_16QAM_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.675 G	2.690 G	100.00 k	2.685448 G	-1.57	-51.57
2.690 G	2.691 G	200.00 k	2.690016 G	-28.95	-18.95
2.691 G	2.695 G	1.00 M	2.691086 G	-25.26	-15.26
2.695 G	2.705 G	1.00 M	2.695105 G	-33.99	-20.99
2.705 G	2.715 G	1.00 M	2.705230 G	-41.30	-16.30

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:15:55

20MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.471 G	2.490 G	1.00 M	2.490217 G	-32.39	-7.39
2.490 G	2.495 G	1.00 M	2.494793 G	-21.79	-8.79
2.495 G	2.496 G	200.00 k	2.495996 G	-24.67	-11.67
2.496 G	2.516 G	100.00 k	2.497110 G	13.65	-36.35

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:18:47

20MHz_Low_QPSK_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.471 G	2.490 G	1.00 M	2.490315 G	-36.16	-11.16
2.490 G	2.495 G	1.00 M	2.494856 G	-30.80	-17.80
2.495 G	2.496 G	200.00 k	2.495996 G	-35.37	-22.37
2.496 G	2.516 G	100.00 k	2.513740 G	-2.36	-52.36

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:20:31

20MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.471 G	2.490 G	1.00 M	2.490344 G	-33.11	-8.11
2.490 G	2.495 G	1.00 M	2.494924 G	-21.93	-8.93
2.495 G	2.496 G	200.00 k	2.495991 G	-24.97	-11.97
2.496 G	2.516 G	100.00 k	2.497080 G	14.36	-35.64

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:22:22

20MHz_Low_16QAM_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.471 G	2.490 G	1.00 M	2.489281 G	-35.74	-10.74
2.490 G	2.495 G	1.00 M	2.494793 G	-31.23	-18.23
2.495 G	2.496 G	200.00 k	2.495795 G	-37.10	-24.10
2.496 G	2.516 G	100.00 k	2.497820 G	-3.10	-53.10

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:24:06

20MHz_High_QPSK_1@99



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.670 G	2.690 G	100.00 k	2.688850 G	14.36	-35.64
2.690 G	2.691 G	200.00 k	2.690015 G	-21.08	-11.08
2.691 G	2.695 G	1.00 M	2.691000 G	-19.61	-9.61
2.695 G	2.710 G	1.00 M	2.695060 G	-30.43	-17.43
2.710 G	2.715 G	1.00 M	2.713540 G	-41.80	-16.80

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:26:24

20MHz_High_QPSK_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.670 G	2.690 G	100.00 k	2.677820 G	-3.03	-53.03
2.690 G	2.691 G	200.00 k	2.690008 G	-35.49	-25.49
2.691 G	2.695 G	1.00 M	2.691066 G	-29.70	-19.70
2.695 G	2.710 G	1.00 M	2.695045 G	-33.38	-20.38
2.710 G	2.715 G	1.00 M	2.711873 G	-41.65	-16.65

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:28:29

20MHz_High_16QAM_1@99



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.670 G	2.690 G	100.00 k	2.688940 G	14.69	-35.31
2.690 G	2.691 G	200.00 k	2.690008 G	-20.27	-10.27
2.691 G	2.695 G	1.00 M	2.691018 G	-18.73	-8.73
2.695 G	2.710 G	1.00 M	2.695645 G	-29.37	-16.37
2.710 G	2.715 G	1.00 M	2.710280 G	-41.42	-16.42

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:30:33

B66 , Normal

20MHz_High_16QAM_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.670 G	2.690 G	100.00 k	2.673850 G	-2.35	-52.35
2.690 G	2.691 G	200.00 k	2.690009 G	-30.73	-20.73
2.691 G	2.695 G	1.00 M	2.691008 G	-26.65	-16.65
2.695 G	2.710 G	1.00 M	2.695127 G	-32.81	-19.81
2.710 G	2.715 G	1.00 M	2.710615 G	-41.25	-16.25

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 22:32:37

1.4MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.699 G	1.709 G	1.00 M	1.708854 G	-35.32	-22.32
1.709 G	1.710 G	50.00 k	1.709998 G	-31.07	-18.07
1.710 G	1.711 G	100.00 k	1.710231 G	14.46	-35.54

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:06:24

1.4MHz_Low_QPSK_6@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.699 G	1.709 G	1.00 M	1.708995 G	-30.74	-17.74
1.709 G	1.710 G	50.00 k	1.709993 G	-35.81	-22.81
1.710 G	1.711 G	100.00 k	1.710717 G	5.50	-44.50

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:06:56

1.4MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.699 G	1.709 G	1.00 M	1.708974 G	-35.53	-22.53
1.709 G	1.710 G	50.00 k	1.709985 G	-32.25	-19.25
1.710 G	1.711 G	100.00 k	1.710230 G	13.69	-36.31

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:07:27

1.4MHz_Low_16QAM_6@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.699 G	1.709 G	1.00 M	1.708995 G	-31.67	-18.67
1.709 G	1.710 G	50.00 k	1.709999 G	-36.41	-23.41
1.710 G	1.711 G	100.00 k	1.710627 G	4.03	-45.97

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:08:00

1.4MHz_High_QPSK_1@5



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.779 G	1.780 G	100.00 k	1.779731 G	-15.52	-65.52
1.780 G	1.781 G	50.00 k	1.780012 G	-40.48	-27.48
1.781 G	1.791 G	1.00 M	1.781016 G	-35.96	-22.96

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:08:51

1.4MHz_High_QPSK_6@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.779 G	1.780 G	100.00 k	1.779418 G	4.81	-45.19
1.780 G	1.781 G	50.00 k	1.780002 G	-38.63	-25.63
1.781 G	1.791 G	1.00 M	1.781021 G	-31.52	-18.52

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:09:37

1.4MHz_High_16QAM_1@5



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.779 G	1.780 G	100.00 k	1.779763 G	13.31	-36.69
1.780 G	1.781 G	50.00 k	1.780005 G	-32.47	-19.47
1.781 G	1.791 G	1.00 M	1.781005 G	-35.26	-22.26

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:10:08

1.4MHz_High_16QAM_6@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.779 G	1.780 G	100.00 k	1.779226 G	4.06	-45.94
1.780 G	1.781 G	50.00 k	1.780009 G	-38.09	-25.09
1.781 G	1.791 G	1.00 M	1.781078 G	-32.63	-19.63

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:10:40

3MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.697 G	1.709 G	1.00 M	1.708982 G	-35.06	-22.06
1.709 G	1.710 G	100.00 k	1.709999 G	-21.50	-8.50
1.710 G	1.713 G	100.00 k	1.710237 G	14.37	-35.63

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:11:54

3MHz_Low_QPSK_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.697 G	1.709 G	1.00 M	1.708964 G	-31.70	-18.70
1.709 G	1.710 G	100.00 k	1.709996 G	-33.22	-20.22
1.710 G	1.713 G	100.00 k	1.711140 G	1.40	-48.60

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:12:25

3MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.697 G	1.709 G	1.00 M	1.708982 G	-35.34	-22.34
1.709 G	1.710 G	100.00 k	1.709999 G	-22.38	-9.38
1.710 G	1.713 G	100.00 k	1.710216 G	13.29	-36.71

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:12:57

3MHz_Low_16QAM_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.697 G	1.709 G	1.00 M	1.708970 G	-31.09	-18.09
1.709 G	1.710 G	100.00 k	1.709998 G	-33.18	-20.18
1.710 G	1.713 G	100.00 k	1.712789 G	0.60	-49.40

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:13:27

3MHz_High_QPSK_1@14



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.777 G	1.780 G	100.00 k	1.779753 G	14.22	-35.78
1.780 G	1.781 G	100.00 k	1.780003 G	-21.45	-8.45
1.781 G	1.793 G	1.00 M	1.781156 G	-35.35	-22.35

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:14:12

3MHz_High_QPSK_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.777 G	1.780 G	100.00 k	1.777434 G	1.26	-48.74
1.780 G	1.781 G	100.00 k	1.780001 G	-32.97	-19.97
1.781 G	1.793 G	1.00 M	1.781876 G	-32.47	-19.47

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:14:45

3MHz_High_16QAM_1@14



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.777 G	1.780 G	100.00 k	1.779738 G	13.25	-36.75
1.780 G	1.781 G	100.00 k	1.780002 G	-22.60	-9.60
1.781 G	1.793 G	1.00 M	1.781030 G	-35.15	-22.15

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:15:17

3MHz_High_16QAM_15@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.777 G	1.780 G	100.00 k	1.779652 G	0.25	-49.75
1.780 G	1.781 G	100.00 k	1.780001 G	-34.08	-21.08
1.781 G	1.793 G	1.00 M	1.781150 G	-32.19	-19.19

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:15:49

5MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.695 G	1.709 G	1.00 M	1.708923 G	-35.30	-22.30
1.709 G	1.710 G	100.00 k	1.709995 G	-32.25	-19.25
1.710 G	1.715 G	100.00 k	1.710350 G	14.28	-35.72

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:17:02

5MHz_Low_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.695 G	1.709 G	1.00 M	1.708944 G	-32.68	-19.68
1.709 G	1.710 G	100.00 k	1.709972 G	-38.41	-25.41
1.710 G	1.715 G	100.00 k	1.712533 G	-0.38	-50.38

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:17:34

5MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.695 G	1.709 G	1.00 M	1.708979 G	-35.33	-22.33
1.709 G	1.710 G	100.00 k	1.709995 G	-33.39	-20.39
1.710 G	1.715 G	100.00 k	1.710368 G	13.34	-36.66

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:18:06

5MHz_Low_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.695 G	1.709 G	1.00 M	1.708923 G	-32.13	-19.13
1.709 G	1.710 G	100.00 k	1.709975 G	-38.65	-25.65
1.710 G	1.715 G	100.00 k	1.712522 G	-1.92	-51.92

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:18:38

5MHz_High_QPSK_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.775 G	1.780 G	100.00 k	1.779657 G	14.07	-35.93
1.780 G	1.781 G	100.00 k	1.780002 G	-33.52	-20.52
1.781 G	1.795 G	1.00 M	1.781084 G	-35.58	-22.58

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:19:24

5MHz_High_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.775 G	1.780 G	100.00 k	1.778298 G	-0.82	-50.82
1.780 G	1.781 G	100.00 k	1.780005 G	-39.43	-26.43
1.781 G	1.795 G	1.00 M	1.783520 G	-33.58	-20.58

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:19:56

5MHz_High_16QAM_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.775 G	1.780 G	100.00 k	1.779665 G	13.13	-36.87
1.780 G	1.781 G	100.00 k	1.780010 G	-33.50	-20.50
1.781 G	1.795 G	1.00 M	1.781105 G	-35.47	-22.47

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:20:29

5MHz_High_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.775 G	1.780 G	100.00 k	1.776020 G	-2.12	-52.12
1.780 G	1.781 G	100.00 k	1.780013 G	-39.17	-26.17
1.781 G	1.795 G	1.00 M	1.781000 G	-32.79	-19.79

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:21:02

10MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.690 G	1.709 G	1.00 M	1.708962 G	-35.84	-22.84
1.709 G	1.710 G	200.00 k	1.709990 G	-22.46	-9.46
1.710 G	1.720 G	100.00 k	1.710560 G	13.85	-36.15

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:22:39

10MHz_Low_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.690 G	1.709 G	1.00 M	1.708706 G	-34.35	-21.35
1.709 G	1.710 G	200.00 k	1.709998 G	-36.75	-23.75
1.710 G	1.720 G	100.00 k	1.719345 G	-3.65	-53.65

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:23:12

10MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.690 G	1.709 G	1.00 M	1.708753 G	-36.00	-23.00
1.709 G	1.710 G	200.00 k	1.709996 G	-23.33	-10.33
1.710 G	1.720 G	100.00 k	1.710580 G	12.82	-37.18

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:23:45

10MHz_Low_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.690 G	1.709 G	1.00 M	1.708668 G	-33.85	-20.85
1.709 G	1.710 G	200.00 k	1.709990 G	-36.91	-23.91
1.710 G	1.720 G	100.00 k	1.712565 G	-5.03	-55.03

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:24:18

10MHz_High_QPSK_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.770 G	1.780 G	100.00 k	1.779425 G	14.10	-35.90
1.780 G	1.781 G	200.00 k	1.780005 G	-20.97	-7.97
1.781 G	1.800 G	1.00 M	1.781912 G	-35.74	-22.74

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:25:06

10MHz_High_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.770 G	1.780 G	100.00 k	1.771965 G	-4.05	-54.05
1.780 G	1.781 G	200.00 k	1.780005 G	-36.75	-23.75
1.781 G	1.800 G	1.00 M	1.781646 G	-34.62	-21.62

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:25:39

10MHz_High_16QAM_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.770 G	1.780 G	100.00 k	1.779405 G	12.97	-37.03
1.780 G	1.781 G	200.00 k	1.780001 G	-21.89	-8.89
1.781 G	1.800 G	1.00 M	1.781086 G	-35.91	-22.91

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:26:13

10MHz_High_16QAM_25@25



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.770 G	1.780 G	100.00 k	1.776200 G	-1.71	-51.71
1.780 G	1.781 G	200.00 k	1.780001 G	-34.41	-21.41
1.781 G	1.800 G	1.00 M	1.781304 G	-33.10	-20.10

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:26:46

10MHz_High_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.770 G	1.780 G	100.00 k	1.774920 G	-4.70	-54.70
1.780 G	1.781 G	200.00 k	1.780006 G	-37.16	-24.16
1.781 G	1.800 G	1.00 M	1.781200 G	-34.52	-21.52

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:27:20

15MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.685 G	1.709 G	1.00 M	1.709000 G	-35.92	-22.92
1.709 G	1.710 G	200.00 k	1.709999 G	-34.74	-21.74
1.710 G	1.725 G	100.00 k	1.710863 G	13.96	-36.04

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:28:59

15MHz_Low_QPSK_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.685 G	1.709 G	1.00 M	1.708796 G	-34.34	-21.34
1.709 G	1.710 G	200.00 k	1.709981 G	-39.87	-26.87
1.710 G	1.725 G	100.00 k	1.716900 G	-5.80	-55.80

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:29:32

15MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.685 G	1.709 G	1.00 M	1.706132 G	-36.03	-23.03
1.709 G	1.710 G	200.00 k	1.709996 G	-33.83	-20.83
1.710 G	1.725 G	100.00 k	1.710885 G	13.28	-36.72

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:30:06

15MHz_Low_16QAM_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.685 G	1.709 G	1.00 M	1.707224 G	-34.25	-21.25
1.709 G	1.710 G	200.00 k	1.709941 G	-39.76	-26.76
1.710 G	1.725 G	100.00 k	1.722293 G	-6.63	-56.63

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:30:40

15MHz_High_QPSK_1@74



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.765 G	1.780 G	100.00 k	1.779168 G	13.64	-36.36
1.780 G	1.781 G	200.00 k	1.780005 G	-32.30	-19.30
1.781 G	1.805 G	1.00 M	1.783376 G	-35.93	-22.93

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:31:29

15MHz_High_QPSK_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.765 G	1.780 G	100.00 k	1.765908 G	-5.62	-55.62
1.780 G	1.781 G	200.00 k	1.780015 G	-40.42	-27.42
1.781 G	1.805 G	1.00 M	1.782176 G	-34.97	-21.97

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:32:04

15MHz_High_16QAM_1@74



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.765 G	1.780 G	100.00 k	1.779160 G	13.11	-36.89
1.780 G	1.781 G	200.00 k	1.780003 G	-33.57	-20.57
1.781 G	1.805 G	1.00 M	1.785836 G	-35.82	-22.82

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:32:40

15MHz_High_16QAM_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.765 G	1.780 G	100.00 k	1.766860 G	-6.56	-56.56
1.780 G	1.781 G	200.00 k	1.780012 G	-40.28	-27.28
1.781 G	1.805 G	1.00 M	1.782020 G	-34.79	-21.79

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:33:16

20MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.680 G	1.709 G	1.00 M	1.702214 G	-36.18	-23.18
1.709 G	1.710 G	300.00 k	1.709996 G	-31.01	-18.01
1.710 G	1.730 G	100.00 k	1.711080 G	14.34	-35.66

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:34:53

20MHz_Low_QPSK_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.680 G	1.709 G	1.00 M	1.708927 G	-35.29	-22.29
1.709 G	1.710 G	300.00 k	1.709974 G	-39.31	-26.31
1.710 G	1.730 G	100.00 k	1.718640 G	-6.84	-56.84

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:35:26

20MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.680 G	1.709 G	1.00 M	1.707420 G	-36.02	-23.02
1.709 G	1.710 G	300.00 k	1.709996 G	-31.61	-18.61
1.710 G	1.730 G	100.00 k	1.711100 G	13.12	-36.88

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:35:59

20MHz_Low_16QAM_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.680 G	1.709 G	1.00 M	1.708797 G	-34.72	-21.72
1.709 G	1.710 G	300.00 k	1.709993 G	-39.02	-26.02
1.710 G	1.730 G	100.00 k	1.719970 G	-7.57	-57.57

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:36:32

20MHz_High_QPSK_1@99



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.760 G	1.780 G	100.00 k	1.778900 G	13.94	-36.06
1.780 G	1.781 G	300.00 k	1.780002 G	-29.00	-16.00
1.781 G	1.810 G	1.00 M	1.787264 G	-35.98	-22.98

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:37:22

20MHz_High_QPSK_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.760 G	1.780 G	100.00 k	1.768780 G	-6.72	-56.72
1.780 G	1.781 G	300.00 k	1.780024 G	-39.58	-26.58
1.781 G	1.810 G	1.00 M	1.781044 G	-35.44	-22.44

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:37:57

20MHz_High_16QAM_1@99



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.760 G	1.780 G	100.00 k	1.778940 G	12.89	-37.11
1.780 G	1.781 G	300.00 k	1.780002 G	-29.85	-16.85
1.781 G	1.810 G	1.00 M	1.781044 G	-35.89	-22.89

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:38:33

20MHz_High_16QAM_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
1.760 G	1.780 G	100.00 k	1.765620 G	-7.15	-57.15
1.780 G	1.781 G	300.00 k	1.780012 G	-39.49	-26.49
1.781 G	1.810 G	1.00 M	1.781044 G	-34.98	-21.98

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:39:08

B7 , Normal

5MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.475 G	2.490 G	1.00 M	2.488811 G	-43.36	-18.36
2.490 G	2.496 G	1.00 M	2.495901 G	-43.29	-30.29
2.496 G	2.499 G	1.00 M	2.498956 G	-42.10	-32.10
2.499 G	2.500 G	50.00 k	2.499985 G	-43.24	-33.24
2.500 G	2.505 G	100.00 k	2.500360 G	8.89	-41.11

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:37:46

5MHz_Low_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.475 G	2.490 G	1.00 M	2.481239 G	-43.39	-18.39
2.490 G	2.496 G	1.00 M	2.495805 G	-43.25	-30.25
2.496 G	2.499 G	1.00 M	2.498988 G	-42.54	-32.54
2.499 G	2.500 G	50.00 k	2.499993 G	-48.63	-38.63
2.500 G	2.505 G	100.00 k	2.501770 G	-5.57	-55.57

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:38:27

5MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.475 G	2.490 G	1.00 M	2.486834 G	-43.30	-18.30
2.490 G	2.496 G	1.00 M	2.495901 G	-43.23	-30.23
2.496 G	2.499 G	1.00 M	2.498976 G	-42.29	-32.29
2.499 G	2.500 G	50.00 k	2.499998 G	-43.05	-33.05
2.500 G	2.505 G	100.00 k	2.500353 G	8.39	-41.61

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:39:08

5MHz_Low_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.475 G	2.490 G	1.00 M	2.476907 G	-43.46	-18.46
2.490 G	2.496 G	1.00 M	2.495302 G	-43.33	-30.33
2.496 G	2.499 G	1.00 M	2.498853 G	-42.41	-32.41
2.499 G	2.500 G	50.00 k	2.499983 G	-49.28	-39.28
2.500 G	2.505 G	100.00 k	2.502828 G	-6.68	-56.68

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:39:50

5MHz_High_QPSK_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.565 G	2.570 G	100.00 k	2.569643 G	10.10	-39.90
2.570 G	2.571 G	50.00 k	2.570002 G	-40.90	-30.90
2.571 G	2.575 G	1.00 M	2.571044 G	-42.02	-32.02
2.575 G	2.576 G	1.00 M	2.575023 G	-43.40	-30.40
2.576 G	2.595 G	1.00 M	2.585738 G	-43.61	-18.61

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:40:45

5MHz_High_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.565 G	2.570 G	100.00 k	2.569472 G	-5.17	-55.17
2.570 G	2.571 G	50.00 k	2.570006 G	-48.53	-38.53
2.571 G	2.575 G	1.00 M	2.571020 G	-42.45	-32.45
2.575 G	2.576 G	1.00 M	2.575295 G	-43.48	-30.48
2.576 G	2.595 G	1.00 M	2.576304 G	-43.37	-18.37

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:41:28

5MHz_High_16QAM_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.565 G	2.570 G	100.00 k	2.569678 G	9.36	-40.64
2.570 G	2.571 G	50.00 k	2.570001 G	-40.92	-30.92
2.571 G	2.575 G	1.00 M	2.571016 G	-42.09	-32.09
2.575 G	2.576 G	1.00 M	2.575429 G	-43.40	-30.40
2.576 G	2.595 G	1.00 M	2.577415 G	-43.38	-18.38

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:42:11

5MHz_High_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.565 G	2.570 G	100.00 k	2.565590 G	-6.25	-56.25
2.570 G	2.571 G	50.00 k	2.570006 G	-49.50	-39.50
2.571 G	2.575 G	1.00 M	2.571006 G	-42.42	-32.42
2.575 G	2.576 G	1.00 M	2.575137 G	-43.47	-30.47
2.576 G	2.595 G	1.00 M	2.593547 G	-43.65	-18.65

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:42:53

10MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.475 G	2.490 G	1.00 M	2.483192 G	-43.47	-18.47
2.490 G	2.496 G	1.00 M	2.495808 G	-43.10	-30.10
2.496 G	2.499 G	1.00 M	2.498946 G	-42.45	-32.45
2.499 G	2.500 G	100.00 k	2.499974 G	-44.58	-34.58
2.500 G	2.510 G	100.00 k	2.500595 G	9.05	-40.95

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:44:46

10MHz_Low_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.475 G	2.490 G	1.00 M	2.475729 G	-43.51	-18.51
2.490 G	2.496 G	1.00 M	2.493621 G	-43.21	-30.21
2.496 G	2.499 G	1.00 M	2.498631 G	-42.71	-32.71
2.499 G	2.500 G	100.00 k	2.499997 G	-49.73	-39.73
2.500 G	2.510 G	100.00 k	2.500705 G	-8.68	-58.68

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:45:28

10MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.475 G	2.490 G	1.00 M	2.482029 G	-43.29	-18.29
2.490 G	2.496 G	1.00 M	2.495931 G	-43.25	-30.25
2.496 G	2.499 G	1.00 M	2.498712 G	-42.48	-32.48
2.499 G	2.500 G	100.00 k	2.499964 G	-45.65	-35.65
2.500 G	2.510 G	100.00 k	2.500605 G	7.84	-42.16

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:46:10

10MHz_Low_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.475 G	2.490 G	1.00 M	2.475101 G	-43.45	-18.45
2.490 G	2.496 G	1.00 M	2.492777 G	-43.14	-30.14
2.496 G	2.499 G	1.00 M	2.498952 G	-42.68	-32.68
2.499 G	2.500 G	100.00 k	2.499999 G	-49.58	-39.58
2.500 G	2.510 G	100.00 k	2.504105 G	-9.39	-59.39

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:46:53

10MHz_High_QPSK_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.560 G	2.570 G	100.00 k	2.569445 G	9.82	-40.18
2.570 G	2.571 G	100.00 k	2.570009 G	-45.17	-35.17
2.571 G	2.575 G	1.00 M	2.571058 G	-42.50	-32.50
2.575 G	2.580 G	1.00 M	2.576020 G	-43.37	-30.37
2.580 G	2.595 G	1.00 M	2.587935 G	-43.43	-18.43

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:47:48

10MHz_High_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.560 G	2.570 G	100.00 k	2.568655 G	-7.87	-57.87
2.570 G	2.571 G	100.00 k	2.570002 G	-48.80	-38.80
2.571 G	2.575 G	1.00 M	2.571072 G	-42.86	-32.86
2.575 G	2.580 G	1.00 M	2.578290 G	-43.44	-30.44
2.580 G	2.595 G	1.00 M	2.594842 G	-43.61	-18.61

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:48:32

10MHz_High_16QAM_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.560 G	2.570 G	100.00 k	2.569390 G	9.15	-40.85
2.570 G	2.571 G	100.00 k	2.570009 G	-44.27	-34.27
2.571 G	2.575 G	1.00 M	2.571176 G	-42.47	-32.47
2.575 G	2.580 G	1.00 M	2.575480 G	-43.48	-30.48
2.580 G	2.595 G	1.00 M	2.581935 G	-43.48	-18.48

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:49:15

10MHz_High_16QAM_25@25



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.560 G	2.570 G	100.00 k	2.567380 G	-6.43	-56.43
2.570 G	2.571 G	100.00 k	2.570003 G	-48.64	-38.64
2.571 G	2.575 G	1.00 M	2.571212 G	-42.41	-32.41
2.575 G	2.580 G	1.00 M	2.577218 G	-43.40	-30.40
2.580 G	2.595 G	1.00 M	2.589758 G	-43.50	-18.50

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:49:58

10MHz_High_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.560 G	2.570 G	100.00 k	2.565030 G	-9.15	-59.15
2.570 G	2.571 G	100.00 k	2.570002 G	-49.69	-39.69
2.571 G	2.575 G	1.00 M	2.571020 G	-42.55	-32.55
2.575 G	2.580 G	1.00 M	2.575300 G	-43.21	-30.21
2.580 G	2.595 G	1.00 M	2.583953 G	-43.60	-18.60

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:50:40

15MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.475 G	2.490 G	1.00 M	2.488849 G	-43.45	-18.45
2.490 G	2.496 G	1.00 M	2.494490 G	-43.06	-30.06
2.496 G	2.499 G	1.00 M	2.498969 G	-42.59	-32.59
2.499 G	2.500 G	200.00 k	2.499995 G	-39.72	-29.72
2.500 G	2.515 G	100.00 k	2.500855 G	8.97	-41.03

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:52:29

15MHz_Low_QPSK_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.475 G	2.490 G	1.00 M	2.489981 G	-43.30	-18.30
2.490 G	2.496 G	1.00 M	2.495997 G	-43.07	-30.07
2.496 G	2.499 G	1.00 M	2.497197 G	-42.77	-32.77
2.499 G	2.500 G	200.00 k	2.499963 G	-47.71	-37.71
2.500 G	2.515 G	100.00 k	2.502010 G	-10.22	-60.22

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:53:12

15MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.475 G	2.490 G	1.00 M	2.479417 G	-43.43	-18.43
2.490 G	2.496 G	1.00 M	2.494254 G	-43.05	-30.05
2.496 G	2.499 G	1.00 M	2.496211 G	-42.74	-32.74
2.499 G	2.500 G	200.00 k	2.499995 G	-40.55	-30.55
2.500 G	2.515 G	100.00 k	2.500863 G	8.11	-41.89

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:53:55

15MHz_Low_16QAM_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.475 G	2.490 G	1.00 M	2.489392 G	-43.41	-18.41
2.490 G	2.496 G	1.00 M	2.495981 G	-42.88	-29.88
2.496 G	2.499 G	1.00 M	2.498069 G	-42.79	-32.79
2.499 G	2.500 G	200.00 k	2.499996 G	-47.22	-37.22
2.500 G	2.515 G	100.00 k	2.500960 G	-11.31	-61.31

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:54:39

15MHz_High_QPSK_1@74



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.555 G	2.570 G	100.00 k	2.569175 G	10.00	-40.00
2.570 G	2.571 G	200.00 k	2.570002 G	-36.57	-26.57
2.571 G	2.575 G	1.00 M	2.571004 G	-42.50	-32.50
2.575 G	2.585 G	1.00 M	2.575370 G	-43.27	-30.27
2.585 G	2.595 G	1.00 M	2.592995 G	-43.46	-18.46

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:55:35

15MHz_High_QPSK_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.555 G	2.570 G	100.00 k	2.567337 G	-9.76	-59.76
2.570 G	2.571 G	200.00 k	2.570018 G	-47.27	-37.27
2.571 G	2.575 G	1.00 M	2.572042 G	-42.89	-32.89
2.575 G	2.585 G	1.00 M	2.575075 G	-43.44	-30.44
2.585 G	2.595 G	1.00 M	2.594120 G	-43.56	-18.56

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:56:19

15MHz_High_16QAM_1@74



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.555 G	2.570 G	100.00 k	2.569145 G	8.77	-41.23
2.570 G	2.571 G	200.00 k	2.570008 G	-38.16	-28.16
2.571 G	2.575 G	1.00 M	2.571008 G	-42.82	-32.82
2.575 G	2.585 G	1.00 M	2.575845 G	-43.10	-30.10
2.585 G	2.595 G	1.00 M	2.589130 G	-43.60	-18.60

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:57:03

15MHz_High_16QAM_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.555 G	2.570 G	100.00 k	2.567683 G	-10.95	-60.95
2.570 G	2.571 G	200.00 k	2.570002 G	-47.73	-37.73
2.571 G	2.575 G	1.00 M	2.572246 G	-42.99	-32.99
2.575 G	2.585 G	1.00 M	2.575480 G	-43.34	-30.34
2.585 G	2.595 G	1.00 M	2.585175 G	-43.55	-18.55

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:57:46

20MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.475 G	2.490 G	1.00 M	2.481959 G	-43.38	-18.38
2.490 G	2.496 G	1.00 M	2.492068 G	-43.15	-30.15
2.496 G	2.499 G	1.00 M	2.498994 G	-42.75	-32.75
2.499 G	2.500 G	200.00 k	2.499986 G	-44.75	-34.75
2.500 G	2.520 G	100.00 k	2.501080 G	8.78	-41.22

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 18:59:39

20MHz_Low_QPSK_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.475 G	2.490 G	1.00 M	2.483362 G	-43.46	-18.46
2.490 G	2.496 G	1.00 M	2.494223 G	-43.26	-30.26
2.496 G	2.499 G	1.00 M	2.498108 G	-42.97	-32.97
2.499 G	2.500 G	200.00 k	2.499997 G	-48.36	-38.36
2.500 G	2.520 G	100.00 k	2.501300 G	-11.38	-61.38

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:00:27

20MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.475 G	2.490 G	1.00 M	2.479650 G	-43.44	-18.44
2.490 G	2.496 G	1.00 M	2.494944 G	-43.24	-30.24
2.496 G	2.499 G	1.00 M	2.498931 G	-42.59	-32.59
2.499 G	2.500 G	200.00 k	2.499988 G	-45.67	-35.67
2.500 G	2.520 G	100.00 k	2.501090 G	8.14	-41.86

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:01:14

20MHz_Low_16QAM_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.475 G	2.490 G	1.00 M	2.480720 G	-43.46	-18.46
2.490 G	2.496 G	1.00 M	2.494743 G	-43.32	-30.32
2.496 G	2.499 G	1.00 M	2.498509 G	-42.93	-32.93
2.499 G	2.500 G	200.00 k	2.499973 G	-48.65	-38.65
2.500 G	2.520 G	100.00 k	2.507120 G	-12.35	-62.35

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:02:00

20MHz_High_QPSK_1@99



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.550 G	2.570 G	100.00 k	2.568890 G	9.82	-40.18
2.570 G	2.571 G	200.00 k	2.570008 G	-43.32	-33.32
2.571 G	2.575 G	1.00 M	2.571070 G	-42.79	-32.79
2.575 G	2.590 G	1.00 M	2.577730 G	-43.29	-30.29
2.590 G	2.595 G	1.00 M	2.591452 G	-43.64	-18.64

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:02:59

20MHz_High_QPSK_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.550 G	2.570 G	100.00 k	2.557560 G	-11.02	-61.02
2.570 G	2.571 G	200.00 k	2.570020 G	-48.58	-38.58
2.571 G	2.575 G	1.00 M	2.571094 G	-43.17	-33.17
2.575 G	2.590 G	1.00 M	2.584735 G	-43.39	-30.39
2.590 G	2.595 G	1.00 M	2.594273 G	-43.54	-18.54

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:03:44

20MHz_High_16QAM_1@99



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.550 G	2.570 G	100.00 k	2.568910 G	9.20	-40.80
2.570 G	2.571 G	200.00 k	2.570006 G	-44.32	-34.32
2.571 G	2.575 G	1.00 M	2.571090 G	-42.90	-32.90
2.575 G	2.590 G	1.00 M	2.577895 G	-43.38	-30.38
2.590 G	2.595 G	1.00 M	2.590175 G	-43.64	-18.64

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:04:29

B42_1 , Normal

20MHz_High_16QAM_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
2.550 G	2.570 G	100.00 k	2.567360 G	-12.31	-62.31
2.570 G	2.571 G	200.00 k	2.570001 G	-48.53	-38.53
2.571 G	2.575 G	1.00 M	2.572108 G	-43.15	-33.15
2.575 G	2.590 G	1.00 M	2.575090 G	-43.47	-30.47
2.590 G	2.595 G	1.00 M	2.591273 G	-43.64	-18.64

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 6.DEC.2024 19:05:14

1_5MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
3.425 G	3.444 G	1.00 M	3.443953 G	-39.65	-26.65
3.444 G	3.445 G	1.00 M	3.444946 G	-36.69	-23.69
3.445 G	3.449 G	1.00 M	3.449000 G	-24.67	-11.67
3.449 G	3.450 G	50.00 k	3.449999 G	-22.79	-9.79
3.450 G	3.455 G	100.00 k	3.450310 G	11.76	-38.24

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:20:25

1_5MHz_Low_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
3.425 G	3.444 G	1.00 M	3.443877 G	-39.27	-26.27
3.444 G	3.445 G	1.00 M	3.444767 G	-36.27	-23.27
3.445 G	3.449 G	1.00 M	3.448920 G	-28.79	-15.79
3.449 G	3.450 G	50.00 k	3.449987 G	-37.03	-24.03
3.450 G	3.455 G	100.00 k	3.452408 G	-0.62	-50.62

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:23:28

1_5MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
3.425 G	3.444 G	1.00 M	3.443953 G	-40.51	-27.51
3.444 G	3.445 G	1.00 M	3.444935 G	-37.86	-24.86
3.445 G	3.449 G	1.00 M	3.448982 G	-26.58	-13.58
3.449 G	3.450 G	50.00 k	3.449995 G	-24.46	-11.46
3.450 G	3.455 G	100.00 k	3.450347 G	11.65	-38.35

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:26:32

1_5MHz_Low_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
3.425 G	3.444 G	1.00 M	3.443934 G	-40.25	-27.25
3.444 G	3.445 G	1.00 M	3.444942 G	-37.68	-24.68
3.445 G	3.449 G	1.00 M	3.448878 G	-30.78	-17.78
3.449 G	3.450 G	50.00 k	3.450000 G	-37.31	-24.31
3.450 G	3.455 G	100.00 k	3.451868 G	-1.62	-51.62

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:29:33

1_5MHz_High_QPSK_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAbs [dBm]	ΔLimit [dB]
3.545 G	3.550 G	100.00 k	3.549657 G	13.57	-36.43
3.550 G	3.551 G	50.00 k	3.550116 G	-24.13	-11.13
3.551 G	3.555 G	1.00 M	3.551066 G	-24.64	-11.64
3.555 G	3.556 G	1.00 M	3.555060 G	-37.19	-24.19
3.556 G	3.575 G	1.00 M	3.556057 G	-39.91	-26.91

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:33:00

1_5MHz_High_QPSK_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Hz [dBm]	ΔLimit [dB]
3.545 G	3.550 G	100.00 k	3.547090 G	0.23	-49.77
3.550 G	3.551 G	50.00 k	3.550001 G	-36.85	-23.85
3.551 G	3.555 G	1.00 M	3.551084 G	-30.14	-17.14
3.555 G	3.556 G	1.00 M	3.555125 G	-37.49	-24.49
3.556 G	3.575 G	1.00 M	3.556200 G	-39.79	-26.79

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:36:01

1_5MHz_High_16QAM_1@24



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Hz [dBm]	ΔLimit [dB]
3.545 G	3.550 G	100.00 k	3.549633 G	12.75	-37.25
3.550 G	3.551 G	50.00 k	3.550001 G	-23.37	-10.37
3.551 G	3.555 G	1.00 M	3.551006 G	-25.13	-12.13
3.555 G	3.556 G	1.00 M	3.555018 G	-36.39	-23.39
3.556 G	3.575 G	1.00 M	3.556029 G	-39.27	-26.27

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:39:03

1_5MHz_High_16QAM_25@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Hz [dBm]	ΔLimit [dB]
3.545 G	3.550 G	100.00 k	3.547102 G	-0.47	-50.47
3.550 G	3.551 G	50.00 k	3.550003 G	-36.42	-23.42
3.551 G	3.555 G	1.00 M	3.551070 G	-27.63	-14.63
3.555 G	3.556 G	1.00 M	3.555045 G	-36.54	-23.54
3.556 G	3.575 G	1.00 M	3.556171 G	-39.59	-26.59

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:42:01

1_10MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Hz [dBm]	ΔLimit [dB]
3.425 G	3.440 G	1.00 M	3.435417 G	-41.63	-28.63
3.440 G	3.445 G	1.00 M	3.444605 G	-38.83	-25.83
3.445 G	3.449 G	1.00 M	3.448970 G	-30.04	-17.04
3.449 G	3.450 G	100.00 k	3.449988 G	-27.15	-14.15
3.450 G	3.460 G	100.00 k	3.450610 G	11.99	-38.01

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:45:41

1_10MHz_Low_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Hz [dBm]	ΔLimit [dB]
3.425 G	3.440 G	1.00 M	3.437548 G	-41.75	-28.75
3.440 G	3.445 G	1.00 M	3.444580 G	-40.23	-27.23
3.445 G	3.449 G	1.00 M	3.448504 G	-38.33	-25.33
3.449 G	3.450 G	100.00 k	3.449955 G	-39.01	-26.01
3.450 G	3.460 G	100.00 k	3.453570 G	-3.93	-53.93

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:48:55

1_10MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Hz [dBm]	ΔLimit [dB]
3.425 G	3.440 G	1.00 M	3.432935 G	-41.45	-28.45
3.440 G	3.445 G	1.00 M	3.444715 G	-38.49	-25.49
3.445 G	3.449 G	1.00 M	3.448970 G	-29.30	-16.30
3.449 G	3.450 G	100.00 k	3.449997 G	-27.39	-14.39
3.450 G	3.460 G	100.00 k	3.450565 G	11.36	-38.64

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:52:07

1_10MHz_Low_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Abs [dBm]	ΔLimit [dB]
3.425 G	3.440 G	1.00 M	3.439205 G	-41.69	-28.69
3.440 G	3.445 G	1.00 M	3.444377 G	-41.06	-28.06
3.445 G	3.449 G	1.00 M	3.448988 G	-37.28	-24.28
3.449 G	3.450 G	100.00 k	3.449908 G	-35.13	-22.13
3.450 G	3.460 G	100.00 k	3.455435 G	-4.18	-54.18

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:55:19

1_10MHz_High_QPSK_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Abs [dBm]	ΔLimit [dB]
3.540 G	3.550 G	100.00 k	3.549395 G	12.96	-37.04
3.550 G	3.551 G	100.00 k	3.550077 G	-25.13	-12.13
3.551 G	3.555 G	1.00 M	3.551074 G	-27.28	-14.28
3.555 G	3.560 G	1.00 M	3.555105 G	-36.82	-23.82
3.560 G	3.575 G	1.00 M	3.560353 G	-41.04	-28.04

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 11:58:45

1_10MHz_High_QPSK_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Abs [dBm]	ΔLimit [dB]
3.540 G	3.550 G	100.00 k	3.544995 G	-2.71	-52.71
3.550 G	3.551 G	100.00 k	3.550119 G	-33.35	-20.35
3.551 G	3.555 G	1.00 M	3.551282 G	-29.17	-16.17
3.555 G	3.560 G	1.00 M	3.555145 G	-37.69	-24.69
3.560 G	3.575 G	1.00 M	3.563382 G	-41.43	-28.43

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:01:47

1_10MHz_High_16QAM_1@49



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Abs [dBm]	ΔLimit [dB]
3.540 G	3.550 G	100.00 k	3.549400 G	13.08	-36.92
3.550 G	3.551 G	100.00 k	3.550025 G	-25.49	-12.49
3.551 G	3.555 G	1.00 M	3.551006 G	-27.78	-14.78
3.555 G	3.560 G	1.00 M	3.555430 G	-37.29	-24.29
3.560 G	3.575 G	1.00 M	3.560315 G	-41.25	-28.25

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:04:50

1_10MHz_High_16QAM_25@25



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Abs [dBm]	ΔLimit [dB]
3.540 G	3.550 G	100.00 k	3.548435 G	-0.93	-50.93
3.550 G	3.551 G	100.00 k	3.550004 G	-36.45	-23.45
3.551 G	3.555 G	1.00 M	3.551002 G	-35.49	-22.49
3.555 G	3.560 G	1.00 M	3.555220 G	-41.24	-28.24
3.560 G	3.575 G	1.00 M	3.570748 G	-41.21	-28.21

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:07:52

1_10MHz_High_16QAM_50@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Abs [dBm]	ΔLimit [dB]
3.540 G	3.550 G	100.00 k	3.543190 G	-3.50	-53.50
3.550 G	3.551 G	100.00 k	3.550002 G	-40.70	-27.70
3.551 G	3.555 G	1.00 M	3.551402 G	-35.38	-22.38
3.555 G	3.560 G	1.00 M	3.555147 G	-38.50	-25.50
3.560 G	3.575 G	1.00 M	3.562498 G	-41.39	-28.39

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:10:56

1_15MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Abs [dBm]	ΔLimit [dB]
3.425 G	3.435 G	1.00 M	3.433305 G	-41.68	-28.68
3.435 G	3.445 G	1.00 M	3.444400 G	-41.36	-28.36
3.445 G	3.449 G	1.00 M	3.449000 G	-37.84	-24.84
3.449 G	3.450 G	200.00 k	3.449997 G	-27.16	-14.16
3.450 G	3.465 G	100.00 k	3.450840 G	11.63	-38.37

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:14:23

1_15MHz_Low_QPSK_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Abs [dBm]	ΔLimit [dB]
3.425 G	3.435 G	1.00 M	3.434010 G	-41.75	-28.75
3.435 G	3.445 G	1.00 M	3.443820 G	-40.71	-27.71
3.445 G	3.449 G	1.00 M	3.447606 G	-39.82	-26.82
3.449 G	3.450 G	200.00 k	3.449988 G	-41.36	-28.36
3.450 G	3.465 G	100.00 k	3.456352 G	-5.33	-55.33

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:17:30

1_15MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Abs [dBm]	ΔLimit [dB]
3.425 G	3.435 G	1.00 M	3.428070 G	-41.66	-28.66
3.435 G	3.445 G	1.00 M	3.444940 G	-41.18	-28.18
3.445 G	3.449 G	1.00 M	3.448990 G	-37.37	-24.37
3.449 G	3.450 G	200.00 k	3.449999 G	-27.61	-14.61
3.450 G	3.465 G	100.00 k	3.450840 G	11.41	-38.59

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:20:30

1_15MHz_Low_16QAM_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Abs [dBm]	ΔLimit [dB]
3.425 G	3.435 G	1.00 M	3.428540 G	-41.71	-28.71
3.435 G	3.445 G	1.00 M	3.444220 G	-41.18	-28.18
3.445 G	3.449 G	1.00 M	3.448808 G	-40.08	-27.08
3.449 G	3.450 G	200.00 k	3.449977 G	-41.78	-28.78
3.450 G	3.465 G	100.00 k	3.454545 G	-6.08	-56.08

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:23:36

1_15MHz_High_QPSK_1@74



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Abs [dBm]	ΔLimit [dB]
3.535 G	3.550 G	100.00 k	3.549205 G	13.04	-36.96
3.550 G	3.551 G	200.00 k	3.550001 G	-27.12	-14.12
3.551 G	3.555 G	1.00 M	3.551188 G	-37.06	-24.06
3.555 G	3.565 G	1.00 M	3.555545 G	-40.21	-27.21
3.565 G	3.575 G	1.00 M	3.568645 G	-41.21	-28.21

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:26:58

1_15MHz_High_QPSK_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Abs [dBm]	ΔLimit [dB]
3.535 G	3.550 G	100.00 k	3.539642 G	-4.31	-54.31
3.550 G	3.551 G	200.00 k	3.550019 G	-35.66	-22.66
3.551 G	3.555 G	1.00 M	3.552364 G	-35.16	-22.16
3.555 G	3.565 G	1.00 M	3.556005 G	-37.96	-24.96
3.565 G	3.575 G	1.00 M	3.565180 G	-41.41	-28.41

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:29:56

1_15MHz_High_16QAM_1@74



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Abs [dBm]	ΔLimit [dB]
3.535 G	3.550 G	100.00 k	3.549175 G	12.70	-37.30
3.550 G	3.551 G	200.00 k	3.550004 G	-26.63	-13.63
3.551 G	3.555 G	1.00 M	3.551016 G	-28.79	-15.79
3.555 G	3.565 G	1.00 M	3.555950 G	-40.55	-27.55
3.565 G	3.575 G	1.00 M	3.568710 G	-41.40	-28.40

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:32:54

1_15MHz_High_16QAM_75@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Abs [dBm]	ΔLimit [dB]
3.535 G	3.550 G	100.00 k	3.537063 G	-4.43	-54.43
3.550 G	3.551 G	200.00 k	3.550005 G	-40.86	-27.86
3.551 G	3.555 G	1.00 M	3.551264 G	-35.98	-22.98
3.555 G	3.565 G	1.00 M	3.555020 G	-36.56	-23.56
3.565 G	3.575 G	1.00 M	3.572940 G	-41.31	-28.31

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:35:53

1_20MHz_Low_QPSK_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Abs [dBm]	ΔLimit [dB]
3.425 G	3.430 G	1.00 M	3.428895 G	-41.62	-28.62
3.430 G	3.445 G	1.00 M	3.444663 G	-41.51	-28.51
3.445 G	3.449 G	1.00 M	3.448838 G	-37.58	-24.58
3.449 G	3.450 G	200.00 k	3.449993 G	-30.80	-17.80
3.450 G	3.470 G	100.00 k	3.451080 G	11.96	-38.04

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:39:33

1_20MHz_Low_QPSK_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Abs [dBm]	ΔLimit [dB]
3.425 G	3.430 G	1.00 M	3.425975 G	-41.77	-28.77
3.430 G	3.445 G	1.00 M	3.438318 G	-40.85	-27.85
3.445 G	3.449 G	1.00 M	3.448066 G	-38.27	-25.27
3.449 G	3.450 G	200.00 k	3.449791 G	-41.68	-28.68
3.450 G	3.470 G	100.00 k	3.451520 G	-6.18	-56.18

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:42:44

1_20MHz_Low_16QAM_1@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Abs [dBm]	ΔLimit [dB]
3.425 G	3.430 G	1.00 M	3.428025 G	-41.74	-28.74
3.430 G	3.445 G	1.00 M	3.441715 G	-41.57	-28.57
3.445 G	3.449 G	1.00 M	3.447806 G	-30.79	-17.79
3.449 G	3.450 G	200.00 k	3.449971 G	-26.79	-13.79
3.450 G	3.470 G	100.00 k	3.451070 G	12.09	-37.91

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:45:55

1_20MHz_Low_16QAM_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Abs [dBm]	ΔLimit [dB]
3.425 G	3.430 G	1.00 M	3.429397 G	-41.52	-28.52
3.430 G	3.445 G	1.00 M	3.443178 G	-41.19	-28.19
3.445 G	3.449 G	1.00 M	3.447656 G	-39.20	-26.20
3.449 G	3.450 G	200.00 k	3.449977 G	-42.32	-29.32
3.450 G	3.470 G	100.00 k	3.461670 G	-6.74	-56.74

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:49:07

1_20MHz_High_QPSK_1@99



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Hz [dBm]	ΔLimit [dB]
3.530 G	3.550 G	100.00 k	3.548920 G	13.20	-36.80
3.550 G	3.551 G	200.00 k	3.550082 G	-27.08	-14.08
3.551 G	3.555 G	1.00 M	3.551150 G	-26.99	-13.99
3.555 G	3.570 G	1.00 M	3.555683 G	-40.26	-27.26
3.570 G	3.575 G	1.00 M	3.573752 G	-40.93	-27.93

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:52:33

1_20MHz_High_QPSK_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Hz [dBm]	ΔLimit [dB]
3.530 G	3.550 G	100.00 k	3.531910 G	-5.12	-55.12
3.550 G	3.551 G	200.00 k	3.550434 G	-41.53	-28.53
3.551 G	3.555 G	1.00 M	3.551902 G	-35.07	-22.07
3.555 G	3.570 G	1.00 M	3.555938 G	-38.70	-25.70
3.570 G	3.575 G	1.00 M	3.571035 G	-41.23	-28.23

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:55:38

1_20MHz_High_16QAM_1@99



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Hz [dBm]	ΔLimit [dB]
3.530 G	3.550 G	100.00 k	3.548910 G	13.22	-36.78
3.550 G	3.551 G	200.00 k	3.550006 G	-28.70	-15.70
3.551 G	3.555 G	1.00 M	3.552670 G	-32.47	-19.47
3.555 G	3.570 G	1.00 M	3.557565 G	-40.70	-27.70
3.570 G	3.575 G	1.00 M	3.570863 G	-41.28	-28.28

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 12:58:38

1_20MHz_High_16QAM_100@0



Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Pwr/Hz [dBm]	ΔLimit [dB]
3.530 G	3.550 G	100.00 k	3.531280 G	-6.34	-56.34
3.550 G	3.551 G	200.00 k	3.550208 G	-42.09	-29.09
3.551 G	3.555 G	1.00 M	3.552164 G	-36.36	-23.36
3.555 G	3.570 G	1.00 M	3.555007 G	-38.93	-25.93
3.570 G	3.575 G	1.00 M	3.570263 G	-41.10	-28.10

ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 8.DEC.2024 13:01:41

Spurious Emissions at Antenna Terminal

FCC Part 22H

B5 , Normal

Mode	Value (dBm)	Limit	Verdict
1.4MHz_Low_QPSK_1@0(30MHz~9.49GHz)	-33.65	See Graphs	Pass
1.4MHz_Low_QPSK_6@0(30MHz~9.49GHz)	-34.03	See Graphs	Pass
1.4MHz_Middle_QPSK_1@0(30MHz~9.49GHz)	-31.68	See Graphs	Pass
1.4MHz_Middle_QPSK_6@0(30MHz~9.49GHz)	-33.14	See Graphs	Pass
1.4MHz_High_QPSK_1@0(30MHz~9.49GHz)	-32.37	See Graphs	Pass
1.4MHz_High_QPSK_6@0(30MHz~9.49GHz)	-32.31	See Graphs	Pass
3MHz_Low_QPSK_1@0(30MHz~9.49GHz)	-33.74	See Graphs	Pass
3MHz_Low_QPSK_15@0(30MHz~9.49GHz)	-34.60	See Graphs	Pass
3MHz_Middle_QPSK_1@0(30MHz~9.49GHz)	-31.69	See Graphs	Pass
3MHz_Middle_QPSK_15@0(30MHz~9.49GHz)	-30.74	See Graphs	Pass
3MHz_High_QPSK_1@0(30MHz~9.49GHz)	-33.82	See Graphs	Pass
3MHz_High_QPSK_15@0(30MHz~9.49GHz)	-30.33	See Graphs	Pass
5MHz_Low_QPSK_1@0(30MHz~9.49GHz)	-31.94	See Graphs	Pass
5MHz_Low_QPSK_25@0(30MHz~9.49GHz)	-35.51	See Graphs	Pass
5MHz_Middle_QPSK_1@0(30MHz~9.49GHz)	-31.83	See Graphs	Pass
5MHz_Middle_QPSK_25@0(30MHz~9.49GHz)	-31.93	See Graphs	Pass
5MHz_High_QPSK_1@0(30MHz~9.49GHz)	-32.09	See Graphs	Pass
5MHz_High_QPSK_25@0(30MHz~9.49GHz)	-31.95	See Graphs	Pass
10MHz_Low_QPSK_1@0(30MHz~9.49GHz)	-30.81	See Graphs	Pass
10MHz_Low_QPSK_50@0(30MHz~9.49GHz)	-32.62	See Graphs	Pass
10MHz_Middle_QPSK_1@0(30MHz~9.49GHz)	-30.26	See Graphs	Pass
10MHz_Middle_QPSK_50@0(30MHz~9.49GHz)	-32.49	See Graphs	Pass
10MHz_High_QPSK_1@0(30MHz~9.49GHz)	-29.78	See Graphs	Pass
10MHz_High_QPSK_50@0(30MHz~9.49GHz)	-30.82	See Graphs	Pass

Note:1RB was the worst case.

B5 , Normal

1RB was the worst case

1.4MHz_Low_QPSK_1@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:17:31

1.4MHz_Low_QPSK_6@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:18:00

1.4MHz_Middle_QPSK_1@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:18:28

1.4MHz_Middle_QPSK_6@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:18:56

1.4MHz_High_QPSK_1@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:19:24

1.4MHz_High_QPSK_6@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:19:53

3MHz_Low_QPSK_1@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:20:50

3MHz_Low_QPSK_15@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:21:18

3MHz_Middle_QPSK_1@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:21:46

3MHz_Middle_QPSK_15@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:22:14

3MHz_High_QPSK_1@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:22:45

3MHz_High_QPSK_15@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:23:13

5MHz_Low_QPSK_1@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:24:12

5MHz_Low_QPSK_25@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:24:40

5MHz_Middle_QPSK_1@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:25:08

5MHz_Middle_QPSK_25@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:25:37

5MHz_High_QPSK_1@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:26:05

5MHz_High_QPSK_25@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:26:34

10MHz_Low_QPSK_1@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:27:41

10MHz_Low_QPSK_50@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:28:09

10MHz_Middle_QPSK_1@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:28:38

10MHz_Middle_QPSK_50@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:29:06

10MHz_High_QPSK_1@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:29:34

10MHz_High_QPSK_50@0(30MHz~9.49GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:30:02

FCC Part 24E

B2 , Normal

Mode	Value (dBm)	Limit	Verdict
1.4MHz_Low_QPSK_1@0(30MHz~20.1GHz)	-32.67	See Graphs	Pass
1.4MHz_Low_QPSK_6@0(30MHz~20.1GHz)	-32.98	See Graphs	Pass
1.4MHz_Middle_QPSK_1@0(30MHz~20.1GHz)	-32.94	See Graphs	Pass
1.4MHz_Middle_QPSK_6@0(30MHz~20.1GHz)	-33.22	See Graphs	Pass
1.4MHz_High_QPSK_1@0(30MHz~20.1GHz)	-33.08	See Graphs	Pass
1.4MHz_High_QPSK_6@0(30MHz~20.1GHz)	-32.02	See Graphs	Pass
3MHz_Low_QPSK_1@0(30MHz~20.1GHz)	-33.10	See Graphs	Pass
3MHz_Low_QPSK_15@0(30MHz~20.1GHz)	-32.92	See Graphs	Pass
3MHz_Middle_QPSK_1@0(30MHz~20.1GHz)	-33.21	See Graphs	Pass
3MHz_Middle_QPSK_15@0(30MHz~20.1GHz)	-31.92	See Graphs	Pass
3MHz_High_QPSK_1@0(30MHz~20.1GHz)	-32.77	See Graphs	Pass
3MHz_High_QPSK_15@0(30MHz~20.1GHz)	-32.62	See Graphs	Pass
5MHz_Low_QPSK_1@0(30MHz~20.1GHz)	-32.28	See Graphs	Pass
5MHz_Low_QPSK_25@0(30MHz~20.1GHz)	-32.92	See Graphs	Pass
5MHz_Middle_QPSK_1@0(30MHz~20.1GHz)	-33.02	See Graphs	Pass
5MHz_Middle_QPSK_25@0(30MHz~20.1GHz)	-32.58	See Graphs	Pass
5MHz_High_QPSK_1@0(30MHz~20.1GHz)	-33.24	See Graphs	Pass
5MHz_High_QPSK_25@0(30MHz~20.1GHz)	-32.68	See Graphs	Pass
10MHz_Low_QPSK_1@0(30MHz~20.1GHz)	-32.14	See Graphs	Pass
10MHz_Low_QPSK_50@0(30MHz~20.1GHz)	-33.27	See Graphs	Pass
10MHz_Middle_QPSK_1@0(30MHz~20.1GHz)	-32.98	See Graphs	Pass
10MHz_Middle_QPSK_50@0(30MHz~20.1GHz)	-33.47	See Graphs	Pass
10MHz_High_QPSK_1@0(30MHz~20.1GHz)	-33.51	See Graphs	Pass
10MHz_High_QPSK_50@0(30MHz~20.1GHz)	-32.95	See Graphs	Pass
15MHz_Low_QPSK_1@0(30MHz~20.1GHz)	-33.13	See Graphs	Pass
15MHz_Low_QPSK_75@0(30MHz~20.1GHz)	-33.45	See Graphs	Pass
15MHz_Middle_QPSK_1@0(30MHz~20.1GHz)	-32.51	See Graphs	Pass
15MHz_Middle_QPSK_75@0(30MHz~20.1GHz)	-31.78	See Graphs	Pass
15MHz_High_QPSK_1@0(30MHz~20.1GHz)	-33.24	See Graphs	Pass
15MHz_High_QPSK_75@0(30MHz~20.1GHz)	-33.31	See Graphs	Pass

Mode	Value (dBm)	Limit	Verdict
20MHz_Low_QPSK_1@0(30MHz~20.1GHz)	-33.27	See Graphs	Pass
20MHz_Low_QPSK_100@0(30MHz~20.1GHz)	-33.13	See Graphs	Pass
20MHz_Middle_QPSK_1@0(30MHz~20.1GHz)	-33.29	See Graphs	Pass
20MHz_Middle_QPSK_100@0(30MHz~20.1GHz)	-32.08	See Graphs	Pass
20MHz_High_QPSK_1@0(30MHz~20.1GHz)	-32.69	See Graphs	Pass
20MHz_High_QPSK_100@0(30MHz~20.1GHz)	-32.26	See Graphs	Pass

Note:1RB was the worst case.

B2 , Normal

1RB was the worst case

1.4MHz_Low_QPSK_1@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:52:56

1.4MHz_Low_QPSK_6@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:53:28

1.4MHz_Middle_QPSK_1@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:54:00

1.4MHz_Middle_QPSK_6@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:54:31

1.4MHz_High_QPSK_1@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:55:03

1.4MHz_High_QPSK_6@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:55:34

3MHz_Low_QPSK_1@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:56:49

3MHz_Low_QPSK_15@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:57:20

3MHz_Middle_QPSK_1@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:57:51

3MHz_Middle_QPSK_15@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:58:21

3MHz_High_QPSK_1@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:58:53

3MHz_High_QPSK_15@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:59:25

5MHz_Low_QPSK_1@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:00:38

5MHz_Low_QPSK_25@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:01:09

5MHz_Middle_QPSK_1@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:01:41

5MHz_Middle_QPSK_25@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:02:11

5MHz_High_QPSK_1@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:02:50

5MHz_High_QPSK_25@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:03:22

10MHz_Low_QPSK_1@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:04:42

10MHz_Low_QPSK_50@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:05:13

10MHz_Middle_QPSK_1@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:05:45

10MHz_Middle_QPSK_50@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:06:17

10MHz_High_QPSK_1@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:06:49

10MHz_High_QPSK_50@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:07:20

15MHz_Low_QPSK_1@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:08:37

15MHz_Low_QPSK_75@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:09:09

15MHz_Middle_QPSK_1@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:09:40

15MHz_Middle_QPSK_75@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:10:13

15MHz_High_QPSK_1@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:10:46

15MHz_High_QPSK_75@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:11:18

20MHz_Low_QPSK_1@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:12:45

20MHz_Low_QPSK_100@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:13:16

20MHz_Middle_QPSK_1@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:13:49

20MHz_Middle_QPSK_100@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:14:21

20MHz_High_QPSK_1@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:14:53

20MHz_High_QPSK_100@0(30MHz~20.1GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:15:24

FCC Part 27

B4 , Normal

Mode	Value (dBm)	Limit	Verdict
1.4MHz_Low_QPSK_1@0(30MHz~18.55GHz)	-33.08	See Graphs	Pass
1.4MHz_Low_QPSK_6@0(30MHz~18.55GHz)	-32.52	See Graphs	Pass
1.4MHz_Middle_QPSK_1@0(30MHz~18.55GHz)	-32.66	See Graphs	Pass
1.4MHz_Middle_QPSK_6@0(30MHz~18.55GHz)	-32.63	See Graphs	Pass
1.4MHz_High_QPSK_1@0(30MHz~18.55GHz)	-32.79	See Graphs	Pass
1.4MHz_High_QPSK_6@0(30MHz~18.55GHz)	-32.38	See Graphs	Pass
3MHz_Low_QPSK_1@0(30MHz~18.55GHz)	-33.38	See Graphs	Pass
3MHz_Low_QPSK_15@0(30MHz~18.55GHz)	-31.78	See Graphs	Pass
3MHz_Middle_QPSK_1@0(30MHz~18.55GHz)	-32.85	See Graphs	Pass
3MHz_Middle_QPSK_15@0(30MHz~18.55GHz)	-33.37	See Graphs	Pass
3MHz_High_QPSK_1@0(30MHz~18.55GHz)	-33.39	See Graphs	Pass
3MHz_High_QPSK_15@0(30MHz~18.55GHz)	-31.48	See Graphs	Pass
5MHz_Low_QPSK_1@0(30MHz~18.55GHz)	-32.40	See Graphs	Pass
5MHz_Low_QPSK_25@0(30MHz~18.55GHz)	-31.60	See Graphs	Pass
5MHz_Middle_QPSK_1@0(30MHz~18.55GHz)	-32.80	See Graphs	Pass
5MHz_Middle_QPSK_25@0(30MHz~18.55GHz)	-32.98	See Graphs	Pass
5MHz_High_QPSK_1@0(30MHz~18.55GHz)	-33.58	See Graphs	Pass
5MHz_High_QPSK_25@0(30MHz~18.55GHz)	-33.54	See Graphs	Pass
10MHz_Low_QPSK_1@0(30MHz~18.55GHz)	-33.07	See Graphs	Pass
10MHz_Low_QPSK_50@0(30MHz~18.55GHz)	-33.61	See Graphs	Pass
10MHz_Middle_QPSK_1@0(30MHz~18.55GHz)	-33.00	See Graphs	Pass
10MHz_Middle_QPSK_50@0(30MHz~18.55GHz)	-33.09	See Graphs	Pass
10MHz_High_QPSK_1@0(30MHz~18.55GHz)	-32.29	See Graphs	Pass
10MHz_High_QPSK_50@0(30MHz~18.55GHz)	-32.93	See Graphs	Pass
15MHz_Low_QPSK_1@0(30MHz~18.55GHz)	-33.70	See Graphs	Pass
15MHz_Low_QPSK_75@0(30MHz~18.55GHz)	-32.09	See Graphs	Pass
15MHz_Middle_QPSK_1@0(30MHz~18.55GHz)	-32.78	See Graphs	Pass
15MHz_Middle_QPSK_75@0(30MHz~18.55GHz)	-33.21	See Graphs	Pass
15MHz_High_QPSK_1@0(30MHz~18.55GHz)	-32.27	See Graphs	Pass
15MHz_High_QPSK_75@0(30MHz~18.55GHz)	-32.96	See Graphs	Pass

Mode	Value (dBm)	Limit	Verdict
20MHz_Low_QPSK_1@0(30MHz~18.55GHz)	-32.82	See Graphs	Pass
20MHz_Low_QPSK_100@0(30MHz~18.55GHz)	-32.39	See Graphs	Pass
20MHz_Middle_QPSK_1@0(30MHz~18.55GHz)	-33.68	See Graphs	Pass
20MHz_Middle_QPSK_100@0(30MHz~18.55GHz)	-32.93	See Graphs	Pass
20MHz_High_QPSK_1@0(30MHz~18.55GHz)	-32.97	See Graphs	Pass
20MHz_High_QPSK_100@0(30MHz~18.55GHz)	-33.13	See Graphs	Pass

B12 , Normal

Mode	Value (dBm)	Limit	Verdict
1.4MHz_Low_QPSK_1@0(30MHz~8.16GHz)	-32.03	See Graphs	Pass
1.4MHz_Low_QPSK_6@0(30MHz~8.16GHz)	-33.10	See Graphs	Pass
1.4MHz_Middle_QPSK_1@0(30MHz~8.16GHz)	-31.92	See Graphs	Pass
1.4MHz_Middle_QPSK_6@0(30MHz~8.16GHz)	-31.82	See Graphs	Pass
1.4MHz_High_QPSK_1@0(30MHz~8.16GHz)	-34.10	See Graphs	Pass
1.4MHz_High_QPSK_6@0(30MHz~8.16GHz)	-34.05	See Graphs	Pass
3MHz_Low_QPSK_1@0(30MHz~8.16GHz)	-31.08	See Graphs	Pass
3MHz_Low_QPSK_15@0(30MHz~8.16GHz)	-33.60	See Graphs	Pass
3MHz_Middle_QPSK_1@0(30MHz~8.16GHz)	-32.54	See Graphs	Pass
3MHz_Middle_QPSK_15@0(30MHz~8.16GHz)	-34.39	See Graphs	Pass
3MHz_High_QPSK_1@0(30MHz~8.16GHz)	-32.28	See Graphs	Pass
3MHz_High_QPSK_15@0(30MHz~8.16GHz)	-31.63	See Graphs	Pass
5MHz_Low_QPSK_1@0(30MHz~8.16GHz)	-33.55	See Graphs	Pass
5MHz_Low_QPSK_25@0(30MHz~8.16GHz)	-32.91	See Graphs	Pass
5MHz_Middle_QPSK_1@0(30MHz~8.16GHz)	-32.04	See Graphs	Pass
5MHz_Middle_QPSK_25@0(30MHz~8.16GHz)	-32.35	See Graphs	Pass
5MHz_High_QPSK_1@0(30MHz~8.16GHz)	-33.93	See Graphs	Pass
5MHz_High_QPSK_25@0(30MHz~8.16GHz)	-31.91	See Graphs	Pass
10MHz_Low_QPSK_1@0(30MHz~8.16GHz)	-32.15	See Graphs	Pass
10MHz_Low_QPSK_50@0(30MHz~8.16GHz)	-33.88	See Graphs	Pass
10MHz_Middle_QPSK_1@0(30MHz~8.16GHz)	-31.75	See Graphs	Pass
10MHz_Middle_QPSK_50@0(30MHz~8.16GHz)	-35.04	See Graphs	Pass
10MHz_High_QPSK_1@0(30MHz~8.16GHz)	-35.20	See Graphs	Pass
10MHz_High_QPSK_50@0(30MHz~8.16GHz)	-32.66	See Graphs	Pass

B17 , Normal

Mode	Value (dBm)	Limit	Verdict
5MHz_Low_QPSK_1@0(30MHz~8.16GHz)	-35.05	See Graphs	Pass
5MHz_Low_QPSK_25@0(30MHz~8.16GHz)	-33.71	See Graphs	Pass
5MHz_Middle_QPSK_1@0(30MHz~8.16GHz)	-35.34	See Graphs	Pass
5MHz_Middle_QPSK_25@0(30MHz~8.16GHz)	-34.82	See Graphs	Pass
5MHz_High_QPSK_1@0(30MHz~8.16GHz)	-34.40	See Graphs	Pass
5MHz_High_QPSK_25@0(30MHz~8.16GHz)	-33.95	See Graphs	Pass
10MHz_Low_QPSK_1@0(30MHz~8.16GHz)	-33.37	See Graphs	Pass
10MHz_Low_QPSK_50@0(30MHz~8.16GHz)	-34.38	See Graphs	Pass
10MHz_Middle_QPSK_1@0(30MHz~8.16GHz)	-35.11	See Graphs	Pass
10MHz_Middle_QPSK_50@0(30MHz~8.16GHz)	-33.89	See Graphs	Pass
10MHz_High_QPSK_1@0(30MHz~8.16GHz)	-35.07	See Graphs	Pass
10MHz_High_QPSK_50@0(30MHz~8.16GHz)	-33.92	See Graphs	Pass

B38 , Normal

Mode	Value (dBm)	Limit	Verdict
5MHz_Low_QPSK_1@0(30MHz~27.2GHz)	-33.60	See Graphs	Pass
5MHz_Low_QPSK_25@0(30MHz~27.2GHz)	-34.70	See Graphs	Pass
5MHz_Middle_QPSK_1@0(30MHz~27.2GHz)	-33.76	See Graphs	Pass
5MHz_Middle_QPSK_25@0(30MHz~27.2GHz)	-33.93	See Graphs	Pass
5MHz_High_QPSK_1@0(30MHz~27.2GHz)	-34.64	See Graphs	Pass
5MHz_High_QPSK_25@0(30MHz~27.2GHz)	-33.82	See Graphs	Pass
10MHz_Low_QPSK_1@0(30MHz~27.2GHz)	-34.17	See Graphs	Pass
10MHz_Low_QPSK_50@0(30MHz~27.2GHz)	-34.52	See Graphs	Pass
10MHz_Middle_QPSK_1@0(30MHz~27.2GHz)	-33.26	See Graphs	Pass
10MHz_Middle_QPSK_50@0(30MHz~27.2GHz)	-34.29	See Graphs	Pass
10MHz_High_QPSK_1@0(30MHz~27.2GHz)	-34.22	See Graphs	Pass
10MHz_High_QPSK_50@0(30MHz~27.2GHz)	-34.42	See Graphs	Pass
15MHz_Low_QPSK_1@0(30MHz~27.2GHz)	-34.00	See Graphs	Pass
15MHz_Low_QPSK_75@0(30MHz~27.2GHz)	-33.80	See Graphs	Pass
15MHz_Middle_QPSK_1@0(30MHz~27.2GHz)	-34.28	See Graphs	Pass
15MHz_Middle_QPSK_75@0(30MHz~27.2GHz)	-33.35	See Graphs	Pass
15MHz_High_QPSK_1@0(30MHz~27.2GHz)	-33.72	See Graphs	Pass

Mode	Value (dBm)	Limit	Verdict
15MHz_High_QPSK_75@0(30MHz~27.2GHz)	-34.33	See Graphs	Pass
20MHz_Low_QPSK_1@0(30MHz~27.2GHz)	-34.00	See Graphs	Pass
20MHz_Low_QPSK_100@0(30MHz~27.2GHz)	-34.47	See Graphs	Pass
20MHz_Middle_QPSK_1@0(30MHz~27.2GHz)	-34.20	See Graphs	Pass
20MHz_Middle_QPSK_100@0(30MHz~27.2GHz)	-33.86	See Graphs	Pass
20MHz_High_QPSK_1@0(30MHz~27.2GHz)	-34.12	See Graphs	Pass
20MHz_High_QPSK_100@0(30MHz~27.2GHz)	-33.62	See Graphs	Pass

B41 , Normal

Mode	Value (dBm)	Limit	Verdict
5MHz_Low_QPSK_1@0(30MHz~27.9GHz)	-33.91	See Graphs	Pass
5MHz_Low_QPSK_25@0(30MHz~27.9GHz)	-34.55	See Graphs	Pass
5MHz_Middle_QPSK_1@0(30MHz~27.9GHz)	-34.14	See Graphs	Pass
5MHz_Middle_QPSK_25@0(30MHz~27.9GHz)	-33.00	See Graphs	Pass
5MHz_High_QPSK_1@0(30MHz~27.9GHz)	-34.28	See Graphs	Pass
5MHz_High_QPSK_25@0(30MHz~27.9GHz)	-33.75	See Graphs	Pass
10MHz_Low_QPSK_1@0(30MHz~27.9GHz)	-34.03	See Graphs	Pass
10MHz_Low_QPSK_50@0(30MHz~27.9GHz)	-33.73	See Graphs	Pass
10MHz_Middle_QPSK_1@0(30MHz~27.9GHz)	-33.47	See Graphs	Pass
10MHz_Middle_QPSK_50@0(30MHz~27.9GHz)	-34.08	See Graphs	Pass
10MHz_High_QPSK_1@0(30MHz~27.9GHz)	-34.40	See Graphs	Pass
10MHz_High_QPSK_50@0(30MHz~27.9GHz)	-34.24	See Graphs	Pass
15MHz_Low_QPSK_1@0(30MHz~27.9GHz)	-34.08	See Graphs	Pass
15MHz_Low_QPSK_75@0(30MHz~27.9GHz)	-33.85	See Graphs	Pass
15MHz_Middle_QPSK_1@0(30MHz~27.9GHz)	-33.37	See Graphs	Pass
15MHz_Middle_QPSK_75@0(30MHz~27.9GHz)	-33.92	See Graphs	Pass
15MHz_High_QPSK_1@0(30MHz~27.9GHz)	-34.18	See Graphs	Pass
15MHz_High_QPSK_75@0(30MHz~27.9GHz)	-33.92	See Graphs	Pass
20MHz_Low_QPSK_1@0(30MHz~27.9GHz)	-34.54	See Graphs	Pass
20MHz_Low_QPSK_100@0(30MHz~27.9GHz)	-34.14	See Graphs	Pass
20MHz_Middle_QPSK_100@0(30MHz~27.9GHz)	-33.19	See Graphs	Pass
20MHz_High_QPSK_1@0(30MHz~27.9GHz)	-34.73	See Graphs	Pass
20MHz_High_QPSK_100@0(30MHz~27.9GHz)	-33.52	See Graphs	Pass

B66 , Normal

Mode	Value (dBm)	Limit	Verdict
1.4MHz_Low_QPSK_1@0(30MHz~18.8GHz)	-33.03	See Graphs	Pass
1.4MHz_Low_QPSK_6@0(30MHz~18.8GHz)	-32.59	See Graphs	Pass
1.4MHz_Middle_QPSK_1@0(30MHz~18.8GHz)	-32.19	See Graphs	Pass
1.4MHz_Middle_QPSK_6@0(30MHz~18.8GHz)	-32.59	See Graphs	Pass
1.4MHz_High_QPSK_1@0(30MHz~18.8GHz)	-32.60	See Graphs	Pass
1.4MHz_High_QPSK_6@0(30MHz~18.8GHz)	-32.43	See Graphs	Pass
3MHz_Low_QPSK_1@0(30MHz~18.8GHz)	-32.10	See Graphs	Pass
3MHz_Low_QPSK_15@0(30MHz~18.8GHz)	-33.21	See Graphs	Pass
3MHz_Middle_QPSK_1@0(30MHz~18.8GHz)	-32.16	See Graphs	Pass
3MHz_Middle_QPSK_15@0(30MHz~18.8GHz)	-33.13	See Graphs	Pass
3MHz_High_QPSK_1@0(30MHz~18.8GHz)	-32.70	See Graphs	Pass
3MHz_High_QPSK_15@0(30MHz~18.8GHz)	-32.79	See Graphs	Pass
5MHz_Low_QPSK_1@0(30MHz~18.8GHz)	-32.71	See Graphs	Pass
5MHz_Low_QPSK_25@0(30MHz~18.8GHz)	-33.34	See Graphs	Pass
5MHz_Middle_QPSK_1@0(30MHz~18.8GHz)	-33.30	See Graphs	Pass
5MHz_Middle_QPSK_25@0(30MHz~18.8GHz)	-32.29	See Graphs	Pass
5MHz_High_QPSK_1@0(30MHz~18.8GHz)	-31.31	See Graphs	Pass
5MHz_High_QPSK_25@0(30MHz~18.8GHz)	-33.20	See Graphs	Pass
10MHz_Low_QPSK_1@0(30MHz~18.8GHz)	-32.65	See Graphs	Pass
10MHz_Low_QPSK_50@0(30MHz~18.8GHz)	-31.99	See Graphs	Pass
10MHz_Middle_QPSK_1@0(30MHz~18.8GHz)	-32.29	See Graphs	Pass
10MHz_Middle_QPSK_50@0(30MHz~18.8GHz)	-33.42	See Graphs	Pass
10MHz_High_QPSK_1@0(30MHz~18.8GHz)	-32.95	See Graphs	Pass
10MHz_High_QPSK_50@0(30MHz~18.8GHz)	-33.55	See Graphs	Pass
15MHz_Low_QPSK_1@0(30MHz~18.8GHz)	-33.06	See Graphs	Pass
15MHz_Low_QPSK_75@0(30MHz~18.8GHz)	-33.14	See Graphs	Pass
15MHz_Middle_QPSK_1@0(30MHz~18.8GHz)	-33.12	See Graphs	Pass
15MHz_Middle_QPSK_75@0(30MHz~18.8GHz)	-33.46	See Graphs	Pass
15MHz_High_QPSK_1@0(30MHz~18.8GHz)	-33.38	See Graphs	Pass
15MHz_High_QPSK_75@0(30MHz~18.8GHz)	-33.39	See Graphs	Pass
20MHz_Low_QPSK_1@0(30MHz~18.8GHz)	-33.52	See Graphs	Pass
20MHz_Low_QPSK_100@0(30MHz~18.8GHz)	-33.08	See Graphs	Pass
20MHz_Middle_QPSK_1@0(30MHz~18.8GHz)	-32.48	See Graphs	Pass

Mode	Value (dBm)	Limit	Verdict
20MHz_Middle_QPSK_100@0(30MHz~18.8GHz)	-32.90	See Graphs	Pass
20MHz_High_QPSK_1@0(30MHz~18.8GHz)	-31.50	See Graphs	Pass
20MHz_High_QPSK_100@0(30MHz~18.8GHz)	-33.27	See Graphs	Pass

B7 , Normal

Mode	Value (dBm)	Limit	Verdict
5MHz_Low_QPSK_1@0(30MHz~26.7GHz)	-34.10	See Graphs	Pass
5MHz_Low_QPSK_25@0(30MHz~26.7GHz)	-33.60	See Graphs	Pass
5MHz_Middle_QPSK_1@0(30MHz~26.7GHz)	-34.42	See Graphs	Pass
5MHz_Middle_QPSK_25@0(30MHz~26.7GHz)	-33.98	See Graphs	Pass
5MHz_High_QPSK_1@0(30MHz~26.7GHz)	-33.92	See Graphs	Pass
5MHz_High_QPSK_25@0(30MHz~26.7GHz)	-33.86	See Graphs	Pass
10MHz_Low_QPSK_1@0(30MHz~26.7GHz)	-33.79	See Graphs	Pass
10MHz_Low_QPSK_50@0(30MHz~26.7GHz)	-33.69	See Graphs	Pass
10MHz_Middle_QPSK_1@0(30MHz~26.7GHz)	-33.45	See Graphs	Pass
10MHz_Middle_QPSK_50@0(30MHz~26.7GHz)	-33.46	See Graphs	Pass
10MHz_High_QPSK_1@0(30MHz~26.7GHz)	-33.52	See Graphs	Pass
10MHz_High_QPSK_50@0(30MHz~26.7GHz)	-34.51	See Graphs	Pass
15MHz_Low_QPSK_1@0(30MHz~26.7GHz)	-33.65	See Graphs	Pass
15MHz_Low_QPSK_75@0(30MHz~26.7GHz)	-33.60	See Graphs	Pass
15MHz_Middle_QPSK_1@0(30MHz~26.7GHz)	-34.04	See Graphs	Pass
15MHz_Middle_QPSK_75@0(30MHz~26.7GHz)	-34.26	See Graphs	Pass
15MHz_High_QPSK_1@0(30MHz~26.7GHz)	-34.44	See Graphs	Pass
15MHz_High_QPSK_75@0(30MHz~26.7GHz)	-34.20	See Graphs	Pass
20MHz_Low_QPSK_1@0(30MHz~26.7GHz)	-34.37	See Graphs	Pass
20MHz_Low_QPSK_100@0(30MHz~26.7GHz)	-34.41	See Graphs	Pass
20MHz_Middle_QPSK_1@0(30MHz~26.7GHz)	-34.19	See Graphs	Pass
20MHz_Middle_QPSK_100@0(30MHz~26.7GHz)	-33.97	See Graphs	Pass
20MHz_High_QPSK_1@0(30MHz~26.7GHz)	-33.40	See Graphs	Pass
20MHz_High_QPSK_100@0(30MHz~26.7GHz)	-34.69	See Graphs	Pass

B42_1 , Normal

Mode	Value (dBm)	Limit	Verdict
1_5MHz_Low_QPSK_1@0(30MHz~36.5GHz)	-25.06	See Graphs	Pass
1_5MHz_Low_QPSK_25@0(30MHz~36.5GHz)	-24.88	See Graphs	Pass
1_5MHz_Middle_QPSK_1@0(30MHz~36.5GHz)	-25.20	See Graphs	Pass
1_5MHz_Middle_QPSK_25@0(30MHz~36.5GHz)	-24.80	See Graphs	Pass
1_5MHz_High_QPSK_1@0(30MHz~36.5GHz)	-25.08	See Graphs	Pass
1_5MHz_High_QPSK_25@0(30MHz~36.5GHz)	-24.51	See Graphs	Pass
1_10MHz_Low_QPSK_1@0(30MHz~36.5GHz)	-24.69	See Graphs	Pass
1_10MHz_Low_QPSK_50@0(30MHz~36.5GHz)	-23.94	See Graphs	Pass
1_10MHz_Middle_QPSK_1@0(30MHz~36.5GHz)	-24.74	See Graphs	Pass
1_10MHz_Middle_QPSK_50@0(30MHz~36.5GHz)	-25.66	See Graphs	Pass
1_10MHz_High_QPSK_1@0(30MHz~36.5GHz)	-25.36	See Graphs	Pass
1_10MHz_High_QPSK_50@0(30MHz~36.5GHz)	-25.13	See Graphs	Pass
1_15MHz_Low_QPSK_1@0(30MHz~36.5GHz)	-25.12	See Graphs	Pass
1_15MHz_Low_QPSK_75@0(30MHz~36.5GHz)	-24.78	See Graphs	Pass
1_15MHz_Middle_QPSK_1@0(30MHz~36.5GHz)	-25.00	See Graphs	Pass
1_15MHz_Middle_QPSK_75@0(30MHz~36.5GHz)	-24.76	See Graphs	Pass
1_15MHz_High_QPSK_1@0(30MHz~36.5GHz)	-25.18	See Graphs	Pass
1_15MHz_High_QPSK_75@0(30MHz~36.5GHz)	-24.60	See Graphs	Pass
1_20MHz_Low_QPSK_1@0(30MHz~36.5GHz)	-24.48	See Graphs	Pass
1_20MHz_Low_QPSK_100@0(30MHz~36.5GHz)	-25.02	See Graphs	Pass
1_20MHz_Middle_QPSK_1@0(30MHz~36.5GHz)	-25.05	See Graphs	Pass
1_20MHz_Middle_QPSK_100@0(30MHz~36.5GHz)	-25.03	See Graphs	Pass
1_20MHz_High_QPSK_1@0(30MHz~36.5GHz)	-25.03	See Graphs	Pass
1_20MHz_High_QPSK_100@0(30MHz~36.5GHz)	-25.08	See Graphs	Pass

Note:1RB was the worst case.

B4 , Normal

1RB was the worst case

1.4MHz_Low_QPSK_1@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:16:19

1.4MHz_Low_QPSK_6@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:16:50

1.4MHz_Middle_QPSK_1@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:17:22

1.4MHz_Middle_QPSK_6@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:17:52

1.4MHz_High_QPSK_1@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:18:23

1.4MHz_High_QPSK_6@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:18:55

3MHz_Low_QPSK_1@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:20:08

3MHz_Low_QPSK_15@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:20:38

3MHz_Middle_QPSK_1@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:21:09

3MHz_Middle_QPSK_15@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:21:41

3MHz_High_QPSK_1@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:22:12

3MHz_High_QPSK_15@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:22:51

5MHz_Low_QPSK_1@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:24:11

5MHz_Low_QPSK_25@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:24:42

5MHz_Middle_QPSK_1@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:25:14

5MHz_Middle_QPSK_25@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:25:45

5MHz_High_QPSK_1@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:26:17

5MHz_High_QPSK_25@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:26:48

10MHz_Low_QPSK_1@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:28:10

10MHz_Low_QPSK_50@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:28:42

10MHz_Middle_QPSK_1@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:29:14

10MHz_Middle_QPSK_50@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:29:45

10MHz_High_QPSK_1@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:30:16

10MHz_High_QPSK_50@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:30:47

15MHz_Low_QPSK_1@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:32:12

15MHz_Low_QPSK_75@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:32:45

15MHz_Middle_QPSK_1@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:33:24

15MHz_Middle_QPSK_75@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:33:56

15MHz_High_QPSK_1@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:34:27

15MHz_High_QPSK_75@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:34:59

20MHz_Low_QPSK_1@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:36:27

20MHz_Low_QPSK_100@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:36:58

20MHz_Middle_QPSK_1@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:37:31

20MHz_Middle_QPSK_100@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:38:02

20MHz_High_QPSK_1@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:38:34

20MHz_High_QPSK_100@0(30MHz~18.55GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 01:39:05

B12 , Normal

1RB was the worst case

1.4MHz_Low_QPSK_1@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:30:51

1.4MHz_Low_QPSK_6@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:31:19

1.4MHz_Middle_QPSK_1@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:31:48

1.4MHz_Middle_QPSK_6@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:32:16

1.4MHz_High_QPSK_1@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:32:54

1.4MHz_High_QPSK_6@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:33:23

3MHz_Low_QPSK_1@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:34:18

3MHz_Low_QPSK_15@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:34:47

3MHz_Middle_QPSK_1@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:35:17

3MHz_Middle_QPSK_15@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:35:46

3MHz_High_QPSK_1@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:36:15

3MHz_High_QPSK_15@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:36:45

5MHz_Low_QPSK_1@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:37:41

5MHz_Low_QPSK_25@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:38:10

5MHz_Middle_QPSK_1@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:38:40

5MHz_Middle_QPSK_25@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:39:10

5MHz_High_QPSK_1@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:39:39

5MHz_High_QPSK_25@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:40:08

10MHz_Low_QPSK_1@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:41:08

10MHz_Low_QPSK_50@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:41:37

10MHz_Middle_QPSK_1@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:42:13

10MHz_Middle_QPSK_50@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:42:42

10MHz_High_QPSK_1@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:43:12

10MHz_High_QPSK_50@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:43:41

B17 , Normal

1RB was the worst case

5MHz_Low_QPSK_1@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:44:33

5MHz_Low_QPSK_25@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:45:02

5MHz_Middle_QPSK_1@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:45:31

5MHz_Middle_QPSK_25@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:46:00

5MHz_High_QPSK_1@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:46:29

5MHz_High_QPSK_25@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:46:59

10MHz_Low_QPSK_1@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:48:03

10MHz_Low_QPSK_50@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:48:33

10MHz_Middle_QPSK_1@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:49:02

10MHz_Middle_QPSK_50@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:49:32

10MHz_High_QPSK_1@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:50:02

10MHz_High_QPSK_50@0(30MHz~8.16GHz)



ProjectNo.:2403Z104805E-RF Tester:Lingling Li
Date: 7.DEC.2024 00:50:34