

Test Information:

Sample No.:	2UGH-1	Test Date:	2024/12/06~2024/12/12
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	22.6-25.7	Relative Humidity: (%)	43-53	ATM Pressure: (kPa)	100.9-101.8
-----------------------	-----------	---------------------------	-------	------------------------	-------------

RF Output Power

FCC Part 96

n77_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.66	21.06	0.128	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.69	21.09	0.129	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.69	21.09	0.129	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.65	21.05	0.127	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB12@6	22.91	21.31	0.135	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@1	22.77	21.17	0.131	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@22	22.72	21.12	0.129	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB24@0	22.17	20.57	0.114	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 16 QAM_RB24@0	21.17	19.57	0.091	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 64 QAM_RB24@0	20.72	19.12	0.082	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 256 QAM_RB24@0	18.71	17.11	0.051	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB12@6	21.68	20.08	0.102	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@1	21.63	20.03	0.101	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@22	21.56	19.96	0.099	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB24@0	20.26	18.66	0.073	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 16 QAM_RB24@0	20.12	18.52	0.071	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 64 QAM_RB24@0	19.75	18.15	0.065	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 256 QAM_RB24@0	16.83	15.23	0.033	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.90	21.30	0.135	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.01	21.41	0.138	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.97	21.37	0.137	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	23.01	21.41	0.138	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB12@6	21.37	19.77	0.095	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	21.32	19.72	0.094	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@22	22.98	21.38	0.137	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB24@0	22.58	20.98	0.125	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB24@0	21.36	19.76	0.095	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB24@0	21.11	19.51	0.089	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB24@0	18.90	17.30	0.054	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB12@6	21.86	20.26	0.106	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	22.09	20.49	0.112	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@22	21.77	20.17	0.104	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB24@0	20.47	18.87	0.077	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB24@0	20.37	18.77	0.075	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB24@0	20.08	18.48	0.070	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB24@0	16.95	15.35	0.034	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.68	21.08	0.128	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.63	21.03	0.127	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.64	21.04	0.127	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.59	20.99	0.126	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB12@6	22.87	21.27	0.134	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@1	22.61	21.01	0.126	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@22	22.64	21.04	0.127	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB24@0	22.14	20.54	0.113	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 16 QAM_RB24@0	21.17	19.57	0.091	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 64 QAM_RB24@0	20.70	19.10	0.081	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 256 QAM_RB24@0	18.72	17.12	0.052	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB12@6	21.65	20.05	0.101	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@1	21.47	19.87	0.097	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@22	21.39	19.79	0.095	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB24@0	20.13	18.53	0.071	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 16 QAM_RB24@0	20.15	18.55	0.072	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 64 QAM_RB24@0	19.66	18.06	0.064	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 256 QAM_RB24@0	16.66	15.06	0.032	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.73	21.13	0.130	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.74	21.14	0.130	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.74	21.14	0.130	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.66	21.06	0.128	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB18@9	22.90	21.30	0.135	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@1	22.68	21.08	0.128	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@36	22.71	21.11	0.129	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB36@0	22.28	20.68	0.117	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.20	19.60	0.091	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.75	19.15	0.082	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.77	17.17	0.052	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB19@9	21.71	20.11	0.103	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@1	21.79	20.19	0.104	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@36	21.54	19.94	0.099	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB38@0	20.18	18.58	0.072	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 16 QAM_RB38@0	20.29	18.69	0.074	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 64 QAM_RB38@0	19.80	18.20	0.066	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 256 QAM_RB38@0	16.84	15.24	0.033	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.81	21.21	0.132	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.81	21.21	0.132	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.95	21.35	0.136	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.92	21.32	0.136	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB18@9	22.92	21.32	0.136	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.88	21.28	0.134	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@36	22.90	21.30	0.135	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@0	22.48	20.88	0.122	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB36@0	21.39	19.79	0.095	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB36@0	20.84	19.24	0.084	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB36@0	18.91	17.31	0.054	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB19@9	21.79	20.19	0.104	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	22.10	20.50	0.112	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@36	21.98	20.38	0.109	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB38@0	20.37	18.77	0.075	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB38@0	20.48	18.88	0.077	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB38@0	19.99	18.39	0.069	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB38@0	17.05	15.45	0.035	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.67	21.07	0.128	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.98	21.38	0.137	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.58	20.98	0.125	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.52	20.92	0.124	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB18@9	23.01	21.41	0.138	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@1	23.01	21.41	0.138	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@36	22.99	21.39	0.138	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB36@0	22.12	20.52	0.113	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.05	19.45	0.088	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.56	18.96	0.079	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.59	16.99	0.050	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB19@9	21.36	19.76	0.095	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@1	21.50	19.90	0.098	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@36	21.69	20.09	0.102	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB38@0	20.12	18.52	0.071	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 16 QAM_RB38@0	20.09	18.49	0.071	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 64 QAM_RB38@0	19.62	18.02	0.063	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 256 QAM_RB38@0	16.67	15.07	0.032	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.67	21.07	0.128	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.75	21.15	0.130	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.74	21.14	0.130	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.75	21.15	0.130	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@1	22.60	21.00	0.126	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@49	22.70	21.10	0.129	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB25@12	22.71	21.11	0.129	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB50@0	22.32	20.72	0.118	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 16 QAM_RB50@0	21.26	19.66	0.092	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 64 QAM_RB50@0	20.69	19.09	0.081	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 256 QAM_RB50@0	18.72	17.12	0.052	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@1	21.77	20.17	0.104	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@49	21.73	20.13	0.103	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB25@12	21.78	20.18	0.104	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB51@0	20.23	18.63	0.073	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 16 QAM_RB51@0	20.27	18.67	0.074	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 64 QAM_RB51@0	19.75	18.15	0.065	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 256 QAM_RB51@0	16.86	15.26	0.034	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.95	21.35	0.136	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.96	21.36	0.137	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.91	21.31	0.135	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.98	21.38	0.137	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.87	21.27	0.134	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@49	22.89	21.29	0.135	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB25@12	22.92	21.32	0.136	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@0	22.42	20.82	0.121	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB50@0	21.55	19.95	0.099	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB50@0	20.88	19.28	0.085	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB50@0	18.96	17.36	0.054	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.80	20.20	0.105	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@49	22.05	20.45	0.111	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB25@12	22.07	20.47	0.111	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB51@0	20.30	18.70	0.074	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB51@0	20.46	18.86	0.077	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB51@0	19.96	18.36	0.069	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB51@0	17.05	15.45	0.035	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.64	21.04	0.127	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.67	21.07	0.128	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.98	21.38	0.137	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.62	21.02	0.126	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@1	22.68	21.08	0.128	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@49	22.55	20.95	0.124	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB25@12	22.69	21.09	0.129	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB50@0	22.07	20.47	0.111	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 16 QAM_RB50@0	21.12	19.52	0.090	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 64 QAM_RB50@0	20.56	18.96	0.079	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 256 QAM_RB50@0	18.49	16.89	0.049	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@1	21.47	19.87	0.097	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@49	21.72	20.12	0.103	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB25@12	21.50	19.90	0.098	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB51@0	20.05	18.45	0.070	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 16 QAM_RB51@0	20.06	18.46	0.070	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 64 QAM_RB51@0	19.56	17.96	0.063	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 256 QAM_RB51@0	16.60	15.00	0.032	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.71	21.11	0.129	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.75	21.15	0.130	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.83	21.23	0.133	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.79	21.19	0.132	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@1	22.73	21.13	0.130	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@76	22.81	21.21	0.132	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB36@18	22.78	21.18	0.131	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB75@0	22.23	20.63	0.116	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 16 QAM_RB75@0	21.26	19.66	0.092	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 64 QAM_RB75@0	20.79	19.19	0.083	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 256 QAM_RB75@0	18.79	17.19	0.052	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@1	21.54	19.94	0.099	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@76	21.84	20.24	0.106	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB39@19	21.73	20.13	0.103	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB78@0	20.34	18.74	0.075	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 16 QAM_RB78@0	20.38	18.78	0.076	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 64 QAM_RB78@0	19.81	18.21	0.066	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 256 QAM_RB78@0	16.87	15.27	0.034	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.97	21.37	0.137	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.87	21.27	0.134	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.93	21.33	0.136	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.87	21.27	0.134	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.92	21.32	0.136	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@76	22.90	21.30	0.135	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@18	23	21.40	0.138	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB75@0	22.47	20.87	0.122	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB75@0	21.41	19.81	0.096	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB75@0	21.01	19.41	0.087	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB75@0	18.87	17.27	0.053	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.92	20.32	0.108	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@76	22	20.40	0.110	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB39@19	22.01	20.41	0.110	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB78@0	20.42	18.82	0.076	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB78@0	20.43	18.83	0.076	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB78@0	19.95	18.35	0.068	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB78@0	16.95	15.35	0.034	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.73	21.13	0.130	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.66	21.06	0.128	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.71	21.11	0.129	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.63	21.03	0.127	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@1	22.74	21.14	0.130	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@76	22.66	21.06	0.128	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB36@18	22.73	21.13	0.130	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB75@0	22.17	20.57	0.114	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 16 QAM_RB75@0	21.17	19.57	0.091	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 64 QAM_RB75@0	20.73	19.13	0.082	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 256 QAM_RB75@0	18.53	16.93	0.049	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@1	21.58	19.98	0.100	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@76	21.51	19.91	0.098	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB39@19	21.71	20.11	0.103	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB78@0	20.10	18.50	0.071	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 16 QAM_RB78@0	20.09	18.49	0.071	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 64 QAM_RB78@0	19.61	18.01	0.063	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 256 QAM_RB78@0	16.62	15.02	0.032	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.80	21.20	0.132	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.75	21.15	0.130	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.84	21.24	0.133	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.85	21.25	0.133	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB100@0	22.31	20.71	0.118	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@1	22.76	21.16	0.131	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@104	22.88	21.28	0.134	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB50@25	22.78	21.18	0.131	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 16 QAM_RB100@0	21.32	19.72	0.094	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 64 QAM_RB100@0	20.82	19.22	0.084	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 256 QAM_RB100@0	18.85	17.25	0.053	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB106@0	20.34	18.74	0.075	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@1	21.55	19.95	0.099	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@104	21.68	20.08	0.102	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB53@26	21.74	20.14	0.103	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 16 QAM_RB106@0	20.34	18.74	0.075	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 64 QAM_RB106@0	19.85	18.25	0.067	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 256 QAM_RB106@0	16.82	15.22	0.033	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.90	21.30	0.135	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.93	21.33	0.136	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.92	21.32	0.136	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.01	21.41	0.138	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB100@0	22.43	20.83	0.121	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.96	21.36	0.137	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@104	22.91	21.31	0.135	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@25	22.87	21.27	0.134	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB100@0	21.50	19.90	0.098	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB100@0	20.93	19.33	0.086	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB100@0	18.91	17.31	0.054	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB106@0	20.40	18.80	0.076	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.86	20.26	0.106	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@104	21.79	20.19	0.104	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB53@26	21.89	20.29	0.107	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB106@0	20.41	18.81	0.076	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB106@0	19.90	18.30	0.068	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB106@0	16.93	15.33	0.034	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.62	21.02	0.126	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.82	21.22	0.132	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.69	21.09	0.129	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.72	21.12	0.129	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB100@0	22.21	20.61	0.115	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@1	22.80	21.20	0.132	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@104	23	21.40	0.138	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB50@25	22.75	21.15	0.130	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 16 QAM_RB100@0	21.25	19.65	0.092	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 64 QAM_RB100@0	20.73	19.13	0.082	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 256 QAM_RB100@0	18.61	17.01	0.050	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB106@0	20.11	18.51	0.071	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@1	21.75	20.15	0.104	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@104	21.55	19.95	0.099	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB53@26	21.63	20.03	0.101	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 16 QAM_RB106@0	20.13	18.53	0.071	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 64 QAM_RB106@0	19.60	18.00	0.063	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 256 QAM_RB106@0	16.58	14.98	0.031	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.84	21.24	0.133	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.63	21.03	0.127	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.86	21.26	0.134	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.90	21.30	0.135	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB128@0	22.31	20.71	0.118	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@1	22.61	21.01	0.126	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@131	22.79	21.19	0.132	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB64@32	22.88	21.28	0.134	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 16 QAM_RB128@0	21.37	19.77	0.095	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 64 QAM_RB128@0	20.85	19.25	0.084	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 256 QAM_RB128@0	18.87	17.27	0.053	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB133@0	20.33	18.73	0.075	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@1	21.54	19.94	0.099	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@131	21.70	20.10	0.102	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB67@33	21.73	20.13	0.103	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 16 QAM_RB133@0	20.37	18.77	0.075	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 64 QAM_RB133@0	19.85	18.25	0.067	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 256 QAM_RB133@0	16.86	15.26	0.034	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.91	21.31	0.135	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.91	21.31	0.135	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.83	21.23	0.133	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.48	20.88	0.122	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB128@0	22.44	20.84	0.121	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.85	21.25	0.133	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@131	22.81	21.21	0.132	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB64@32	22.52	20.92	0.124	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB128@0	21.48	19.88	0.097	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB128@0	21	19.40	0.087	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB128@0	18.97	17.37	0.055	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB133@0	20.38	18.78	0.076	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.85	20.25	0.106	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@131	21.73	20.13	0.103	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB67@33	21.95	20.35	0.108	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB133@0	20.43	18.83	0.076	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB133@0	19.89	18.29	0.067	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB133@0	16.93	15.33	0.034	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.66	21.06	0.128	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.80	21.20	0.132	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.96	21.36	0.137	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.82	21.22	0.132	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB128@0	22.22	20.62	0.115	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@1	22.88	21.28	0.134	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@131	22.95	21.35	0.136	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB64@32	22.80	21.20	0.132	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 16 QAM_RB128@0	21.25	19.65	0.092	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 64 QAM_RB128@0	20.72	19.12	0.082	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 256 QAM_RB128@0	18.68	17.08	0.051	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB133@0	20.10	18.50	0.071	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@1	21.66	20.06	0.101	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@131	21.37	19.77	0.095	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB67@33	21.60	20.00	0.100	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 16 QAM_RB133@0	20.16	18.56	0.072	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 64 QAM_RB133@0	19.60	18.00	0.063	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 256 QAM_RB133@0	16.64	15.04	0.032	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.77	21.17	0.131	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.64	21.04	0.127	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.90	21.30	0.135	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.89	21.29	0.135	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB162@0	22.30	20.70	0.117	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@1	22.63	21.03	0.127	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@160	22.91	21.31	0.135	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB81@40	22.87	21.27	0.134	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 16 QAM_RB162@0	21.34	19.74	0.094	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 64 QAM_RB162@0	20.84	19.24	0.084	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 256 QAM_RB162@0	18.90	17.30	0.054	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB162@0	20.33	18.73	0.075	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@1	21.54	19.94	0.099	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@160	21.80	20.20	0.105	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB81@40	21.87	20.27	0.106	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 16 QAM_RB162@0	20.32	18.72	0.074	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 64 QAM_RB162@0	19.84	18.24	0.067	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 256 QAM_RB162@0	16.87	15.27	0.034	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.88	21.28	0.134	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.82	21.22	0.132	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.79	21.19	0.132	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.49	20.89	0.123	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB162@0	22.46	20.86	0.122	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.78	21.18	0.131	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@160	22.82	21.22	0.132	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB81@40	22.99	21.39	0.138	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB162@0	21.46	19.86	0.097	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB162@0	20.93	19.33	0.086	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB162@0	18.84	17.24	0.053	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB162@0	20.36	18.76	0.075	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.81	20.21	0.105	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@160	21.75	20.15	0.104	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB81@40	21.96	20.36	0.109	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB162@0	20.35	18.75	0.075	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB162@0	19.83	18.23	0.067	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB162@0	16.86	15.26	0.034	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.70	21.10	0.129	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.87	21.27	0.134	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	23	21.40	0.138	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.78	21.18	0.131	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB162@0	22.20	20.60	0.115	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@1	22.84	21.24	0.133	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@160	22.96	21.36	0.137	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB81@40	22.80	21.20	0.132	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 16 QAM_RB162@0	21.24	19.64	0.092	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 64 QAM_RB162@0	20.74	19.14	0.082	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 256 QAM_RB162@0	18.65	17.05	0.051	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB162@0	20.13	18.53	0.071	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@1	21.72	20.12	0.103	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@160	21.34	19.74	0.094	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB81@40	21.70	20.10	0.102	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 16 QAM_RB162@0	20.13	18.53	0.071	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 64 QAM_RB162@0	19.58	17.98	0.063	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 256 QAM_RB162@0	16.65	15.05	0.032	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.75	21.15	0.130	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.65	21.05	0.127	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.94	21.34	0.136	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.80	21.20	0.132	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB180@0	22.31	20.71	0.118	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@1	22.99	21.39	0.138	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@187	22.86	21.26	0.134	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB90@45	22.85	21.25	0.133	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 16 QAM_RB180@0	21.30	19.70	0.093	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 64 QAM_RB180@0	20.89	19.29	0.085	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 256 QAM_RB180@0	18.93	17.33	0.054	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB189@0	20.40	18.80	0.076	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@1	21.52	19.92	0.098	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@187	21.81	20.21	0.105	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB95@47	21.81	20.21	0.105	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 16 QAM_RB189@0	20.36	18.76	0.075	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 64 QAM_RB189@0	19.86	18.26	0.067	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 256 QAM_RB189@0	16.94	15.34	0.034	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.91	21.31	0.135	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.79	21.19	0.132	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.77	21.17	0.131	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.45	20.85	0.122	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB180@0	22.44	20.84	0.121	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.75	21.15	0.130	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@187	22.67	21.07	0.128	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB90@45	22.98	21.38	0.137	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB180@0	21.39	19.79	0.095	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB180@0	21.05	19.45	0.088	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB180@0	19.01	17.41	0.055	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB189@0	20.47	18.87	0.077	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.75	20.15	0.104	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@187	21.59	19.99	0.100	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB95@47	21.89	20.29	0.107	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB189@0	20.45	18.85	0.077	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB189@0	19.95	18.35	0.068	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB189@0	16.96	15.36	0.034	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.74	21.14	0.130	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.95	21.35	0.136	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.93	21.33	0.136	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.81	21.21	0.132	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB180@0	22.26	20.66	0.116	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@1	22.95	21.35	0.136	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@187	22.84	21.24	0.133	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB90@45	22.83	21.23	0.133	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 16 QAM_RB180@0	21.24	19.64	0.092	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 64 QAM_RB180@0	20.77	19.17	0.083	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 256 QAM_RB180@0	18.79	17.19	0.052	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB189@0	20.29	18.69	0.074	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@1	21.89	20.29	0.107	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@187	21.32	19.72	0.094	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB95@47	21.77	20.17	0.104	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 16 QAM_RB189@0	20.26	18.66	0.073	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 64 QAM_RB189@0	19.76	18.16	0.065	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 256 QAM_RB189@0	16.76	15.16	0.033	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.88	21.28	0.134	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.64	21.04	0.127	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.95	21.35	0.136	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.76	21.16	0.131	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB108@54	22.82	21.22	0.132	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@1	22.69	21.09	0.129	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@215	22.91	21.31	0.135	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB216@0	22.29	20.69	0.117	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 16 QAM_RB216@0	21.42	19.82	0.096	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 64 QAM_RB216@0	20.89	19.29	0.085	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 256 QAM_RB216@0	18.97	17.37	0.055	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB109@54	21.84	20.24	0.106	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@1	21.57	19.97	0.099	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@215	21.79	20.19	0.104	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB217@0	20.45	18.85	0.077	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 16 QAM_RB217@0	20.43	18.83	0.076	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 64 QAM_RB217@0	19.88	18.28	0.067	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 256 QAM_RB217@0	16.95	15.35	0.034	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	23	21.40	0.138	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.82	21.22	0.132	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.68	21.08	0.128	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.80	21.20	0.132	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB108@54	22.71	21.11	0.129	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.80	21.20	0.132	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@215	22.75	21.15	0.130	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB216@0	22.37	20.77	0.119	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB216@0	21.54	19.94	0.099	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB216@0	20.92	19.32	0.086	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB216@0	18.98	17.38	0.055	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB109@54	21.85	20.25	0.106	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.69	20.09	0.102	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@215	21.55	19.95	0.099	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB217@0	20.42	18.82	0.076	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB217@0	20.44	18.84	0.077	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB217@0	19.92	18.32	0.068	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB217@0	16.93	15.33	0.034	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.83	21.23	0.133	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.01	21.41	0.138	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.52	20.92	0.124	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.77	21.17	0.131	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB108@54	22.89	21.29	0.135	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@1	22.51	20.91	0.123	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@215	23.01	21.41	0.138	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB216@0	22.30	20.70	0.117	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 16 QAM_RB216@0	21.31	19.71	0.094	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 64 QAM_RB216@0	20.79	19.19	0.083	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 256 QAM_RB216@0	18.88	17.28	0.053	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB109@54	21.79	20.19	0.104	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@1	21.93	20.33	0.108	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@215	21.44	19.84	0.096	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB217@0	20.33	18.73	0.075	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 16 QAM_RB217@0	20.34	18.74	0.075	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 64 QAM_RB217@0	19.83	18.23	0.067	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 256 QAM_RB217@0	16.82	15.22	0.033	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.94	21.34	0.136	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.66	21.06	0.128	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.89	21.29	0.135	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.81	21.21	0.132	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB120@60	22.93	21.33	0.136	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@1	22.70	21.10	0.129	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@243	22.87	21.27	0.134	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB243@0	22.33	20.73	0.118	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 16 QAM_RB243@0	21.36	19.76	0.095	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 64 QAM_RB243@0	20.93	19.33	0.086	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 256 QAM_RB243@0	19.02	17.42	0.055	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB123@61	21.85	20.25	0.106	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@1	21.52	19.92	0.098	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@243	21.62	20.02	0.100	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB245@0	20.46	18.86	0.077	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 16 QAM_RB245@0	20.42	18.82	0.076	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 64 QAM_RB245@0	19.92	18.32	0.068	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 256 QAM_RB245@0	17	15.40	0.035	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.54	20.94	0.124	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.76	21.16	0.131	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.64	21.04	0.127	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.92	21.32	0.136	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB120@60	22.51	20.91	0.123	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.74	21.14	0.130	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@243	22.72	21.12	0.129	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB243@0	22.38	20.78	0.120	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB243@0	21.40	19.80	0.095	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB243@0	20.99	19.39	0.087	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB243@0	19.01	17.41	0.055	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB123@61	21.87	20.27	0.106	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.73	20.13	0.103	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@243	21.62	20.02	0.100	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB245@0	20.45	18.85	0.077	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB245@0	20.45	18.85	0.077	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB245@0	19.94	18.34	0.068	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB245@0	16.99	15.39	0.035	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.48	20.88	0.122	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.90	21.30	0.135	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.96	21.36	0.137	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.86	21.26	0.134	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB120@60	22.98	21.38	0.137	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@1	23	21.40	0.138	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@243	22.91	21.31	0.135	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB243@0	22.43	20.83	0.121	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 16 QAM_RB243@0	21.40	19.80	0.095	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 64 QAM_RB243@0	20.88	19.28	0.085	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 256 QAM_RB243@0	18.95	17.35	0.054	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB123@61	21.38	19.78	0.095	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@1	21.85	20.25	0.106	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@243	21.10	19.50	0.089	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB245@0	19.98	18.38	0.069	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM 16 QAM_RB245@0	19.92	18.32	0.068	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM 64 QAM_RB245@0	19.45	17.85	0.061	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM 256 QAM_RB245@0	16.50	14.90	0.031	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.96	21.36	0.137	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.68	21.08	0.128	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.83	21.23	0.133	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.41	20.81	0.121	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB135@67	22.96	21.36	0.137	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@1	22.69	21.09	0.129	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@271	22.81	21.21	0.132	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB270@0	21.93	20.33	0.108	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 16 QAM_RB270@0	20.97	19.37	0.086	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 64 QAM_RB270@0	20.55	18.95	0.079	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 256 QAM_RB270@0	18.57	16.97	0.050	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB137@68	21.47	19.87	0.097	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@1	21.09	19.49	0.089	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@271	21.22	19.62	0.092	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB273@0	20.04	18.44	0.070	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 16 QAM_RB273@0	19.98	18.38	0.069	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 64 QAM_RB273@0	19.51	17.91	0.062	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 256 QAM_RB273@0	16.52	14.92	0.031	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.94	21.34	0.136	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.77	21.17	0.131	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.60	21.00	0.126	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.40	20.80	0.120	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB135@67	22.49	20.89	0.123	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.77	21.17	0.131	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@271	22.62	21.02	0.126	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	21.95	20.35	0.108	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	20.97	19.37	0.086	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	20.49	18.89	0.077	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	18.50	16.90	0.049	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB137@68	21.55	19.95	0.099	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.22	19.62	0.092	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@271	21.12	19.52	0.090	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	20.01	18.41	0.069	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	19.98	18.38	0.069	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	19.49	17.89	0.062	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	16.55	14.95	0.031	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.95	21.35	0.136	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.99	21.39	0.138	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.54	20.94	0.124	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.46	20.86	0.122	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB135@67	22.50	20.90	0.123	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@1	22.97	21.37	0.137	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@271	22.59	20.99	0.126	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB270@0	21.97	20.37	0.109	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 16 QAM_RB270@0	21.02	19.42	0.087	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 64 QAM_RB270@0	20.49	18.89	0.077	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 256 QAM_RB270@0	18.53	16.93	0.049	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB137@68	21.54	19.94	0.099	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@1	21.46	19.86	0.097	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@271	21.14	19.54	0.090	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB273@0	20.01	18.41	0.069	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 16 QAM_RB273@0	19.99	18.39	0.069	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 64 QAM_RB273@0	19.53	17.93	0.062	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 256 QAM_RB273@0	16.56	14.96	0.031	0.200	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n77_2:

1.Ant Gain = -1.6dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n78_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM π/2 BPSK_RB12@6	22.91	21.31	0.135	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM π/2 BPSK_RB1@1	22.83	21.23	0.133	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM π/2 BPSK_RB1@22	22.72	21.12	0.129	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM π/2 BPSK_RB24@0	22.27	20.67	0.117	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB12@6	21.63	20.03	0.101	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@1	22.89	21.29	0.135	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@22	22.68	21.08	0.128	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB24@0	21.78	20.18	0.104	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 16 QAM_RB24@0	20.99	19.39	0.087	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 64 QAM_RB24@0	20.31	18.71	0.074	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 256 QAM_RB24@0	18.37	16.77	0.048	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB12@6	21.20	19.60	0.091	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@1	21.14	19.54	0.090	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@22	21.08	19.48	0.089	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB24@0	19.83	18.23	0.067	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 16 QAM_RB24@0	19.79	18.19	0.066	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 64 QAM_RB24@0	19.44	17.84	0.061	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 256 QAM_RB24@0	16.38	14.78	0.030	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.94	21.34	0.136	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.96	21.36	0.137	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	21.34	19.74	0.094	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.55	20.95	0.124	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB12@6	21.36	19.76	0.095	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	21.33	19.73	0.094	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@22	21.29	19.69	0.093	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB24@0	22.08	20.48	0.112	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB24@0	21.16	19.56	0.090	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB24@0	20.65	19.05	0.080	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB24@0	18.56	16.96	0.050	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB12@6	21.52	19.92	0.098	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.39	19.79	0.095	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@22	21.48	19.88	0.097	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB24@0	20.14	18.54	0.071	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB24@0	20.06	18.46	0.070	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB24@0	19.61	18.01	0.063	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB24@0	16.55	14.95	0.031	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.64	21.04	0.127	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.65	21.05	0.127	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.65	21.05	0.127	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.11	20.51	0.112	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB12@6	22.84	21.24	0.133	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@1	22.66	21.06	0.128	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@22	22.66	21.06	0.128	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB24@0	21.65	20.05	0.101	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 16 QAM_RB24@0	20.74	19.14	0.082	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 64 QAM_RB24@0	20.16	18.56	0.072	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 256 QAM_RB24@0	18.22	16.62	0.046	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB12@6	20.98	19.38	0.087	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@1	21.07	19.47	0.089	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@22	20.98	19.38	0.087	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB24@0	19.61	18.01	0.063	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 16 QAM_RB24@0	19.68	18.08	0.064	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 64 QAM_RB24@0	19.24	17.64	0.058	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 256 QAM_RB24@0	16.15	14.55	0.029	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.82	21.22	0.132	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.82	21.22	0.132	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.83	21.23	0.133	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.32	20.72	0.118	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB18@9	22.87	21.27	0.134	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@1	22.85	21.25	0.133	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@36	22.71	21.11	0.129	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB36@0	21.80	20.20	0.105	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 16 QAM_RB36@0	20.83	19.23	0.084	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.41	18.81	0.076	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.41	16.81	0.048	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB19@9	21.24	19.64	0.092	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@1	21.19	19.59	0.091	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@36	21.21	19.61	0.091	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB38@0	19.87	18.27	0.067	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 16 QAM_RB38@0	19.91	18.31	0.068	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 64 QAM_RB38@0	19.50	17.90	0.062	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 256 QAM_RB38@0	16.52	14.92	0.031	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.53	20.93	0.124	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.47	20.87	0.122	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.52	20.92	0.124	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.63	21.03	0.127	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB18@9	22.53	20.93	0.124	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.98	21.38	0.137	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@36	22.95	21.35	0.136	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@0	22.03	20.43	0.110	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB36@0	21.09	19.49	0.089	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB36@0	20.53	18.93	0.078	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB36@0	18.58	16.98	0.050	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB19@9	21.53	19.93	0.098	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.46	19.86	0.097	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@36	21.43	19.83	0.096	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB38@0	20.12	18.52	0.071	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB38@0	20.13	18.53	0.071	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB38@0	19.60	18.00	0.063	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB38@0	16.65	15.05	0.032	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.77	21.17	0.131	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.67	21.07	0.128	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.57	20.97	0.125	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.08	20.48	0.112	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB18@9	22.67	21.07	0.128	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@1	22.68	21.08	0.128	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@36	22.59	20.99	0.126	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB36@0	21.70	20.10	0.102	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 16 QAM_RB36@0	20.70	19.10	0.081	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.21	18.61	0.073	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.18	16.58	0.045	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB19@9	21.11	19.51	0.089	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@1	21.07	19.47	0.089	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@36	20.97	19.37	0.086	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB38@0	19.68	18.08	0.064	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 16 QAM_RB38@0	19.71	18.11	0.065	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 64 QAM_RB38@0	19.21	17.61	0.058	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 256 QAM_RB38@0	16.30	14.70	0.030	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.86	21.26	0.134	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.85	21.25	0.133	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.87	21.27	0.134	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.39	20.79	0.120	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@1	22.83	21.23	0.133	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@49	22.75	21.15	0.130	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB25@12	22.87	21.27	0.134	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB50@0	21.90	20.30	0.107	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 16 QAM_RB50@0	20.84	19.24	0.084	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 64 QAM_RB50@0	20.33	18.73	0.075	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 256 QAM_RB50@0	18.37	16.77	0.048	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@1	21.29	19.69	0.093	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@49	21.31	19.71	0.094	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB25@12	21.36	19.76	0.095	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB51@0	19.82	18.22	0.066	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 16 QAM_RB51@0	19.88	18.28	0.067	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 64 QAM_RB51@0	19.37	17.77	0.060	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 256 QAM_RB51@0	16.45	14.85	0.031	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.67	21.07	0.128	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.79	21.19	0.132	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.79	21.19	0.132	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.59	20.99	0.126	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.98	21.38	0.137	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@49	22.66	21.06	0.128	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB25@12	22.78	21.18	0.131	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@0	22.09	20.49	0.112	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB50@0	21.07	19.47	0.089	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB50@0	20.51	18.91	0.078	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB50@0	18.58	16.98	0.050	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.46	19.86	0.097	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@49	21.42	19.82	0.096	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB25@12	21.58	19.98	0.100	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB51@0	19.93	18.33	0.068	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB51@0	20.08	18.48	0.070	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB51@0	19.56	17.96	0.063	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB51@0	16.62	15.02	0.032	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.74	21.14	0.130	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.62	21.02	0.126	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.64	21.04	0.127	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.23	20.63	0.116	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@1	22.66	21.06	0.128	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@49	22.64	21.04	0.127	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB25@12	22.65	21.05	0.127	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB50@0	21.90	20.30	0.107	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 16 QAM_RB50@0	20.66	19.06	0.081	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 64 QAM_RB50@0	20.18	18.58	0.072	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 256 QAM_RB50@0	18.18	16.58	0.045	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@1	21.39	19.79	0.095	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@49	20.95	19.35	0.086	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB25@12	21.22	19.62	0.092	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB51@0	19.68	18.08	0.064	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 16 QAM_RB51@0	19.72	18.12	0.065	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 64 QAM_RB51@0	19.21	17.61	0.058	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 256 QAM_RB51@0	16.29	14.69	0.029	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.75	21.15	0.130	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.69	21.09	0.129	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.80	21.20	0.132	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.35	20.75	0.119	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@1	22.82	21.22	0.132	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@76	22.70	21.10	0.129	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB36@18	22.74	21.14	0.130	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB75@0	21.81	20.21	0.105	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 16 QAM_RB75@0	20.75	19.15	0.082	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 64 QAM_RB75@0	20.39	18.79	0.076	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 256 QAM_RB75@0	18.30	16.70	0.047	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@1	21.29	19.69	0.093	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@76	21.12	19.52	0.090	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB39@19	21.25	19.65	0.092	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB78@0	19.79	18.19	0.066	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 16 QAM_RB78@0	19.80	18.20	0.066	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 64 QAM_RB78@0	19.28	17.68	0.059	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 256 QAM_RB78@0	16.35	14.75	0.030	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.96	21.36	0.137	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.91	21.31	0.135	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.33	20.73	0.118	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.45	20.85	0.122	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	23	21.40	0.138	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@76	22.90	21.30	0.135	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@18	21.73	20.13	0.103	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB75@0	22.04	20.44	0.111	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB75@0	21.02	19.42	0.087	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB75@0	20.57	18.97	0.079	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB75@0	18.50	16.90	0.049	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.39	19.79	0.095	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@76	21.59	19.99	0.100	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB39@19	21.55	19.95	0.099	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB78@0	20.06	18.46	0.070	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB78@0	20.06	18.46	0.070	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB78@0	19.54	17.94	0.062	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB78@0	16.58	14.98	0.031	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.71	21.11	0.129	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.60	21.00	0.126	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.67	21.07	0.128	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.15	20.55	0.114	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@1	22.72	21.12	0.129	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@76	22.59	20.99	0.126	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB36@18	22.70	21.10	0.129	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB75@0	21.68	20.08	0.102	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 16 QAM_RB75@0	20.68	19.08	0.081	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 64 QAM_RB75@0	20.20	18.60	0.072	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 256 QAM_RB75@0	18.17	16.57	0.045	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@1	21.10	19.50	0.089	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@76	21.07	19.47	0.089	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB39@19	21.18	19.58	0.091	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB78@0	19.69	18.09	0.064	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 16 QAM_RB78@0	19.62	18.02	0.063	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 64 QAM_RB78@0	19.16	17.56	0.057	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 256 QAM_RB78@0	16.17	14.57	0.029	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.34	20.74	0.119	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.81	21.21	0.132	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.76	21.16	0.131	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.77	21.17	0.131	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB100@0	21.79	20.19	0.104	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@1	22.83	21.23	0.133	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@104	22.65	21.05	0.127	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB50@25	22.77	21.17	0.131	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 16 QAM_RB100@0	20.85	19.25	0.084	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 64 QAM_RB100@0	20.33	18.73	0.075	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 256 QAM_RB100@0	18.33	16.73	0.047	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB106@0	19.82	18.22	0.066	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@1	21.31	19.71	0.094	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@104	21.16	19.56	0.090	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB53@26	21.27	19.67	0.093	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 16 QAM_RB106@0	19.83	18.23	0.067	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 64 QAM_RB106@0	19.30	17.70	0.059	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 256 QAM_RB106@0	16.34	14.74	0.030	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.47	20.87	0.122	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.88	21.28	0.134	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.95	21.35	0.136	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.99	21.39	0.138	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB100@0	22.02	20.42	0.110	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.83	21.23	0.133	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@104	22.79	21.19	0.132	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@25	22.70	21.10	0.129	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB100@0	21.02	19.42	0.087	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB100@0	20.54	18.94	0.078	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB100@0	18.49	16.89	0.049	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB106@0	19.96	18.36	0.069	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.41	19.81	0.096	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@104	21.34	19.74	0.094	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB53@26	21.39	19.79	0.095	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB106@0	20	18.40	0.069	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB106@0	19.46	17.86	0.061	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB106@0	16.46	14.86	0.031	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.21	20.61	0.115	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.78	21.18	0.131	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.60	21.00	0.126	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.66	21.06	0.128	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB100@0	21.73	20.13	0.103	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@1	22.79	21.19	0.132	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@104	22.52	20.92	0.124	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB50@25	22.66	21.06	0.128	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 16 QAM_RB100@0	20.77	19.17	0.083	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 64 QAM_RB100@0	20.25	18.65	0.073	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 256 QAM_RB100@0	18.15	16.55	0.045	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB106@0	19.65	18.05	0.064	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@1	21.24	19.64	0.092	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@104	20.90	19.30	0.085	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB53@26	21	19.40	0.087	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 16 QAM_RB106@0	19.65	18.05	0.064	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 64 QAM_RB106@0	19.12	17.52	0.056	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 256 QAM_RB106@0	16.18	14.58	0.029	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.33	20.73	0.118	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.69	21.09	0.129	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.76	21.16	0.131	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.69	21.09	0.129	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB128@0	21.77	20.17	0.104	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@1	22.67	21.07	0.128	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@131	22.75	21.15	0.130	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB64@32	22.80	21.20	0.132	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 16 QAM_RB128@0	20.81	19.21	0.083	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 64 QAM_RB128@0	20.33	18.73	0.075	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 256 QAM_RB128@0	18.34	16.74	0.047	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB133@0	19.71	18.11	0.065	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@1	21.14	19.54	0.090	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@131	21.29	19.69	0.093	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB67@33	21.25	19.65	0.092	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 16 QAM_RB133@0	19.79	18.19	0.066	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 64 QAM_RB133@0	19.29	17.69	0.059	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 256 QAM_RB133@0	16.30	14.70	0.030	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.47	20.87	0.122	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.79	21.19	0.132	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.80	21.20	0.132	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.18	20.58	0.114	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB128@0	22.02	20.42	0.110	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.83	21.23	0.133	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@131	22.82	21.22	0.132	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB64@32	21.73	20.13	0.103	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB128@0	20.99	19.39	0.087	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB128@0	20.56	18.96	0.079	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB128@0	18.50	16.90	0.049	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB133@0	19.96	18.36	0.069	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.25	19.65	0.092	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@131	21.26	19.66	0.092	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB67@33	21.36	19.76	0.095	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB133@0	20	18.40	0.069	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB133@0	19.43	17.83	0.061	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB133@0	16.50	14.90	0.031	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.26	20.66	0.116	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.79	21.19	0.132	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.55	20.95	0.124	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.81	21.21	0.132	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB128@0	21.71	20.11	0.103	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@1	22.78	21.18	0.131	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@131	22.43	20.83	0.121	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB64@32	22.77	21.17	0.131	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 16 QAM_RB128@0	20.79	19.19	0.083	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 64 QAM_RB128@0	20.27	18.67	0.074	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 256 QAM_RB128@0	18.22	16.62	0.046	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB133@0	19.63	18.03	0.064	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@1	21.24	19.64	0.092	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@131	20.89	19.29	0.085	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB67@33	21.17	19.57	0.091	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 16 QAM_RB133@0	19.68	18.08	0.064	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 64 QAM_RB133@0	19.18	17.58	0.057	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 256 QAM_RB133@0	16.19	14.59	0.029	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.29	20.69	0.117	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.68	21.08	0.128	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.92	21.32	0.136	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.81	21.21	0.132	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB162@0	21.83	20.23	0.105	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@1	22.69	21.09	0.129	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@160	22.82	21.22	0.132	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB81@40	22.76	21.16	0.131	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 16 QAM_RB162@0	20.88	19.28	0.085	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 64 QAM_RB162@0	20.39	18.79	0.076	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 256 QAM_RB162@0	18.35	16.75	0.047	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB162@0	19.83	18.23	0.067	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@1	21.18	19.58	0.091	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@160	21.29	19.69	0.093	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB81@40	21.31	19.71	0.094	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 16 QAM_RB162@0	19.80	18.20	0.066	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 64 QAM_RB162@0	19.32	17.72	0.059	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 256 QAM_RB162@0	16.36	14.76	0.030	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.43	20.83	0.121	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.73	21.13	0.130	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.81	21.21	0.132	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.98	21.38	0.137	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB162@0	21.93	20.33	0.108	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.72	21.12	0.129	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@160	22.71	21.11	0.129	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB81@40	22.53	20.93	0.124	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB162@0	21.02	19.42	0.087	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB162@0	20.47	18.87	0.077	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB162@0	18.48	16.88	0.049	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB162@0	19.95	18.35	0.068	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.13	19.53	0.090	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@160	21.29	19.69	0.093	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB81@40	21.56	19.96	0.099	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB162@0	19.90	18.30	0.068	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB162@0	19.43	17.83	0.061	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB162@0	16.46	14.86	0.031	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.18	20.58	0.114	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.84	21.24	0.133	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.49	20.89	0.123	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.73	21.13	0.130	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB162@0	21.75	20.15	0.104	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@1	22.85	21.25	0.133	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@160	22.46	20.86	0.122	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB81@40	22.77	21.17	0.131	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 16 QAM_RB162@0	20.75	19.15	0.082	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 64 QAM_RB162@0	20.28	18.68	0.074	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 256 QAM_RB162@0	18.20	16.60	0.046	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB162@0	19.65	18.05	0.064	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@1	21.29	19.69	0.093	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@160	20.92	19.32	0.086	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB81@40	21.24	19.64	0.092	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 16 QAM_RB162@0	19.65	18.05	0.064	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 64 QAM_RB162@0	19.18	17.58	0.057	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 256 QAM_RB162@0	16.20	14.60	0.029	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.32	20.72	0.118	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.78	21.18	0.131	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.88	21.28	0.134	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.78	21.18	0.131	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB180@0	21.89	20.29	0.107	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@1	22.75	21.15	0.130	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@187	22.79	21.19	0.132	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB90@45	22.86	21.26	0.134	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 16 QAM_RB180@0	20.93	19.33	0.086	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 64 QAM_RB180@0	20.54	18.94	0.078	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 256 QAM_RB180@0	18.43	16.83	0.048	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB189@0	19.94	18.34	0.068	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@1	21.18	19.58	0.091	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@187	21.33	19.73	0.094	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB95@47	21.30	19.70	0.093	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 16 QAM_RB189@0	19.92	18.32	0.068	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 64 QAM_RB189@0	19.42	17.82	0.061	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 256 QAM_RB189@0	16.44	14.84	0.030	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.41	20.81	0.121	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.73	21.13	0.130	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.65	21.05	0.127	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.19	20.59	0.115	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB180@0	21.96	20.36	0.109	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.68	21.08	0.128	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@187	22.63	21.03	0.127	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB90@45	22.98	21.38	0.137	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB180@0	21.01	19.41	0.087	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB180@0	20.47	18.87	0.077	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB180@0	18.53	16.93	0.049	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB189@0	20.01	18.41	0.069	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.16	19.56	0.090	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@187	21.15	19.55	0.090	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB95@47	21.47	19.87	0.097	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB189@0	19.99	18.39	0.069	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB189@0	19.50	17.90	0.062	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB189@0	16.51	14.91	0.031	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.33	20.73	0.118	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.88	21.28	0.134	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.40	20.80	0.120	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.77	21.17	0.131	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB180@0	21.86	20.26	0.106	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@1	22.94	21.34	0.136	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@187	22.44	20.84	0.121	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB90@45	22.84	21.24	0.133	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 16 QAM_RB180@0	20.82	19.22	0.084	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 64 QAM_RB180@0	20.33	18.73	0.075	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 256 QAM_RB180@0	18.31	16.71	0.047	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB189@0	19.73	18.13	0.065	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@1	21.40	19.80	0.095	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@187	20.83	19.23	0.084	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB95@47	21.30	19.70	0.093	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 16 QAM_RB189@0	19.76	18.16	0.065	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 64 QAM_RB189@0	19.28	17.68	0.059	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 256 QAM_RB189@0	16.25	14.65	0.029	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.82	21.22	0.132	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.74	21.14	0.130	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.87	21.27	0.134	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.35	20.75	0.119	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB108@54	22.83	21.23	0.133	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@1	22.83	21.23	0.133	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@215	22.89	21.29	0.135	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB216@0	21.82	20.22	0.105	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 16 QAM_RB216@0	20.91	19.31	0.085	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 64 QAM_RB216@0	20.47	18.87	0.077	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 256 QAM_RB216@0	18.48	16.88	0.049	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB109@54	21.37	19.77	0.095	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@1	21.27	19.67	0.093	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@215	21.30	19.70	0.093	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB217@0	19.97	18.37	0.069	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 16 QAM_RB217@0	19.96	18.36	0.069	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 64 QAM_RB217@0	19.41	17.81	0.060	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 256 QAM_RB217@0	16.47	14.87	0.031	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.91	21.31	0.135	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.77	21.17	0.131	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.72	21.12	0.129	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.34	20.74	0.119	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB108@54	22.98	21.38	0.137	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.79	21.19	0.132	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@215	22.74	21.14	0.130	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB216@0	21.92	20.32	0.108	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB216@0	20.91	19.31	0.085	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB216@0	20.48	18.88	0.077	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB216@0	18.51	16.91	0.049	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB109@54	21.36	19.76	0.095	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.12	19.52	0.090	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@215	21.12	19.52	0.090	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB217@0	20	18.40	0.069	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB217@0	20	18.40	0.069	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB217@0	19.44	17.84	0.061	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB217@0	16.49	14.89	0.031	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.85	21.25	0.133	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.01	21.41	0.138	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.52	20.92	0.124	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.32	20.72	0.118	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB108@54	22.85	21.25	0.133	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@1	23.01	21.41	0.138	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@215	22.61	21.01	0.126	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB216@0	21.86	20.26	0.106	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 16 QAM_RB216@0	20.82	19.22	0.084	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 64 QAM_RB216@0	20.42	18.82	0.076	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 256 QAM_RB216@0	18.34	16.74	0.047	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB109@54	21.36	19.76	0.095	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@1	21.52	19.92	0.098	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@215	20.94	19.34	0.086	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB217@0	19.79	18.19	0.066	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 16 QAM_RB217@0	19.79	18.19	0.066	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 64 QAM_RB217@0	19.27	17.67	0.058	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 256 QAM_RB217@0	16.31	14.71	0.030	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.92	21.32	0.136	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.78	21.18	0.131	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.82	21.22	0.132	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.43	20.83	0.121	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB120@60	22.92	21.32	0.136	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@1	22.88	21.28	0.134	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@243	22.86	21.26	0.134	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB243@0	21.94	20.34	0.108	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 16 QAM_RB243@0	20.94	19.34	0.086	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 64 QAM_RB243@0	20.46	18.86	0.077	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 256 QAM_RB243@0	18.52	16.92	0.049	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB123@61	21.38	19.78	0.095	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@1	21.21	19.61	0.091	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@243	21.26	19.66	0.092	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB245@0	19.98	18.38	0.069	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 16 QAM_RB245@0	19.91	18.31	0.068	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 64 QAM_RB245@0	19.48	17.88	0.061	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 256 QAM_RB245@0	16.52	14.92	0.031	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.97	21.37	0.137	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.74	21.14	0.130	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.67	21.07	0.128	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.46	20.86	0.122	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB120@60	23.01	21.41	0.138	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.66	21.06	0.128	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@243	22.64	21.04	0.127	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB243@0	21.93	20.33	0.108	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB243@0	21	19.40	0.087	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB243@0	20.46	18.86	0.077	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB243@0	18.49	16.89	0.049	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB123@61	21.47	19.87	0.097	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.36	19.76	0.095	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@243	21.17	19.57	0.091	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB245@0	19.99	18.39	0.069	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB245@0	19.94	18.34	0.068	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB245@0	19.42	17.82	0.061	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB245@0	16.51	14.91	0.031	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.91	21.31	0.135	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.93	21.33	0.136	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.52	20.92	0.124	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.40	20.80	0.120	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB120@60	22.94	21.34	0.136	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@1	22.94	21.34	0.136	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@243	22.57	20.97	0.125	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB243@0	21.96	20.36	0.109	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 16 QAM_RB243@0	20.98	19.38	0.087	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 64 QAM_RB243@0	20.54	18.94	0.078	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 256 QAM_RB243@0	18.45	16.85	0.048	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB123@61	21.38	19.78	0.095	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@1	21.43	19.83	0.096	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@243	21.05	19.45	0.088	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB245@0	19.89	18.29	0.067	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 16 QAM_RB245@0	19.88	18.28	0.067	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 64 QAM_RB245@0	19.36	17.76	0.060	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 256 QAM_RB245@0	16.43	14.83	0.030	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.92	21.32	0.136	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.88	21.28	0.134	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.84	21.24	0.133	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.40	20.80	0.120	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB135@67	22.95	21.35	0.136	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@1	22.85	21.25	0.133	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@271	22.81	21.21	0.132	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB270@0	22.06	20.46	0.111	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 16 QAM_RB270@0	21	19.40	0.087	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 64 QAM_RB270@0	20.58	18.98	0.079	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 256 QAM_RB270@0	18.56	16.96	0.050	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB137@68	21.40	19.80	0.095	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@1	21.24	19.64	0.092	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@271	21.32	19.72	0.094	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB273@0	20.08	18.48	0.070	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM 16 QAM_RB273@0	20.05	18.45	0.070	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM 64 QAM_RB273@0	19.52	17.92	0.062	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM 256 QAM_RB273@0	16.55	14.95	0.031	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.89	21.29	0.135	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.65	21.05	0.127	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.65	21.05	0.127	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.46	20.86	0.122	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB135@67	22.96	21.36	0.137	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	22.70	21.10	0.129	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@271	22.68	21.08	0.128	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	21.99	20.39	0.109	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	20.94	19.34	0.086	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	20.50	18.90	0.078	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	18.46	16.86	0.049	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB137@68	21.38	19.78	0.095	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	21.09	19.49	0.089	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@271	21.06	19.46	0.088	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	19.98	18.38	0.069	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	19.95	18.35	0.068	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	19.44	17.84	0.061	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	16.52	14.92	0.031	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.94	21.34	0.136	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.93	21.33	0.136	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.60	21.00	0.126	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.44	20.84	0.121	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB135@67	20.27	18.67	0.074	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@1	22.95	21.35	0.136	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@271	22.58	20.98	0.125	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB270@0	21.98	20.38	0.109	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 16 QAM_RB270@0	21.01	19.41	0.087	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 64 QAM_RB270@0	20.47	18.87	0.077	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 256 QAM_RB270@0	18.45	16.85	0.048	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB137@68	21.43	19.83	0.096	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@1	21.37	19.77	0.095	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@271	21.15	19.55	0.090	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB273@0	19.93	18.33	0.068	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 16 QAM_RB273@0	19.95	18.35	0.068	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 64 QAM_RB273@0	19.42	17.82	0.061	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 256 QAM_RB273@0	16.48	14.88	0.031	0.200	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n78_2:

1.Ant Gain = -1.6dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB