

TABLE OF CONTENTS

1 Conducted output power for NR FR12

2 Frequency stability for NR FR14

3 Peak-to-Average Ratio for NR FR16

4 Occupied bandwidth for NR FR138

5 Band edge for NR FR1.....49

6 Out-of-band emissions for NR FR159

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
n66	30	10	343000	1@1	DFT_BPSK	22.34	-3.23	19.11	30.00	Pass
n66	30	10	343000	24@0	DFT_QPSK	21.09	-3.23	17.86	30.00	Pass
n66	30	10	343000	12@6	DFT_QPSK	22.18	-3.23	18.95	30.00	Pass
n66	30	10	343000	1@1	DFT_QPSK	22.10	-3.23	18.87	30.00	Pass
n66	30	10	343000	1@22	DFT_QPSK	22.15	-3.23	18.92	30.00	Pass
n66	30	10	343000	1@1	DFT_QAM16	21.36	-3.23	18.13	30.00	Pass
n66	30	10	343000	1@1	DFT_QAM64	19.81	-3.23	16.58	30.00	Pass
n66	30	10	343000	1@1	DFT_QAM256	17.79	-3.23	14.56	30.00	Pass
n66	30	10	343000	1@1	CP_QPSK	20.56	-3.23	17.33	30.00	Pass
n66	30	10	349000	1@1	DFT_BPSK	22.15	-3.23	18.92	30.00	Pass
n66	30	10	349000	24@0	DFT_QPSK	21.00	-3.23	17.77	30.00	Pass
n66	30	10	349000	12@6	DFT_QPSK	21.98	-3.23	18.75	30.00	Pass
n66	30	10	349000	1@1	DFT_QPSK	22.12	-3.23	18.89	30.00	Pass
n66	30	10	349000	1@22	DFT_QPSK	22.06	-3.23	18.83	30.00	Pass
n66	30	10	349000	1@1	DFT_QAM16	21.49	-3.23	18.26	30.00	Pass
n66	30	10	349000	1@1	DFT_QAM64	19.38	-3.23	16.15	30.00	Pass
n66	30	10	349000	1@1	DFT_QAM256	18.08	-3.23	14.85	30.00	Pass
n66	30	10	349000	1@1	CP_QPSK	20.02	-3.23	16.79	30.00	Pass
n66	30	10	355000	1@1	DFT_BPSK	21.46	-3.23	18.23	30.00	Pass
n66	30	10	355000	24@0	DFT_QPSK	20.43	-3.23	17.20	30.00	Pass
n66	30	10	355000	12@6	DFT_QPSK	21.54	-3.23	18.31	30.00	Pass
n66	30	10	355000	1@1	DFT_QPSK	21.44	-3.23	18.21	30.00	Pass
n66	30	10	355000	1@22	DFT_QPSK	21.44	-3.23	18.21	30.00	Pass
n66	30	10	355000	1@1	DFT_QAM16	20.66	-3.23	17.43	30.00	Pass
n66	30	10	355000	1@1	DFT_QAM64	19.11	-3.23	15.88	30.00	Pass
n66	30	10	355000	1@1	DFT_QAM256	16.99	-3.23	13.76	30.00	Pass
n66	30	10	355000	1@1	CP_QPSK	20.26	-3.23	17.03	30.00	Pass
n66	30	20	344000	1@1	DFT_BPSK	22.03	-3.23	18.80	30.00	Pass
n66	30	20	344000	50@0	DFT_QPSK	21.07	-3.23	17.84	30.00	Pass
n66	30	20	344000	25@12	DFT_QPSK	22.22	-3.23	18.99	30.00	Pass
n66	30	20	344000	1@1	DFT_QPSK	22.13	-3.23	18.90	30.00	Pass
n66	30	20	344000	1@49	DFT_QPSK	22.03	-3.23	18.80	30.00	Pass
n66	30	20	344000	1@1	DFT_QAM16	21.28	-3.23	18.05	30.00	Pass
n66	30	20	344000	1@1	DFT_QAM64	19.82	-3.23	16.59	30.00	Pass
n66	30	20	344000	1@1	DFT_QAM256	18.05	-3.23	14.82	30.00	Pass
n66	30	20	344000	1@1	CP_QPSK	20.73	-3.23	17.50	30.00	Pass
n66	30	20	349000	1@1	DFT_BPSK	22.05	-3.23	18.82	30.00	Pass

n66	30	20	349000	50@0	DFT_QPSK	20.89	-3.23	17.66	30.00	Pass
n66	30	20	349000	25@12	DFT_QPSK	21.95	-3.23	18.72	30.00	Pass
n66	30	20	349000	1@1	DFT_QPSK	21.99	-3.23	18.76	30.00	Pass
n66	30	20	349000	1@49	DFT_QPSK	21.77	-3.23	18.54	30.00	Pass
n66	30	20	349000	1@1	DFT_QAM16	20.90	-3.23	17.67	30.00	Pass
n66	30	20	349000	1@1	DFT_QAM64	20.04	-3.23	16.81	30.00	Pass
n66	30	20	349000	1@1	DFT_QAM256	17.53	-3.23	14.30	30.00	Pass
n66	30	20	349000	1@1	CP_QPSK	20.44	-3.23	17.21	30.00	Pass
n66	30	20	354000	1@1	DFT_BPSK	21.63	-3.23	18.40	30.00	Pass
n66	30	20	354000	50@0	DFT_QPSK	20.57	-3.23	17.34	30.00	Pass
n66	30	20	354000	25@12	DFT_QPSK	21.57	-3.23	18.34	30.00	Pass
n66	30	20	354000	1@1	DFT_QPSK	21.60	-3.23	18.37	30.00	Pass
n66	30	20	354000	1@49	DFT_QPSK	21.35	-3.23	18.12	30.00	Pass
n66	30	20	354000	1@1	DFT_QAM16	20.89	-3.23	17.66	30.00	Pass
n66	30	20	354000	1@1	DFT_QAM64	19.62	-3.23	16.39	30.00	Pass
n66	30	20	354000	1@1	DFT_QAM256	17.26	-3.23	14.03	30.00	Pass
n66	30	20	354000	1@1	CP_QPSK	20.32	-3.23	17.09	30.00	Pass
n66	30	40	346000	1@1	DFT_BPSK	21.82	-3.23	18.59	30.00	Pass
n66	30	40	346000	100@0	DFT_QPSK	21.17	-3.23	17.94	30.00	Pass
n66	30	40	346000	50@25	DFT_QPSK	22.10	-3.23	18.87	30.00	Pass
n66	30	40	346000	1@1	DFT_QPSK	21.61	-3.23	18.38	30.00	Pass
n66	30	40	346000	1@104	DFT_QPSK	21.40	-3.23	18.17	30.00	Pass
n66	30	40	346000	1@1	DFT_QAM16	21.06	-3.23	17.83	30.00	Pass
n66	30	40	346000	1@1	DFT_QAM64	19.55	-3.23	16.32	30.00	Pass
n66	30	40	346000	1@1	DFT_QAM256	17.83	-3.23	14.60	30.00	Pass
n66	30	40	346000	1@1	CP_QPSK	20.33	-3.23	17.10	30.00	Pass
n66	30	40	349000	1@1	DFT_BPSK	21.71	-3.23	18.48	30.00	Pass
n66	30	40	349000	100@0	DFT_QPSK	20.79	-3.23	17.56	30.00	Pass
n66	30	40	349000	50@25	DFT_QPSK	21.95	-3.23	18.72	30.00	Pass
n66	30	40	349000	1@1	DFT_QPSK	21.77	-3.23	18.54	30.00	Pass
n66	30	40	349000	1@104	DFT_QPSK	21.37	-3.23	18.14	30.00	Pass
n66	30	40	349000	1@1	DFT_QAM16	20.81	-3.23	17.58	30.00	Pass
n66	30	40	349000	1@1	DFT_QAM64	19.37	-3.23	16.14	30.00	Pass
n66	30	40	349000	1@1	DFT_QAM256	17.58	-3.23	14.35	30.00	Pass
n66	30	40	349000	1@1	CP_QPSK	20.38	-3.23	17.15	30.00	Pass
n66	30	40	352000	1@1	DFT_BPSK	21.85	-3.23	18.62	30.00	Pass
n66	30	40	352000	100@0	DFT_QPSK	20.76	-3.23	17.53	30.00	Pass
n66	30	40	352000	50@25	DFT_QPSK	21.74	-3.23	18.51	30.00	Pass
n66	30	40	352000	1@1	DFT_QPSK	21.65	-3.23	18.42	30.00	Pass
n66	30	40	352000	1@104	DFT_QPSK	21.04	-3.23	17.81	30.00	Pass
n66	30	40	352000	1@1	DFT_QAM16	20.84	-3.23	17.61	30.00	Pass
n66	30	40	352000	1@1	DFT_QAM64	19.24	-3.23	16.01	30.00	Pass
n66	30	40	352000	1@1	DFT_QAM256	17.30	-3.23	14.07	30.00	Pass
n66	30	40	352000	1@1	CP_QPSK	20.16	-3.23	16.93	30.00	Pass

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n66	30	10	343000	12@6	DFT_BPSK	-1.94	-0.00113	-2.5	2.5	PASS
n66	30	10	343000	1@1	DFT_BPSK	-3.64	-0.00212	-2.5	2.5	PASS
n66	30	10	343000	1@22	DFT_BPSK	-3.82	-0.00223	-2.5	2.5	PASS
n66	30	10	343000	12@6	DFT_QPSK	-0.37	-0.00022	-2.5	2.5	PASS
n66	30	10	343000	1@1	DFT_QPSK	-1.22	-0.00071	-2.5	2.5	PASS
n66	30	10	343000	1@22	DFT_QPSK	-1.59	-0.00093	-2.5	2.5	PASS
n66	30	10	349000	12@6	DFT_BPSK	-0.67	-0.00038	-2.5	2.5	PASS
n66	30	10	349000	1@1	DFT_BPSK	-1.75	-0.00100	-2.5	2.5	PASS
n66	30	10	349000	1@22	DFT_BPSK	-0.84	-0.00048	-2.5	2.5	PASS
n66	30	10	349000	12@6	DFT_QPSK	-2.68	-0.00154	-2.5	2.5	PASS
n66	30	10	349000	1@1	DFT_QPSK	-1.39	-0.00080	-2.5	2.5	PASS
n66	30	10	349000	1@22	DFT_QPSK	-0.72	-0.00041	-2.5	2.5	PASS
n66	30	10	355000	12@6	DFT_BPSK	2.01	0.00113	-2.5	2.5	PASS
n66	30	10	355000	1@1	DFT_BPSK	0.85	0.00048	-2.5	2.5	PASS
n66	30	10	355000	1@22	DFT_BPSK	1.82	0.00103	-2.5	2.5	PASS
n66	30	10	355000	12@6	DFT_QPSK	-3.00	-0.00169	-2.5	2.5	PASS
n66	30	10	355000	1@1	DFT_QPSK	-4.06	-0.00229	-2.5	2.5	PASS
n66	30	10	355000	1@22	DFT_QPSK	-3.65	-0.00206	-2.5	2.5	PASS
n66	30	20	344000	25@12	DFT_BPSK	-1.11	-0.00065	-2.5	2.5	PASS
n66	30	20	344000	1@1	DFT_BPSK	-5.36	-0.00312	-2.5	2.5	PASS
n66	30	20	344000	1@49	DFT_BPSK	-4.05	-0.00235	-2.5	2.5	PASS
n66	30	20	344000	25@12	DFT_QPSK	-4.54	-0.00264	-2.5	2.5	PASS
n66	30	20	344000	1@1	DFT_QPSK	-7.71	-0.00448	-2.5	2.5	PASS
n66	30	20	344000	1@49	DFT_QPSK	-4.59	-0.00267	-2.5	2.5	PASS
n66	30	20	349000	25@12	DFT_BPSK	-3.90	-0.00223	-2.5	2.5	PASS
n66	30	20	349000	1@1	DFT_BPSK	-3.06	-0.00175	-2.5	2.5	PASS
n66	30	20	349000	1@49	DFT_BPSK	-2.15	-0.00123	-2.5	2.5	PASS
n66	30	20	349000	25@12	DFT_QPSK	0.03	0.00002	-2.5	2.5	PASS
n66	30	20	349000	1@1	DFT_QPSK	0.95	0.00054	-2.5	2.5	PASS
n66	30	20	349000	1@49	DFT_QPSK	-0.17	-0.00010	-2.5	2.5	PASS
n66	30	20	354000	25@12	DFT_BPSK	-4.24	-0.00240	-2.5	2.5	PASS
n66	30	20	354000	1@1	DFT_BPSK	-4.24	-0.00240	-2.5	2.5	PASS
n66	30	20	354000	1@49	DFT_BPSK	-4.85	-0.00274	-2.5	2.5	PASS
n66	30	20	354000	25@12	DFT_QPSK	-4.84	-0.00273	-2.5	2.5	PASS
n66	30	20	354000	1@1	DFT_QPSK	-5.06	-0.00286	-2.5	2.5	PASS
n66	30	20	354000	1@49	DFT_QPSK	-5.09	-0.00288	-2.5	2.5	PASS
n66	30	40	346000	50@25	DFT_BPSK	-4.44	-0.00257	-2.5	2.5	PASS
n66	30	40	346000	1@1	DFT_BPSK	-5.51	-0.00318	-2.5	2.5	PASS

n66	30	40	346000	1@104	DFT_BPSK	-3.71	-0.00214	-2.5	2.5	PASS
n66	30	40	346000	50@25	DFT_QPSK	-4.68	-0.00271	-2.5	2.5	PASS
n66	30	40	346000	1@1	DFT_QPSK	-4.63	-0.00268	-2.5	2.5	PASS
n66	30	40	346000	1@104	DFT_QPSK	-4.82	-0.00279	-2.5	2.5	PASS
n66	30	40	349000	50@25	DFT_BPSK	-1.06	-0.00061	-2.5	2.5	PASS
n66	30	40	349000	1@1	DFT_BPSK	-1.18	-0.00068	-2.5	2.5	PASS
n66	30	40	349000	1@104	DFT_BPSK	-1.84	-0.00105	-2.5	2.5	PASS
n66	30	40	349000	50@25	DFT_QPSK	-3.30	-0.00189	-2.5	2.5	PASS
n66	30	40	349000	1@1	DFT_QPSK	-4.66	-0.00267	-2.5	2.5	PASS
n66	30	40	349000	1@104	DFT_QPSK	-3.87	-0.00222	-2.5	2.5	PASS
n66	30	40	352000	50@25	DFT_BPSK	-6.28	-0.00357	-2.5	2.5	PASS
n66	30	40	352000	1@1	DFT_BPSK	-6.94	-0.00394	-2.5	2.5	PASS
n66	30	40	352000	1@104	DFT_BPSK	-5.55	-0.00315	-2.5	2.5	PASS
n66	30	40	352000	50@25	DFT_QPSK	-2.30	-0.00131	-2.5	2.5	PASS
n66	30	40	352000	1@1	DFT_QPSK	-2.45	-0.00139	-2.5	2.5	PASS
n66	30	40	352000	1@104	DFT_QPSK	-3.04	-0.00173	-2.5	2.5	PASS


Note: (Voltage: 3.87V, Temperature: 25°C) only reflect the worst mode.

3 Peak-to-Average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n66	30	10	343000	24@0	DFT_BPSK	3.93	13	PASS
n66	30	10	343000	24@0	DFT_QPSK	4.84	13	PASS
n66	30	10	343000	24@0	DFT_QAM16	5.68	13	PASS
n66	30	10	343000	24@0	DFT_QAM64	5.95	13	PASS
n66	30	10	343000	24@0	DFT_QAM256	6.07	13	PASS
n66	30	10	349000	24@0	DFT_BPSK	5.18	13	PASS
n66	30	10	349000	24@0	DFT_QPSK	5.52	13	PASS
n66	30	10	349000	24@0	DFT_QAM16	6.23	13	PASS
n66	30	10	349000	24@0	DFT_QAM64	6.29	13	PASS
n66	30	10	349000	24@0	DFT_QAM256	6.22	13	PASS
n66	30	10	355000	24@0	DFT_BPSK	3.68	13	PASS
n66	30	10	355000	24@0	DFT_QPSK	4.90	13	PASS
n66	30	10	355000	24@0	DFT_QAM16	5.94	13	PASS
n66	30	10	355000	24@0	DFT_QAM64	6.11	13	PASS
n66	30	10	355000	24@0	DFT_QAM256	5.82	13	PASS
n66	30	15	343500	36@0	DFT_BPSK	4.02	13	PASS
n66	30	15	343500	36@0	DFT_QPSK	5.03	13	PASS
n66	30	15	343500	36@0	DFT_QAM16	5.76	13	PASS
n66	30	15	343500	36@0	DFT_QAM64	6.15	13	PASS
n66	30	15	343500	36@0	DFT_QAM256	6.32	13	PASS
n66	30	15	349000	36@0	DFT_BPSK	4.26	13	PASS
n66	30	15	349000	36@0	DFT_QPSK	5.44	13	PASS
n66	30	15	349000	36@0	DFT_QAM16	6.20	13	PASS
n66	30	15	349000	36@0	DFT_QAM64	6.17	13	PASS
n66	30	15	349000	36@0	DFT_QAM256	6.41	13	PASS
n66	30	15	354500	36@0	DFT_BPSK	3.90	13	PASS
n66	30	15	354500	36@0	DFT_QPSK	4.85	13	PASS
n66	30	15	354500	36@0	DFT_QAM16	5.61	13	PASS
n66	30	15	354500	36@0	DFT_QAM64	6.09	13	PASS
n66	30	15	354500	36@0	DFT_QAM256	6.46	13	PASS
n66	30	20	344000	50@0	DFT_BPSK	4.14	13	PASS
n66	30	20	344000	50@0	DFT_QPSK	5.31	13	PASS
n66	30	20	344000	50@0	DFT_QAM16	5.98	13	PASS
n66	30	20	344000	50@0	DFT_QAM64	6.17	13	PASS
n66	30	20	344000	50@0	DFT_QAM256	6.35	13	PASS
n66	30	20	349000	50@0	DFT_BPSK	2.62	13	PASS
n66	30	20	349000	50@0	DFT_QPSK	5.48	13	PASS
n66	30	20	349000	50@0	DFT_QAM16	6.09	13	PASS
n66	30	20	349000	50@0	DFT_QAM64	6.30	13	PASS
n66	30	20	349000	50@0	DFT_QAM256	6.51	13	PASS

n66	30	20	354000	50@0	DFT_BPSK	4.45	13	PASS
n66	30	20	354000	50@0	DFT_QPSK	5.04	13	PASS
n66	30	20	354000	50@0	DFT_QAM16	5.61	13	PASS
n66	30	20	354000	50@0	DFT_QAM64	5.73	13	PASS
n66	30	20	354000	50@0	DFT_QAM256	6.17	13	PASS
n66	30	40	346000	100@0	DFT_BPSK	4.13	13	PASS
n66	30	40	346000	100@0	DFT_QPSK	5.28	13	PASS
n66	30	40	346000	100@0	DFT_QAM16	6.05	13	PASS
n66	30	40	346000	100@0	DFT_QAM64	6.30	13	PASS
n66	30	40	346000	100@0	DFT_QAM256	6.45	13	PASS
n66	30	40	349000	100@0	DFT_BPSK	5.46	13	PASS
n66	30	40	349000	100@0	DFT_QPSK	5.78	13	PASS
n66	30	40	349000	100@0	DFT_QAM16	6.12	13	PASS
n66	30	40	349000	100@0	DFT_QAM64	6.28	13	PASS
n66	30	40	349000	100@0	DFT_QAM256	6.37	13	PASS
n66	30	40	352000	100@0	DFT_BPSK	4.45	13	PASS
n66	30	40	352000	100@0	DFT_QPSK	5.26	13	PASS
n66	30	40	352000	100@0	DFT_QAM16	5.84	13	PASS
n66	30	40	352000	100@0	DFT_QAM64	6.06	13	PASS
n66	30	40	352000	100@0	DFT_QAM256	6.51	13	PASS


n66 SCS=30kHz DFT_BPSK BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_QAM16 BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_QAM64 BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_QAM256 BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_BPSK BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QAM16 BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QAM64 BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QAM256 BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_BPSK BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_QAM16 BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_QAM64 BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_QAM256 BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_BPSK BW=15MHz Channel=343500 RB=36@0




n66 SCS=30kHz DFT_QPSK BW=15MHz Channel=343500 RB=36@0




n66 SCS=30kHz DFT_QAM16 BW=15MHz Channel=343500 RB=36@0




n66 SCS=30kHz DFT_QAM64 BW=15MHz Channel=343500 RB=36@0




n66 SCS=30kHz DFT_QAM256 BW=15MHz Channel=343500 RB=36@0




n66 SCS=30kHz DFT_BPSK BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_QPSK BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_QAM16 BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_QAM64 BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_QAM256 BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_BPSK BW=15MHz Channel=354500 RB=36@0




n66 SCS=30kHz DFT_QPSK BW=15MHz Channel=354500 RB=36@0




n66 SCS=30kHz DFT_QAM16 BW=15MHz Channel=354500 RB=36@0




n66 SCS=30kHz DFT_QAM64 BW=15MHz Channel=354500 RB=36@0




n66 SCS=30kHz DFT_QAM256 BW=15MHz Channel=354500 RB=36@0




n66 SCS=30kHz DFT_BPSK BW=20MHz Channel=344000 RB=50@0




n66 SCS=30kHz DFT_QPSK BW=20MHz Channel=344000 RB=50@0




n66 SCS=30kHz DFT_QAM16 BW=20MHz Channel=344000 RB=50@0




n66 SCS=30kHz DFT_QAM64 BW=20MHz Channel=344000 RB=50@0




n66 SCS=30kHz DFT_QAM256 BW=20MHz Channel=344000 RB=50@0




n66 SCS=30kHz DFT_BPSK BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_QPSK BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_QAM16 BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_QAM64 BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_QAM256 BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_BPSK BW=20MHz Channel=354000 RB=50@0




n66 SCS=30kHz DFT_QPSK BW=20MHz Channel=354000 RB=50@0




n66 SCS=30kHz DFT_QAM16 BW=20MHz Channel=354000 RB=50@0




n66 SCS=30kHz DFT_QAM64 BW=20MHz Channel=354000 RB=50@0




n66 SCS=30kHz DFT_QAM256 BW=20MHz Channel=354000 RB=50@0




n66 SCS=30kHz DFT_BPSK BW=40MHz Channel=346000 RB=100@0




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=346000 RB=100@0




n66 SCS=30kHz DFT_QAM16 BW=40MHz Channel=346000 RB=100@0




n66 SCS=30kHz DFT_QAM64 BW=40MHz Channel=346000 RB=100@0




n66 SCS=30kHz DFT_QAM256 BW=40MHz Channel=346000 RB=100@0




n66 SCS=30kHz DFT_BPSK BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QAM16 BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QAM64 BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QAM256 BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_BPSK BW=40MHz Channel=352000 RB=100@0




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=352000 RB=100@0




n66 SCS=30kHz DFT_QAM16 BW=40MHz Channel=352000 RB=100@0



n66 SCS=30kHz DFT_QAM64 BW=40MHz Channel=352000 RB=100@0



n66 SCS=30kHz DFT_QAM256 BW=40MHz Channel=352000 RB=100@0



4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n66	30	10	349000	24@0	DFT_BPSK	8.530	8.930	PASS
n66	30	10	349000	24@0	DFT_QPSK	8.560	8.890	PASS
n66	30	10	349000	24@0	DFT_QAM16	8.530	8.850	PASS
n66	30	10	349000	24@0	DFT_QAM64	8.540	8.900	PASS
n66	30	10	349000	24@0	DFT_QAM256	8.540	8.840	PASS
n66	30	15	349000	36@0	DFT_BPSK	13.410	13.300	PASS
n66	30	15	349000	36@0	DFT_QPSK	13.430	13.230	PASS
n66	30	15	349000	36@0	DFT_QAM16	13.400	13.270	PASS
n66	30	15	349000	36@0	DFT_QAM64	13.430	13.300	PASS
n66	30	15	349000	36@0	DFT_QAM256	13.470	13.380	PASS
n66	30	20	349000	50@0	DFT_BPSK	18.030	18.260	PASS
n66	30	20	349000	50@0	DFT_QPSK	17.900	18.170	PASS
n66	30	20	349000	50@0	DFT_QAM16	18.080	18.180	PASS
n66	30	20	349000	50@0	DFT_QAM64	17.980	18.290	PASS
n66	30	20	349000	50@0	DFT_QAM256	17.910	18.220	PASS
n66	30	40	349000	100@0	DFT_BPSK	37.350	36.270	PASS
n66	30	40	349000	100@0	DFT_QPSK	37.500	36.250	PASS
n66	30	40	349000	100@0	DFT_QAM16	37.500	36.180	PASS
n66	30	40	349000	100@0	DFT_QAM64	37.450	36.320	PASS
n66	30	40	349000	100@0	DFT_QAM256	37.350	36.260	PASS

n66 SCS=30kHz DFT_BPSK BW=10MHz Channel=349000 RB=24@0



n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=349000 RB=24@0



n66 SCS=30kHz DFT_QAM16 BW=10MHz Channel=349000 RB=24@0



n66 SCS=30kHz DFT_QAM64 BW=10MHz Channel=349000 RB=24@0



n66 SCS=30kHz DFT_QAM256 BW=10MHz Channel=349000 RB=24@0



n66 SCS=30kHz DFT_BPSK BW=15MHz Channel=349000 RB=36@0



n66 SCS=30kHz DFT_QPSK BW=15MHz Channel=349000 RB=36@0



n66 SCS=30kHz DFT_QAM16 BW=15MHz Channel=349000 RB=36@0



n66 SCS=30kHz DFT_QAM64 BW=15MHz Channel=349000 RB=36@0



n66 SCS=30kHz DFT_QAM256 BW=15MHz Channel=349000 RB=36@0



n66 SCS=30kHz DFT_BPSK BW=20MHz Channel=349000 RB=50@0



n66 SCS=30kHz DFT_QPSK BW=20MHz Channel=349000 RB=50@0



n66 SCS=30kHz DFT_QAM16 BW=20MHz Channel=349000 RB=50@0



n66 SCS=30kHz DFT_QAM64 BW=20MHz Channel=349000 RB=50@0



n66 SCS=30kHz DFT_QAM256 BW=20MHz Channel=349000 RB=50@0



n66 SCS=30kHz DFT_BPSK BW=40MHz Channel=349000 RB=100@0



n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=349000 RB=100@0