

TABLE OF CONTENTS

1 Conducted output power for NR FR12

2 Frequency stability for NR FR14

3 Peak-to-Average Ratio for NR FR16

4 Occupied bandwidth for NR FR187

5 Band edge for NR FR1..... 116

6 Out-of-band emissions for NR FR1124

1 Conducted output power for NR FR1

<i>Band</i>	<i>SCS (kHz)</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Allocation</i>	<i>Modulation</i>	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	24.64	-3.6	21.04	30.00	Pass
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	23.57	-3.6	19.97	30.00	Pass
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	24.61	-3.6	21.01	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	24.56	-3.6	20.96	30.00	Pass
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	24.49	-3.6	20.89	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	DFT_QAM16	23.42	-3.6	19.82	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	DFT_QAM64	22.35	-3.6	18.75	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	DFT_QAM256	20.30	-3.6	16.70	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	CP_QPSK	22.92	-3.6	19.32	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	24.33	-3.6	20.73	30.00	Pass
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	23.28	-3.6	19.68	30.00	Pass
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	24.23	-3.6	20.63	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	24.35	-3.6	20.75	30.00	Pass
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	24.21	-3.6	20.61	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_QAM16	23.17	-3.6	19.57	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_QAM64	21.56	-3.6	17.96	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_QAM256	19.78	-3.6	16.18	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	CP_QPSK	22.80	-3.6	19.20	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	24.16	-3.6	20.56	30.00	Pass
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	23.07	-3.6	19.47	30.00	Pass
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	24.07	-3.6	20.47	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	24.08	-3.6	20.48	30.00	Pass
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	24.03	-3.6	20.43	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_QAM16	23.00	-3.6	19.40	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_QAM64	21.61	-3.6	18.01	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_QAM256	19.56	-3.6	15.96	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	CP_QPSK	22.42	-3.6	18.82	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	24.30	-3.6	20.70	30.00	Pass
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	23.41	-3.6	19.81	30.00	Pass
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	24.44	-3.6	20.84	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	24.27	-3.6	20.67	30.00	Pass
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	24.12	-3.6	20.52	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_QAM16	23.36	-3.6	19.76	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_QAM64	22.03	-3.6	18.43	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_QAM256	19.70	-3.6	16.10	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	CP_QPSK	22.85	-3.6	19.25	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	24.38	-3.6	20.78	30.00	Pass

n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	23.45	-3.6	19.85	30.00	Pass
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	24.43	-3.6	20.83	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	24.36	-3.6	20.76	30.00	Pass
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	24.05	-3.6	20.45	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_QAM16	23.50	-3.6	19.90	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_QAM64	21.76	-3.6	18.16	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_QAM256	20.18	-3.6	16.58	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	CP_QPSK	22.82	-3.6	19.22	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	24.05	-3.6	20.45	30.00	Pass
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	23.16	-3.6	19.56	30.00	Pass
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	24.22	-3.6	20.62	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	24.08	-3.6	20.48	30.00	Pass
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	23.89	-3.6	20.29	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_QAM16	23.05	-3.6	19.45	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_QAM64	21.50	-3.6	17.90	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_QAM256	19.74	-3.6	16.14	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	CP_QPSK	22.63	-3.6	19.03	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	23.66	-3.6	20.06	30.00	Pass
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	23.19	-3.6	19.59	30.00	Pass
n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	24.47	-3.6	20.87	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	23.72	-3.6	20.12	30.00	Pass
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	23.24	-3.6	19.64	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_QAM16	22.89	-3.6	19.29	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_QAM64	21.24	-3.6	17.64	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_QAM256	19.34	-3.6	15.74	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	CP_QPSK	22.36	-3.6	18.76	30.00	Pass

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n78(3700-3800)	30	10	647000	12@6	DFT_BPSK	-10.96	-0.00296	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	-9.25	-0.00250	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_BPSK	-7.97	-0.00215	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	-10.42	-0.00281	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	-12.07	-0.00326	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	-9.98	-0.00269	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_BPSK	-11.69	-0.00312	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	-12.63	-0.00337	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_BPSK	-14.27	-0.00381	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	-12.24	-0.00326	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	-11.29	-0.00301	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	-11.17	-0.00298	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_BPSK	-16.25	-0.00428	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	-15.83	-0.00417	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_BPSK	-16.49	-0.00435	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	-14.92	-0.00393	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	-14.82	-0.00391	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	-17.05	-0.00449	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_BPSK	-16.47	-0.00442	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	-16.50	-0.00443	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_BPSK	-18.15	-0.00487	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	-16.06	-0.00431	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	-16.46	-0.00442	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	-17.48	-0.00469	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_BPSK	-11.97	-0.00319	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	-13.11	-0.00350	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_BPSK	-12.78	-0.00341	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	-13.95	-0.00372	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	-9.93	-0.00265	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	-14.40	-0.00384	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_BPSK	-11.62	-0.00308	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	-9.92	-0.00263	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_BPSK	-12.83	-0.00340	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	-11.94	-0.00316	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	-10.63	-0.00282	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	-13.10	-0.00347	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_BPSK	-14.94	-0.00398	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	-10.96	-0.00292	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_BPSK	-13.15	-0.00351	-2.5	2.5	PASS

n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	-13.96	-0.00372	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	-13.85	-0.00369	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	-17.74	-0.00473	-2.5	2.5	PASS

Note: (Voltage: 3.87V, Temperature: 25°C) only reflect the worst mode.

3 Peak-to-Average Ratio for NR FR1


<i>Band</i>	<i>SCS (kHz)</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Allocation</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	5.77	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM16	6.34	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM64	6.26	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM256	6.48	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_BPSK	5.20	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	5.63	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM16	6.22	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM64	6.16	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM256	6.55	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_BPSK	4.22	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	5.83	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM16	6.45	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM64	6.37	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM256	6.50	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_BPSK	4.20	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QPSK	5.65	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM16	6.10	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM64	6.26	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM256	6.45	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_BPSK	4.22	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QPSK	5.42	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM16	6.20	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM64	6.42	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM256	6.70	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_BPSK	4.24	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QPSK	5.41	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM16	6.11	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM64	6.36	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM256	6.61	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_BPSK	4.26	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QPSK	5.58	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM16	6.20	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM64	6.55	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM256	6.57	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_BPSK	5.28	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QPSK	5.62	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM16	6.23	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM64	6.49	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM256	6.78	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_BPSK	4.80	13	PASS

n78(3700-3800)	30	20	652666	50@0	DFT_QPSK	5.63	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM16	6.21	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM64	6.40	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM256	6.75	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_BPSK	4.40	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QPSK	5.35	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM16	5.98	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM64	6.45	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM256	6.51	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_BPSK	4.49	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QPSK	5.46	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM16	6.27	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM64	6.37	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM256	6.43	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_BPSK	4.90	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QPSK	5.45	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM16	6.09	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM64	6.37	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM256	6.55	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_BPSK	4.30	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QPSK	5.46	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM16	6.21	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM64	6.30	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM256	6.46	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_BPSK	5.67	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QPSK	5.75	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM16	6.26	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM64	6.61	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM256	6.71	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_BPSK	4.34	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QPSK	5.53	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM16	6.25	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM64	6.35	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM256	6.58	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_BPSK	4.63	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	5.80	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM16	6.32	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM64	6.33	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM256	6.42	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_BPSK	4.23	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	5.65	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM16	6.16	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM64	6.55	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM256	6.80	13	PASS


n78(3700-3800)	30	50	651666	128@0	DFT_BPSK	4.45	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	5.55	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM16	6.54	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM64	6.34	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM256	6.77	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_BPSK	5.51	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QPSK	5.84	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM16	6.19	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM64	6.67	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM256	6.55	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_BPSK	4.45	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QPSK	5.60	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM16	6.47	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM64	6.55	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM256	7.08	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_BPSK	5.33	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QPSK	5.79	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM16	6.32	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM64	6.54	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM256	6.72	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_BPSK	4.41	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QPSK	5.52	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM16	6.30	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM64	6.21	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM256	6.87	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_BPSK	4.55	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QPSK	5.86	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM16	6.22	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM64	6.41	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM256	6.37	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_BPSK	4.47	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QPSK	5.54	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM16	6.36	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM64	6.20	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM256	6.53	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_BPSK	4.39	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QPSK	5.91	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM16	6.41	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM64	6.25	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM256	6.89	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_BPSK	4.55	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QPSK	5.96	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM16	6.21	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM64	6.25	13	PASS

n78(3700-3800)	30	80	650000	216@0	DFT_QAM256	6.81	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_BPSK	6.22	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QPSK	5.57	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM16	6.77	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM64	6.37	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM256	6.90	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_BPSK	4.20	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QPSK	5.66	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM16	6.15	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM64	6.37	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM256	6.82	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_BPSK	5.38	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QPSK	6.11	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM16	6.79	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM64	6.37	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM256	6.47	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_BPSK	4.86	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QPSK	5.54	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM16	6.30	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM64	6.68	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM256	6.60	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_BPSK	5.00	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	6.17	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM16	6.38	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM64	6.49	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM256	6.70	13	PASS


n78(3700-3800) SCS=30kHz DFT_QPSK BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QPSK BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM64 BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=651332 RB=162@0



n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=649000 RB=180@0



n78(3700-3800) SCS=30kHz DFT_QPSK BW=70MHz Channel=649000 RB=180@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=70MHz Channel=649000 RB=180@0