

RF Output Power
FCC Part 96

n77_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.42	14.500	0.028	0.2	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.43	14.510	0.028	0.2	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.39	14.470	0.028	0.2	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.93	14.010	0.025	0.2	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB12@6	17.46	14.540	0.028	0.2	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@1	17.37	14.450	0.028	0.2	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@22	17.40	14.480	0.028	0.2	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB24@0	16.40	13.480	0.022	0.2	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 16 QAM_RB24@0	15.42	12.500	0.018	0.2	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 64 QAM_RB24@0	15.01	12.090	0.016	0.2	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 256 QAM_RB24@0	12.91	9.990	0.010	0.2	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB12@6	16.12	13.200	0.021	0.2	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@1	15.81	12.890	0.019	0.2	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@22	15.90	12.980	0.020	0.2	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB24@0	14.49	11.570	0.014	0.2	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 16 QAM_RB24@0	14.42	11.500	0.014	0.2	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 64 QAM_RB24@0	14.00	11.080	0.013	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 256 QAM_RB24@0	10.82	7.900	0.006	0.2	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.49	14.570	0.029	0.2	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.48	14.560	0.029	0.2	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.50	14.580	0.029	0.2	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.96	14.040	0.025	0.2	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB12@6	17.60	14.680	0.029	0.2	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	17.42	14.500	0.028	0.2	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@22	17.40	14.480	0.028	0.2	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB24@0	16.49	13.570	0.023	0.2	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB24@0	15.58	12.660	0.018	0.2	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB24@0	15.00	12.080	0.016	0.2	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB24@0	12.98	10.060	0.010	0.2	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB12@6	15.88	12.960	0.020	0.2	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.89	12.970	0.020	0.2	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@22	15.90	12.980	0.020	0.2	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB24@0	14.58	11.660	0.015	0.2	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB24@0	14.39	11.470	0.014	0.2	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB24@0	13.99	11.070	0.013	0.2	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB24@0	10.99	8.070	0.006	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.51	13.590	0.023	0.2	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.49	13.570	0.023	0.2	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.52	13.600	0.023	0.2	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.01	13.090	0.020	0.2	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB12@6	16.47	13.550	0.023	0.2	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@1	16.43	13.510	0.022	0.2	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@22	16.41	13.490	0.022	0.2	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB24@0	15.50	12.580	0.018	0.2	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 16 QAM_RB24@0	14.47	11.550	0.014	0.2	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 64 QAM_RB24@0	14.05	11.130	0.013	0.2	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 256 QAM_RB24@0	11.93	9.010	0.008	0.2	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB12@6	15.00	12.080	0.016	0.2	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@1	14.80	11.880	0.015	0.2	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@22	14.79	11.870	0.015	0.2	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB24@0	13.49	10.570	0.011	0.2	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 16 QAM_RB24@0	13.54	10.620	0.012	0.2	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 64 QAM_RB24@0	13.10	10.180	0.010	0.2	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 256 QAM_RB24@0	11.88	8.960	0.008	0.2	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.31	14.390	0.027	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.30	14.380	0.027	0.2	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.32	14.400	0.028	0.2	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.79	13.870	0.024	0.2	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB18@9	17.33	14.410	0.028	0.2	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@1	17.34	14.420	0.028	0.2	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@36	17.36	14.440	0.028	0.2	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB36@0	16.35	13.430	0.022	0.2	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 16 QAM_RB36@0	15.43	12.510	0.018	0.2	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.88	11.960	0.016	0.2	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.82	9.900	0.010	0.2	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB19@9	15.92	13.000	0.020	0.2	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@1	15.83	12.910	0.020	0.2	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@36	15.86	12.940	0.020	0.2	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB38@0	14.36	11.440	0.014	0.2	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 16 QAM_RB38@0	14.35	11.430	0.014	0.2	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 64 QAM_RB38@0	13.79	10.870	0.012	0.2	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 256 QAM_RB38@0	11.78	8.860	0.008	0.2	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.42	14.500	0.028	0.2	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.41	14.490	0.028	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.30	14.380	0.027	0.2	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.89	13.970	0.025	0.2	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB18@9	17.36	14.440	0.028	0.2	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	17.40	14.480	0.028	0.2	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@36	17.34	14.420	0.028	0.2	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@0	16.43	13.510	0.022	0.2	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB36@0	15.41	12.490	0.018	0.2	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB36@0	14.96	12.040	0.016	0.2	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB36@0	12.86	9.940	0.010	0.2	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB19@9	15.92	13.000	0.020	0.2	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	16.12	13.200	0.021	0.2	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@36	15.88	12.960	0.020	0.2	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB38@0	14.45	11.530	0.014	0.2	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB38@0	14.53	11.610	0.014	0.2	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB38@0	14.03	11.110	0.013	0.2	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB38@0	11.81	8.890	0.008	0.2	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.39	13.470	0.022	0.2	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.41	13.490	0.022	0.2	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.43	13.510	0.022	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.92	13.000	0.020	0.2	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB18@9	16.39	13.470	0.022	0.2	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@1	16.42	13.500	0.022	0.2	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@36	16.35	13.430	0.022	0.2	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB36@0	15.41	12.490	0.018	0.2	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.47	11.550	0.014	0.2	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.94	11.020	0.013	0.2	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 256 QAM_RB36@0	11.78	8.860	0.008	0.2	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB19@9	14.93	12.010	0.016	0.2	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@1	14.93	12.010	0.016	0.2	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@36	14.92	12.000	0.016	0.2	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB38@0	13.37	10.450	0.011	0.2	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 16 QAM_RB38@0	13.36	10.440	0.011	0.2	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 64 QAM_RB38@0	13.00	10.080	0.010	0.2	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 256 QAM_RB38@0	11.92	9.000	0.008	0.2	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.34	14.420	0.028	0.2	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.40	14.480	0.028	0.2	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.38	14.460	0.028	0.2	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.96	14.040	0.025	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@1	17.35	14.430	0.028	0.2	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@49	17.36	14.440	0.028	0.2	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB25@12	17.43	14.510	0.028	0.2	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB50@0	16.40	13.480	0.022	0.2	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 16 QAM_RB50@0	15.44	12.520	0.018	0.2	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 64 QAM_RB50@0	14.89	11.970	0.016	0.2	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 256 QAM_RB50@0	12.68	9.760	0.009	0.2	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@1	16.87	13.950	0.025	0.2	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@49	16.85	13.930	0.025	0.2	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB25@12	16.78	13.860	0.024	0.2	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB51@0	16.65	13.730	0.024	0.2	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 16 QAM_RB51@0	15.57	12.650	0.018	0.2	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 64 QAM_RB51@0	14.36	11.440	0.014	0.2	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 256 QAM_RB51@0	12.22	9.300	0.009	0.2	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.62	10.700	0.012	0.2	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	13.47	10.550	0.011	0.2	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	13.68	10.760	0.012	0.2	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	13.10	10.180	0.010	0.2	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	13.58	10.660	0.012	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@49	13.40	10.480	0.011	0.2	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB25@12	13.60	10.680	0.012	0.2	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@0	12.55	9.630	0.009	0.2	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB50@0	11.57	8.650	0.007	0.2	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB50@0	11.09	8.170	0.007	0.2	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB50@0	10.09	7.170	0.005	0.2	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	12.08	9.160	0.008	0.2	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@49	11.96	9.040	0.008	0.2	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB25@12	12.08	9.160	0.008	0.2	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB51@0	10.68	7.760	0.006	0.2	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB51@0	10.62	7.700	0.006	0.2	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB51@0	10.21	7.290	0.005	0.2	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB51@0	17.05	14.130	0.026	0.2	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	12.77	9.850	0.010	0.2	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	12.71	9.790	0.010	0.2	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	12.76	9.840	0.010	0.2	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	12.21	9.290	0.008	0.2	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@1	12.78	9.860	0.010	0.2	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@49	12.71	9.790	0.010	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB25@12	12.74	9.820	0.010	0.2	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB50@0	11.70	8.780	0.008	0.2	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 16 QAM_RB50@0	10.76	7.840	0.006	0.2	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 64 QAM_RB50@0	10.23	7.310	0.005	0.2	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 256 QAM_RB50@0	9.08	6.160	0.004	0.2	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@1	11.53	8.610	0.007	0.2	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@49	14.42	11.500	0.014	0.2	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB25@12	14.55	11.630	0.015	0.2	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB51@0	13.01	10.090	0.010	0.2	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 16 QAM_RB51@0	13.03	10.110	0.010	0.2	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 64 QAM_RB51@0	12.45	9.530	0.009	0.2	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 256 QAM_RB51@0	10.35	7.430	0.006	0.2	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.85	13.930	0.025	0.2	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.87	13.950	0.025	0.2	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.93	14.010	0.025	0.2	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.39	13.470	0.022	0.2	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@1	16.84	13.920	0.025	0.2	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@76	16.80	13.880	0.024	0.2	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB36@18	16.92	14.000	0.025	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB75@0	15.88	12.960	0.020	0.2	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 16 QAM_RB75@0	14.91	11.990	0.016	0.2	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 64 QAM_RB75@0	14.45	11.530	0.014	0.2	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 256 QAM_RB75@0	12.34	9.420	0.009	0.2	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@1	15.36	12.440	0.018	0.2	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@76	15.37	12.450	0.018	0.2	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB39@19	15.39	12.470	0.018	0.2	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB78@0	13.93	11.010	0.013	0.2	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 16 QAM_RB78@0	13.95	11.030	0.013	0.2	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 64 QAM_RB78@0	13.39	10.470	0.011	0.2	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 256 QAM_RB78@0	11.44	8.520	0.007	0.2	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.76	13.840	0.024	0.2	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.63	13.710	0.023	0.2	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.83	13.910	0.025	0.2	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.29	13.370	0.022	0.2	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.75	13.830	0.024	0.2	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@76	16.61	13.690	0.023	0.2	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@18	16.82	13.900	0.025	0.2	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB75@0	15.79	12.870	0.019	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB75@0	14.81	11.890	0.015	0.2	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB75@0	14.31	11.390	0.014	0.2	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB75@0	12.31	9.390	0.009	0.2	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.24	12.320	0.017	0.2	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@76	15.20	12.280	0.017	0.2	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB39@19	15.38	12.460	0.018	0.2	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB78@0	13.81	10.890	0.012	0.2	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB78@0	13.82	10.900	0.012	0.2	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB78@0	13.34	10.420	0.011	0.2	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB78@0	11.31	8.390	0.007	0.2	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.06	13.140	0.021	0.2	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	15.92	13.000	0.020	0.2	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.04	13.120	0.021	0.2	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.52	12.600	0.018	0.2	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@1	16.05	13.130	0.021	0.2	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@76	15.99	13.070	0.020	0.2	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB36@18	16.03	13.110	0.020	0.2	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB75@0	14.98	12.060	0.016	0.2	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 16 QAM_RB75@0	14.02	11.100	0.013	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 64 QAM_RB75@0	13.47	10.550	0.011	0.2	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 256 QAM_RB75@0	11.49	8.570	0.007	0.2	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@1	14.61	11.690	0.015	0.2	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@76	14.54	11.620	0.015	0.2	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB39@19	14.47	11.550	0.014	0.2	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB78@0	13.07	10.150	0.010	0.2	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 16 QAM_RB78@0	13.11	10.190	0.010	0.2	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 64 QAM_RB78@0	12.58	9.660	0.009	0.2	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 256 QAM_RB78@0	10.54	7.620	0.006	0.2	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.31	13.390	0.022	0.2	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.74	13.820	0.024	0.2	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.70	13.780	0.024	0.2	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.81	13.890	0.024	0.2	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB100@0	15.82	12.900	0.019	0.2	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@1	16.81	13.890	0.024	0.2	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@104	16.70	13.780	0.024	0.2	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB50@25	16.82	13.900	0.025	0.2	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 16 QAM_RB100@0	14.77	11.850	0.015	0.2	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 64 QAM_RB100@0	14.38	11.460	0.014	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 256 QAM_RB100@0	12.40	9.480	0.009	0.2	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB106@0	13.81	10.890	0.012	0.2	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@1	15.22	12.300	0.017	0.2	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@104	15.23	12.310	0.017	0.2	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB53@26	15.29	12.370	0.017	0.2	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 16 QAM_RB106@0	13.79	10.870	0.012	0.2	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 64 QAM_RB106@0	13.36	10.440	0.011	0.2	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 256 QAM_RB106@0	10.39	7.470	0.006	0.2	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.36	13.440	0.022	0.2	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.76	13.840	0.024	0.2	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.61	13.690	0.023	0.2	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.86	13.940	0.025	0.2	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB100@0	15.80	12.880	0.019	0.2	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.76	13.840	0.024	0.2	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@104	16.51	13.590	0.023	0.2	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@25	16.88	13.960	0.025	0.2	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB100@0	14.82	11.900	0.015	0.2	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB100@0	14.39	11.470	0.014	0.2	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB100@0	12.30	9.380	0.009	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB106@0	13.82	10.900	0.012	0.2	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.38	12.460	0.018	0.2	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@104	15.19	12.270	0.017	0.2	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB53@26	15.35	12.430	0.017	0.2	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB106@0	13.82	10.900	0.012	0.2	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB106@0	13.39	10.470	0.011	0.2	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB106@0	10.34	7.420	0.006	0.2	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.60	12.680	0.019	0.2	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.25	13.330	0.022	0.2	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	15.93	13.010	0.020	0.2	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.10	13.180	0.021	0.2	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB100@0	15.06	12.140	0.016	0.2	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@1	16.26	13.340	0.022	0.2	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@104	15.87	12.950	0.020	0.2	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB50@25	16.13	13.210	0.021	0.2	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 16 QAM_RB100@0	14.06	11.140	0.013	0.2	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 64 QAM_RB100@0	13.64	10.720	0.012	0.2	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 256 QAM_RB100@0	11.60	8.680	0.007	0.2	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB106@0	13.10	10.180	0.010	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@1	14.84	11.920	0.016	0.2	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@104	14.40	11.480	0.014	0.2	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB53@26	14.59	11.670	0.015	0.2	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 16 QAM_RB106@0	13.07	10.150	0.010	0.2	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 64 QAM_RB106@0	12.61	9.690	0.009	0.2	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 256 QAM_RB106@0	10.55	7.630	0.006	0.2	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.42	13.500	0.022	0.2	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.84	13.920	0.025	0.2	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.81	13.890	0.024	0.2	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.97	14.050	0.025	0.2	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB128@0	15.86	12.940	0.020	0.2	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@1	16.86	13.940	0.025	0.2	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@131	16.85	13.930	0.025	0.2	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB64@32	16.92	14.000	0.025	0.2	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 16 QAM_RB128@0	14.90	11.980	0.016	0.2	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 64 QAM_RB128@0	14.47	11.550	0.014	0.2	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 256 QAM_RB128@0	12.40	9.480	0.009	0.2	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB133@0	13.98	11.060	0.013	0.2	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@1	15.37	12.450	0.018	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@131	15.37	12.450	0.018	0.2	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB67@33	15.43	12.510	0.018	0.2	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 16 QAM_RB133@0	13.93	11.010	0.013	0.2	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 64 QAM_RB133@0	13.38	10.460	0.011	0.2	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 256 QAM_RB133@0	10.37	7.450	0.006	0.2	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.29	13.370	0.022	0.2	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.76	13.840	0.024	0.2	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.52	13.600	0.023	0.2	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.91	13.990	0.025	0.2	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB128@0	15.81	12.890	0.019	0.2	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.70	13.780	0.024	0.2	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@131	16.52	13.600	0.023	0.2	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB64@32	16.95	14.030	0.025	0.2	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB128@0	14.80	11.880	0.015	0.2	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB128@0	14.37	11.450	0.014	0.2	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB128@0	12.26	9.340	0.009	0.2	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB133@0	13.78	10.860	0.012	0.2	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.32	12.400	0.017	0.2	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@131	15.03	12.110	0.016	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB67@33	15.39	12.470	0.018	0.2	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB133@0	13.76	10.840	0.012	0.2	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB133@0	13.26	10.340	0.011	0.2	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB133@0	10.30	7.380	0.005	0.2	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.66	12.740	0.019	0.2	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.40	13.480	0.022	0.2	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	15.94	13.020	0.020	0.2	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.21	13.290	0.021	0.2	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB128@0	15.18	12.260	0.017	0.2	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@1	16.39	13.470	0.022	0.2	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@131	15.89	12.970	0.020	0.2	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB64@32	16.22	13.300	0.021	0.2	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 16 QAM_RB128@0	14.19	11.270	0.013	0.2	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 64 QAM_RB128@0	13.72	10.800	0.012	0.2	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 256 QAM_RB128@0	11.66	8.740	0.007	0.2	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB133@0	13.14	10.220	0.011	0.2	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@1	14.92	12.000	0.016	0.2	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@131	14.34	11.420	0.014	0.2	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB67@33	14.71	11.790	0.015	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 16 QAM_RB133@0	13.14	10.220	0.011	0.2	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 64 QAM_RB133@0	12.66	9.740	0.009	0.2	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 256 QAM_RB133@0	10.71	7.790	0.006	0.2	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.34	13.420	0.022	0.2	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.83	13.910	0.025	0.2	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.83	13.910	0.025	0.2	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.93	14.010	0.025	0.2	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB162@0	15.90	12.980	0.020	0.2	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@1	16.82	13.900	0.025	0.2	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@160	16.78	13.860	0.024	0.2	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB81@40	16.89	13.970	0.025	0.2	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 16 QAM_RB162@0	14.83	11.910	0.016	0.2	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 64 QAM_RB162@0	14.37	11.450	0.014	0.2	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 256 QAM_RB162@0	12.41	9.490	0.009	0.2	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB162@0	13.90	10.980	0.013	0.2	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@1	15.39	12.470	0.018	0.2	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@160	15.26	12.340	0.017	0.2	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB81@40	15.40	12.480	0.018	0.2	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 16 QAM_RB162@0	13.94	11.020	0.013	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 64 QAM_RB162@0	13.37	10.450	0.011	0.2	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 256 QAM_RB162@0	10.40	7.480	0.006	0.2	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.33	13.410	0.022	0.2	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.76	13.840	0.024	0.2	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.46	13.540	0.023	0.2	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.86	13.940	0.025	0.2	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB162@0	15.84	12.920	0.020	0.2	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.74	13.820	0.024	0.2	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@160	16.40	13.480	0.022	0.2	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB81@40	16.91	13.990	0.025	0.2	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB162@0	14.78	11.860	0.015	0.2	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB162@0	14.31	11.390	0.014	0.2	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB162@0	12.31	9.390	0.009	0.2	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB162@0	13.81	10.890	0.012	0.2	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.22	12.300	0.017	0.2	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@160	15.01	12.090	0.016	0.2	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB81@40	15.43	12.510	0.018	0.2	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB162@0	13.81	10.890	0.012	0.2	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB162@0	13.25	10.330	0.011	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB162@0	10.28	7.360	0.005	0.2	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.78	12.860	0.019	0.2	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.58	13.660	0.023	0.2	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	15.85	12.930	0.020	0.2	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.26	13.340	0.022	0.2	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB162@0	15.29	12.370	0.017	0.2	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@1	16.59	13.670	0.023	0.2	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@160	15.92	13.000	0.020	0.2	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB81@40	16.23	13.310	0.021	0.2	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 16 QAM_RB162@0	14.23	11.310	0.014	0.2	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 64 QAM_RB162@0	13.78	10.860	0.012	0.2	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 256 QAM_RB162@0	11.78	8.860	0.008	0.2	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB162@0	13.26	10.340	0.011	0.2	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@1	15.15	12.230	0.017	0.2	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@160	14.41	11.490	0.014	0.2	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB81@40	14.74	11.820	0.015	0.2	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 16 QAM_RB162@0	13.28	10.360	0.011	0.2	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 64 QAM_RB162@0	12.77	9.850	0.010	0.2	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 256 QAM_RB162@0	10.86	7.940	0.006	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.09	13.170	0.021	0.2	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.98	14.060	0.025	0.2	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.87	13.950	0.025	0.2	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.95	14.030	0.025	0.2	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB180@0	15.63	12.710	0.019	0.2	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@1	17.09	14.170	0.026	0.2	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@187	17.05	14.130	0.026	0.2	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB90@45	16.98	14.060	0.025	0.2	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 16 QAM_RB180@0	14.60	11.680	0.015	0.2	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 64 QAM_RB180@0	14.10	11.180	0.013	0.2	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 256 QAM_RB180@0	12.08	9.160	0.008	0.2	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB189@0	13.42	10.500	0.011	0.2	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@1	16.85	13.930	0.025	0.2	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@187	16.79	13.870	0.024	0.2	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB95@47	15.39	12.470	0.018	0.2	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 16 QAM_RB189@0	13.39	10.470	0.011	0.2	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 64 QAM_RB189@0	12.91	9.990	0.010	0.2	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 256 QAM_RB189@0	9.92	7.000	0.005	0.2	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.95	13.030	0.020	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.65	13.730	0.024	0.2	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.57	13.650	0.023	0.2	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.91	13.990	0.025	0.2	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB180@0	15.48	12.560	0.018	0.2	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.76	13.840	0.024	0.2	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@187	16.68	13.760	0.024	0.2	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB90@45	16.90	13.980	0.025	0.2	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB180@0	14.44	11.520	0.014	0.2	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB180@0	13.97	11.050	0.013	0.2	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB180@0	12.00	9.080	0.008	0.2	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB189@0	13.66	10.740	0.012	0.2	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.14	12.220	0.017	0.2	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@187	15.03	12.110	0.016	0.2	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB95@47	15.24	12.320	0.017	0.2	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB189@0	13.55	10.630	0.012	0.2	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB189@0	12.92	10.000	0.010	0.2	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB189@0	9.89	6.970	0.005	0.2	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.82	12.900	0.019	0.2	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.32	13.400	0.022	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.10	13.180	0.021	0.2	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.30	13.380	0.022	0.2	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB180@0	15.50	12.580	0.018	0.2	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@1	16.31	13.390	0.022	0.2	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@187	16.11	13.190	0.021	0.2	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB90@45	16.27	13.350	0.022	0.2	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 16 QAM_RB180@0	14.43	11.510	0.014	0.2	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 64 QAM_RB180@0	13.96	11.040	0.013	0.2	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 256 QAM_RB180@0	11.84	8.920	0.008	0.2	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB189@0	13.54	10.620	0.012	0.2	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@1	15.24	12.320	0.017	0.2	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@187	14.92	12.000	0.016	0.2	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB95@47	14.97	12.050	0.016	0.2	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 16 QAM_RB189@0	13.58	10.660	0.012	0.2	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 64 QAM_RB189@0	13.02	10.100	0.010	0.2	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 256 QAM_RB189@0	10.03	7.110	0.005	0.2	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.70	13.780	0.024	0.2	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.76	13.840	0.024	0.2	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.55	13.630	0.023	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.14	13.220	0.021	0.2	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB108@54	16.67	13.750	0.024	0.2	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@1	16.76	13.840	0.024	0.2	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@215	16.51	13.590	0.023	0.2	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB216@0	15.65	12.730	0.019	0.2	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 16 QAM_RB216@0	14.67	11.750	0.015	0.2	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 64 QAM_RB216@0	14.15	11.230	0.013	0.2	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 256 QAM_RB216@0	12.18	9.260	0.008	0.2	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB109@54	15.17	12.250	0.017	0.2	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@1	15.26	12.340	0.017	0.2	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@215	15.10	12.180	0.017	0.2	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB217@0	13.65	10.730	0.012	0.2	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 16 QAM_RB217@0	13.67	10.750	0.012	0.2	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 64 QAM_RB217@0	13.11	10.190	0.010	0.2	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 256 QAM_RB217@0	10.13	7.210	0.005	0.2	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.63	13.710	0.023	0.2	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.61	13.690	0.023	0.2	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.54	13.620	0.023	0.2	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.07	13.150	0.021	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB108@54	16.66	13.740	0.024	0.2	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.59	13.670	0.023	0.2	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@215	16.51	13.590	0.023	0.2	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB216@0	15.57	12.650	0.018	0.2	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB216@0	14.55	11.630	0.015	0.2	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB216@0	14.04	11.120	0.013	0.2	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB216@0	12.07	9.150	0.008	0.2	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB109@54	15.11	12.190	0.017	0.2	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.06	12.140	0.016	0.2	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@215	15.00	12.080	0.016	0.2	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB217@0	13.55	10.630	0.012	0.2	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB217@0	13.54	10.620	0.012	0.2	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB217@0	13.03	10.110	0.010	0.2	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB217@0	10.02	7.100	0.005	0.2	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.62	13.700	0.023	0.2	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.53	13.610	0.023	0.2	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.51	13.590	0.023	0.2	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.03	13.110	0.020	0.2	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB108@54	16.62	13.700	0.023	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@1	16.47	13.550	0.023	0.2	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@215	16.51	13.590	0.023	0.2	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB216@0	15.55	12.630	0.018	0.2	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 16 QAM_RB216@0	14.49	11.570	0.014	0.2	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 64 QAM_RB216@0	14.06	11.140	0.013	0.2	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 256 QAM_RB216@0	11.99	9.070	0.008	0.2	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB109@54	15.07	12.150	0.016	0.2	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@1	14.89	11.970	0.016	0.2	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@215	14.94	12.020	0.016	0.2	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB217@0	13.55	10.630	0.012	0.2	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 16 QAM_RB217@0	13.50	10.580	0.011	0.2	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 64 QAM_RB217@0	13.03	10.110	0.010	0.2	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 256 QAM_RB217@0	9.97	7.050	0.005	0.2	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.67	13.750	0.024	0.2	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.77	13.850	0.024	0.2	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.54	13.620	0.023	0.2	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.13	13.210	0.021	0.2	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB120@60	16.71	13.790	0.024	0.2	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@1	16.71	13.790	0.024	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@243	16.51	13.590	0.023	0.2	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB243@0	15.67	12.750	0.019	0.2	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 16 QAM_RB243@0	14.62	11.700	0.015	0.2	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 64 QAM_RB243@0	14.14	11.220	0.013	0.2	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 256 QAM_RB243@0	12.10	9.180	0.008	0.2	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB123@61	15.17	12.250	0.017	0.2	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@1	15.24	12.320	0.017	0.2	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@243	14.99	12.070	0.016	0.2	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB245@0	13.59	10.670	0.012	0.2	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 16 QAM_RB245@0	13.55	10.630	0.012	0.2	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 64 QAM_RB245@0	13.06	10.140	0.010	0.2	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 256 QAM_RB245@0	10.09	7.170	0.005	0.2	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.55	13.630	0.023	0.2	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.60	13.680	0.023	0.2	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.54	13.620	0.023	0.2	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.09	13.170	0.021	0.2	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB120@60	16.62	13.700	0.023	0.2	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.56	13.640	0.023	0.2	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@243	16.51	13.590	0.023	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB243@0	15.58	12.660	0.018	0.2	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB243@0	14.56	11.640	0.015	0.2	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB243@0	14.04	11.120	0.013	0.2	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB243@0	12.02	9.100	0.008	0.2	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB123@61	15.09	12.170	0.016	0.2	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.13	12.210	0.017	0.2	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@243	14.99	12.070	0.016	0.2	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB245@0	13.57	10.650	0.012	0.2	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB245@0	13.49	10.570	0.011	0.2	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB245@0	13.04	10.120	0.010	0.2	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB245@0	10.04	7.120	0.005	0.2	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.59	13.670	0.023	0.2	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.45	13.530	0.023	0.2	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.47	13.550	0.023	0.2	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.06	13.140	0.021	0.2	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB120@60	16.59	13.670	0.023	0.2	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@1	16.49	13.570	0.023	0.2	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@243	16.46	13.540	0.023	0.2	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB243@0	15.54	12.620	0.018	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 16 QAM_RB243@0	14.47	11.550	0.014	0.2	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 64 QAM_RB243@0	14.03	11.110	0.013	0.2	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 256 QAM_RB243@0	12.03	9.110	0.008	0.2	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB123@61	15.05	12.130	0.016	0.2	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@1	14.99	12.070	0.016	0.2	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@243	15.01	12.090	0.016	0.2	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB245@0	13.49	10.570	0.011	0.2	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM 16 QAM_RB245@0	13.53	10.610	0.012	0.2	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM 64 QAM_RB245@0	12.96	10.040	0.010	0.2	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM 256 QAM_RB245@0	10.05	7.130	0.005	0.2	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	17.18	14.260	0.027	0.2	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.18	14.260	0.027	0.2	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.96	14.040	0.025	0.2	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.60	13.680	0.023	0.2	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB135@67	17.11	14.190	0.026	0.2	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@1	17.16	14.240	0.027	0.2	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@271	16.93	14.010	0.025	0.2	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB270@0	16.10	13.180	0.021	0.2	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 16 QAM_RB270@0	15.08	12.160	0.016	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 64 QAM_RB270@0	14.55	11.630	0.015	0.2	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 256 QAM_RB270@0	12.57	9.650	0.009	0.2	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB137@68	15.59	12.670	0.018	0.2	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@1	15.68	12.760	0.019	0.2	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@271	15.46	12.540	0.018	0.2	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB273@0	14.10	11.180	0.013	0.2	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 16 QAM_RB273@0	13.99	11.070	0.013	0.2	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 64 QAM_RB273@0	13.54	10.620	0.012	0.2	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 256 QAM_RB273@0	10.64	7.720	0.006	0.2	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	17.06	14.140	0.026	0.2	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.03	14.110	0.026	0.2	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.93	14.010	0.025	0.2	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.57	13.650	0.023	0.2	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB135@67	17.19	14.270	0.027	0.2	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	17.00	14.080	0.026	0.2	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@271	16.97	14.050	0.025	0.2	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	16.06	13.140	0.021	0.2	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	15.03	12.110	0.016	0.2	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	14.53	11.610	0.014	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	12.54	9.620	0.009	0.2	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB137@68	15.54	12.620	0.018	0.2	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.43	12.510	0.018	0.2	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@271	15.43	12.510	0.018	0.2	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	14.04	11.120	0.013	0.2	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	14.02	11.100	0.013	0.2	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	13.48	10.560	0.011	0.2	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	10.49	7.570	0.006	0.2	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	17.09	14.170	0.026	0.2	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.97	14.050	0.025	0.2	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.92	14.000	0.025	0.2	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.53	13.610	0.023	0.2	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB135@67	17.13	14.210	0.026	0.2	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@1	16.92	14.000	0.025	0.2	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@271	16.95	14.030	0.025	0.2	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB270@0	16.00	13.080	0.020	0.2	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 16 QAM_RB270@0	15.01	12.090	0.016	0.2	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 64 QAM_RB270@0	14.52	11.600	0.014	0.2	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 256 QAM_RB270@0	12.50	9.580	0.009	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB137@68	15.57	12.650	0.018	0.2	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@1	15.47	12.550	0.018	0.2	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@271	15.47	12.550	0.018	0.2	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB273@0	14.03	11.110	0.013	0.2	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 16 QAM_RB273@0	14.00	11.080	0.013	0.2	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 64 QAM_RB273@0	13.48	10.560	0.011	0.2	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 256 QAM_RB273@0	10.53	7.610	0.006	0.2	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n77_2:

1.Ant Gain = -2.92dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n78_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.83	13.910	0.025	0.2	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.94	14.020	0.025	0.2	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.81	13.890	0.024	0.2	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.28	13.360	0.022	0.2	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB12@6	16.85	13.930	0.025	0.2	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@1	16.93	14.010	0.025	0.2	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@22	16.83	13.910	0.025	0.2	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB24@0	15.74	12.820	0.019	0.2	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 16 QAM_RB24@0	14.89	11.970	0.016	0.2	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 64 QAM_RB24@0	14.51	11.590	0.014	0.2	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 256 QAM_RB24@0	12.39	9.470	0.009	0.2	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB12@6	15.52	12.600	0.018	0.2	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@1	15.29	12.370	0.017	0.2	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@22	15.49	12.570	0.018	0.2	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB24@0	13.89	10.970	0.013	0.2	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 16 QAM_RB24@0	13.82	10.900	0.012	0.2	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 64 QAM_RB24@0	13.54	10.620	0.012	0.2	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 256 QAM_RB24@0	10.27	7.350	0.005	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.47	13.550	0.023	0.2	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.63	13.710	0.023	0.2	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.50	13.580	0.023	0.2	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.05	13.130	0.021	0.2	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB12@6	16.49	13.570	0.023	0.2	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.54	13.620	0.023	0.2	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@22	16.45	13.530	0.023	0.2	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB24@0	15.48	12.560	0.018	0.2	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB24@0	14.58	11.660	0.015	0.2	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB24@0	14.11	11.190	0.013	0.2	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB24@0	12.12	9.200	0.008	0.2	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB12@6	15	12.080	0.016	0.2	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.23	12.310	0.017	0.2	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@22	14.84	11.920	0.016	0.2	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB24@0	13.63	10.710	0.012	0.2	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB24@0	13.60	10.680	0.012	0.2	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB24@0	13.23	10.310	0.011	0.2	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB24@0	10.13	7.210	0.005	0.2	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.54	13.620	0.023	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.54	13.620	0.023	0.2	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.42	13.500	0.022	0.2	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.98	13.060	0.020	0.2	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB12@6	16.63	13.710	0.023	0.2	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@1	16.51	13.590	0.023	0.2	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@22	16.42	13.500	0.022	0.2	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB24@0	15.50	12.580	0.018	0.2	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 16 QAM_RB24@0	14.53	11.610	0.014	0.2	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 64 QAM_RB24@0	14.12	11.200	0.013	0.2	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 256 QAM_RB24@0	11.97	9.050	0.008	0.2	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB12@6	15.02	12.100	0.016	0.2	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@1	15.14	12.220	0.017	0.2	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@22	14.79	11.870	0.015	0.2	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB24@0	13.57	10.650	0.012	0.2	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 16 QAM_RB24@0	13.50	10.580	0.011	0.2	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 64 QAM_RB24@0	13.28	10.360	0.011	0.2	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 256 QAM_RB24@0	9.94	7.020	0.005	0.2	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.69	13.770	0.024	0.2	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.85	13.930	0.025	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.64	13.720	0.024	0.2	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.16	13.240	0.021	0.2	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB18@9	16.70	13.780	0.024	0.2	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@1	16.77	13.850	0.024	0.2	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@36	16.68	13.760	0.024	0.2	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB36@0	15.74	12.820	0.019	0.2	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.96	12.040	0.016	0.2	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.33	11.410	0.014	0.2	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.19	9.270	0.008	0.2	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB19@9	15.26	12.340	0.017	0.2	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@1	15.28	12.360	0.017	0.2	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@36	15.13	12.210	0.017	0.2	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB38@0	13.75	10.830	0.012	0.2	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 16 QAM_RB38@0	13.76	10.840	0.012	0.2	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 64 QAM_RB38@0	13.37	10.450	0.011	0.2	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 256 QAM_RB38@0	10.21	7.290	0.005	0.2	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.44	13.520	0.022	0.2	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.70	13.780	0.024	0.2	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.39	13.470	0.022	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.90	12.980	0.020	0.2	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB18@9	16.39	13.470	0.022	0.2	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.48	13.560	0.023	0.2	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@36	16.40	13.480	0.022	0.2	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@0	15.47	12.550	0.018	0.2	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB36@0	14.47	11.550	0.014	0.2	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB36@0	13.99	11.070	0.013	0.2	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB36@0	11.91	8.990	0.008	0.2	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB19@9	14.91	11.990	0.016	0.2	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.01	12.090	0.016	0.2	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@36	15	12.080	0.016	0.2	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB38@0	13.47	10.550	0.011	0.2	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB38@0	13.49	10.570	0.011	0.2	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB38@0	13.01	10.090	0.010	0.2	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB38@0	9.95	7.030	0.005	0.2	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.41	13.490	0.022	0.2	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.45	13.530	0.023	0.2	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.38	13.460	0.022	0.2	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.95	13.030	0.020	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB18@9	16.41	13.490	0.022	0.2	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@1	16.41	13.490	0.022	0.2	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@36	16.36	13.440	0.022	0.2	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB36@0	15.48	12.560	0.018	0.2	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.46	11.540	0.014	0.2	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.05	11.130	0.013	0.2	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 256 QAM_RB36@0	11.88	8.960	0.008	0.2	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB19@9	14.97	12.050	0.016	0.2	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@1	14.37	11.450	0.014	0.2	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@36	14.96	12.040	0.016	0.2	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB38@0	13.39	10.470	0.011	0.2	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 16 QAM_RB38@0	12.68	9.760	0.009	0.2	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 64 QAM_RB38@0	12.32	9.400	0.009	0.2	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 256 QAM_RB38@0	9.12	6.200	0.004	0.2	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.72	13.800	0.024	0.2	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.65	13.730	0.024	0.2	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.76	13.840	0.024	0.2	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.28	13.360	0.022	0.2	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@1	16.72	13.800	0.024	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@49	16.68	13.760	0.024	0.2	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB25@12	16.71	13.790	0.024	0.2	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB50@0	15.76	12.840	0.019	0.2	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 16 QAM_RB50@0	14.81	11.890	0.015	0.2	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 64 QAM_RB50@0	14.29	11.370	0.014	0.2	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 256 QAM_RB50@0	12.14	9.220	0.008	0.2	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@1	15.42	12.500	0.018	0.2	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@49	15.26	12.340	0.017	0.2	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB25@12	15.28	12.360	0.017	0.2	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB51@0	13.74	10.820	0.012	0.2	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 16 QAM_RB51@0	13.80	10.880	0.012	0.2	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 64 QAM_RB51@0	13.31	10.390	0.011	0.2	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 256 QAM_RB51@0	9.94	7.020	0.005	0.2	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.43	13.510	0.022	0.2	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.37	13.450	0.022	0.2	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.43	13.510	0.022	0.2	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.92	13.000	0.020	0.2	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.49	13.570	0.023	0.2	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@49	16.43	13.510	0.022	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB25@12	16.41	13.490	0.022	0.2	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@0	15.46	12.540	0.018	0.2	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB50@0	14.49	11.570	0.014	0.2	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB50@0	13.94	11.020	0.013	0.2	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB50@0	11.99	9.070	0.008	0.2	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.07	12.150	0.016	0.2	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@49	14.90	11.980	0.016	0.2	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB25@12	14.96	12.040	0.016	0.2	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB51@0	13.52	10.600	0.011	0.2	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB51@0	13.53	10.610	0.012	0.2	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB51@0	12.95	10.030	0.010	0.2	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB51@0	9.85	6.930	0.005	0.2	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.41	13.490	0.022	0.2	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.40	13.480	0.022	0.2	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.54	13.620	0.023	0.2	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.97	13.050	0.020	0.2	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@1	16.33	13.410	0.022	0.2	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@49	16.41	13.490	0.022	0.2	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB25@12	16.47	13.550	0.023	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB50@0	15.41	12.490	0.018	0.2	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 16 QAM_RB50@0	14.43	11.510	0.014	0.2	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 64 QAM_RB50@0	13.89	10.970	0.013	0.2	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 256 QAM_RB50@0	11.83	8.910	0.008	0.2	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@1	14.85	11.930	0.016	0.2	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@49	14.89	11.970	0.016	0.2	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB25@12	15.02	12.100	0.016	0.2	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB51@0	13.44	10.520	0.011	0.2	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 16 QAM_RB51@0	13.52	10.600	0.011	0.2	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 64 QAM_RB51@0	12.93	10.010	0.010	0.2	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 256 QAM_RB51@0	9.03	6.110	0.004	0.2	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.73	13.810	0.024	0.2	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.53	13.610	0.023	0.2	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.76	13.840	0.024	0.2	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.20	13.280	0.021	0.2	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@1	16.82	13.900	0.025	0.2	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@76	16.53	13.610	0.023	0.2	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB36@18	16.80	13.880	0.024	0.2	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB75@0	15.72	12.800	0.019	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 16 QAM_RB75@0	14.72	11.800	0.015	0.2	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 64 QAM_RB75@0	14.19	11.270	0.013	0.2	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 256 QAM_RB75@0	12.12	9.200	0.008	0.2	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@1	15.26	12.340	0.017	0.2	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@76	15.05	12.130	0.016	0.2	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB39@19	15.25	12.330	0.017	0.2	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB78@0	13.73	10.810	0.012	0.2	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 16 QAM_RB78@0	13.76	10.840	0.012	0.2	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 64 QAM_RB78@0	13.30	10.380	0.011	0.2	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 256 QAM_RB78@0	10.26	7.340	0.005	0.2	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.40	13.480	0.022	0.2	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.37	13.450	0.022	0.2	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.52	13.600	0.023	0.2	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.95	13.030	0.020	0.2	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.35	13.430	0.022	0.2	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@76	16.38	13.460	0.022	0.2	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@18	16.46	13.540	0.023	0.2	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB75@0	15.41	12.490	0.018	0.2	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB75@0	14.45	11.530	0.014	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB75@0	13.97	11.050	0.013	0.2	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB75@0	11.93	9.010	0.008	0.2	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.92	12.000	0.016	0.2	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@76	14.97	12.050	0.016	0.2	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB39@19	15.02	12.100	0.016	0.2	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB78@0	13.50	10.580	0.011	0.2	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB78@0	13.48	10.560	0.011	0.2	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB78@0	13.01	10.090	0.010	0.2	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB78@0	10	7.080	0.005	0.2	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.42	13.500	0.022	0.2	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.47	13.550	0.023	0.2	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.53	13.610	0.023	0.2	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.99	13.070	0.020	0.2	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@1	16.41	13.490	0.022	0.2	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@76	16.42	13.500	0.022	0.2	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB36@18	16.47	13.550	0.023	0.2	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB75@0	15.50	12.580	0.018	0.2	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 16 QAM_RB75@0	14.50	11.580	0.014	0.2	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 64 QAM_RB75@0	14.05	11.130	0.013	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 256 QAM_RB75@0	11.98	9.060	0.008	0.2	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@1	14.89	11.970	0.016	0.2	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@76	15	12.080	0.016	0.2	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB39@19	15.07	12.150	0.016	0.2	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB78@0	13.54	10.620	0.012	0.2	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 16 QAM_RB78@0	13.59	10.670	0.012	0.2	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 64 QAM_RB78@0	13.01	10.090	0.010	0.2	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 256 QAM_RB78@0	10.03	7.110	0.005	0.2	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.18	13.260	0.021	0.2	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.81	13.890	0.024	0.2	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.44	13.520	0.022	0.2	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.73	13.810	0.024	0.2	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB100@0	15.67	12.750	0.019	0.2	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@1	16.77	13.850	0.024	0.2	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@104	16.43	13.510	0.022	0.2	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB50@25	16.75	13.830	0.024	0.2	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 16 QAM_RB100@0	14.65	11.730	0.015	0.2	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 64 QAM_RB100@0	14.18	11.260	0.013	0.2	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 256 QAM_RB100@0	12.05	9.130	0.008	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB106@0	13.73	10.810	0.012	0.2	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@1	15.30	12.380	0.017	0.2	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@104	15	12.080	0.016	0.2	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB53@26	15.21	12.290	0.017	0.2	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 16 QAM_RB106@0	13.70	10.780	0.012	0.2	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 64 QAM_RB106@0	13.24	10.320	0.011	0.2	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 256 QAM_RB106@0	10.18	7.260	0.005	0.2	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.06	13.140	0.021	0.2	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.33	13.410	0.022	0.2	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.53	13.610	0.023	0.2	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.50	13.580	0.023	0.2	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB100@0	15.47	12.550	0.018	0.2	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.38	13.460	0.022	0.2	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@104	16.50	13.580	0.023	0.2	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@25	16.57	13.650	0.023	0.2	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB100@0	14.41	11.490	0.014	0.2	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB100@0	14	11.080	0.013	0.2	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB100@0	11.93	9.010	0.008	0.2	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB106@0	13.47	10.550	0.011	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.83	11.910	0.016	0.2	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@104	14.83	11.910	0.016	0.2	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB53@26	14.93	12.010	0.016	0.2	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB106@0	13.36	10.440	0.011	0.2	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB106@0	12.91	9.990	0.010	0.2	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB106@0	9.93	7.010	0.005	0.2	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.99	13.070	0.020	0.2	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.32	13.400	0.022	0.2	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.41	13.490	0.022	0.2	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.50	13.580	0.023	0.2	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB100@0	15.48	12.560	0.018	0.2	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@1	16.38	13.460	0.022	0.2	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@104	16.42	13.500	0.022	0.2	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB50@25	16.51	13.590	0.023	0.2	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 16 QAM_RB100@0	14.44	11.520	0.014	0.2	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 64 QAM_RB100@0	14.03	11.110	0.013	0.2	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 256 QAM_RB100@0	12	9.080	0.008	0.2	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB106@0	13.48	10.560	0.011	0.2	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@1	14.89	11.970	0.016	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@104	14.80	11.880	0.015	0.2	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB53@26	14.93	12.010	0.016	0.2	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 16 QAM_RB106@0	13.40	10.480	0.011	0.2	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 64 QAM_RB106@0	12.99	10.070	0.010	0.2	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 256 QAM_RB106@0	9.92	7.000	0.005	0.2	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.11	13.190	0.021	0.2	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.79	13.870	0.024	0.2	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.42	13.500	0.022	0.2	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.68	13.760	0.024	0.2	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB128@0	15.64	12.720	0.019	0.2	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@1	16.64	13.720	0.024	0.2	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@131	16.37	13.450	0.022	0.2	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB64@32	16.66	13.740	0.024	0.2	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 16 QAM_RB128@0	14.62	11.700	0.015	0.2	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 64 QAM_RB128@0	14.18	11.260	0.013	0.2	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 256 QAM_RB128@0	12.09	9.170	0.008	0.2	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB133@0	13.66	10.740	0.012	0.2	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@1	15.25	12.330	0.017	0.2	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@131	14.93	12.010	0.016	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB67@33	15.14	12.220	0.017	0.2	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 16 QAM_RB133@0	13.62	10.700	0.012	0.2	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 64 QAM_RB133@0	13.05	10.130	0.010	0.2	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 256 QAM_RB133@0	10.03	7.110	0.005	0.2	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.94	13.020	0.020	0.2	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.30	13.380	0.022	0.2	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.36	13.440	0.022	0.2	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.49	13.570	0.023	0.2	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB128@0	15.43	12.510	0.018	0.2	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.32	13.400	0.022	0.2	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@131	16.33	13.410	0.022	0.2	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB64@32	16.51	13.590	0.023	0.2	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB128@0	14.42	11.500	0.014	0.2	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB128@0	13.96	11.040	0.013	0.2	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB128@0	11.87	8.950	0.008	0.2	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB133@0	13.43	10.510	0.011	0.2	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.83	11.910	0.016	0.2	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@131	14.92	12.000	0.016	0.2	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB67@33	14.95	12.030	0.016	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB133@0	13.41	10.490	0.011	0.2	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB133@0	12.82	9.900	0.010	0.2	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB133@0	9.88	6.960	0.005	0.2	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.96	13.040	0.020	0.2	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.30	13.380	0.022	0.2	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.38	13.460	0.022	0.2	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.53	13.610	0.023	0.2	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB128@0	15.49	12.570	0.018	0.2	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@1	16.28	13.360	0.022	0.2	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@131	16.36	13.440	0.022	0.2	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB64@32	16.54	13.620	0.023	0.2	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 16 QAM_RB128@0	14.41	11.490	0.014	0.2	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 64 QAM_RB128@0	13.98	11.060	0.013	0.2	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 256 QAM_RB128@0	11.92	9.000	0.008	0.2	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB133@0	13.48	10.560	0.011	0.2	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@1	14.74	11.820	0.015	0.2	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@131	14.91	11.990	0.016	0.2	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB67@33	15.01	12.090	0.016	0.2	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 16 QAM_RB133@0	13.44	10.520	0.011	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 64 QAM_RB133@0	12.96	10.040	0.010	0.2	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 256 QAM_RB133@0	9.94	7.020	0.005	0.2	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.04	13.120	0.021	0.2	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.69	13.770	0.024	0.2	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.32	13.400	0.022	0.2	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.57	13.650	0.023	0.2	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB162@0	15.54	12.620	0.018	0.2	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@1	16.67	13.750	0.024	0.2	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@160	16.29	13.370	0.022	0.2	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB81@40	16.55	13.630	0.023	0.2	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 16 QAM_RB162@0	14.50	11.580	0.014	0.2	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 64 QAM_RB162@0	14.07	11.150	0.013	0.2	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 256 QAM_RB162@0	12.04	9.120	0.008	0.2	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB162@0	13.57	10.650	0.012	0.2	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@1	15.15	12.230	0.017	0.2	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@160	14.85	11.930	0.016	0.2	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB81@40	14.98	12.060	0.016	0.2	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 16 QAM_RB162@0	13.56	10.640	0.012	0.2	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 64 QAM_RB162@0	13	10.080	0.010	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 256 QAM_RB162@0	10.09	7.170	0.005	0.2	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.89	12.970	0.020	0.2	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.25	13.330	0.022	0.2	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.30	13.380	0.022	0.2	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.41	13.490	0.022	0.2	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB162@0	15.38	12.460	0.018	0.2	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.24	13.320	0.021	0.2	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@160	16.31	13.390	0.022	0.2	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB81@40	16.43	13.510	0.022	0.2	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB162@0	14.30	11.380	0.014	0.2	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB162@0	13.86	10.940	0.012	0.2	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB162@0	11.89	8.970	0.008	0.2	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB162@0	13.34	10.420	0.011	0.2	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.80	11.880	0.015	0.2	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@160	14.84	11.920	0.016	0.2	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB81@40	14.89	11.970	0.016	0.2	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB162@0	13.31	10.390	0.011	0.2	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB162@0	12.86	9.940	0.010	0.2	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB162@0	9.86	6.940	0.005	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.89	12.970	0.020	0.2	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.26	13.340	0.022	0.2	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.31	13.390	0.022	0.2	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.42	13.500	0.022	0.2	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB162@0	15.42	12.500	0.018	0.2	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@1	16.23	13.310	0.021	0.2	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@160	16.36	13.440	0.022	0.2	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB81@40	16.45	13.530	0.023	0.2	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 16 QAM_RB162@0	14.38	11.460	0.014	0.2	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 64 QAM_RB162@0	13.91	10.990	0.013	0.2	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 256 QAM_RB162@0	11.85	8.930	0.008	0.2	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB162@0	13.39	10.470	0.011	0.2	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@1	14.80	11.880	0.015	0.2	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@160	14.80	11.880	0.015	0.2	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB81@40	14.88	11.960	0.016	0.2	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 16 QAM_RB162@0	13.35	10.430	0.011	0.2	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 64 QAM_RB162@0	12.88	9.960	0.010	0.2	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 256 QAM_RB162@0	9.85	6.930	0.005	0.2	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.77	12.850	0.019	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.84	13.920	0.025	0.2	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.73	13.810	0.024	0.2	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.6	13.680	0.023	0.2	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB180@0	15.2	12.280	0.017	0.2	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@1	16.58	13.660	0.023	0.2	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@187	16.54	13.620	0.023	0.2	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB90@45	16.55	13.630	0.023	0.2	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 16 QAM_RB180@0	14.23	11.310	0.014	0.2	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 64 QAM_RB180@0	13.73	10.810	0.012	0.2	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 256 QAM_RB180@0	11.69	8.770	0.008	0.2	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB189@0	13.03	10.110	0.010	0.2	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@1	13.75	10.830	0.012	0.2	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@187	13.66	10.740	0.012	0.2	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB95@47	15.04	12.120	0.016	0.2	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 16 QAM_RB189@0	13.05	10.130	0.010	0.2	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 64 QAM_RB189@0	12.49	9.570	0.009	0.2	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 256 QAM_RB189@0	9.57	6.650	0.005	0.2	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.66	12.740	0.019	0.2	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.95	14.030	0.025	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.92	14.000	0.025	0.2	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.48	13.560	0.023	0.2	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB180@0	15.14	12.220	0.017	0.2	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.48	13.560	0.023	0.2	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@187	16.38	13.460	0.022	0.2	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB90@45	16.49	13.570	0.023	0.2	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB180@0	14.08	11.160	0.013	0.2	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB180@0	13.64	10.720	0.012	0.2	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB180@0	11.55	8.630	0.007	0.2	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB189@0	13.93	11.010	0.013	0.2	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.94	12.020	0.016	0.2	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@187	14.83	11.910	0.016	0.2	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB95@47	14.95	12.030	0.016	0.2	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB189@0	12.91	9.990	0.010	0.2	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB189@0	12.41	9.490	0.009	0.2	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB189@0	9.37	6.450	0.004	0.2	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	15.59	12.670	0.018	0.2	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.42	13.500	0.022	0.2	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.49	13.570	0.023	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.41	13.490	0.022	0.2	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB180@0	15.07	12.150	0.016	0.2	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@1	16.39	13.470	0.022	0.2	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@187	16.44	13.520	0.022	0.2	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB90@45	16.43	13.510	0.022	0.2	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 16 QAM_RB180@0	14.06	11.140	0.013	0.2	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 64 QAM_RB180@0	13.59	10.670	0.012	0.2	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 256 QAM_RB180@0	11.59	8.670	0.007	0.2	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB189@0	13.93	11.010	0.013	0.2	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@1	14.84	11.920	0.016	0.2	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@187	15.02	12.100	0.016	0.2	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB95@47	14.88	11.960	0.016	0.2	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 16 QAM_RB189@0	12.83	9.910	0.010	0.2	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 64 QAM_RB189@0	12.34	9.420	0.009	0.2	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 256 QAM_RB189@0	9.38	6.460	0.004	0.2	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.61	13.690	0.023	0.2	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.78	13.860	0.024	0.2	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.43	13.510	0.022	0.2	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.07	13.150	0.021	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB108@54	16.60	13.680	0.023	0.2	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@1	16.77	13.850	0.024	0.2	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@215	16.43	13.510	0.022	0.2	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB216@0	15.58	12.660	0.018	0.2	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 16 QAM_RB216@0	14.60	11.680	0.015	0.2	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 64 QAM_RB216@0	14.10	11.180	0.013	0.2	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 256 QAM_RB216@0	12.06	9.140	0.008	0.2	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB109@54	15.06	12.140	0.016	0.2	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@1	15.32	12.400	0.017	0.2	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@215	14.87	11.950	0.016	0.2	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB217@0	13.60	10.680	0.012	0.2	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 16 QAM_RB217@0	13.53	10.610	0.012	0.2	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 64 QAM_RB217@0	13.05	10.130	0.010	0.2	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 256 QAM_RB217@0	10.03	7.110	0.005	0.2	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.48	13.560	0.023	0.2	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.44	13.520	0.022	0.2	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.36	13.440	0.022	0.2	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.94	13.020	0.020	0.2	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB108@54	16.54	13.620	0.023	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.48	13.560	0.023	0.2	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@215	16.34	13.420	0.022	0.2	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB216@0	15.39	12.470	0.018	0.2	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB216@0	14.41	11.490	0.014	0.2	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB216@0	13.90	10.980	0.013	0.2	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB216@0	11.91	8.990	0.008	0.2	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB109@54	14.89	11.970	0.016	0.2	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.88	11.960	0.016	0.2	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@215	14.84	11.920	0.016	0.2	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB217@0	13.43	10.510	0.011	0.2	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB217@0	13.40	10.480	0.011	0.2	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB217@0	12.85	9.930	0.010	0.2	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB217@0	9.87	6.950	0.005	0.2	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.46	13.540	0.023	0.2	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.46	13.540	0.023	0.2	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.37	13.450	0.022	0.2	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	15.94	13.020	0.020	0.2	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB108@54	16.43	13.510	0.022	0.2	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@1	16.45	13.530	0.023	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@215	16.37	13.450	0.022	0.2	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB216@0	15.45	12.530	0.018	0.2	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 16 QAM_RB216@0	14.42	11.500	0.014	0.2	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 64 QAM_RB216@0	13.91	10.990	0.013	0.2	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 256 QAM_RB216@0	11.91	8.990	0.008	0.2	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB109@54	14.86	11.940	0.016	0.2	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@1	14.97	12.050	0.016	0.2	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@215	14.88	11.960	0.016	0.2	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB217@0	13.45	10.530	0.011	0.2	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 16 QAM_RB217@0	13.38	10.460	0.011	0.2	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 64 QAM_RB217@0	12.88	9.960	0.010	0.2	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 256 QAM_RB217@0	9.87	6.950	0.005	0.2	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.56	13.640	0.023	0.2	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.77	13.850	0.024	0.2	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.37	13.450	0.022	0.2	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.08	13.160	0.021	0.2	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB120@60	16.56	13.640	0.023	0.2	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@1	16.74	13.820	0.024	0.2	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@243	16.38	13.460	0.022	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB243@0	15.57	12.650	0.018	0.2	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 16 QAM_RB243@0	14.56	11.640	0.015	0.2	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 64 QAM_RB243@0	14.05	11.130	0.013	0.2	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 256 QAM_RB243@0	12.07	9.150	0.008	0.2	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB123@61	15.03	12.110	0.016	0.2	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@1	15.31	12.390	0.017	0.2	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@243	14.78	11.860	0.015	0.2	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB245@0	13.52	10.600	0.011	0.2	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 16 QAM_RB245@0	13.48	10.560	0.011	0.2	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 64 QAM_RB245@0	13.06	10.140	0.010	0.2	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 256 QAM_RB245@0	9.98	7.060	0.005	0.2	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.50	13.580	0.023	0.2	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.48	13.560	0.023	0.2	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.40	13.480	0.022	0.2	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.96	13.040	0.020	0.2	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB120@60	16.49	13.570	0.023	0.2	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.47	13.550	0.023	0.2	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@243	16.35	13.430	0.022	0.2	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB243@0	15.44	12.520	0.018	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB243@0	14.43	11.510	0.014	0.2	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB243@0	13.92	11.000	0.013	0.2	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB243@0	11.88	8.960	0.008	0.2	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB123@61	14.96	12.040	0.016	0.2	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.04	12.120	0.016	0.2	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@243	14.86	11.940	0.016	0.2	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB245@0	13.40	10.480	0.011	0.2	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB245@0	13.43	10.510	0.011	0.2	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB245@0	12.93	10.010	0.010	0.2	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB245@0	9.91	6.990	0.005	0.2	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.46	13.540	0.023	0.2	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.44	13.520	0.022	0.2	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.36	13.440	0.022	0.2	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	15.97	13.050	0.020	0.2	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB120@60	16.47	13.550	0.023	0.2	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@1	16.36	13.440	0.022	0.2	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@243	16.31	13.390	0.022	0.2	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB243@0	15.44	12.520	0.018	0.2	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 16 QAM_RB243@0	14.40	11.480	0.014	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 64 QAM_RB243@0	13.94	11.020	0.013	0.2	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 256 QAM_RB243@0	11.93	9.010	0.008	0.2	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB123@61	14.93	12.010	0.016	0.2	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@1	14.85	11.930	0.016	0.2	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@243	14.92	12.000	0.016	0.2	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB245@0	13.39	10.470	0.011	0.2	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 16 QAM_RB245@0	13.40	10.480	0.011	0.2	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 64 QAM_RB245@0	12.92	10.000	0.010	0.2	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 256 QAM_RB245@0	9.91	6.990	0.005	0.2	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.57	13.650	0.023	0.2	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.71	13.790	0.024	0.2	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.28	13.360	0.022	0.2	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.03	13.110	0.020	0.2	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB135@67	16.52	13.600	0.023	0.2	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@1	16.66	13.740	0.024	0.2	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@271	16.28	13.360	0.022	0.2	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB270@0	15.52	12.600	0.018	0.2	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 16 QAM_RB270@0	14.50	11.580	0.014	0.2	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 64 QAM_RB270@0	14.02	11.100	0.013	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 256 QAM_RB270@0	12.03	9.110	0.008	0.2	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB137@68	15.02	12.100	0.016	0.2	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@1	15.25	12.330	0.017	0.2	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@271	14.76	11.840	0.015	0.2	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB273@0	13.48	10.560	0.011	0.2	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM 16 QAM_RB273@0	13.46	10.540	0.011	0.2	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM 64 QAM_RB273@0	12.93	10.010	0.010	0.2	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM 256 QAM_RB273@0	9.97	7.050	0.005	0.2	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.50	13.580	0.023	0.2	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.49	13.570	0.023	0.2	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.34	13.420	0.022	0.2	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.93	13.010	0.020	0.2	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB135@67	16.45	13.530	0.023	0.2	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.45	13.530	0.023	0.2	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@271	16.30	13.380	0.022	0.2	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	15.45	12.530	0.018	0.2	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	14.40	11.480	0.014	0.2	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	13.91	10.990	0.013	0.2	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	11.91	8.990	0.008	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB137@68	14.94	12.020	0.016	0.2	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.88	11.960	0.016	0.2	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@271	14.74	11.820	0.015	0.2	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	13.40	10.480	0.011	0.2	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	13.37	10.450	0.011	0.2	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	12.86	9.940	0.010	0.2	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	9.84	6.920	0.005	0.2	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.47	13.550	0.023	0.2	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.37	13.450	0.022	0.2	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.30	13.380	0.022	0.2	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.93	13.010	0.020	0.2	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB135@67	16.43	13.510	0.022	0.2	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@1	16.40	13.480	0.022	0.2	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@271	16.33	13.410	0.022	0.2	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB270@0	15.45	12.530	0.018	0.2	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 16 QAM_RB270@0	14.43	11.510	0.014	0.2	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 64 QAM_RB270@0	13.92	11.000	0.013	0.2	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 256 QAM_RB270@0	11.98	9.060	0.008	0.2	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB137@68	14.83	11.910	0.016	0.2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Result
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@1	14.93	12.010	0.016	0.2	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@271	14.88	11.960	0.016	0.2	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB273@0	13.39	10.470	0.011	0.2	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 16 QAM_RB273@0	13.39	10.470	0.011	0.2	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 64 QAM_RB273@0	12.86	9.940	0.010	0.2	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 256 QAM_RB273@0	9.92	7.000	0.005	0.2	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n78_2:

1.Ant Gain = -2.92dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB