


15.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.5	-13	56.5	Pass	401
0.15	30	0.01	RMS	0.15	-69.26	-13	56.26	Pass	2986
30	694	0.1	RMS	694	-62.41	-13	49.41	Pass	6641
694	726	0.1	RMS	705.6	21.2	60	38.8	Pass	401
726	1000	0.1	RMS	865.6	-61.82	-13	48.82	Pass	2741
1000	3000	1	RMS	1411	-44.16	-13	31.16	Pass	2001
3000	10000	1	RMS	6799	-42.28	-13	29.28	Pass	7001



15.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.39	-13	55.39	Pass	401
0.15	30	0.01	RMS	0.22	-69.51	-13	56.51	Pass	2986
30	694	0.1	RMS	694	-62.54	-13	49.54	Pass	6641
694	726	0.1	RMS	705.6	20.22	60	39.78	Pass	401
726	1000	0.1	RMS	833.3	-61.77	-13	48.77	Pass	2741
1000	3000	1	RMS	1411	-45.48	-13	32.48	Pass	2001
3000	10000	1	RMS	6800	-42.28	-13	29.28	Pass	7001



15.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.31	-13	57.31	Pass	401
0.15	30	0.01	RMS	0.15	-69.35	-13	56.35	Pass	2986
30	694	0.1	RMS	694	-62.66	-13	49.66	Pass	6641
694	726	0.1	RMS	706.64	21.07	60	38.93	Pass	401
726	1000	0.1	RMS	984.5	-61.78	-13	48.78	Pass	2741
1000	3000	1	RMS	1413	-44.32	-13	31.32	Pass	2001
3000	10000	1	RMS	6802	-42.32	-13	29.32	Pass	7001



15.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.46	-13	56.46	Pass	401
0.15	30	0.01	RMS	0.24	-69.11	-13	56.11	Pass	2986
30	694	0.1	RMS	693.8	-62.63	-13	49.63	Pass	6641
694	726	0.1	RMS	706.64	20.21	60	39.79	Pass	401
726	1000	0.1	RMS	967.2	-61.68	-13	48.68	Pass	2741
1000	3000	1	RMS	1413	-45.26	-13	32.26	Pass	2001
3000	10000	1	RMS	6800	-42.31	-13	29.31	Pass	7001



16. LTE_Band38


16.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.52	-25	40.52	Pass	401
0.15	30	0.01	RMS	0.25	-64.98	-25	39.98	Pass	2986
30	1000	0.1	RMS	815.7	-57.86	-25	32.86	Pass	9701
1000	2560	1	RMS	2559	-42.84	-25	17.84	Pass	1561
2560	2630	1	RMS	2570.325	22.4	60	37.6	Pass	401
2630	3000	1	RMS	3000	-43.27	-25	18.27	Pass	401
3000	12000	1	RMS	11997	-44.43	-25	19.43	Pass	9002
12000	26500	1	RMS	25502	-39.69	-25	14.69	Pass	14502




16.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.76	-25	39.76	Pass	401
0.15	30	0.01	RMS	0.18	-64.95	-25	39.95	Pass	2986
30	1000	0.1	RMS	848.9	-57.71	-25	32.71	Pass	9701
1000	2560	1	RMS	2559	-43.05	-25	18.05	Pass	1561
2560	2630	1	RMS	2570.325	21.83	60	38.17	Pass	401
2630	3000	1	RMS	2999.075	-43.26	-25	18.26	Pass	401
3000	12000	1	RMS	11979	-44.43	-25	19.43	Pass	9002
12000	26500	1	RMS	25507	-39.73	-25	14.73	Pass	14502




16.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.28	-25	40.28	Pass	401
0.15	30	0.01	RMS	0.16	-64.5	-25	39.5	Pass	2986
30	1000	0.1	RMS	947.265	-57.77	-25	32.77	Pass	9701
1000	2560	1	RMS	2507	-44.35	-25	19.35	Pass	1561
2560	2630	1	RMS	2592.9	22.21	60	37.79	Pass	401
2630	3000	1	RMS	2997.225	-43.27	-25	18.27	Pass	401
3000	12000	1	RMS	11968	-44.55	-25	19.55	Pass	9002
12000	26500	1	RMS	25505	-39.62	-25	14.62	Pass	14502




16.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-65.14	-25	40.14	Pass	401
0.15	30	0.01	RMS	0.16	-65.01	-25	40.01	Pass	2986
30	1000	0.1	RMS	922.349	-57.75	-25	32.75	Pass	9701
1000	2560	1	RMS	2519	-44.41	-25	19.41	Pass	1561
2560	2630	1	RMS	2592.725	21.47	60	38.53	Pass	401
2630	3000	1	RMS	2997.225	-43.22	-25	18.22	Pass	401
3000	12000	1	RMS	11970	-44.51	-25	19.51	Pass	9002
12000	26500	1	RMS	25504	-39.69	-25	14.69	Pass	14502




16.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.62	-25	39.62	Pass	401
0.15	30	0.01	RMS	0.15	-65.06	-25	40.06	Pass	2986
30	1000	0.1	RMS	866.812	-57.79	-25	32.79	Pass	9701
1000	2560	1	RMS	2516	-44.34	-25	19.34	Pass	1561
2560	2630	1	RMS	2615.3	22.88	60	37.12	Pass	401
2630	3000	1	RMS	2999.075	-43.25	-25	18.25	Pass	401
3000	12000	1	RMS	11983	-44.58	-25	19.58	Pass	9002
12000	26500	1	RMS	25497	-39.69	-25	14.69	Pass	14502




16.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.95	-25	39.95	Pass	401
0.15	30	0.01	RMS	0.18	-64.63	-25	39.63	Pass	2986
30	1000	0.1	RMS	867.212	-57.73	-25	32.73	Pass	9701
1000	2560	1	RMS	2489	-44.37	-25	19.37	Pass	1561
2560	2630	1	RMS	2615.475	21.45	60	38.55	Pass	401
2630	3000	1	RMS	3000	-43.29	-25	18.29	Pass	401
3000	12000	1	RMS	11971	-44.54	-25	19.54	Pass	9002
12000	26500	1	RMS	25504	-39.64	-25	14.64	Pass	14502




16.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.88	-25	40.88	Pass	401
0.15	30	0.01	RMS	0.15	-65.24	-25	40.24	Pass	2986
30	1000	0.1	RMS	982.989	-57.71	-25	32.71	Pass	9701
1000	2560	1	RMS	2560	-41.61	-25	16.61	Pass	1561
2560	2630	1	RMS	2570.5	22.71	60	37.29	Pass	401
2630	3000	1	RMS	2999.075	-43.2	-25	18.2	Pass	401
3000	12000	1	RMS	11981	-44.47	-25	19.47	Pass	9002
12000	26500	1	RMS	25503	-39.66	-25	14.66	Pass	14502




16.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.43	-25	39.43	Pass	401
0.15	30	0.01	RMS	0.15	-64.96	-25	39.96	Pass	2986
30	1000	0.1	RMS	868.713	-57.73	-25	32.73	Pass	9701
1000	2560	1	RMS	2560	-41.73	-25	16.73	Pass	1561
2560	2630	1	RMS	2570.675	21.32	60	38.68	Pass	401
2630	3000	1	RMS	3000	-43.24	-25	18.24	Pass	401
3000	12000	1	RMS	11996	-44.43	-25	19.43	Pass	9002
12000	26500	1	RMS	25496	-39.62	-25	14.62	Pass	14502



16.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.11	-25	41.11	Pass	401
0.15	30	0.01	RMS	0.26	-64.69	-25	39.69	Pass	2986
30	1000	0.1	RMS	978.986	-57.77	-25	32.77	Pass	9701
1000	2560	1	RMS	2508	-44.34	-25	19.34	Pass	1561
2560	2630	1	RMS	2590.45	21.94	60	38.06	Pass	401
2630	3000	1	RMS	2999.075	-43.26	-25	18.26	Pass	401
3000	12000	1	RMS	11995	-44.46	-25	19.46	Pass	9002
12000	26500	1	RMS	25504	-39.66	-25	14.66	Pass	14502



16.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.92	-25	39.92	Pass	401
0.15	30	0.01	RMS	0.15	-64.51	-25	39.51	Pass	2986
30	1000	0.1	RMS	990.194	-57.82	-25	32.82	Pass	9701
1000	2560	1	RMS	2505	-44.36	-25	19.36	Pass	1561
2560	2630	1	RMS	2590.625	21.68	60	38.32	Pass	401
2630	3000	1	RMS	3000	-43.23	-25	18.23	Pass	401
3000	12000	1	RMS	11981	-44.51	-25	19.51	Pass	9002
12000	26500	1	RMS	25500	-39.66	-25	14.66	Pass	14502



16.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.35	-25	40.35	Pass	401
0.15	30	0.01	RMS	0.15	-64.07	-25	39.07	Pass	2986
30	1000	0.1	RMS	989.093	-57.81	-25	32.81	Pass	9701
1000	2560	1	RMS	2520	-44.33	-25	19.33	Pass	1561
2560	2630	1	RMS	2610.575	22.94	60	37.06	Pass	401
2630	3000	1	RMS	3000	-43.27	-25	18.27	Pass	401
3000	12000	1	RMS	11997	-44.46	-25	19.46	Pass	9002
12000	26500	1	RMS	25510	-39.68	-25	14.68	Pass	14502



16.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.19	-25	40.19	Pass	401
0.15	30	0.01	RMS	0.15	-64.56	-25	39.56	Pass	2986
30	1000	0.1	RMS	967.378	-57.78	-25	32.78	Pass	9701
1000	2560	1	RMS	2446	-43.33	-25	18.33	Pass	1561
2560	2630	1	RMS	2610.75	21.49	60	38.51	Pass	401
2630	3000	1	RMS	2960.225	-43.3	-25	18.3	Pass	401
3000	12000	1	RMS	11988	-44.43	-25	19.43	Pass	9002
12000	26500	1	RMS	25493	-39.68	-25	14.68	Pass	14502



16.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.23	-25	40.23	Pass	401
0.15	30	0.01	RMS	0.15	-65.05	-25	40.05	Pass	2986
30	1000	0.1	RMS	971.581	-57.86	-25	32.86	Pass	9701
1000	2560	1	RMS	2560	-39.52	-25	14.52	Pass	1561
2560	2630	1	RMS	2570.85	22.09	60	37.91	Pass	401
2630	3000	1	RMS	3000	-43.28	-25	18.28	Pass	401
3000	12000	1	RMS	11982	-44.48	-25	19.48	Pass	9002
12000	26500	1	RMS	25492	-39.63	-25	14.63	Pass	14502



16.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.12	-25	40.12	Pass	401
0.15	30	0.01	RMS	0.17	-65.31	-25	40.31	Pass	2986
30	1000	0.1	RMS	960.274	-57.88	-25	32.88	Pass	9701
1000	2560	1	RMS	2560	-39.8	-25	14.8	Pass	1561
2560	2630	1	RMS	2570.85	21.44	60	38.56	Pass	401
2630	3000	1	RMS	2979.65	-43.3	-25	18.3	Pass	401
3000	12000	1	RMS	11982	-44.56	-25	19.56	Pass	9002
12000	26500	1	RMS	25497	-39.64	-25	14.64	Pass	14502



16.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.56	-25	39.56	Pass	401
0.15	30	0.01	RMS	0.19	-65.21	-25	40.21	Pass	2986
30	1000	0.1	RMS	852.602	-57.87	-25	32.87	Pass	9701
1000	2560	1	RMS	2498	-44.4	-25	19.4	Pass	1561
2560	2630	1	RMS	2588.35	22.45	60	37.55	Pass	401
2630	3000	1	RMS	2997.225	-43.29	-25	18.29	Pass	401
3000	12000	1	RMS	11975	-44.55	-25	19.55	Pass	9002
12000	26500	1	RMS	25501	-39.6	-25	14.6	Pass	14502



16.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.09	-25	40.09	Pass	401
0.15	30	0.01	RMS	0.16	-65.28	-25	40.28	Pass	2986
30	1000	0.1	RMS	983.989	-57.82	-25	32.82	Pass	9701
1000	2560	1	RMS	2509	-44.4	-25	19.4	Pass	1561
2560	2630	1	RMS	2588.175	20.73	60	39.27	Pass	401
2630	3000	1	RMS	2997.225	-43.26	-25	18.26	Pass	401
3000	12000	1	RMS	11995	-44.53	-25	19.53	Pass	9002
12000	26500	1	RMS	25506	-39.69	-25	14.69	Pass	14502



16.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.12	-25	39.12	Pass	401
0.15	30	0.01	RMS	0.17	-64.9	-25	39.9	Pass	2986
30	1000	0.1	RMS	880.121	-57.8	-25	32.8	Pass	9701
1000	2560	1	RMS	2523	-44.45	-25	19.45	Pass	1561
2560	2630	1	RMS	2605.85	22.3	60	37.7	Pass	401
2630	3000	1	RMS	2631.85	-36.81	-25	11.81	Pass	401
3000	12000	1	RMS	11994	-44.54	-25	19.54	Pass	9002
12000	26500	1	RMS	25502	-39.55	-25	14.55	Pass	14502



16.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.7	-25	40.7	Pass	401
0.15	30	0.01	RMS	0.15	-64.23	-25	39.23	Pass	2986
30	1000	0.1	RMS	928.252	-57.89	-25	32.89	Pass	9701
1000	2560	1	RMS	2499	-44.46	-25	19.46	Pass	1561
2560	2630	1	RMS	2605.85	21.69	60	38.31	Pass	401
2630	3000	1	RMS	2631.85	-37.26	-25	12.26	Pass	401
3000	12000	1	RMS	11991	-44.63	-25	19.63	Pass	9002
12000	26500	1	RMS	25495	-39.73	-25	14.73	Pass	14502



16.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.51	-25	39.51	Pass	401
0.15	30	0.01	RMS	0.16	-65.07	-25	40.07	Pass	2986
30	1000	0.1	RMS	944.063	-57.74	-25	32.74	Pass	9701
1000	2560	1	RMS	2558	-40.92	-25	15.92	Pass	1561
2560	2630	1	RMS	2571.2	21.93	60	38.07	Pass	401
2630	3000	1	RMS	2976.875	-43.32	-25	18.32	Pass	401
3000	12000	1	RMS	11996	-44.5	-25	19.5	Pass	9002
12000	26500	1	RMS	25508	-39.75	-25	14.75	Pass	14502



16.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.08	-25	40.08	Pass	401
0.15	30	0.01	RMS	0.16	-65.35	-25	40.35	Pass	2986
30	1000	0.1	RMS	948.066	-57.93	-25	32.93	Pass	9701
1000	2560	1	RMS	2560	-40.32	-25	15.32	Pass	1561
2560	2630	1	RMS	2571.2	21.79	60	38.21	Pass	401
2630	3000	1	RMS	2998.15	-43.31	-25	18.31	Pass	401
3000	12000	1	RMS	11998	-44.53	-25	19.53	Pass	9002
12000	26500	1	RMS	25498	-39.7	-25	14.7	Pass	14502



16.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.82	-25	40.82	Pass	401
0.15	30	0.01	RMS	0.15	-64.79	-25	39.79	Pass	2986
30	1000	0.1	RMS	950.367	-57.78	-25	32.78	Pass	9701
1000	2560	1	RMS	2550	-43.84	-25	18.84	Pass	1561
2560	2630	1	RMS	2586.25	22.1	60	37.9	Pass	401
2630	3000	1	RMS	2999.075	-43.27	-25	18.27	Pass	401
3000	12000	1	RMS	11986	-44.55	-25	19.55	Pass	9002
12000	26500	1	RMS	25498	-39.72	-25	14.72	Pass	14502



16.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.41	-25	40.41	Pass	401
0.15	30	0.01	RMS	0.16	-65.13	-25	40.13	Pass	2986
30	1000	0.1	RMS	981.488	-57.82	-25	32.82	Pass	9701
1000	2560	1	RMS	2551	-44.26	-25	19.26	Pass	1561
2560	2630	1	RMS	2586.075	21.67	60	38.33	Pass	401
2630	3000	1	RMS	2999.075	-43.28	-25	18.28	Pass	401
3000	12000	1	RMS	11977	-44.52	-25	19.52	Pass	9002
12000	26500	1	RMS	25502	-39.77	-25	14.77	Pass	14502



16.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.83	-25	39.83	Pass	401
0.15	30	0.01	RMS	0.15	-65.06	-25	40.06	Pass	2986
30	1000	0.1	RMS	985.691	-57.79	-25	32.79	Pass	9701
1000	2560	1	RMS	2506	-44.36	-25	19.36	Pass	1561
2560	2630	1	RMS	2600.95	22.57	60	37.43	Pass	401
2630	3000	1	RMS	2636.475	-36.26	-25	11.26	Pass	401
3000	12000	1	RMS	11989	-44.48	-25	19.48	Pass	9002
12000	26500	1	RMS	25498	-39.77	-25	14.77	Pass	14502



16.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.9	-25	39.9	Pass	401
0.15	30	0.01	RMS	0.15	-64.6	-25	39.6	Pass	2986
30	1000	0.1	RMS	950.867	-57.86	-25	32.86	Pass	9701
1000	2560	1	RMS	2491	-44.41	-25	19.41	Pass	1561
2560	2630	1	RMS	2601.125	21.44	60	38.56	Pass	401
2630	3000	1	RMS	2636.475	-37.75	-25	12.75	Pass	401
3000	12000	1	RMS	11995	-44.49	-25	19.49	Pass	9002
12000	26500	1	RMS	25503	-39.72	-25	14.72	Pass	14502



17. LTE_Band41 120M


17.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.6	-25	39.6	Pass	401
0.15	30	0.01	RMS	0.3	-64.88	-25	39.88	Pass	2986
30	1000	0.1	RMS	982.989	-57.85	-25	32.85	Pass	9701
1000	2525	1	RMS	2524	-43.76	-25	18.76	Pass	1526
2525	2665	1	RMS	2535.15	22.52	60	37.48	Pass	401
2665	3000	1	RMS	3000	-43.23	-25	18.23	Pass	401
3000	12000	1	RMS	11990	-54.77	-25	29.77	Pass	9002
12000	26500	1	RMS	25501	-44.95	-25	19.95	Pass	14502




17.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.32	-25	41.32	Pass	401
0.15	30	0.01	RMS	0.16	-65.01	-25	40.01	Pass	2986
30	1000	0.1	RMS	979.586	-57.87	-25	32.87	Pass	9701
1000	2525	1	RMS	2524	-43.54	-25	18.54	Pass	1526
2525	2665	1	RMS	2535.5	21.14	60	38.86	Pass	401
2665	3000	1	RMS	3000	-43.28	-25	18.28	Pass	401
3000	12000	1	RMS	11999	-54.72	-25	29.72	Pass	9002
12000	26500	1	RMS	25498	-45.09	-25	20.09	Pass	14502




17.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-64.47	-25	39.47	Pass	401
0.15	30	0.01	RMS	0.16	-65.31	-25	40.31	Pass	2986
30	1000	0.1	RMS	927.352	-57.83	-25	32.83	Pass	9701
1000	2525	1	RMS	2491	-44.39	-25	19.39	Pass	1526
2525	2665	1	RMS	2592.9	22.11	60	37.89	Pass	401
2665	3000	1	RMS	2999.163	-43.27	-25	18.27	Pass	401
3000	12000	1	RMS	11993	-54.74	-25	29.74	Pass	9002
12000	26500	1	RMS	25516	-45.04	-25	20.04	Pass	14502




17.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.94	-25	40.94	Pass	401
0.15	30	0.01	RMS	0.15	-64.43	-25	39.43	Pass	2986
30	1000	0.1	RMS	917.445	-57.94	-25	32.94	Pass	9701
1000	2525	1	RMS	2492	-44.38	-25	19.38	Pass	1526
2525	2665	1	RMS	2592.9	20.89	60	39.11	Pass	401
2665	3000	1	RMS	3000	-43.28	-25	18.28	Pass	401
3000	12000	1	RMS	11990	-54.79	-25	29.79	Pass	9002
12000	26500	1	RMS	25496	-45.03	-25	20.03	Pass	14502




17.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.63	-25	39.63	Pass	401
0.15	30	0.01	RMS	0.15	-64.81	-25	39.81	Pass	2986
30	1000	0.1	RMS	988.893	-57.84	-25	32.84	Pass	9701
1000	2525	1	RMS	2498	-44.4	-25	19.4	Pass	1526
2525	2665	1	RMS	2650.3	22.08	60	37.92	Pass	401
2665	3000	1	RMS	2998.325	-43.27	-25	18.27	Pass	401
3000	12000	1	RMS	11969	-54.77	-25	29.77	Pass	9002
12000	26500	1	RMS	25496	-45	-25	20	Pass	14502




17.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.97	-25	39.97	Pass	401
0.15	30	0.01	RMS	0.16	-64.49	-25	39.49	Pass	2986
30	1000	0.1	RMS	981.688	-57.7	-25	32.7	Pass	9701
1000	2525	1	RMS	2525	-44.42	-25	19.42	Pass	1526
2525	2665	1	RMS	2650.3	21.72	60	38.28	Pass	401
2665	3000	1	RMS	2999.163	-43.25	-25	18.25	Pass	401
3000	12000	1	RMS	11994	-54.71	-25	29.71	Pass	9002
12000	26500	1	RMS	25512	-45.02	-25	20.02	Pass	14502




17.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.46	-25	40.46	Pass	401
0.15	30	0.01	RMS	0.15	-63.96	-25	38.96	Pass	2986
30	1000	0.1	RMS	982.388	-57.77	-25	32.77	Pass	9701
1000	2525	1	RMS	2518	-42.64	-25	17.64	Pass	1526
2525	2665	1	RMS	2535.5	22.18	60	37.82	Pass	401
2665	3000	1	RMS	3000	-43.28	-25	18.28	Pass	401
3000	12000	1	RMS	11980	-54.76	-25	29.76	Pass	9002
12000	26500	1	RMS	25497	-45.1	-25	20.1	Pass	14502




17.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.97	-25	40.97	Pass	401
0.15	30	0.01	RMS	0.23	-65.14	-25	40.14	Pass	2986
30	1000	0.1	RMS	996.998	-57.78	-25	32.78	Pass	9701
1000	2525	1	RMS	2525	-42.4	-25	17.4	Pass	1526
2525	2665	1	RMS	2535.5	22.03	60	37.97	Pass	401
2665	3000	1	RMS	2951.425	-43.3	-25	18.3	Pass	401
3000	12000	1	RMS	11999	-54.72	-25	29.72	Pass	9002
12000	26500	1	RMS	25518	-45.08	-25	20.08	Pass	14502



17.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.66	-25	40.66	Pass	401
0.15	30	0.01	RMS	0.15	-64	-25	39	Pass	2986
30	1000	0.1	RMS	937.559	-57.85	-25	32.85	Pass	9701
1000	2525	1	RMS	2515	-44.36	-25	19.36	Pass	1526
2525	2665	1	RMS	2590.45	22.6	60	37.4	Pass	401
2665	3000	1	RMS	2964.825	-43.26	-25	18.26	Pass	401
3000	12000	1	RMS	11993	-54.72	-25	29.72	Pass	9002
12000	26500	1	RMS	25507	-45.04	-25	20.04	Pass	14502



17.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.43	-25	40.43	Pass	401
0.15	30	0.01	RMS	0.16	-65.01	-25	40.01	Pass	2986
30	1000	0.1	RMS	893.229	-57.66	-25	32.66	Pass	9701
1000	2525	1	RMS	2502	-44.37	-25	19.37	Pass	1526
2525	2665	1	RMS	2590.8	20.49	60	39.51	Pass	401
2665	3000	1	RMS	2999.163	-43.25	-25	18.25	Pass	401
3000	12000	1	RMS	11990	-54.73	-25	29.73	Pass	9002
12000	26500	1	RMS	25506	-45.03	-25	20.03	Pass	14502



17.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.53	-25	39.53	Pass	401
0.15	30	0.01	RMS	0.15	-65.22	-25	40.22	Pass	2986
30	1000	0.1	RMS	974.383	-57.88	-25	32.88	Pass	9701
1000	2525	1	RMS	2494	-44.4	-25	19.4	Pass	1526
2525	2665	1	RMS	2645.4	22.17	60	37.83	Pass	401
2665	3000	1	RMS	3000	-43.27	-25	18.27	Pass	401
3000	12000	1	RMS	11998	-54.71	-25	29.71	Pass	9002
12000	26500	1	RMS	25497	-45.05	-25	20.05	Pass	14502



17.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.91	-25	39.91	Pass	401
0.15	30	0.01	RMS	0.27	-65.65	-25	40.65	Pass	2986
30	1000	0.1	RMS	852.502	-57.82	-25	32.82	Pass	9701
1000	2525	1	RMS	2522	-44.39	-25	19.39	Pass	1526
2525	2665	1	RMS	2645.4	21.74	60	38.26	Pass	401
2665	3000	1	RMS	2998.325	-43.24	-25	18.24	Pass	401
3000	12000	1	RMS	11992	-54.74	-25	29.74	Pass	9002
12000	26500	1	RMS	25510	-44.97	-25	19.97	Pass	14502



17.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.52	-25	39.52	Pass	401
0.15	30	0.01	RMS	0.15	-65.49	-25	40.49	Pass	2986
30	1000	0.1	RMS	849.3	-57.8	-25	32.8	Pass	9701
1000	2525	1	RMS	2523	-39.43	-25	14.43	Pass	1526
2525	2665	1	RMS	2535.5	22.21	60	37.79	Pass	401
2665	3000	1	RMS	2998.325	-43.22	-25	18.22	Pass	401
3000	12000	1	RMS	11998	-54.75	-25	29.75	Pass	9002
12000	26500	1	RMS	25497	-45.04	-25	20.04	Pass	14502



17.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.99	-25	39.99	Pass	401
0.15	30	0.01	RMS	0.15	-65.29	-25	40.29	Pass	2986
30	1000	0.1	RMS	857.005	-57.85	-25	32.85	Pass	9701
1000	2525	1	RMS	2523	-40.77	-25	15.77	Pass	1526
2525	2665	1	RMS	2535.5	21.08	60	38.92	Pass	401
2665	3000	1	RMS	3000	-43.27	-25	18.27	Pass	401
3000	12000	1	RMS	11998	-54.71	-25	29.71	Pass	9002
12000	26500	1	RMS	25512	-45	-25	20	Pass	14502



17.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.28	-25	39.28	Pass	401
0.15	30	0.01	RMS	0.16	-63.7	-25	38.7	Pass	2986
30	1000	0.1	RMS	846.9	-57.89	-25	32.89	Pass	9701
1000	2525	1	RMS	2499	-44.37	-25	19.37	Pass	1526
2525	2665	1	RMS	2588.35	22.49	60	37.51	Pass	401
2665	3000	1	RMS	2992.463	-43.29	-25	18.29	Pass	401
3000	12000	1	RMS	11985	-54.71	-25	29.71	Pass	9002
12000	26500	1	RMS	25496	-45.07	-25	20.07	Pass	14502



17.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.65	-25	39.65	Pass	401
0.15	30	0.01	RMS	0.17	-64.93	-25	39.93	Pass	2986
30	1000	0.1	RMS	914.343	-57.75	-25	32.75	Pass	9701
1000	2525	1	RMS	2513	-44.37	-25	19.37	Pass	1526
2525	2665	1	RMS	2588.35	20.74	60	39.26	Pass	401
2665	3000	1	RMS	3000	-43.31	-25	18.31	Pass	401
3000	12000	1	RMS	11981	-54.79	-25	29.79	Pass	9002
12000	26500	1	RMS	25493	-45.06	-25	20.06	Pass	14502



17.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.37	-25	40.37	Pass	401
0.15	30	0.01	RMS	0.2	-65.4	-25	40.4	Pass	2986
30	1000	0.1	RMS	988.392	-57.87	-25	32.87	Pass	9701
1000	2525	1	RMS	2512	-44.39	-25	19.39	Pass	1526
2525	2665	1	RMS	2640.5	21.73	60	38.27	Pass	401
2665	3000	1	RMS	2666.675	-38.41	-25	13.41	Pass	401
3000	12000	1	RMS	11978	-54.8	-25	29.8	Pass	9002
12000	26500	1	RMS	25501	-45.07	-25	20.07	Pass	14502



17.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.18	-25	40.18	Pass	401
0.15	30	0.01	RMS	0.19	-64.91	-25	39.91	Pass	2986
30	1000	0.1	RMS	966.978	-57.83	-25	32.83	Pass	9701
1000	2525	1	RMS	2513	-44.44	-25	19.44	Pass	1526
2525	2665	1	RMS	2640.5	20.99	60	39.01	Pass	401
2665	3000	1	RMS	2667.513	-38.8	-25	13.8	Pass	401
3000	12000	1	RMS	11978	-54.84	-25	29.84	Pass	9002
12000	26500	1	RMS	25506	-45.05	-25	20.05	Pass	14502



17.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.45	-25	40.45	Pass	401
0.15	30	0.01	RMS	0.15	-64.83	-25	39.83	Pass	2986
30	1000	0.1	RMS	860.007	-57.84	-25	32.84	Pass	9701
1000	2525	1	RMS	2524	-40.06	-25	15.06	Pass	1526
2525	2665	1	RMS	2536.2	22.26	60	37.74	Pass	401
2665	3000	1	RMS	2998.325	-43.33	-25	18.33	Pass	401
3000	12000	1	RMS	11981	-54.65	-25	29.65	Pass	9002
12000	26500	1	RMS	25496	-45	-25	20	Pass	14502



17.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.69	-25	40.69	Pass	401
0.15	30	0.01	RMS	0.19	-65.21	-25	40.21	Pass	2986
30	1000	0.1	RMS	977.085	-57.75	-25	32.75	Pass	9701
1000	2525	1	RMS	2525	-40.81	-25	15.81	Pass	1526
2525	2665	1	RMS	2535.85	21.79	60	38.21	Pass	401
2665	3000	1	RMS	3000	-43.31	-25	18.31	Pass	401
3000	12000	1	RMS	11986	-54.77	-25	29.77	Pass	9002
12000	26500	1	RMS	25497	-45.06	-25	20.06	Pass	14502



17.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.74	-25	40.74	Pass	401
0.15	30	0.01	RMS	0.23	-65.04	-25	40.04	Pass	2986
30	1000	0.1	RMS	917.045	-57.83	-25	32.83	Pass	9701
1000	2525	1	RMS	2504	-44.37	-25	19.37	Pass	1526
2525	2665	1	RMS	2585.9	22.28	60	37.72	Pass	401
2665	3000	1	RMS	2999.163	-43.32	-25	18.32	Pass	401
3000	12000	1	RMS	11992	-54.81	-25	29.81	Pass	9002
12000	26500	1	RMS	25503	-45.07	-25	20.07	Pass	14502



17.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.33	-25	40.33	Pass	401
0.15	30	0.01	RMS	0.17	-65.48	-25	40.48	Pass	2986
30	1000	0.1	RMS	936.858	-57.91	-25	32.91	Pass	9701
1000	2525	1	RMS	2499	-44.4	-25	19.4	Pass	1526
2525	2665	1	RMS	2585.9	21.36	60	38.64	Pass	401
2665	3000	1	RMS	2999.163	-43.3	-25	18.3	Pass	401
3000	12000	1	RMS	11991	-54.83	-25	29.83	Pass	9002
12000	26500	1	RMS	25503	-45.07	-25	20.07	Pass	14502



17.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.22	-25	40.22	Pass	401
0.15	30	0.01	RMS	0.15	-65.43	-25	40.43	Pass	2986
30	1000	0.1	RMS	829.7	-57.88	-25	32.88	Pass	9701
1000	2525	1	RMS	2490	-44.4	-25	19.4	Pass	1526
2525	2665	1	RMS	2635.95	21.57	60	38.43	Pass	401
2665	3000	1	RMS	2671.7	-38.46	-25	13.46	Pass	401
3000	12000	1	RMS	11999	-54.77	-25	29.77	Pass	9002
12000	26500	1	RMS	25499	-45.07	-25	20.07	Pass	14502



17.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.77	-25	39.77	Pass	401
0.15	30	0.01	RMS	0.21	-64.63	-25	39.63	Pass	2986
30	1000	0.1	RMS	926.051	-57.9	-25	32.9	Pass	9701
1000	2525	1	RMS	2487	-44.43	-25	19.43	Pass	1526
2525	2665	1	RMS	2635.95	21.67	60	38.33	Pass	401
2665	3000	1	RMS	2666.675	-38.86	-25	13.86	Pass	401
3000	12000	1	RMS	11997	-54.78	-25	29.78	Pass	9002
12000	26500	1	RMS	25489	-45.04	-25	20.04	Pass	14502



18. LTE_Band66


18.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.82	-13	56.82	Pass	401
0.15	30	0.01	RMS	0.16	-69.48	-13	56.48	Pass	2986
30	1000	0.1	RMS	879.52	-62.02	-13	49.02	Pass	9701
1000	1700	1	RMS	1700	-50.55	-13	37.55	Pass	701
1700	1790	1	RMS	1710.125	22.21	60	37.79	Pass	401
1790	3000	1	RMS	2999	-48.08	-13	35.08	Pass	1211
3000	12000	1	RMS	11993	-40.92	-13	27.92	Pass	9002
12000	20000	1	RMS	13602	-36.48	-13	23.48	Pass	8001




18.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.36	-13	56.36	Pass	401
0.15	30	0.01	RMS	0.19	-68.93	-13	55.93	Pass	2986
30	1000	0.1	RMS	843.4	-61.91	-13	48.91	Pass	9701
1000	1700	1	RMS	1700	-50.59	-13	37.59	Pass	701
1700	1790	1	RMS	1710.125	21.23	60	38.77	Pass	401
1790	3000	1	RMS	2997	-48.05	-13	35.05	Pass	1211
3000	12000	1	RMS	11999	-41.02	-13	28.02	Pass	9002
12000	20000	1	RMS	13601	-36.46	-13	23.46	Pass	8001




18.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.2	-13	56.2	Pass	401
0.15	30	0.01	RMS	0.17	-68.8	-13	55.8	Pass	2986
30	1000	0.1	RMS	840.3	-62.03	-13	49.03	Pass	9701
1000	1700	1	RMS	1672	-50.75	-13	37.75	Pass	701
1700	1790	1	RMS	1744.55	22.74	60	37.26	Pass	401
1790	3000	1	RMS	2995	-48.07	-13	35.07	Pass	1211
3000	12000	1	RMS	11996	-40.94	-13	27.94	Pass	9002
12000	20000	1	RMS	13603	-36.51	-13	23.51	Pass	8001




18.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.71	-13	56.71	Pass	401
0.15	30	0.01	RMS	0.15	-69.27	-13	56.27	Pass	2986
30	1000	0.1	RMS	861.408	-61.92	-13	48.92	Pass	9701
1000	1700	1	RMS	1678	-50.71	-13	37.71	Pass	701
1700	1790	1	RMS	1744.55	21.79	60	38.21	Pass	401
1790	3000	1	RMS	2991	-48.12	-13	35.12	Pass	1211
3000	12000	1	RMS	11989	-40.91	-13	27.91	Pass	9002
12000	20000	1	RMS	13605	-36.53	-13	23.53	Pass	8001




18.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.15	-13	56.15	Pass	401
0.15	30	0.01	RMS	0.18	-68.63	-13	55.63	Pass	2986
30	1000	0.1	RMS	840.7	-61.95	-13	48.95	Pass	9701
1000	1700	1	RMS	1680	-50.69	-13	37.69	Pass	701
1700	1790	1	RMS	1778.75	23.16	60	36.84	Pass	401
1790	3000	1	RMS	2980	-48.05	-13	35.05	Pass	1211
3000	12000	1	RMS	12000	-41	-13	28	Pass	9002
12000	20000	1	RMS	13603	-36.48	-13	23.48	Pass	8001




18.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.55	-13	56.55	Pass	401
0.15	30	0.01	RMS	0.15	-69.21	-13	56.21	Pass	2986
30	1000	0.1	RMS	984.19	-61.96	-13	48.96	Pass	9701
1000	1700	1	RMS	1680	-50.74	-13	37.74	Pass	701
1700	1790	1	RMS	1778.75	22.17	60	37.83	Pass	401
1790	3000	1	RMS	2998	-48.03	-13	35.03	Pass	1211
3000	12000	1	RMS	11892	-40.96	-13	27.96	Pass	9002
12000	20000	1	RMS	13602	-36.44	-13	23.44	Pass	8001



18.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.59	-13	56.59	Pass	401
0.15	30	0.01	RMS	0.15	-68.47	-13	55.47	Pass	2986
30	1000	0.1	RMS	997.398	-62.04	-13	49.04	Pass	9701
1000	1700	1	RMS	1700	-50.4	-13	37.4	Pass	701
1700	1790	1	RMS	1710.125	22.09	60	37.91	Pass	401
1790	3000	1	RMS	2981	-48.09	-13	35.09	Pass	1211
3000	12000	1	RMS	11999	-40.9	-13	27.9	Pass	9002
12000	20000	1	RMS	13601	-36.53	-13	23.53	Pass	8001



18.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.84	-13	55.84	Pass	401
0.15	30	0.01	RMS	0.15	-68.45	-13	55.45	Pass	2986
30	1000	0.1	RMS	836.6	-61.87	-13	48.87	Pass	9701
1000	1700	1	RMS	1700	-50.46	-13	37.46	Pass	701
1700	1790	1	RMS	1710.125	21.29	60	38.71	Pass	401
1790	3000	1	RMS	2995	-48.01	-13	35.01	Pass	1211
3000	12000	1	RMS	11994	-40.97	-13	27.97	Pass	9002
12000	20000	1	RMS	13599	-36.53	-13	23.53	Pass	8001

