

TABLE OF CONTENTS

1 Conducted output power for NR FR1	2
2 Frequency stability for NR FR1	4
3 Peak-to-Average Ratio for NR FR1	6
4 Occupied bandwidth for NR FR1	88
5 Band edge for NR FR1	117
6 Out-of-band emissions for NR FR1	125

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	24.68	-1.89	22.79	30.00	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	23.58	-1.89	21.69	30.00	PASS
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	24.81	-1.89	22.92	30.00	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	24.71	-1.89	22.82	30.00	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	24.84	-1.89	22.95	30.00	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM16	23.69	-1.89	21.80	30.00	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM64	22.00	-1.89	20.11	30.00	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QAM256	20.27	-1.89	18.38	30.00	PASS
n78(3700-3800)	30	10	647000	1@1	CP_QPSK	23.76	-1.89	21.87	30.00	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	25.07	-1.89	23.18	30.00	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	23.95	-1.89	22.06	30.00	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	24.99	-1.89	23.10	30.00	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	24.99	-1.89	23.10	30.00	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	24.95	-1.89	23.06	30.00	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM16	23.76	-1.89	21.87	30.00	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM64	22.70	-1.89	20.81	30.00	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QAM256	20.47	-1.89	18.58	30.00	PASS
n78(3700-3800)	30	10	650000	1@1	CP_QPSK	23.34	-1.89	21.45	30.00	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	24.66	-1.89	22.77	30.00	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	23.56	-1.89	21.67	30.00	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	24.59	-1.89	22.70	30.00	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	24.66	-1.89	22.77	30.00	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	24.55	-1.89	22.66	30.00	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM16	23.14	-1.89	21.25	30.00	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM64	22.29	-1.89	20.40	30.00	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QAM256	20.28	-1.89	18.39	30.00	PASS
n78(3700-3800)	30	10	653000	1@1	CP_QPSK	23.79	-1.89	21.90	30.00	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	24.63	-1.89	22.74	30.00	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	23.98	-1.89	22.09	30.00	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	25.07	-1.89	23.18	30.00	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	25.25	-1.89	23.36	30.00	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	25.59	-1.89	23.70	30.00	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM16	23.54	-1.89	21.65	30.00	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM64	22.67	-1.89	20.78	30.00	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QAM256	20.01	-1.89	18.12	30.00	PASS
n78(3700-3800)	30	50	648334	1@1	CP_QPSK	23.04	-1.89	21.15	30.00	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	24.89	-1.89	23.00	30.00	PASS

n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	24.03	-1.89	22.14	30.00	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	25.07	-1.89	23.18	30.00	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	25.04	-1.89	23.15	30.00	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	24.93	-1.89	23.04	30.00	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM16	24.04	-1.89	22.15	30.00	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM64	22.30	-1.89	20.41	30.00	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QAM256	20.32	-1.89	18.43	30.00	PASS
n78(3700-3800)	30	50	650000	1@1	CP_QPSK	23.53	-1.89	21.64	30.00	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	24.87	-1.89	22.98	30.00	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	23.87	-1.89	21.98	30.00	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	24.93	-1.89	23.04	30.00	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	24.93	-1.89	23.04	30.00	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	24.68	-1.89	22.79	30.00	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM16	23.75	-1.89	21.86	30.00	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM64	22.24	-1.89	20.35	30.00	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QAM256	20.11	-1.89	18.22	30.00	PASS
n78(3700-3800)	30	50	651666	1@1	CP_QPSK	23.28	-1.89	21.39	30.00	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	24.55	-1.89	22.66	30.00	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	23.85	-1.89	21.96	30.00	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	25.01	-1.89	23.12	30.00	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	24.47	-1.89	22.58	30.00	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	24.47	-1.89	22.58	30.00	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM16	23.66	-1.89	21.77	30.00	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM64	22.29	-1.89	20.40	30.00	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QAM256	20.36	-1.89	18.47	30.00	PASS
n78(3700-3800)	30	100	650000	1@1	CP_QPSK	23.42	-1.89	21.53	30.00	PASS

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n78(3700-3800)	30	10	647000	12@6	DFT_BPSK	-9.18	-0.00248	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	-11.06	-0.00299	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_BPSK	-12.48	-0.00337	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	-10.48	-0.00283	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	-11.49	-0.00310	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	-9.72	-0.00262	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_BPSK	-8.90	-0.00237	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	-12.44	-0.00332	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_BPSK	-11.30	-0.00301	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	-9.24	-0.00246	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	-9.95	-0.00265	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	-10.84	-0.00289	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_BPSK	-7.10	-0.00187	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	-10.77	-0.00284	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_BPSK	-9.80	-0.00258	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	-8.30	-0.00219	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	-11.51	-0.00303	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	-8.40	-0.00221	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_BPSK	-11.75	-0.00315	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	-11.95	-0.00321	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_BPSK	-13.09	-0.00351	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	-10.57	-0.00284	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	-8.56	-0.00230	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	-11.62	-0.00312	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_BPSK	-10.08	-0.00269	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	-11.67	-0.00311	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_BPSK	-10.60	-0.00283	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	-10.09	-0.00269	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	-10.59	-0.00282	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	-9.46	-0.00252	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_BPSK	-11.84	-0.00314	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	-8.97	-0.00238	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_BPSK	-9.08	-0.00241	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	-9.79	-0.00259	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	-8.37	-0.00222	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	-10.98	-0.00291	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_BPSK	-9.12	-0.00243	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	-10.56	-0.00282	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_BPSK	-11.82	-0.00315	-2.5	2.5	PASS

n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	-10.44	-0.00278	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	-13.28	-0.00354	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	-9.33	-0.00249	-2.5	2.5	PASS

3 Peak-to-Average Ratio for NR FR1


<i>Band</i>	<i>SCS (kHz)</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Allocation</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
n78(3700-3800)	30	10	647000	24@0	DFT_BPSK	4.35	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	6.29	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM16	6.77	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM64	6.96	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM256	6.54	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_BPSK	4.57	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	5.82	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM16	6.83	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM64	6.88	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM256	6.79	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_BPSK	4.66	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	6.04	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM16	6.64	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM64	6.83	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM256	6.51	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_BPSK	4.54	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QPSK	6.04	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM16	6.77	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM64	7.02	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM256	6.78	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_BPSK	4.67	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QPSK	6.07	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM16	6.73	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM64	6.96	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM256	6.84	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_BPSK	4.78	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QPSK	6.24	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM16	6.58	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM64	7.10	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM256	7.10	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_BPSK	4.50	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QPSK	5.69	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM16	6.60	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM64	6.62	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM256	6.53	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_BPSK	4.81	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QPSK	5.96	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM16	6.68	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM64	6.85	13	PASS

n78(3700-3800)	30	20	650000	50@0	DFT_QAM256	6.57	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_BPSK	4.70	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QPSK	5.91	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM16	6.36	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM64	6.70	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM256	6.64	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_BPSK	4.41	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QPSK	5.98	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM16	6.64	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM64	6.84	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM256	6.57	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_BPSK	4.56	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QPSK	5.92	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM16	6.42	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM64	6.54	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM256	6.67	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_BPSK	4.82	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QPSK	6.26	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM16	6.60	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM64	6.85	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM256	6.94	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_BPSK	5.03	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QPSK	6.03	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM16	6.69	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM64	6.80	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM256	6.42	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_BPSK	4.57	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QPSK	5.89	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM16	6.55	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM64	6.56	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM256	6.59	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_BPSK	4.95	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QPSK	6.05	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM16	6.60	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM64	6.61	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM256	6.67	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_BPSK	4.45	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	5.82	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM16	6.62	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM64	6.93	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM256	6.55	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_BPSK	4.46	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	5.97	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM16	6.48	13	PASS


n78(3700-3800)	30	50	650000	128@0	DFT_QAM64	6.74	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM256	6.70	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_BPSK	4.75	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	6.04	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM16	6.70	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM64	7.18	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM256	6.60	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_BPSK	4.67	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QPSK	5.71	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM16	6.27	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM64	6.62	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM256	7.09	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_BPSK	4.48	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QPSK	5.81	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM16	6.31	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM64	6.54	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM256	6.62	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_BPSK	4.87	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QPSK	6.45	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM16	6.60	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM64	6.51	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM256	6.46	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_BPSK	4.86	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QPSK	6.58	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM16	6.69	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM64	6.73	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM256	6.81	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_BPSK	4.76	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QPSK	5.68	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM16	6.42	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM64	6.93	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM256	6.61	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_BPSK	5.32	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QPSK	5.79	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM16	6.64	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM64	6.98	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM256	6.47	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_BPSK	4.39	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QPSK	5.91	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM16	6.48	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM64	6.77	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM256	6.86	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_BPSK	4.44	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QPSK	5.90	13	PASS

n78(3700-3800)	30	80	650000	216@0	DFT_QAM16	6.74	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM64	7.16	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM256	6.85	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_BPSK	4.55	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QPSK	5.92	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM16	6.44	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM64	6.86	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM256	6.57	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_BPSK	4.75	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QPSK	5.84	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM16	6.62	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM64	6.60	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM256	6.45	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_BPSK	4.57	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QPSK	5.61	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM16	6.52	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM64	6.52	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM256	6.52	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_BPSK	4.59	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QPSK	5.75	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM16	6.91	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM64	6.73	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM256	6.76	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_BPSK	4.95	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	5.87	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM16	6.59	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM64	6.70	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM256	6.57	13	PASS


n78(3700-3800) SCS=30kHz DFT_BPSK BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=90MHz Channel=650332 RB=240@0



n78(3700-3800) SCS=30kHz DFT_QAM64 BW=100MHz Channel=650000 RB=270@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=650000 RB=216@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=80MHz Channel=650666 RB=216@0